

## SUPPLEMENT

TO

# The Ceylon Government Gazette,

## PART I.

NO. 6,117—FRIDAY, APRIL 27, 1906.

## VITAL STATISTICS OF CEYLON.

### REPORT OF THE REGISTRAR-GENERAL FOR THE FOURTH QUARTER OF 1905.

#### I.—Population.

THE estimated population of the Island on the last day of the quarter was 3,950,123, showing an increase of 13,668 on the previous quarter, due to an excess of 9,970 births over deaths, and a further excess of 3,698 arrivals over departures of Indian coolies.

2. *Arrivals and departures of Indian coolies.*—The number of Indian coolies who arrived in the Island during the quarter amounted to 16,255 and of departures to 12,557, as against their respective averages 21,827 and 17,299 for the corresponding quarters of the last seven years.

#### II.—Marriages.

3. *Marriages.*—3,801 general marriages (*i.e.*, marriages other than Kandyan or Mohammedan) were registered during the quarter and 2,353 Kandyan marriages.

4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c.

5. Table VII. gives similar information in respect of the Kandyan marriages.

6. *First marriages; re-marriages.*—Of the 3,801 general marriages, 3,289 (equal to 87 per cent.) were between bachelors and spinsters, 350 between widowers and spinsters, 105 between bachelors and widows, 46 between widowers and widows, 6 between bachelors and divorced women, 4 between divorced men and spinsters, and 1 between a divorced man and a divorced woman. Of the 2,353 Kandyan marriages, 1,790 were between bachelors and spinsters, 243 between widowers and spinsters, 90 between bachelors and widows, 89 between widowers and widows, 55 between divorced men and spinsters, 48 between bachelors and divorced women, 17 between widowers and divorced women, 11 between divorced men and divorced women, and 10 between divorced men and widows.

7. *Age at marriage.*—The mean age at marriage for the general community was 26·9 for males and 20·5 for females, and for Kandyans 27·0 for males and 20·9 for females. It is likely that in many of these cases the couples had lived as husband and wife for years before registration of marriage, the usual religious ceremony alone having been performed in time. The figures in this chapter are based on actual registration, which is not, except among Kandyans, necessary to the validity of a marriage.

8. *Minors.*—In the general community about 3 per cent. of the bridegrooms and 52 per cent. of the brides, and among the Kandyans 12 per cent. of the bridegrooms and 68 per cent. of the brides, were under 21 years of age.

9. *Mixed marriages.*—There were 30 mixed marriages during the quarter: 2 between Europeans and Burghers, 1 between a European and a Sinhalese, 2 between Burghers and Sinhalese, 23 between Sinhalese and Tamils, 1 between a Kaffer and a Sinhalese, and 1 between a Sinhalese and a Veddah.

10. *Signatures in Marriage Register.*—Of the 7,602 persons married in the general community during the quarter, 822 men and 2,469 women signed the register with marks; that is to say, 22 per cent. of the men and 65 per cent. of the women could not write their names. Of the 4,706 Kandyans married, 835 men and 2,229 women signed the register with marks, *i.e.*, 35 per cent. of the men and 95 per cent. of the women could not write their names.

#### III.—Births and Deaths.

11. *Births.*—The births registered during the quarter numbered 38,518 (43 Europeans, 180 Burghers, 27,900 Sinhalese, 7,958 Tamils, 2,257 Moors, 119 Malays, and 61 Others), and were in the proportion of 40·5 per 1,000 persons living, as against 36·1 in the previous quarter and 41·7, the average of the corresponding quarters in the period 1898–1904.

12. *Deaths.*—The number of deaths registered during the quarter amounted to 28,548 (36 Europeans, 181 Burghers, 18,471 Sinhalese, 7,778 Tamils, 1,899 Moors, 94 Malays, and 109 Others), and were equal to an annual rate of 30·0 per 1,000 persons living, as against the average of 28·0 for the fourth quarters in the period 1898–1904 and 27·7, the rate in the preceding quarter.

13. The births and deaths and their rates are compared in the following Table A with the results obtained in the previous quarter, the corresponding quarter of the previous year, and the average rates for the fourth quarters in 1898–1904:—

TABLE A.

	Births.	Deaths.	Per Mille per Annum.		
			Birth-rate.	Death-rate.	
Average for seven previous fourth quarters in 1898–1904	... 37,679	... 25,256	41·7	...	28·0
Fourth quarter, 1904	... 36,700	... 23,814	38·4	...	24·9
Third quarter, 1905	... 34,222	... 26,287	36·1	...	27·7
Fourth quarter, 1905	... 38,518	... 28,548	40·5	...	30·0

14. *Sex.*—Of the total number of births (38,518), 19,764 were of males and 18,754 were of females, *i.e.*, 1,054 males to 1,000 females. Of the total number of deaths (28,548), 14,469 were of males and 14,079 were of females. Out of equal numbers living of each sex, there died 905 males to 1,000 females.

15. *Infantile mortality.*—The deaths of infants under one year of age numbered 6,929, and were in the proportion of 180 to 1,000 registered births. The rate of infantile mortality varied in different districts from 652 (for Tamils) and 581 (for Sinhalese) in Puttalam, 310 (for Tamils) in Mullaitivu, 308 (for Sinhalese) in Anuradhapura, 294

(for Moors) in Puttalam, 254 (for Tamils) in Batticaloa and in Trincomalee, 253 (for Sinhalese) in Batticaloa, 241 (for Tamils) in Mannar, 232 (for Sinhalese) in Kurunegala, 231 (for Moors) in Batticaloa, 221 (for Sinhalese) in Badulla, 217 (for Sinhalese) in Matale, 190 (for Siuhalese) in Kandy, 182 (for Sinhalese) in Ratnapura, 176 (for Tamils) in Jaffna, 172 (for Sinhalese) in Nuwara Eliya, to 162 (for Sinhalese) in Colombo, 152 (for Sinhalese) in Hambantota, 145 (for Sinhalese) in Chilaw, 137 (for Sinhalese) in Kegalla, 127 (for Sinhalese) in Galle, 120 (for Sinhalese) in Matara, 112 (for Sinhalese) in Negombo, and 108 (for Sinhalese) in Kalutara.

#### **IV.—State of Public Health.**

16. The general health of the population during the quarter was worse than usual. The death-rate (30·0) showing an increase of 2 per mille on the average (28·0). Six of the nine Provinces showed a deterioration in the death-rates as compared with the average, the exceptions being the Central, the Northern, and the Uva Provinces.

17. The healthiest Province during the quarter was the Northern (25·2) for all races, and the Western (24·7) for the indigenous population, viz., the Sinhalese. The healthiest district was Negombo with a death-rate of 19·4 for all races and 18·3 for the Sinhalese.

18. Tables III., IV., and V. in the Appendix show the number of births and deaths registered in the several Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, and the average for the corresponding quarters in the period 1898–1904. The birth-rates and death-rates for all ages and for infants in the several Provinces and districts of the Island are shown for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for Tamils only where Tamils form the bulk of the population. In the Puttalam and the Batticaloa Districts, which contain a resident population composed of Sinhalese, Tamils, and Moors, the rates are given for each of these races.

19. *Western Province.*—The Western Province, which usually ranks as the healthiest of the Provinces in the Island for all races, takes a lower place than the Northern and the Southern Provinces this quarter. The death-rate (24·7) among the Sinhalese, who form the bulk of its inhabitants, shows a great deterioration from the average (19·7). Each of its three districts experienced worse health than usual. The death-rate in the Colombo District (27·0) was the highest among the districts in the Province and was 7·5 per 1,000 in excess of the average (19·5). The Negombo District which was the healthiest among the districts of the Island during the quarter, showed a death-rate of 18·3 per 1,000, a slight increase on the average (17·7). The death-rate in the Kalutara District (24·2) showed an excess of 2·8 per 1,000 on the average (21·4). This district showed the lowest infantile mortality in the Island during the quarter, viz., 108 deaths per 1,000 registered births. The births registered in the Province were in the proportion of 38·6 per 1,000 persons living as against the average (39·3). Both Colombo and Negombo Districts showed diminished birth-rates as compared with the average, viz., 36·4 and 39·1 as against 37·0 and 42·7 respectively. The birth-rate in the Kalutara District (43·0) showed a slight improvement on the average (42·2).

20. *Central Province.*—The Sinhalese inhabitants of the Central Province, who on the first day of the quarter were estimated to number 313,245, enjoyed better health than usual, their death-rate for the quarter falling to 2·5 from an average of 32·9. The healthiest district in the Province was Nuwara Eliya, with a death-rate of 24·3 for the quarter (average 31·6), and the unhealthiest, Matale (38·3). The mortality in the Kandy District was at the rate of 28·0 per 1,000 men as against the average 30·9. The birth-rate in the Province during the quarter was 46·8, a deterioration from the average (52·0). The highest birth-rate was in Matale (56·0) and the lowest in Nuwara Eliya (39·7). The Kandy District showed a birth-rate of 45·6 as against the average (51·4).

21. *Northern Province.*—The Tamil population of the Northern Province, numbering 338,966 (according to the estimate for the first day of the quarter) enjoyed a considerable improvement in health, their death-rate for the quarter falling to 25·0 from an average of 29·3. The improvement was confined to two of its three districts, viz., Jaffna and Mannar. In the Jaffna District which contains the bulk of the population, the death-rate (24·1) was a great improvement on the average (28·6). In the Mannar District the death-rate declined to 28·6 from an average of 35·3. The Mullaittivu District, however, fared worse than usual, its death-rate for the quarter (42·5) showing an excess of 3·1 per 1,000 on the average (39·4). The birth-rate in the Province (39·0) showed an increase of 1 per 1,000 on the average (38·0). The highest birth-rate was in the Jaffna District (39·9) and the lowest in the Mannar District (26·9).

22. *Southern Province.*—This Province with a Sinhalese population of more than half a million experienced a slight deterioration in health, the death-rate for the quarter being 26·6 and the average (25·5). The Galle and Hambantota Districts, which together contain more than three-fourths of the population in the Province, were responsible for the deterioration in the Provincial death-rate. In the Galle District the death-rate (27·0) showed a slight increase on the average (26·1). The Hambantota District showed a great falling off in health, its death-rate rising to 30·2 from the average (24·8). In the Matara District, the death-rate (24·4) showed a slight improvement on the average (25·2). The birth-rate in the Province (46·7) showed a deterioration from the average (49·3). The highest birth-rate was in the Galle District (48·9) and the lowest in Hambantota (41·1).

23. *Eastern Province.*—In the Eastern Province, which is mainly inhabited by the Tamils and Moors (the former amounting to more than half the population in the Province and the latter more than a third, while the Sinhalese form only about 4 per cent.), all three sections of the population fared worse than usual in point of health. The Tamils, Moors, and Sinhalese recorded death-rates of 34·9, 34·5, and 42·8 as against their respective averages 30·9, 26·7, and 38·4. The inhabitants of the Batticaloa District (comprising about 84,000 Tamils, 58,000 Moors, and 7,500 Sinhalese) experienced worse health than usual, their death-rates for the quarter being 35·2, 34·8, and 43·0 respectively for Tamils, Moors, and Sinhalese as against the averages 30·5, 26·1, and 37·2. The Tamils in the Trincomalee District enjoyed better health than usual, their rate of mortality declining to 33·5 from an average of 37·8. The birth-rate of the Province among the Tamils, Moors, and Sinhalese was 41·2, 44·8, and 41·0 respectively.

24. *North-Western Province.*—The rate of mortality among the Sinhalese in this Province during the quarter rose to 35·1 from an average of 28·5. Each of the three districts experienced a deterioration in health, especially the Puttalam District where the Sinhalese number about 12,000. In this District the death-rate (54·8) showed a rise of 24 per 1,000 on the average (30·8). The Tamils in the district (who count about 7,000) also experienced a deterioration in health, their rate of mortality rising to 47·9 from an average of 33·2. But the Moors, who comprise about 10,000 in number, showed an improvement in the death-rate, 44·4, against the average (46·7). In the Kurunegala District the death-rate among the Sinhalese in the quarter (36·9) was 5·4 per 1,000 in excess of the average (31·5). The Chilaw District which is usually the healthiest among the districts of the Island, as may be seen from the average death-rate (17·1), presented a death-rate of 25·4 during the quarter, a rise of 8·3 per 1,000 on the average. The birth-rate in the Province declined to 46·9 from an average of 47·3. The Kurunegala District presented the highest birth-rate (49·2) and the Tamils of the Puttalam District the lowest (12·7).

25. *North-Central Province.*—The Sinhalese inhabitants of the North-Central Province or the Anuradhapura District numbering nearly 63,000 showed a decline in health during the quarter, their death-rate rising to 44·5 from an average of 39·6. The birth-rate (41·9) was also a deterioration from the average (44·9). The infantile mortality in the Province was as high as 308 per 1,000 births registered.

26. *Province of Uva.*—This Province which constitutes the single district of Badulla showed an improvement in point of health during the quarter, the death-rate among the Sinhalese who form the bulk of the population falling 6 per 1,000 from an average of 51·5 to 45·5. The birth-rate in the Province was equal to 48·2 per 1,000 persons living as against the average 56·7.

27. *Province of Sabaragamuwa.*—This Province, which includes the two districts of Ratnapura and Kegalla, presented a death-rate of 27·2, an improvement on the average 28·9. The improvement was confined to the Kegalla District which contains an estimated population of 154,219, and showed a death-rate of 21·7, more than four per 1,000 below the average 25·8. The mortality in the Ratnapura District rose to a rate of 34·2 from the average 32·7. The infantile mortality in this district was equal to a rate of 182 per 1,000 births registered and in the Kegalla District 137. The birth-rate in the Province declined to 44·2 from an average of 55·1, both districts sharing in the deterioration. The Kegalla District showed the higher birth-rate (45·1). In the Ratnapura District, the birth-rate during the quarter was in the proportion of 43·1 per 1,000 persons living as against the average 49·4.

#### V.—Causes of Deaths.

28. The causes of deaths registered in the Island during the quarter are given in Table X., and are summarized below:—

TABLE B.

District <sup>b</sup>	Cholera.	Small-pox.	Diarrhoea & Dysentery.	Fever.	Violence.				All other Causes.	Total.
					Accident	Homicide	Suicide	Execution.		
CEYLON	1	52	6,686	5,097	378	30	35	9	16,260	28,548
Colombo	—	—	898	634	44	7	8	6	2,727	4,324
Negombo	—	—	113	179	11	2	1	—	495	801
Kalutara	—	—	333	259	24	1	1	—	1,049	1,667
Kandy	—	—	848	216	52	—	5	—	1,656	2,777
Matale	—	—	245	123	10	—	2	—	531	911
Nuwara Eliya	—	—	399	42	9	—	2	—	626	1,078
Jaffna	—	—	229	620	22	2	9	—	1,037	1,919
Mannar	—	—	28	38	2	—	—	—	97	165
Mullaitivu	—	—	28	42	2	—	1	—	90	163
Galle	—	1	456	252	34	1	—	—	1,173	1,917
Matara	—	4	447	237	20	3	—	—	698	1,409
Hambantota	—	45	218	266	16	1	1	—	321	868
Batticaloa	—	—	206	543	20	—	—	3	578	1,350
Trincomalee	—	2	63	65	2	1	1	—	122	256
Kurunegala	—	—	359	500	35	6	1	—	1,633	2,534
Puttalam	—	—	68	104	—	—	—	—	195	367
Chilaw	—	—	69	102	6	1	—	—	350	528
Anuradhapura	—	—	171	230	4	—	—	—	506	911
Badulla	1	—	665	336	26	—	2	—	969	1,999
Ratnapura	—	—	432	200	20	4	1	—	640	1,297
Kegalla	—	—	411	109	19	1	—	—	767	1,307

29. *Smallpox.*—Of the 52 deaths from smallpox reported for registration during the quarter as many as 45 deaths occurred in the Hambantota District. The disease first broke out in this district in the latter part of the last quarter and continued throughout the quarter under report. The other districts, where deaths from this cause were reported, are Matara (4), Trincomalee (2) and Galle (1).

30. *Cholera.*—There was one death from cholera registered during the quarter in the Badulla District. This was of a Sinhalese who died in the Badulla town in November.

31. *Fever and diarrhoeal diseases.*—Of the 28,548 deaths registered in the Island during the quarter 6,687 were due to diarrhoeal diseases and 5,097 were reported as due to various kinds of fever, i.e., fever and diarrhoeal diseases contributed more than 41 per cent. of the total number of deaths.

32. There were 61 deaths from measles (17 in Colombo, 10 in Kandy, 8 in Ratnapura, 5 each in Badulla and Kegalla, 4 each in Nuwara Eliya and Matara, 3 in Galle, 2 in Hambantota, and 1 each in Negombo, Kalutara, and Matale). Whooping cough accounted for 22 deaths (11 in Batticaloa, 6 in Galle, 2 each in Colombo and Kalutara and 1 in Nuwara Eliya). Influenza was responsible for 30 deaths (10 in Nuwara Eliya, 5 each in Galle and Matara, 4 in Kandy, and 1 each in Negombo, Kalutara, Hambantota, Anuradhapura, Badulla, and Ratnapura). Three deaths were due to chickenpox (2 in Kegalla and 1 in Nuwara Eliya).

33. The other chief causes of deaths were infantile convulsions 2,940, debility (mostly among infants through inability to suck) 1,475, phthisis 994, pneumonia 845, anaemia 842, general dropsy 823, worms 756, old age 713, diseases of parturition 637, abscess 296, thrush 291, premature birth 226, malarial cachexia 214, rheumatism 196, dochmias duodenalis 169, bronchitis 159, asthma 129, paralysis 128, tetanus 115, enteritis 82, cirrhosis and other diseases of the liver 70, cancer 62, ascites 47, varicose veins 45, diabetes 43, and starvation (mostly among children for want of breast milk) 38.

34. *Deaths by violence.*—Of the 378 deaths attributed to accidents, as many as 106 were due to drowning, 69 to falls from trees, 51 to snakebites, 34 to burns and scalds, 21 to falling into wells, 16 to falls of heavy substances, 16 to falls, 15 to injuries at birth, 9 to gunshot wounds, 9 to poison, 6 to being run over by train, 6 to railway accidents, 4 to being run over by carts, 3 to being stung by wasps, 2 to injuries caused by crocodiles, 2 to injuries caused by buffaloes, 2 to injuries caused by dogs, 1 to explosion of a dynamite, 1 to injuries received in a coir mill, 1 to injuries caused by a sword-fish, 1 to being struck by lightning, 1 to fall from a cart, 1 to sunstroke, 1 to injuries caused by an elephant, 1 to injuries caused by a tiger, 1 to rupture of liver while adjusting a wireshoot, and 1 to falling into a coir pit.

35. *Homicide.*—Thirty deaths were due to homicide (7 in Colombo, 6 in Kurunegala, 4 in Ratnapura, 3 in Matara, 2 each in Negombo and Jaffna, and 1 each in Kalutara, Galle, Hambantota, Trincomalee, Chilaw, and Kegalla).

36. *Suicide.*—Thirty-five deaths were due to suicide, of which 16 were by hanging, 6 by cuts and stabs, 5 by drowning, 3 by poison, 2 by gunshot wounds, 2 by placing the neck on the railway line, and 1 by jumping into a well.

37. *Executions.*—There were nine judicial executions registered during the quarter, 6 in Colombo and 3 in Batticaloa.

**VI.—Health of the Estate Population.**

38. The total number of births reported for registration from the estates of the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, was 2,979 (7 Europeans, 6 Burghers, 86 Sinhalese, 2,844 Tamils, 26 Moors, 7 Malays, and 3 Others); and the total number of deaths was 3,065 (1 European, 3 Burghers, 38 Sinhalese, 3,006 Tamils, 17 Moors.), corresponding to an annual birth-rate of 28·1 and a death-rate of 28·9, as against the respective averages of 21·9 and 24·4. The Colombo District lead with the high death-rate of 52·1, followed by Kalutara (41·9), their rates being nearly double those of Nuwara Eliya and Kandy respectively. The causes of deaths are given in Table XI., and may be summarized as follows:—

TABLE C.

Diarrhoea	...	587	Dropsy	...	134	Parturition	...	...	69
Dysentery	...	568	Fever	...	108	Bronchitis	...	...	36
Debility	...	573	Old age	...	91	Phthisis	...	...	35
Pneumonia	...	210	Malarial cachexia	...	91	Anæmia	...	...	32
Infantile convulsions	...	140	Dochmias duodenalis	...	76	All other causes	...	...	857

39. The following Table D gives the estate population at the Census of 1901, their birth and death-rates for the 4th quarters of 1905 and 1904, the third quarter of 1905, and the average for the fourth quarters of 1898–1904:—

TABLE D.

District.	Population at the Census of 1901.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.				
		Average for Fourth Quarters, 1898-1904.	Fourth Quarter of 1904.	Third Quarter of 1905.	Fourth Quarter of 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quarter of 1904.	Third Quarter of 1905.	Fourth Quarter of 1905.	
Kandy	...	155,444	23·4	24·2	28·2	28·9	25·9	16·5	23·9	22·8
Matale	...	26,136	21·4	26·2	30·5	36·1	32·5	23·2	35·5	33·4
Nuwara Eliya	...	103,564	19·7	26·8	24·9	30·6	17·9	20·1	24·6	28·2
Badulla	...	51,788	25·3	33·3	32·9	30·4	22·0	18·9	24·4	27·3
Ratnapura	...	16,642	25·8	24·5	30·5	24·8	33·8	23·8	42·9	41·2
Kegalla	...	41,499	24·2	26·4	37·9	28·7	30·3	20·7	38·1	38·1
Colombo	...	8,302	16·8	13·3	24·8	18·2	33·5	20·5	45·4	52·1
Kalutara	...	16,965	22·1	27·8	24·6	23·9	39·9	19·4	44·2	41·9
Total	...	420,340	21·9	26·2	28·9	28·1	24·4	19·0	28·3	28·9

40. *Kandy District.*—The total number of births reported for registration from the estates in the Kandy District was 1,000 (949 Tamils, 31 Sinhalese, 11 Moors, 3 European, 3 Malays, 1 Burgher, and 2 Others), and the deaths amounted to 893 (880 Tamils, 4 Sinhalese, 7 Moors, and 2 Burghers). The birth-rate during the quarter was equal to 28·9, as against an average of 23·4 for the corresponding period of 1898–1904; and the death-rate was equal to 22·8, as against an average of 25·9. The most fatal cause of death was debility (mostly of infants from inability to suck), which resulted in 251 deaths. The other chief causes of death were diarrhoeal diseases 275 (146 from dysentery and 129 from diarrhoea), pneumonia 64, general dropsy 52, infantile convulsions 42, fevers 25 old age 21, dochmias duodenalis 18, Bronchitis 15 and malarial cachexia 12.

41. *Matale District.*—The total number of births reported for registration from the estates in the Matale District amounted to 238 (234 Tamils, and 4 Sinhalese); and the deaths numbered 220 (215 Tamils, 4 Sinhalese, and 1 Moor). The birth-rate for the quarter was equal to 36·1, as against an average of 21·4, and the death-rate was 33·4, as against the average of 32·5 for the corresponding period of 1898–1904. Diarrhoeal diseases resulted in 77 deaths (40 from diarrhoea and 37 from dysentery). The other principal causes of death were debility (mostly of infants from inability to suck) 38, general dropsy 18, malarial cachexia 14, old age 13, pneumonia 11, fever 10, and infantile convulsions 10.

42. *Nuwara Eliya District.*—The total number of births reported for registration from the estates in the Nuwara Eliya District were 800 (773 Tamils, 16 Sinhalese, 6 Moors, 2 Europeans, 2 Burghers, and 1 Malay), and the deaths amounted to 736 (734 Tamils, and 2 Sinhalese). The birth-rate for the quarter was equal to 30·6 as against the average of 19·7; and the death-rate was equal to 28·2, as against an average of 17·9 for the corresponding period of 1898–1904. The highest mortality was from diarrhoeal diseases 276 (138 from diarrhoea and 138 from dysentery). The other chief cases of death were debility (mostly of infants from inability to suck) 135, pneumonia 72, infantile convulsions 40, diseases of parturition 22, old age 19, general dropsy 19, malarial cachexia 13, and fever 12.

43. *Badulla District.*—The total number of births reported for registration from the estates in the Badulla District were 397 (391 Tamils, 3 Sinhalese, 1 European, 1 Burgher, and 1 Malay), and the deaths amounted to 357 (351 Tamils, 3 Sinhalese, 2 Moors, and 1 European). The birth-rate during the quarter was equal to 30·4, as against an average of 25·3; and the death-rate was equal to 27·3, as against an average of 22·0 for the corresponding period of 1898–1904. The chief causes of death were diarrhoeal diseases 130 (71 from dysentery and 59 from diarrhoea), debility (mostly among infants from inability to suck) 67, pneumonia 33, fevers 31, infantile convulsions 12, old age 9, and general dropsy 9.

44. *Ratnapura District.*—The total number of births reported for registration from the estates in the Ratnapura District amounted to 104 (96 Tamils, 6 Sinhalese, 1 Burgher, and 1 Moor), and the deaths numbered 173 (164 Tamils, 8 Sinhalese, and 1 Moor). The birth-rate for the quarter was equal to 24·8, as against an average of 25·8; and the death-rate was 41·2, as against an average of 33·8. The chief causes of death were diarrhoeal diseases 88 (53 from dysentery and 35 from diarrhoea), debility 18, malarial cachexia 14, pneumonia 10, infantile convulsions 8.

45. *Kegalla District.*—The total number of births reported for registration from the estates in the Kegalla District were 300 (278 Tamils, 16 Sinhalese, 5 Moors, and 1 Burgher), and the deaths amounted to 398 (381 Tamils, 14 Sinhalese, and 3 Moors). The birth-rate for the quarter was equal to 28·7 as against the average 24·2 and the death-rate was equal to 38·1 as against an average of 30·3 for the corresponding period of 1898–1904. The chief causes of death were diarrhoeal diseases 189 (118 from diarrhoea and 71 from dysentery) debility (mostly of infants from inability to suck) 35, dochmias duodenalis 27, general dropsy 21, malarial cachexia 18, infantile convulsions 17, pneumonia 15, and old age 13.

46. *Colombo District.*—The total number of births reported for registration from the estates in the Colombo District amounted to 38, (34 Tamils, 2 Moors, 1 Malay, and 1 Other), and the deaths numbered 109 (107 Tamils, 1 Burgher, and 1 Moor). The birth-rate for the quarter was equal to 18·2 as against the average 16·8; and the death-rate was equal to 52·1 as against the average 33·5. The chief causes of death were diarrhoeal diseases 46 (34 from diarrhoea and 12 from dysentery), anæmia 11, debility 11, and fevers 8.

47. *Kalutara District*.—The total number of births reported for registration from the estates in the Kalutara District were 102 (89 Tamils, 10 Sinhalese, 1 European, 1 Moor, and 1 Malay); and the deaths amounted to 179 (174 Tamils, 3 Sinhalese, and 2 Moors). The birth-rate for the quarter was equal to 23·9, as against the average 22·1; and the death-rate was equal to 41·9, as against the average 39·9. The chief causes of death were diarrhoeal diseases 74 (40 from dysentery and 34 from diarrhoea), debility (mostly of infants from inability to suck) 18, *dochmiasis duodenalis* 16, old age 12, infantile convulsions 9, and general dropsy 9.

## VII.—Health of the Town of Colombo.

48. The births registered in the town of Colombo numbered 1,049, and corresponded to an annual rate of 24·4, being 1 per 1,000 higher than the average (23·4) for the corresponding quarters in 1898-1904.

49. The deaths registered numbered 1,862 and corresponded to an annual rate of 43·3 per mille, being 9·8 per 1,000 higher than the average (33·5).

50. As usual in the town, the death-rate exceeded the birth-rate, due mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Moors): to the presence of hospitals, which add to the normal mortality of the town; and to the registration of births being still somewhat defective.

51. The subjoined Table E gives the births and deaths and their rates for each race for the fourth quarters of 1905 and 1904 and the average for the fourth quarters in 1898-1904:—

TABLE E.

52. Much reliance cannot be placed on the rates given in the above table for Europeans, Malays, and the races classed together as "Others" owing to the smallness of the population. Excluding the rates for these sections, the lowest death-rate was among the Burghers (32·5 against an average of 22·7), followed by the Moors (35·8 against an average of 34·2). The highest death-rate was among the Sinhalese (49·9). The Malays, who at the last Census numbered 4,493, show a death-rate of 34·4, against 32·9, the average for the corresponding quarters in 1898-1904.

53. Next to Europeans who show the highest birth-rate in the quarter, 37·3 (which is a rise of 1·3 per 1,000 over the average 36·0), come the Burghers with a birth-rate of 33·1 and the Sinhalese 31·7, as against their respective averages 32·9 and 27·2. The low birth-rates for Tamils and "Others" are due to their population being composed chiefly of males.

54. The number of births and deaths in each ward of the town, their rates per mille per annum, and the principal zymotic causes of death during the quarter are shown in the following Table F:-

TABLE F.

55. The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population for the most part being a floating male adult one. Excluding these two wards, the healthiest division in the town was St. Sebastian Ward with a death-rate of 25·6 per mille per annum, and the unhealthiest Slave Island with 36·5.

56. There were nine deaths registered in the town as due to measles (4 in the Kotahena Ward, 3 in Maradana, and 1 each in St. Sebastian and St. Paul's Wards.)

57. Diarrhoea and dysentery were fatal in 391 (against an average of 231 in the corresponding period of the last seven years), phthisis, bronchitis, and pneumonia in 309 (average 272), debility in 184 (average 101), infantile convulsions in 163 (average 129), fevers in 100 (average 102), old age in 86 (average 74), enteritis in 72 (average 8), tetanus in 41 (average 60), diseases of the circulatory system in 32 (average 29), worms in 31 (average 20), dochmiasis duodenalis in 27 (average 17), anaemia in 15 (average 14), parturition in 14 (average 19), and paralysis in 13 (average 16).

58. Eighteen deaths were due to accidents, of which 8 were due to drowning, 5 to burns and scalds, and 1 to being run over by a train, 1 to injuries caused by a hackery knocking against a wall, 1 to a fall, 1 to fall from a height, and 1 to injury at childbirth.

59. Three deaths were attributed to homicide and three to suicide (2 by cut or stab and 1 by poison.)

#### VIII.—Health of other Towns.

60. The following Table G shows the births and deaths and their rates for each of the towns of the Island for the fourth quarters of 1904 and 1905 with the average birth- and death-rates for the fourth quarters of the preceding seven years:—

TABLE G.

Towns.	Population (inclusive of the Military) at the Census of 1901.	Fourth Quarter, 1905.		Birth-rate per Mille per Annum			Death-rate per Mille per Annum			4th Quarter, 1905		
		Total Births.	Total Deaths.	Deaths in Hospitals and Jails.	Average of Fourth Quarters, 1898-1904.	Fourth Quarter, 1904.	Fourth Quarter, 1905.	Average of Fourth Quarters 1898-1904 (crude.)	Average of Fourth Quarters 1899-1904 (exclusive of Hospitals and Jails).	Fourth Quarter, 1904.	Inclusive of Hospitals and Jails.	
<i>Western Province.</i>												
Colombo	155,869	1,049	1,862	447	23·4	21·7	24·4	33·5	26·0	28·2	43·8	19·3
Negombo	19,819	242	181	32	39·1	37·4	47·4	32·9	28·6	24·6	35·5	29·2
Moratuwa	29,600	345	205	—	37·5	32·0	42·3	20·4	21·8	18·0	25·1	25·1
Kalutara	11,500	128	128	39	35·6	33·5	43·0	31·0	25·8	25·4	43·0	29·9
Panadure	3,845	40	48	23	40·7	30·4	38·6	44·1	23·1	41·1	46·3	24·1
<i>Central Province.</i>												
Kandy	26,511	140	254	112	28·6	22·7	19·6	36·8	25·4	33·4	35·6	19·9
Gampola	3,791	23	60	37	25·5	23·8	21·3	80·4	30·4	57·1	55·6	34·3
Navalapitiya	3,454	15	78	57	25·6	24·5	15·6	86·6	22·7	59·6	81·2	21·9
Matale	4,951	38	102	67	29·2	24·2	28·2	82·4	30·7	58·9	75·8	26·0
Nuwar Eliya	5,072	32	36	14	20·9	23·8	18·8	30·6	19·3	18·8	21·2	13·0
<i>Northern Province.</i>												
Jaffna	33,879	334	338	16	35·3	31·9	38·1	35·3	32·9	30·6	38·6	36·8
Mannar	5,332	21	17	2	22·1	26·8	15·6	18·4	22·3	17·1	12·7	11·2
Mullaittivu	1,308	17	9	1	35·3	61·5	49·3	32·6	29·3	35·1	26·1	23·2
Vavuniya	566	2	11	10	19·1	34·2	13·6	81·0	31·4	150·5	74·7	6·8
<i>Southern Province.</i>												
Galle	37,165	286	329	44	32·1	24·9	29·2	28·0	25·4	22·4	33·5	29·0
Matara	11,848	104	72	1	39·8	40·0	32·5	28·7	25·1	20·9	22·5	22·2
Hambantota	2,843	35	20	2	39·1	36·4	46·7	31·2	23·7	37·7	26·7	24·0
Tangalla	2,333	14	20	2	37·4	51·3	22·1	20·3	20·3	32·1	31·6	28·4
<i>Eastern Province.</i>												
Batticaloa	9,969	92	82	9	35·4	34·6	35·6	29·0	32·7	40·5	31·7	28·2
Trincomalee	11,887	92	85	9	32·2	43·7	30·7	32·2	30·4	39·1	28·4	25·4
<i>North-Western Province.</i>												
Kurunegala	6,483	54	138	102	28·9	32·4	28·8	61·1	25·8	53·9	73·7	19·2
Puttalam	5,115	58	102	20	36·9	35·3	44·4	42·8	35·3	43·8	78·1	61·3
Kalpitiya	1,487	7	8	—	—	—	17·6	—	—	—	20·1	20·1
Chilaw	4,168	39	41	1	36·0	48·0	35·3	27·6	22·4	29·3	37·1	36·2
<i>North-Central Province.</i>												
Anuradhapura	3,672	20	85	64	27·3	18·9	18·1	59·6	45·7	75·4	77·1	19·1
<i>Province of Uva.</i>												
Badulla	5,924	64	127	69	41·1	27·1	39·7	56·1	30·9	54·9	78·9	36·0
<i>Province of Sabaragamuwa.</i>												
Ratnapura	4,084	35	83	45	36·2	28·6	31·8	50·8	22·7	47·0	75·4	34·5
Kegalla	2,340	9	45	36	36·3	45·3	14·4	68·8	13·4	50·2	71·9	14·4

61. The death-rates for the quarter under report are given inclusive of hospital and jail deaths as well as exclusive. In some of the towns which attract large numbers of estate coolies and destitute poor the difference between the two rates is striking, e.g., Nawalapitiya 81·2 and 21·9, Kegalla 71·9 and 14·4, Kurunegala 73·7 and 19·2 Matale 75·8 and 26·0, Badulla 78·9 and 36·0, Ratnapura 75·4 and 34·5, and Gampola 55·6 and 34·3.

Registrar-General's Office,  
Colombo, March 12, 1905.

P. ARUNACHALAM,  
Registrar-General.

## APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Fourth Quarter of 1905.

Province and District.	Area in Square Miles	Estimated Population on Oct. 1, 1905.*	MARRIAGES.		BIRTHS.			DEATHS.			
			Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Females
CYCLON ...	2,532 <sup>1</sup> <sub>2</sub>	3,773,440	6,154	3,801	2,353	38,518	19,764	18,754	28,548	14,469	14,079
Western	1,432	976,954	1,782	1,782	—	9,097	4,721	4,376	6,792	3,471	3,321
Central	2,299 <sup>1</sup> <sub>2</sub>	649,484	1,152	166	986	6,133	3,187	2,996	4,766	2,873	2,393
Northern	3,363 <sup>1</sup> <sub>2</sub>	353,488	566	566	—	3,451	1,728	1,723	2,247	1,180	1,067
Southern	2,146 <sup>1</sup> <sub>2</sub>	616,652	840	827	13	7,169	3,679	3,490	4,194	2,067	2,127
Eastern	4,036 <sup>1</sup> <sub>2</sub>	182,942	104	69	35	1,955	1,021	934	1,606	857	749
North-Western	2,996 <sup>1</sup> <sub>2</sub>	380,390	939	279	660	4,284	2,201	2,083	3,429	1,724	1,705
North-Central	4,002 <sup>1</sup> <sub>2</sub>	79,123	192	27	165	807	417	390	911	486	425
Uva	3,154 <sup>1</sup> <sub>2</sub>	191,773	169	29	140	2,054	1,051	1,003	1,999	1,016	983
Sabaragamuwa	1,901 <sup>1</sup> <sub>2</sub>	342,634	410	56	354	3,568	1,809	1,759	2,604	1,295	1,309
Western.											
Colombo	560 <sup>1</sup> <sub>2</sub>	566,977	1,019	1,019	—	4,856	2,562	2,294	4,324	2,232	2,092
Negombo	247 <sup>1</sup> <sub>2</sub>	163,932	316	316	—	1,623	812	811	801	415	386
Kalutara	628 <sup>1</sup> <sub>2</sub>	246,045	447	447	—	2,618	1,347	1,271	1,667	824	843
Central.											
Kandy	911	394,150	508	109	399	3,603	1,851	1,752	2,777	1,388	1,389
Matale	925 <sup>1</sup> <sub>2</sub>	96,792	381	19	362	1,212	612	600	911	439	472
Nuwara Eliya	462 <sup>1</sup> <sub>2</sub>	158,542	263	38	225	1,318	674	644	1,078	546	532
Northern.											
Jaffna	1,265	314,637	513	513	—	3,147	1,582	1,565	1,919	982	937
Mannar	943 <sup>1</sup> <sub>2</sub>	23,873	46	46	—	171	79	92	165	100	65
Mullaittivu	1,154 <sup>1</sup> <sub>2</sub>	14,978	7	7	—	133	67	66	163	98	65
Southern.											
Galle	652 <sup>1</sup> <sub>2</sub>	278,434	471	458	13	3,330	1,687	1,643	1,917	938	979
Matara	481 <sup>1</sup> <sub>2</sub>	224,213	253	253	—	2,666	1,378	1,288	1,409	712	697
Hambantota	1,012 <sup>1</sup> <sub>2</sub>	114,005	116	116	—	1,173	614	559	868	417	451
Eastern.											
Batticaloa	2,871 <sup>1</sup> <sub>2</sub>	153,217	79	45	34	1,582	829	753	1,350	717	633
Trincomalee	1,165	29,725	25	24	1	373	192	181	256	140	116
North-Western.											
Kurunegala	1,844 <sup>1</sup> <sub>2</sub>	270,424	731	93	638	3,268	1,682	1,586	2,534	1,231	1,303
Puttalam	889 <sup>1</sup> <sub>2</sub>	29,438	55	33	22	250	117	133	367	19	169
Chilaw	262 <sup>1</sup> <sub>2</sub>	80,528	153	153	—	766	402	364	528	295	238
North-Central.											
Anuradhapura	4,002 <sup>1</sup> <sub>2</sub>	79,123	192	27	165	807	417	390	911	486	425
Uva.											
Badulla	3,154 <sup>1</sup> <sub>2</sub>	191,773	169	29	140	2,054	1,051	1,003	1,999	1,016	983
Sabaragamuwa.											
Ratnapura	1,259	139,058	196	36	160	1,435	734	701	1,297	644	653
Kegalla	642	903,576	214	20	194	2,133	1,075	1,068	1,307	651	656

\* The estimate of the population in this Table and in Tables III., IV., and V. is based on the Census of March 1, 1901 and the returns of births and deaths registered.

Table II.—Birth- and Death-rates in the Fourth Quarter of 1905, the corresponding Quarter of 1904, the Third Quarter of 1905, and the Mean Rates for the Fourth Quarters of 1898-1904.

Province and District.	Birth-rate per Mille per Annum				Death-rate per Mille per Annum			
	Average for Fourth Quarters, 1898-1904.	Fourth Quar- ter, 1904.	Third Quar- ter, 1905.	Fourth Quar- ter, 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quar- ter, 1904.	Third Quar- ter, 1905.	Fourth Quar- ter, 1905.
<b>CEYLON</b>	...	...	...	...	...	...	...	...
Western	...	...	...	...	36·6	33·2	29·9	36·9
Central	...	...	...	...	37·2	35·4	33·9	37·5
Northern	...	...	...	...	38·2	33·4	40·2	38·7
Southern	...	...	...	...	48·1	42·7	38·9	46·1
Eastern	...	...	...	...	48·2	47·8	40·4	42·4
North-Western	...	...	...	...	45·0	46·5	41·8	44·7
North-Central	...	...	...	...	43·2	45·8	41·7	40·5
Uva	...	...	...	...	46·2	46·4	34·5	42·5
Sabaragamuwa	...	...	...	...	45·9	43·1	39·1	41·3
Western.								
Colombo	...	...	...	...	34·1	31·2	28·9	34·0
Negombo	...	...	...	...	41·8	36·3	31·8	39·3
Kalutara	...	...	...	...	41·6	35·9	31·1	42·2
Central.								
Kandy	...	...	...	...	38·5	34·7	34·0	36·3
Matale	...	...	...	...	44·6	42·6	42·0	49·7
Nuwara Eliya	...	...	...	...	29·2	32·5	28·6	33·0
Northern.								
Jaffna	...	...	...	...	38·1	31·4	41·1	39·7
Mannar	...	...	...	...	38·6	47·5	32·2	28·4
Mullaittivu	...	...	...	...	39·3	49·0	33·0	35·2
Southern.								
Galle	...	...	...	...	47·2	39·1	37·5	47·4
Matara	...	...	...	...	50·4	45·0	41·0	47·2
Hambantota	...	...	...	...	46·2	46·7	37·9	40·8
Eastern.								
Batticaloa	...	...	...	...	48·7	46·3	42·3	41·0
Trincomalee	...	...	...	...	45·6	52·8	30·6	49·8
North-Western.								
Kurunegala	...	...	...	...	48·0	51·5	46·2	47·9
Puttalam	...	...	...	...	35·0	36·4	31·7	33·7
Chilaw	...	...	...	...	36·1	33·6	31·0	37·7
North-Central.								
Anuradhapura	...	...	...	...	43·2	45·8	41·7	40·5
Uva.								
Badulla	...	...	...	...	46·2	46·4	34·5	42·5
Sabaragamuwa.								
Ratnapura	...	...	...	...	46·3	41·0	37·4	40·9
Kegalla	...	...	...	...	45·7	44·6	40·2	41·6

Table III.—Sinhalese Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in Sinhalese Districts in the Fourth Quarter of 1905.

Province, District, and Division.	Area in Square Miles.	Estimated Population on Oct. 1, 1905.	Births.		Deaths.		Birth-rate per Mille per Annum.			Death-rate per Mille per Annum.			Deaths of Children under 1 Year to 1,000 Births Registered in the Fourth Quarter of 1905.		
			Average for Fourth Quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1898-1904.	Fourth Quarter, 1905.			
CEYLON ..	25331 $\frac{1}{4}$	2,527,346	27,692	27,900	16,065	18,471	46·5	42·4	37·5	43·8	26·8	24·5	26·3	29·0	167
WESTERN ..	1,432	823,879	7,626	8,017	3,817	5,132	39·3	34·5	31·1	38·6	19·7	17·4	19·4	24·7	138
Colombo ..	561 $\frac{1}{4}$	463,772	4,068	4,258	2,145	3,152	37·0	33·4	31·0	36·4	19·5	17·5	20·7	27·0	162
Colombo Municipality ..	10	66,270	476	585	598	922	—	—	—	—	—	—	—	—	—
Alutkuru Korale South ..	72	72,352	651	664	315	431	—	—	—	—	—	—	—	—	—
Hewagam Korale ..	167	70,466	644	651	255	360	—	—	—	—	—	—	—	—	—
Salpiti Korale ..	75	101,880	872	985	459	759	—	—	—	—	—	—	—	—	—
Siyane Korale East <sup>a</sup> ..	116 $\frac{1}{2}$	55,241	565	546	205	220	—	—	—	—	—	—	—	—	—
Siyane Korale West <sup>a</sup> ..	120 $\frac{1}{4}$	97,563	965	827	350	460	—	—	—	—	—	—	—	—	—
Negombo ..	247 $\frac{1}{2}$	147,136	1,451	1,449	600	679	42·7	36·2	31·6	39·1	17·7	15·1	16·5	18·3	112
Negombo Local Board ..	7 $\frac{1}{4}$	14,446	140	152	109	114	—	—	—	—	—	—	—	—	—
Alutkuru Korale North ..	159	98,097	947	931	359	392	—	—	—	—	—	—	—	—	—
Hapitgam Korale ..	81 $\frac{1}{4}$	34,593	364	366	132	173	—	—	—	—	—	—	—	—	—
Kalutara ..	628 $\frac{3}{4}$	212,971	2,107	2,310	1,072	1,301	42·2	35·7	31·0	43·0	21·4	18·9	18·4	24·2	108
Kalutara Local Board ..	1 $\frac{1}{4}$	9,170	77	95	63	99	—	—	—	—	—	—	—	—	—
Kalutara Totamune ..	88 $\frac{1}{4}$	98,424	963	1,091	511	611	—	—	—	—	—	—	—	—	—
Pasdun Korale East <sup>a</sup> ..	280 $\frac{3}{4}$	26,157	249	258	111	150	—	—	—	—	—	—	—	—	—
Pasdun Korale West <sup>a</sup> ..	123 $\frac{1}{4}$	25,176	237	346	133	205	—	—	—	—	—	—	—	—	—
Rayigam Korale ..	130	54,044	547	520	248	236	—	—	—	—	—	—	—	—	—
CENTRAL ..	2,299 $\frac{1}{2}$	313,245	3,796	3,691	2,398	2,329	52·0	45·8	40·8	46·8	32·9	30·0	25·2	29·5	194
Kandy ..	911	201,181	2,407	2,312	1,446	1,420	51·4	44·1	39·5	45·6	30·9	29·2	24·2	28·0	190
Kandy Municipality ..	11	14,160	120	100	104	125	—	—	—	—	—	—	—	—	—
Harispattu ..	50 $\frac{1}{2}$	32,129	403	378	238	194	—	—	—	—	—	—	—	—	—
Pata Dumbara ..	107 $\frac{1}{4}$	38,969	462	455	252	293	—	—	—	—	—	—	—	—	—
Pata Hewaheta ..	57 $\frac{1}{4}$	13,540	174	182	83	69	—	—	—	—	—	—	—	—	—
Tumpane ..	46 $\frac{1}{2}$	12,548	179	191	96	77	—	—	—	—	—	—	—	—	—
Uda Bulatgama ..	230	12,487	102	83	65	58	—	—	—	—	—	—	—	—	—
Uda Dumbara ..	238 $\frac{1}{2}$	21,549	291	303	224	268	—	—	—	—	—	—	—	—	—
Udu Nuwara ..	34 $\frac{1}{2}$	14,547	184	179	102	91	—	—	—	—	—	—	—	—	—
Uda Palata ..	106	22,641	267	240	153	128	—	—	—	—	—	—	—	—	—
Yati Nuwara ..	29 $\frac{1}{2}$	18,611	225	201	129	117	—	—	—	—	—	—	—	—	—
Matale ..	925 $\frac{5}{8}$	62,801	806	886	588	607	53·3	49·9	47·1	56·0	39·4	33·0	29·8	38·3	217
Matale Local Board ..	1,979	16	18	21	23	—	—	—	—	—	—	—	—	—	—
Matale South ..	163 $\frac{1}{4}$	27,938	349	405	225	174	—	—	—	—	—	—	—	—	—
Matale East ..	373 $\frac{3}{4}$	15,032	215	230	168	220	—	—	—	—	—	—	—	—	—
Matale North ..	388 $\frac{1}{8}$	17,852	226	233	174	190	—	—	—	—	—	—	—	—	—
Nuwara Eliya ..	462 $\frac{7}{8}$	49,263	583	493	364	302	50·5	47·0	38·1	39·7	31·6	29·4	23·7	24·3	172
Nuwara Eliya Local Board and outside ..	4 $\frac{1}{2}$	2,059	16	13	13	15	—	—	—	—	—	—	—	—	—
Kotmale ..	236 $\frac{1}{2}$	15,102	142	137	92	76	—	—	—	—	—	—	—	—	—
Uda Hewaheta ..	108 $\frac{1}{4}$	18,975	228	199	139	114	—	—	—	—	—	—	—	—	—
Walapane ..	113 $\frac{1}{2}$	13,127	197	144	120	97	—	—	—	—	—	—	—	—	—
SOUTHERN ..	2,146 $\frac{1}{4}$	585,633	6,736	6,920	3,482	3,929	49·3	43·5	39·5	46·7	25·5	22·5	24·1	26·6	129
Galle ..	652 $\frac{1}{4}$	261,598	2,990	3,222	1,593	1,777	48·7	40·4	38·4	48·9	26·1	19·8	22·6	27·0	127
Galle Municipality ..	6 $\frac{1}{2}$	27,777	241	228	178	226	—	—	—	—	—	—	—	—	—
Four Gravets beyond Municipal limits and Akminima ..	24 $\frac{1}{2}$	20,962	229	228	111	133	—	—	—	—	—	—	—	—	—
Gangaboda Pattuwa ..	128 $\frac{3}{4}$	33,657	412	428	180	221	—	—	—	—	—	—	—	—	—
Wellaboda Pattuwa ..	83 $\frac{1}{2}$	70,668	825	911	436	474	—	—	—	—	—	—	—	—	—
Talpe Pattuwa ..	97	55,836	637	693	367	358	—	—	—	—	—	—	—	—	—
Walallawiti Korale ..	146	46,003	559	638	283	324	—	—	—	—	—	—	—	—	—
Hinidum Pattuwa ..	166	6,695	87	96	38	41	—	—	—	—	—	—	—	—	—

\* Births and deaths for this division being available from 1901 only, the averages shown are for the four years 1901-1904.

Table III.—continued.

Province, District, and Division.	Area in Square Miles.	Estimated Population on October 1, 1905.	Births.		Deaths.		Birth-rate per Mille per Annum.		Death-rate per Mille per Annum.		Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.
			Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1905.						
<b>Matara</b> ...	481 <sup>1</sup> <sub>2</sub>	213,892	2,544	2,558	1,248	1,314	49·9	45·4	41·6	47·5	25·2	23·6	23·4	24·4	—	120
Matara Local Board ...	1 <sup>1</sup> <sub>2</sub>	10,403	104	83	71	50	—	—	—	—	—	—	—	—	—	—
Four Gravets beyond Local Board limits ...	7 <sup>2</sup> <sub>1</sub>	16,82	200	202	88	81	—	—	—	—	—	—	—	—	—	—
Wellaboda Pattuwa ...	51 <sup>3</sup> <sub>2</sub>	46,499	562	552	242	317	—	—	—	—	—	—	—	—	—	—
Weligama Korale ...	111	57,027	660	676	317	296	—	—	—	—	—	—	—	—	—	—
Morawak Korale ...	160	17,051	195	246	131	135	—	—	—	—	—	—	—	—	—	—
Kandaboda Pattuwa ...	70	27,942	355	348	163	198	—	—	—	—	—	—	—	—	—	—
Gangaboda Pattuwa ...	79 <sup>2</sup> <sub>3</sub>	38,148	468	451	236	242	—	—	—	—	—	—	—	—	—	—
<b>Hambantota</b> ...	1,012 <sup>2</sup> <sub>4</sub>	110,143	1,202	1,140	641	838	46·5	47·0	38·1	41·1	24·8	26·7	28·7	30·2	152	
Hambantota Four Gravets ...	1 <sup>1</sup> <sub>2</sub>	1,090	11	13	11	7	—	—	—	—	—	—	—	—	—	—
Magam Pattu, excl. of Four Gravets ...	641	6,781	62	54	76	62	—	—	—	—	—	—	—	—	—	—
Giruwa Pattu East ...	122 <sup>1</sup> <sub>2</sub>	12,274	121	116	79	154	—	—	—	—	—	—	—	—	—	—
Giruwa Pattu West ...	247 <sup>2</sup> <sub>3</sub>	89,998	1008	957	475	615	—	—	—	—	—	—	—	—	—	—
<b>EASTERN</b> ...	4,036 <sup>1</sup> <sub>2</sub>	8,805	93	91	85	95	41·2	30·1	27·8	41·0	38·4	47·4	43·1	42·8	264	
<b>Batticaloa*</b> ...	2,871 <sup>1</sup> <sub>2</sub>	7,575	81	75	73	82	41·6	28·3	27·6	39·3	37·2	43·2	44·8	43·0	253	
Batticaloa Local Board ...	1 <sup>1</sup> <sub>4</sub>	240	2	1	4	6	—	—	—	—	—	—	—	—	—	—
Mannunai Pattu North ...	148	30	—	2	1	2	—	—	—	—	—	—	—	—	—	—
Mannunai Pattu South ...	74	15	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bintenan Pattu ...	677 <sup>2</sup> <sub>3</sub>	3,263	37	35	32	33	—	—	—	—	—	—	—	—	—	—
Chammanturai ...	160	609	8	7	7	12	—	—	—	—	—	—	—	—	—	—
Eravur and Rukam Patus ...	372 <sup>2</sup> <sub>3</sub>	173	1	2	1	2	—	—	—	—	—	—	—	—	—	—
Koralai Pattu ...	290	165	2	1	1	1	—	—	—	—	—	—	—	—	—	—
Eruvil and Porativu Patus ...	247	778	5	—	5	1	—	—	—	—	—	—	—	—	—	—
Karavakn and Nintavur Pattus ...	41	124	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Akkarai Pattu ...	374	1,144	27	13	13	10	—	—	—	—	—	—	—	—	—	—
Panawa Pattu ...	486 <sup>1</sup> <sub>2</sub>	1,034	11	13	9	15	—	—	—	—	—	—	—	—	—	—
<b>NORTH-WESTERN</b> ...	2,996 <sup>1</sup> <sub>8</sub>	328,329	3,659	3,881	2,190	2,907	47·3	48·5	43·9	46·9	28·5	23·8	41·9	35·1	226	
<b>Kurunegala</b> ...	1,844 <sup>1</sup> <sub>8</sub>	248,034	2,885	3,073	1,828	2,305	49·4	52·4	47·3	49·2	31·5	25·7	45·6	36·9	232	
Kurunegala Local Board ...	1 <sup>1</sup> <sub>2</sub>	3,666	37	37	57	73	—	—	—	—	—	—	—	—	—	—
Hiriyalai Hatpattu ...	387 <sup>1</sup> <sub>2</sub>	30,202	337	382	304	336	—	—	—	—	—	—	—	—	—	—
Wendawili do. ...	177	44,032	566	588	393	376	—	—	—	—	—	—	—	—	—	—
Dambadeni do. ...	164 <sup>1</sup> <sub>2</sub>	44,712	605	544	297	361	—	—	—	—	—	—	—	—	—	—
Dewamedu do. ...	186 <sup>2</sup> <sub>4</sub>	33,630	393	472	261	360	—	—	—	—	—	—	—	—	—	—
Katugampola do. ...	358 <sup>2</sup> <sub>3</sub>	55,381	577	619	239	414	—	—	—	—	—	—	—	—	—	—
Wanni do. ...	569 <sup>1</sup> <sub>2</sub>	36,411	370	431	277	385	—	—	—	—	—	—	—	—	—	—
<b>Puttalam*</b> ...	889 <sup>2</sup> <sub>3</sub>	11,879	111	105	90	164	37·6	43·0	38·0	35·1	30·8	30·3	48·6	54·8	581	
Puttalam Local Board ...	8 <sup>2</sup> <sub>3</sub>	700	8	7	11	13	—	—	—	—	—	—	—	—	—	—
Demala Hatpattu ...	441 <sup>1</sup> <sub>1</sub>	6,665	79	73	62	113	—	—	—	—	—	—	—	—	—	—
Kalpitiya Division ...	315	1,107	3	2	4	4	—	—	—	—	—	—	—	—	—	—
Puttalam Division ...	124 <sup>1</sup> <sub>2</sub>	3,407	21	23	13	34	—	—	—	—	—	—	—	—	—	—
<b>Chilaw</b> ...	262 <sup>1</sup> <sub>2</sub>	68,416	663	703	272	438	41·5	35·3	32·7	40·8	17·1	15·9	27·2	25·4	145	
Chilaw Town ...	2 <sup>2</sup> <sub>3</sub>	2,537	27	34	17	26	—	—	—	—	—	—	—	—	—	—
Pitigal Korale North ...	132 <sup>1</sup> <sub>2</sub>	7,165	62	52	39	64	—	—	—	—	—	—	—	—	—	—
Pitigal Korale Central ...	88 <sup>2</sup> <sub>3</sub>	29,482	284	332	120	204	—	—	—	—	—	—	—	—	—	—
Pitigal Korale South ...	40	29,292	271	285	98	144	—	—	—	—	—	—	—	—	—	—

\* For Tamil Statistics see Table IV, and for Mohammedan Statistics see Table V.

† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the four years, 1901-1904.

‡ Births and Deaths for this division being available from 1899 only, the averages shown are for the six years 1899-1904.

Deaths of children under 1 Year to 1,000 births registered in the Fourth Quarter of 1905.

Table III.—continued.

Province, District, and Division.	Area in Square Miles.	Estimated Population on October 1, 1905.	Births.		Deaths.		Birth-rate per Mille per Annum.*		Death-rate per Mille per Annum.		Average for Fourth Quarters, 1898-1904.	Average for Fourth Quarters, 1898-1904.	Average for Fourth Quarters, 1904.	Average for Fourth Quarters, 1905.	Average for Fourth Quarters, 1905.	Average for Fourth Quarters, 1905.	Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter of 1905.	
			Average for Fourth Quarter, 1905.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1905.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1905.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1905.	Fourth Quarter, 1905.								
NORTH-CENTRAL	4,002 $\frac{1}{4}$	62,898	707	665	623	707	44·9	48·2	43·2	41·9	39·6	40·6	36·8	44·5			308	
Anuradhapura	4,002 $\frac{1}{4}$	62,898	707	665	623	707	44·9	48·2	43·2	41·9	39·6	40·6	36·8	44·5			308	
Anuradhapura Town	5 $\frac{3}{4}$	1,016	10	8	16	39												
Nuwaramgam Palata...	1,490 $\frac{2}{3}$	26,503	293	277	254	306												
Hurulu Palata	1,040	19,877	225	213	187	203												
Kalagam Palata	311	14,049	158	146	135	135												
Tamankaduwa Palata	1,155	1,453	21	21	31	24												
UVA	3,154 $\frac{1}{2}$	128,165	1,772	1,558	1,594	1,469	56·7	53·2	37·2	48·2	51·5	49·9	34·4	45·5			221	
Badulla	3,154 $\frac{1}{2}$	128,165	1,772	1,558	1,594	1,469	56·7	53·2	37·2	48·2	51·5	49·9	34·4	45·5			221	
Badulla Local Board	3 $\frac{3}{5}$	3,732	48	52	43	74												
Yatikinda Division	183 $\frac{1}{2}$	22,237	290	295	211	205												
Bintenna do.	359	9,718	144	96	135	118												
Buttala do.	567 $\frac{1}{2}$	14,796	205	150	255	240												
Wellawaya do.	1,019 $\frac{1}{2}$	7,586	97	78	103	112												
Udukinda do.	168 $\frac{3}{4}$	31,011	396	357	235	206												
Wellassa do.	645 $\frac{1}{2}$	20,963	302	289	371	334												
Wiyaluwa do.	187 $\frac{2}{3}$	18,122	290	241	241	180												
SABARAGAMUWA	1901	274,909	3,288	3,065	1,859	1,884	51·1	47·3	39·7	44·2	28·9	27·9	27·5	27·2			157	
Ratnapura	1259	120,690	1,419	1,311	942	1,041	49·4	43·4	37·8	43·1	32·7	34·6	29·6	34·2			182	
Ratnapura Local Board	2 $\frac{1}{4}$	3,242	31	32	28	48												
Kuruwiti Korale	211 $\frac{3}{4}$	31,199	321	290	169	165												
Nawadun do.	193 $\frac{1}{2}$	25,054	303	298	199	207												
Atakalan do.	171 $\frac{1}{2}$	18,632	236	202	164	217												
Kadawata do.	130 $\frac{1}{2}$	10,036	140	126	110	101												
Kolonna do.	169	10,745	116	130	85	112												
Kukulu do.	224 $\frac{1}{4}$	8,189	90	78	52	55												
Meda do.	156 $\frac{3}{4}$	13,593	182	155	135	136												
Kegalla	642	154,219	1,869	1,754	917	843	52·5	50·4	41·3	45·1	25·8	22·6	25·8	21·7			137	
Kegalla Local Board	1,797	19	9	20	19													
Paranakuru Korale	56 $\frac{1}{2}$	27,355	378	308	165	151												
Beligal do.	162 $\frac{1}{2}$	41,327	491	462	213	197												
Galboda do.	56 $\frac{3}{4}$	21,514	300	271	147	136												
Kinigoda do.	42	17,512	248	254	131	90												
Atulugam do.	125 $\frac{1}{2}$	11,838	117	134	61	74												
Dehigampal do.	74 $\frac{3}{4}$	16,697	162	142	81	82												
Panawal do.	40	6,851	73	76	36	33												
Lower Bulatgama	84 $\frac{1}{4}$	9,328	97	98	56	61												

\* Births and Deaths for this division being available from 1901 only, the averages shown are for the four years, 1901-1904.

Table IV.—Tamil Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the Fourth Quarter of 1905.

Province, District, and Division.	Area in Square Miles.	Estimated Population on October 1, 1905.	Births.		Deaths.		Birth-rate per Mille per Annum.			Death-rate per Mille per Annum.			Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter, 1905.		
			Average for Fourth quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth quarters, 1898-1904.	Fourth Quarter, 1905.	Average for Fourth Quarter, 1898-1904.	Fourth Quarter, 1904.	Third Quarter, 1905.	Fourth Quarter, 1905.	Average for Fourth quarters, 1898-1904.	Fourth Quarter, 1904.	Third Quarter, 1905.		
NORTHERN	3363 $\frac{1}{4}$	338,966	3,159	3,331	2,437	2,133	38·0	32·6	40·1	39·0	29·3	26·4	21·0	26·0	182
Jaffna	1265	310,481	2,891	3,123	2,162	1,884	38·2	31·5	41·1	39·9	28·6	24·3	19·7	24·1	176
Jaffna Division	181 $\frac{1}{2}$	43,241	380	458	357	361	—	—	—	—	—	—	—	—	—
Valikamam East	40 $\frac{1}{4}$	25,991	234	250	158	111	—	—	—	—	—	—	—	—	—
Valikamam North	36 $\frac{3}{4}$	47,925	461	530	285	236	—	—	—	—	—	—	—	—	—
Valikamam West	38 $\frac{1}{2}$	47,757	438	470	318	240	—	—	—	—	—	—	—	—	—
Vadamaradchi East	34 $\frac{1}{2}$	4,095	43	41	57	38	—	—	—	—	—	—	—	—	—
Vadamaradchi West	55	51,247	486	484	303	233	—	—	—	—	—	—	—	—	—
Tenmaradchi	80	38,182	336	367	321	272	—	—	—	—	—	—	—	—	—
Pachchilaiappalli	87	5,861	43	34	51	44	—	—	—	—	—	—	—	—	—
Karaichchi	123 $\frac{1}{4}$	2,769	4	7	6	12	—	—	—	—	—	—	—	—	—
Punakari	226 $\frac{3}{4}$	4,692	44	43	42	55	—	—	—	—	—	—	—	—	—
Islands*	59 $\frac{1}{2}$	34,715	361	379	230	248	—	—	—	—	—	—	—	—	—
Delft*	18 $\frac{1}{2}$	4,291	47	51	26	27	—	—	—	—	—	—	—	—	—
Tunukkai	446 $\frac{1}{2}$	615	6	9	8	7	—	—	—	—	—	—	—	—	—
Mannar	943 $\frac{1}{4}$	15,929	145	108	149	115	34·9	41·5	29·4	26·9	35·3	41·5	30·6	28·6	241
Mannar Island Division	47 $\frac{1}{2}$	5,772	53	39	50	32	—	—	—	—	—	—	—	—	—
Mantai Division	644 $\frac{1}{2}$	5,551	45	50	49	53	—	—	—	—	—	—	—	—	—
Nanaddan Division	251	4,606	47	19	50	30	—	—	—	—	—	—	—	—	—
Mullaittvu†	1154 $\frac{1}{2}$	12,556	123	100	126	134	38·6	46·8	29·0	31·7	39·4	57·8	41·6	42·5	310
Maritime Pattu	393 $\frac{3}{4}$	6,234	54	41	53	49	—	—	—	—	—	—	—	—	—
Vavuniya North	316	2,412	21	22	26	28	—	—	—	—	—	—	—	—	—
Vavuniya South	445	3,910	37	37	51	57	—	—	—	—	—	—	—	—	—
EASTERN	4036 $\frac{1}{2}$	101,480	1,164	1,054	761	892	47·3	43·8	41·0	41·2	30·9	35·0	42·3	34·9	254
Batticaloa†	2871 $\frac{1}{2}$	84,086	983	857	596	745	51·7	42·3	43·3	40·4	30·5	33·2	44·9	35·2	264
Batticaloa Local Board	281 $\frac{1}{2}$	8,407	80	79	69	67	—	—	—	—	—	—	—	—	—
Manmunai Pattu North	148	13,832	157	167	109	163	—	—	—	—	—	—	—	—	—
Manmunai Pattu South	74	8,775	104	84	58	68	—	—	—	—	—	—	—	—	—
Bintenna Pattu	677 $\frac{1}{2}$	678	6	13	5	4	—	—	—	—	—	—	—	—	—
Chammanturai Pattu	160	3,146	36	26	22	24	—	—	—	—	—	—	—	—	—
Eravur and Rukam Pattus	372	8,395	88	80	64	80	—	—	—	—	—	—	—	—	—
Koralai Pattu	290	6,077	96	72	56	75	—	—	—	—	—	—	—	—	—
Eruvil and Porativu Pattus	247	13,992	163	129	81	96	—	—	—	—	—	—	—	—	—
Karavaku and Nintavu Pattus	41	14,661	182	165	113	123	—	—	—	—	—	—	—	—	—
Akkarai Pattu	374	5,386	72	33	47	34	—	—	—	—	—	—	—	—	—
Panawa Pattu	486 $\frac{1}{2}$	737	7	9	5	11	—	—	—	—	—	—	—	—	—
Trincomalee	1165	17,394	181	197	165	147	41·5	51·1	30·1	44·9	37·8	43·1	29·7	33·5	254
Trincomalee Town	1	9,303	138	76	79	70	—	—	—	—	—	—	—	—	—
Kaddukkulam Pattu	490 $\frac{1}{2}$	1,919	23	18	21	16	—	—	—	—	—	—	—	—	—
Koddiyar Pattu	223	4,165	91	65	39	89	—	—	—	—	—	—	—	—	—
Tampalakamam Pattu	450 $\frac{1}{2}$	2,007	45	38	26	22	—	—	—	—	—	—	—	—	—
NORTH-WESTERN	2996 $\frac{7}{8}$	25,166	145	123	232	308	23·4	27·6	22·2	19·4	36·1	40·0	56·0	48·6	358
Puttalam	889 $\frac{3}{4}$	7,206	42	23	66	87	20·9	18·1	22·4	12·7	33·2	40·5	53·5	47·9	652
Puttalam Local Board	8 $\frac{5}{8}$	1,077	7	5	14	36	—	—	—	—	—	—	—	—	—
Demala Hatpattu	441 $\frac{1}{2}$	342	2	—	5	1	—	—	—	—	—	—	—	—	—
Kalpitiya Division	315	2,087	14	8	26	20	—	—	—	—	—	—	—	—	—
Puttalam Division	124 $\frac{7}{8}$	3,700	19	10	21	30	—	—	—	—	—	—	—	—	—

\* Births and deaths for this division being available from 1901 only, the averages shown are for the four years, 1901 to 1904.

† Births and deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the four years, 1901-1904.

Table V.—Moor Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in Batticaloa and Puttalam Districts, in the Fourth Quarter of 1905.

Province, District, and Division.	Area in Square Miles.	Estimated Population on Oct. 1, 1905.	Births.		Deaths.		Birth-rate per Mille per Annum.		Death-rate per Mille per Annum.		Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter, 1905.				
			Average for Fourth Quarters, 1893-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1893-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1893-1904.	Fourth Quarter, 1905.	Average for Fourth Quarters, 1893-1904.	Fourth Quarter, 1905.					
EASTERN ...	4,036 <sup>1</sup> <sub>2</sub>	67,065	836	757	424	584	52·8	56·0	42·8	44·8	26·7	32·9	43·1	34·5	232
Batticaloa* ...	2,871 <sup>1</sup> <sub>2</sub>	57,994	722	635	361	509	52·5	56·2	44·4	43·4	26·1	33·8	46·0	34·8	231
Batticaloa Local Board	281 <sup>1</sup> <sub>4</sub>	353	—	5	—	5	—	—	—	—	—	—	—	—	—
Manmunai Pattu North	148	11,826	180	200	106	186	—	—	—	—	—	—	—	—	—
Manmunai Pattu South	74	47	—	—	—	—	—	—	—	—	—	—	—	—	—
Bintenna Pattu	677 <sup>1</sup> <sub>2</sub>	129	2	—	—	—	—	—	—	—	—	—	—	—	—
Chammanturai Pattu	160	6,789	83	71	52	55	—	—	—	—	—	—	—	—	—
Eravur and Rukam Pattus	372 <sup>1</sup> <sub>2</sub>	6,282	55	32	29	27	—	—	—	—	—	—	—	—	—
Koralai Pattu ...	290	4,069	68	37	29	35	—	—	—	—	—	—	—	—	—
Eruvil and Porativu Pattus	247	177	—	—	—	—	—	—	—	—	—	—	—	—	—
Karavaku and Nintavur Pattus	41	18,571	230	217	118	135	—	—	—	—	—	—	—	—	—
Akkarai Pattu	374	8,897	123	59	55	52	—	—	—	—	—	—	—	—	—
Panawa Pattu	486 <sup>1</sup> <sub>2</sub>	1,904	21	14	11	14	—	—	—	—	—	—	—	—	—
NORTH-WESTERN	2,996 <sup>1</sup> <sub>8</sub>	24,658	257	266	202	202	42·3	43·4	35·2	42·8	35·7	30·8	33·8	32·5	225
Puttalam. ...	889 <sup>1</sup> <sub>2</sub>	9,837	104	119	104	110	43·8	43·2	30·2	48·0	46·7	50·4	35·8	44·4	294
Puttalam Local Board	84 <sup>1</sup> <sub>2</sub>	2,780	31	45	27	48	—	—	—	—	—	—	—	—	—
Demala Hatpattu	441 <sup>1</sup> <sub>2</sub>	455	5	13	4	6	—	—	—	—	—	—	—	—	—
Kalpitiya Division	315	4,729	43	28	57	35	—	—	—	—	—	—	—	—	—
Puttalam Division	124 <sup>1</sup> <sub>2</sub>	1,873	25	33	16	21	—	—	—	—	—	—	—	—	—

\* Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the four years, 1901-1904.

Table VI.—Marriages (General), Civil Condition, Nationality, Age, Mode of Solemnization, Signature of Marriage Register, &amp;c., in the Fourth Quarter of 1905.

Province and District.	Ceylon	Contracted between		Contracted between		Of Persons not 21 Years of Age.		The number who signed Register with Marks.	
		Of	Contracted between	Between Persons of same Race.	Contracted between	Males.	Females.	Males.	Females.
Total Marriages.	3801	3289	105	350	46	4	6	1	—
Western.	1782	1563	39	158	19	2	—	—	—
Central.	166	136	7	20	2	—	1	—	—
Northern.	566	487	17	48	11	2	—	—	—
Southern.	827	715	24	80	7	—	—	—	—
Eastern.	69	56	3	9	1	—	—	—	—
North-Western.	279	231	10	31	6	—	—	—	—
North-Central.	27	26	1	—	—	—	—	—	—
Uva.	29	26	2	1	—	—	—	—	—
Sabaragamnawa	56	49	2	3	—	—	—	—	—
Western.	1019	901	21	84	10	2	—	—	—
Colombo	316	278	5	31	2	—	—	—	—
Kalutara.	447	384	13	43	7	—	—	—	—
Central.	109	92	3	14	—	—	—	—	—
Kandy.	19	15	2	2	—	—	—	—	—
Matale.	—	—	—	—	—	—	—	—	—
Nuwara Eliya.	38	29	2	4	2	—	—	—	—
Northern.	513	455	18	36	6	1	2	—	—
Jaffna.	46	29	3	9	5	—	—	—	—
Mannar.	—	7	3	1	3	—	—	—	—
Mullaithivu.	—	—	—	—	—	—	—	—	—
Southern.	458	399	11	42	5	—	—	—	—
Galle.	263	219	6	26	2	—	—	—	—
Matara.	116	97	7	12	—	—	—	—	—
Hambantota.	—	—	—	—	—	—	—	—	—
Eastern.	45	39	2	4	—	—	—	—	—
Batticaloa.	24	17	1	5	1	—	—	—	—
Trincomalee.	—	—	—	—	—	—	—	—	—
North-Western.	93	76	4	10	2	1	—	—	—
Kurunegala.	33	22	2	7	2	—	—	—	—
Puttalam.	—	—	—	—	—	—	—	—	—
Chilaw.	163	133	4	14	2	—	—	—	—
North-Central.	27	26	1	—	—	—	—	—	—
Anuradhapura.	—	—	—	—	—	—	—	—	—
Uva.	29	26	2	1	—	—	—	—	—
Badulla.	—	—	—	—	—	—	—	—	—
Sabaragamuwa.	36	30	2	2	—	—	—	—	—
Ratnapura.	20	19	—	—	—	—	—	—	—
Kegalla	—	—	—	—	—	—	—	—	—

\*Mixed Marriages. { 1 between a Gaffer and b Sinhalese.  
 Between a Telugu and a Vedda.  
 Other Marriages, { 1 " " a Caffer and a Caffee,  
 1 " " a Malay and a Malay.

Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c.,  
in the Fourth Quarter of 1905.

Province and District.	Contracted between												Persons not 21 Years of Age.	Signed the Register with Marks.					
	Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.			
CEYLON ...	2353	1790	90	243	89	55	10	48	70	27·0	16	50	20·9	13	835	2229			
Central	986	750	30	103	31	24	4	28	99	599	68	28·5	16	50	22·4	13	386	907	
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Southern	13	10	—	1	2	—	—	—	2	8	62	31·4	19	47	23·8	16	7	13	
Eastern	35	27	1	4	3	—	—	—	6	21	41	25·3	19	28	20·6	16	19	35	
North-Western	660	507	26	76	28	9	4	8	67	469	67	25·9	17	45	20·1	15	197	646	
North-Central	165	109	17	13	20	3	1	2	14	106	52	27·8	18	45	21·4	15	57	162	
Uva	140	117	4	12	3	1	1	1	6	102	62	26·6	17	35	19·5	13	66	137	
Sabaragamuwa	354	270	12	34	2	18	1	10	73	299	70	24·9	16	50	18·7	13	103	329	
Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kandy	399	311	16	36	11	7	1	12	56	287	68	26·6	17	45	19·7	13	157	357	
Matale	362	262	11	48	12	11	2	11	26	201	61	28·0	16	48	21·9	13	143	354	
Nuwara Eliya	225	177	3	19	8	6	1	5	17	111	50	32·7	16	50	28·2	15	86	196	
Northern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mullaittivu	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Southern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Galle	13	10	—	1	2	—	—	—	2	8	62	31·4	19	47	23·8	16	7	13	
Matara	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Eastern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Batticaloa	34	26	1	4	3	1	1	1	5	20	41	25·1	19	28	20·4	16	18	34	
Trincomalee	—	1	—	—	—	—	—	—	1	1	30	30·0	30	28	28·0	28	1	1	
North-Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kurunegala	638	494	25	70	26	9	4	8	92	455	67	25·8	17	45	20·0	15	192	625	
Futalam	22	13	1	6	2	—	—	—	1	14	65	28·9	20	28	20·5	17	5	21	
North-Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anuradhapura	165	109	17	13	20	3	—	1	14	106	52	27·8	18	45	21·4	15	57	162	
Uva.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Badulla	140	117	4	12	3	1	1	1	6	102	62	26·6	17	35	19·5	13	66	137	
Sabaragamuwa.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ratnapura	160	113	8	25	1	8	1	2	1	29	135	70	25·4	16	50	18·7	13	61	151
Kegalla	194	157	4	9	1	10	—	8	3	44	164	50	24·4	17	35	18·6	14	42	178

Table VIII.—Return of Births of each Nationality in each Province and District in the Island registered during the Fourth Quarter of 1905.

Province and District.	All Races.		Europeans.		Burgers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.											
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.										
Ceylon	... 38,518	1,9764	... 8,754	43	26	17	180	87	93	27,900	14,371	13,559	7,958	4,036	3,922	2,357	1,155	1,102	119	62	57	61	27	34		
Western.	... 9,097	4,721	4,376	30	15	15	126	64	62	8,017	4,166	3,851	430	215	427	227	200	40	20	27	14	13				
Central.	... 6,333	3,137	2,996	9	8	1	17	6	11	3,691	1,905	1,786	2,092	1,061	1,031	290	142	148	24	13	11	10	2	8		
Northern.	... 3,451	1,728	1,723	—	—	—	3	1	2	12	8	8	4	3,331	1,670	1,661	103	49	54	2	—	—	—	—		
Southern.	... 7,169	3,679	3,490	1	1	1	16	8	7	6,920	3,546	3,374	67	37	30	157	82	75	8	5	3	1	1	—		
Eastern.	... 1,955	1,021	934	1	1	1	12	6	6	91	41	50	1,054	563	491	757	392	365	27	14	13	13	4	9		
North-Western.	... 4,284	2,201	2,083	1	1	1	3	2	1	3,881	1,999	1,882	123	64	59	266	129	127	8	5	3	1	1	1		
North-Central.	... 807	417	390	—	—	—	—	—	—	665	346	319	40	19	21	95	48	47	2	2	—	5	2	3		
Uva.	... 2,054	1,051	1,003	1	1	1	—	—	1	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Sabaragamuwa.	... 3,568	1,809	1,759	—	—	—	3	—	3	3,065	1,561	1,504	396	195	201	100	52	48	3	—	3	1	1	—		
Western.	... 4,856	2,562	2,294	29	15	14	120	62	58	4,258	2,268	2,000	199	102	97	96	95	36	17	19	23	12	11			
Colombo.	... 1,638	812	811	—	—	—	5	2	3	1,449	722	727	137	68	69	29	18	11	3	2	1	—	—	2		
Negombo.	... 2,618	1,347	1,271	1	—	1	—	—	1	2,310	1,186	1,124	94	45	49	207	113	94	1	1	—	4	2	2		
Kahntara.	... 1,318	674	644	2	—	—	5	1	4	493	263	240	800	411	389	15	6	33	4	2	2	1	—	—		
Central.	... 3,603	1,851	1,752	7	6	1	10	4	6	2,312	1,200	1,112	1,038	525	513	210	104	106	17	10	7	9	2	7	1	
Kandy.	... 1,212	612	600	—	—	2	1	1	1	1,886	452	434	254	125	129	65	32	33	4	2	2	1	—	—		
Matale.	... 1,318	674	644	2	—	—	5	1	4	493	263	240	800	411	389	15	6	9	3	1	2	—	—	—		
Nuwara Eliya.	... 171	79	92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Northern.	... 3,147	1,582	1,565	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Jaffna.	... 183	67	66	—	—	—	2	1	1	11	7	4	100	46	54	20	9	11	2	—	—	—	—	—		
Mannar.	... 171	79	92	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Mullaithivu.	... 3,330	1,687	1,643	1	—	1	10	7	3	3,222	1,635	1,587	20	11	9	76	33	43	1	1	—	—	—	—		
Southern.	... 2,666	1,378	1,268	—	—	—	3	1	2	2,558	1,315	1,243	38	22	16	65	39	26	2	3	2	1	—	—		
Galle.	... 1,173	614	559	—	—	—	2	—	2	1,140	596	544	9	4	6	16	10	6	5	3	2	1	—	—		
Matara.	... 373	192	181	1	—	—	10	5	5	7	33	42	557	455	402	635	334	301	—	—	—	14	18	8	6	
Hambantota.	... 807	417	390	—	—	—	—	—	—	—	—	—	—	—	—	89	122	58	64	27	—	—	5	2	3	
Eastern.	... 1,582	829	753	—	—	—	10	5	5	1	16	8	8	197	108	95	48	47	2	—	—	—	—	—	—	
Batticaloa.	... 3,268	1,682	1,586	1	—	2	1	—	1	3,073	1,582	1,491	62	33	29	124	61	63	4	3	1	2	1	1		
Trincomalee.	... 2,054	1,051	1,003	1	1	—	—	—	—	105	46	46	23	12	11	119	58	61	3	1	—	—	—	—		
North-Western.	... 2,054	1,051	1,003	1	1	—	—	—	—	763	371	332	38	19	19	23	10	13	1	—	—	—	—	—	—	
Kurunegala.	... 2,435	734	701	—	—	—	—	—	—	1,311	672	639	104	51	51	18	9	9	—	—	—	—	—	—		
Puttalam.	... 2,133	1,075	1,058	—	—	—	—	—	—	1,754	889	865	292	142	150	82	43	39	3	—	—	—	—	—		
Chilaw.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
North-Central.	... 2,054	1,051	1,003	1	1	—	—	—	—	665	346	319	40	19	21	95	48	47	2	—	—	5	2	3		
Anuradhapura.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Uva.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Sabaragamuwa.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Badulla.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Ranapura.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		
Kegala.	... 2,054	1,051	1,003	1	1	—	—	—	—	1,558	799	759	425	212	213	62	34	28	5	3	2	2	2	—		

( 17 )

( 3 )

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the Fourth Quarter of 1905.

Province and District.	OCTOBER.						NOVEMBER.						DECEMBER.					
	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.		
CEYLON ...	8,785	16	49	553	1	2515	602	32	40	9349	10	51	5959	2653	606	34	36	
Western	2,124	12	37	1570	300	162	18	25	2244	8	37	1702	823	147	16	11		
Central	1,486	2	4	676	743	54	5	2	1585	—	6	751	749	70	6	3		
Northern	712	—	1	9	673	28	—	1	772	—	2	3	740	27	—	—		
Southern	1,312	—	2	1236	32	34	5	3	1385	1	4	1277	37	63	2	1		
Eastern	560	—	2	34	307	214	—	3	548	—	1	36	310	185	5	11		
North-Western	947	—	—	809	87	45	3	3	1034	—	—	899	85	47	3	—		
North-Central	242	—	—	184	25	32	—	1	280	—	—	222	22	31	1	4		
Uva	599	—	2	460	117	18	1	1	761	1	—	498	179	16	1	6		
Sabaragamuwa	803	2	1	553	231	15	—	1	800	—	1	571	208	20	—	—		
Western.																		
Colombo	1,392	12	37	995	189	117	18	24	1436	8	36	1043	226	98	16	9		
Negombo	207	—	—	181	21	4	—	1	273	—	1	233	35	3	—	1		
Kalutara	525	—	—	394	90	41	—	—	535	—	—	426	62	46	1	—		
Central.																		
Kandy	840	—	4	391	393	46	4	2	957	—	5	481	414	50	4	3		
Matale	287	—	—	183	96	7	1	—	264	—	1	185	60	16	2	—		
Nuwar Eliya	359	—	—	102	254	1	—	—	364	—	—	85	275	4	—	—		
Northern.																		
Jaffna	606	—	1	1	594	9	—	1	658	—	2	—	645	11	—	—		
Mannar	50	—	—	36	14	—	—	—	58	—	—	46	11	—	57	—		
Mullaithivu	56	—	—	8	43	5	—	—	56	—	—	2	49	5	—	51		
Southern.																		
Galle	591	—	1	550	14	23	—	3	677	1	2	615	18	39	1	1		
Matale	445	—	—	421	15	9	—	—	458	2	420	17	19	—	—	506	—	
Hambantota	276	—	1	265	3	2	5	—	250	—	—	242	2	5	1	—		
Eastern.																		
Batticaloa	502	—	2	34	269	195	—	2	437	—	1	28	251	149	8	—		
Trincomalee	58	—	—	38	19	—	1	111	—	—	8	59	36	5	3	87	1	
North-Western.																		
Kurunegala	730	—	—	663	53	14	—	—	767	—	—	707	46	12	2	—		
Puttalam	82	—	—	30	22	27	1	2	101	—	—	50	21	29	1	—		
Chilaw	135	—	—	116	12	4	2	1	166	—	—	142	18	6	—	—		
North-Central.																		
Anuradhapura	242	—	—	184	25	32	—	1	280	—	—	222	22	31	1	4		
Uva.																		
Badulla	629	—	2	460	117	18	1	1	701	1	—	498	179	16	1	6		
Sabaragamuwa.																		
Ratnapura	386	1	1	289	91	4	—	—	400	—	1	321	71	7	—	—		
Kegalla	417	1	—	264	140	11	—	1	400	—	—	250	137	13	—	—		

Table X.—Causes of Deaths registered in Ceylon and in each Province and District, during the Fourth Quarter of 1905.

	CAUSES OF DEATH.	WESTERN PROVINCE.	CENTRAL PROVINCE.	NORTHERN PROVINCE.	SOUTHERN PROVINCE.	EASTERN PROVINCE.	NORTH-WESTERN PROVINCE.	NORTH-CENTRAL PROV.	UVA PROV.	GAMUWA PROV.	SABARA PROV.	DEATHS AMONG ALL RACES.			
												MALAYS.	MURRS.	OTHERS.	
All Causes ...	284844324 901	16672777 911	10781919 165	1631917 1409	8661350	2562334 367	528 911	1999	12971307	36	1611847	77781899	94	109	
I. Specific, Febrile, or	123341687	296	6271116	386481	910	75	76	736	700	535	774	136	179	12	
II. Zymotic diseases	21216216	70	109	158	75	18	—	83	19	—	—	165	22	56	—
III. Parasitic diseases	42	8	1	3	4	2	—	1	—	5	—	1	14	73	—
IV. Dietetic diseases	2290	503	116	223	144	42	36	112	10	9	298	173	85	41	—
V. Constitutional diseases	944	242	34	102	61	14	36	62	3	3	97	66	10	1	7
VI. Developmental diseases	85961449	235	572	673	246	279	671	44	46	582	389	159	384	691088	106
VII. Local diseases	452	65	14	26	57	12	11	33	2	3	35	23	18	23	4
VIII. Violence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. III-defined and not specified causes	2674	294	35	65	564	134	208	129	31	26	85	40	61	121	29
I.															
1. Miasmatic diseases	5057	607	175	262	220	121	58	550	36	41	257	245	305	554	67
2. Diarrhoeal do.	6687	898	113	333	848	245	399	229	28	28	456	447	218	206	63
3. Malaria	423	52	7	21	35	17	15	84	4	3	17	5	10	8	3
4. Zoogenous do.	10	1	—	4	1	—	1	—	—	1	—	1	—	1	—
5. Venereal do.	19	5	—	1	1	1	2	1	—	—	—	—	—	—	—
6. Septic do.	138	24	1	6	11	2	7	45	7	4	—	2	1	—	—
II.															
Parasitic diseases	1216	216	70	109	158	75	18	2	—	83	19	—	1	165	22
III.															
Dietetic diseases	42	8	1	3	4	2	9	—	—	1	—	—	—	5	—
IV.															
Constitutional diseases	2290	503	116	223	144	42	36	112	10	9	298	173	85	41	10
V.															
Developmental diseases	944	242	34	102	61	14	36	62	3	3	97	65	10	1	7
VI.															
Diseases of—															
1 Nervous system	3386	608	78	373	140	35	78	268	14	20	444	346	111	59	21
2 Organs of special sense	18	1	1	7	2	—	2	1	—	—	—	1	1	—	—
3 Circulatory system	192	74	8	14	15	4	5	1	—	2	—	7	2	6	4
4 Respiratory do.	1883	307	23	37	196	66	120	201	24	26	38	6	11	109	27
5 Digestive do.	409	133	3	21	31	16	26	46	3	—	28	6	9	10	1
6 Lymphatic system and Ductless Glands	25	—	—	3	—	—	1	—	17	—	1	—	3	1	—
7 Urinary system	81	34	3	3	7	1	8	3	—	4	—	1	1	4	—
8 Reproductive system :															
(a) Organs of Generation	20	4	1	—	63	—	1	—	—	—	—	5	2	144	1
(b) Parturition	637	63	20	38	32	13	—	—	—	25	15	5	35	48	—

( 19 )

Table X.—Causes of Deaths, &amp;c.—continued.

CAUSES OF DEATH.	WESTERN PROVINCE.	CENTRAL PROVINCE.	NORTHERN PROVINCE.	SOUTHERN PROVINCE.	EASTERN PROVINCE.	NORTH-WESTERN PROVINCE.	NORTH-CENTRAL PROVINCE.	UVA PROV.	SABARAGAMOWA PROV.	DEATHS AMONG ALL RACES.										
										Baldulla.	Anuradhapura.	Kathampura.	Kegalle.	Burghers.	Europeans.	Sinhalese.	Tamilis.	Moors.	Malays.	Chinese.
9 Organs of Locomotion ...	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Integumentary system ...	1938	185	95	18	217	101	2	5	112	2	—	—	—	—	—	—	—	—	—	—
1 Accident or Negligence ...	378	44	11	24	52	10	9	22	2	2	34	20	16	20	2	35	—	6	4	1
2 Homicide ...	30	7	2	1	—	—	—	2	—	1	3	1	—	1	—	1	—	—	—	2
3 Suicide ...	35	8	1	1	5	2	2	9	—	1	—	—	1	—	—	—	—	—	—	—
4 Execution ...	9	6	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
VIII.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and not specified causes ...	2674	294	35	63	564	134	208	129	31	26	85	40	61	121	29	220	43	16	86	175
Miasmatic Diseases.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox ...	52	—	—	—	—	—	—	—	—	—	1	4	45	—	2	—	—	—	—	—
Chickenpox ...	3	—	—	—	—	—	—	—	—	—	—	3	4	2	—	—	—	—	—	—
Measles ...	61	17	1	10	1	4	—	—	—	—	6	—	—	—	—	—	—	5	8	5
Whooping Cough ...	22	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple and ill-defined Fever	3282	266	75	114	140	43	27	544	36	41	114	61	178	541	65	435	94	62	84	88
Enteric Fever ...	1606	322	98	144	65	77	15	6	—	—	128	181	79	2	60	1	38	12	23	132
Influenza ...	30	—	1	1	4	—	10	—	—	—	—	5	5	1	—	—	—	1	1	—
Diarrhoeal Diseases.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea ...	5348	649	85	274	659	187	249	128	19	24	443	206	137	38	346	43	60	158	59	332
Dysentery ...	1338	249	28	59	189	68	150	101	9	4	13	4	12	69	25	13	25	9	146	83
Malarial Diseases.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Recurrent Fever ...	186	46	6	—	—	9	—	—	70	2	1	9	—	7	—	4	9	2	2	15
Ague ...	23	—	1	20	24	14	3	—	—	—	1	6	2	—	1	—	6	—	2	1
Malarial Cachexia ...	214	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Zoogenous Diseases.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia ...	10	1	—	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cowpox and other effects of Vaccination ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Venereal Diseases.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis ...	19	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhœa, Stricture of Urethra ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

<b>Septic Diseases.</b>	
Phagedænia...	7
Erysipelas...	29
Pyæmia, Septæmia	22
Puerperal Fever	6
<b>Parasitic Diseases.</b>	80
Thrush	10
Worms (animal)	29
Dochmias Duodenalis	40
<b>Dietetic Diseases.</b>	179
Starvation, want of Breast Milk	27
Scurvy	756
{ Chronic Alcoholism	40
{ Delirium Tremens	35
<b>Constitutional Diseases.</b>	169
Rheumatism	291
Rickets	5
Cancer	14
Tables Mesenterica	9
Tubercular Meningitis (hydrocephalus)	62
Phthisis	7
Other forms of Tuberculosis,	12
Scrofula...	994
Purpura, Haemorrhagic Diathesis	2
Anæmia, Chlorosis, Leucocytæmia	196
Diabetes Mellitus	23
Leprosy	1
Elephantiasis	61
Parangi	6
Other and undefined Constitutional Diseases	3
<b>Developmental Diseases.</b>	11
Premature Birth	226
Spina Bifida	2
Imperforate Anus	1
Other Congenital Defects	1
Old Age ...	713
<b>Nervous System.</b>	204
Inflammation of Brain or its Membranes	35
Softening of Brain	2
Apoplexy	12
Paralysis	44
Epilepsy	5
Convulsions...	33
Infantile Convulsions	9
Laryngismus Stridulus	66
Collapse	5
Tetanus	113
	60

Table X.—Causes of Deaths, &c.—*continued.*



Table X.—Causes of Deaths, &c.—*continued.*

Table XI.—Causes of registered Deaths on Estates in the Central, Uva, and Sabaragamuwa Provinces and in the Colombo and Kalutara Districts of the Western Province during the Fourth Quarter of 1905.

Causes of Death.	Central Province.				Province of Sabaragamuwa.				Western Province.			
	Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Uva.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	...	...
ALL CAUSES ...	... 3065	... 893	... 220	... 736	... 357	... 173	... 398	... 109	... 179	...	...	...
I.—Specific, Febrile, or Zy- motic diseases	... 1411	... 333	... 102	... 322	... 173	... 108	... 223	... 60	... 90	...	...	...
II.—Parasitic diseases	... 92	... 27	... 4	... 5	... 5	... 4	... 28	... 2	... 17	...	...	...
III.—Dietetic diseases	... 15	... 2	... 2	... 7	...	...	...	2	...	...	...	2
IV.—Constitutional diseases	... 81	... 22	... 4	... 16	... 6	... 4	... 10	... 14	... 5	...	...	...
V.—Developmental diseases	... 104	... 22	... 13	... 26	... 12	... 4	... 14	... 1	... 12	...	...	...
VI.—Local diseases	... 608	... 170	... 38	... 194	... 78	... 29	... 59	... 15	... 25	...	...	...
VII.—Violence	... 31	... 12	... 1	... 7	... 5	... 2	... 2	... 1	... 1	...	...	...
VIII.—Ill-defined and not speci- fied causes	... 723	... 305	... 56	... 159	... 78	... 22	... 60	... 16	... 27	...	...	...
I.												
Miasmatic diseases	... 124	... 35	... 10	... 26	... 26	... 5	... 9	... 7	... 6	...	...	...
Diarrhoeal do.	... 1155	... 275	... 77	... 276	... 130	... 88	... 189	... 46	... 74	...	...	...
Malarial do.	... 109	... 15	... 14	... 13	... 15	... 14	... 23	... 6	... 9	...	...	...
Zoogenous do.	... 2	—	—	—	1	—	—	1	—	—	...	...
Venereal do.	... 5	—	1	—	—	1	—	—	1	—	—	—
Septic do.	... 16	—	7	—	6	1	—	1	—	1	—	1
II.												
Parasitic diseases	... 92	... 27	... 4	... 5	... 5	... 4	... 28	... 2	... 17	...	...	...
III.												
Dietetic diseases	... 15	—	2	—	7	—	—	2	—	—	—	2
IV.												
Constitutional diseases	... 81	—	22	—	16	—	6	—	10	—	14	—
V.												
Developmental diseases	... 104	—	22	—	26	—	12	—	14	—	1	—
VI.												
Diseases of—												
Nervous system	... 183	—	54	—	14	—	56	—	10	—	21	—
Organs of special sense	... 5	—	2	—	2	—	—	—	—	—	—	1
Circulatory system	... 21	—	6	—	3	—	3	—	3	—	—	1
Respiratory system	... 271	—	84	—	13	—	88	—	44	—	17	—
Digestive system	... 46	—	10	—	4	—	14	—	6	—	6	—
Lymphatic system and ductless glands	—	—	1	—	—	—	—	1	—	—	—	—
Urinary system	... 13	—	1	—	1	—	6	—	2	—	2	—
Reproductive system:												
(a) Organs of generation	2	—	—	—	—	—	1	—	—	—	1	—
(b) Parturition	... 59	—	13	—	3	—	22	—	7	—	7	—
Organs of Locomotion	... 1	—	—	—	—	—	1	—	—	—	—	—
Integumentary system	... 6	—	—	—	—	—	2	—	1	—	2	—
VII.												
Accident or negligence	... 24	—	10	—	—	—	5	—	4	—	2	—
Homicide	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	—	—	7	—	2	—	2	—	1	—	—	1
Execution	—	—	—	—	—	—	—	—	—	—	—	—
VIII.												
Ill-defined and not specified causes	723	—	305	—	56	—	159	—	78	—	22	—
Miasmatic Diseases.												
Smallpox	—	—	—	—	—	—	—	—	—	—	—	—
Chickenpox	—	—	1	—	—	—	1	—	—	—	—	—
Measles	—	—	20	—	10	—	4	—	3	—	3	—
Whooping Cough	—	—	1	—	—	—	1	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
Simple and ill-defined Fever	... 90	—	22	—	10	—	12	—	22	—	2	—
Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	12	—	3	—	8	—	1	—	—	—
Diarrhoeal Diseases.												
Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	587	—	129	—	40	—	138	—	59	—
Dysentery	—	—	568	—	146	—	37	—	138	—	71	—
Malarial Diseases.												
Remittent Fever	—	—	9	—	2	—	—	—	3	—	3	—
Aague	—	—	9	—	1	—	—	—	6	—	2	—
Malarial Cachexia	—	—	91	—	12	—	14	—	13	—	14	—
Zoogenous Diseases.												
Hydrophobia	—	—	2	—	—	—	—	—	1	—	1	—
Cowpox and other effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—
Venereal Diseases.												
Syphilis	—	—	5	—	1	—	1	—	1	—	1	—
Gonorrhosa, stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—

Table XI.—Causes of Deaths registered, &amp;c.—continued.

Causes of Death.	Central Province.				Province of Uva.	Province of Sabaragamuwa.	Western Province.		
	Ceylon.	Kandy.	Matale.	Nuwara Eliya.					
<i>Septic Diseases.</i>									
Phagedænia ...	...	—	...	—	...	—	—	—	—
Erysipelas ...	...	1	...	—	1	...	—	—	—
Pyæmœnia, Septicæmia ...	...	4	...	1	...	1	—	—	—
Puerperal Fever ...	...	11	...	6	...	4	—	—	1
<i>Parasitic Diseases.</i>									
Worms (animal) ...	...	16	...	9	...	1	...	1	...
Dochminus Duodenalis ...	...	76	...	18	...	4	...	4	...
<i>Dietetic Diseases.</i>									
Starvation, want of breast-milk ...	15	...	2	...	2	...	7	...	2
Intemperance, Chronic Alcoholism ...	—	...	—	—	—	—	—	—	—
<i>Constitutional Diseases.</i>									
Rheumatism ...	...	5	...	3	...	—	1	...	—
Rickets ...	...	2	...	—	—	—	1	...	—
Cancer ...	...	3	...	2	...	—	—	—	1
Tabes Mesenterica ...	...	2	...	—	—	2	—	—	—
Tubercular Meningitis (hydrocephalus) ...	...	1	...	—	—	—	1	...	—
Phthisis ...	...	35	...	7	...	2	5	5	1
Other forms of Tuberculosis, Scrofula ...	...	—	—	—	—	—	—	—	—
Anæmia, Chlorosis, Leucocythaemia ...	32	...	10	...	2	...	5	—	2
Diabetes Mellitus ...	...	1	...	—	—	1	—	—	—
Elephantiasis ...	...	—	—	—	—	—	—	—	—
Parangi ...	...	—	—	—	—	—	—	—	—
Other and undefined constitutional diseases ...	...	—	—	—	—	—	—	—	—
<i>Developmental Diseases.</i>									
Premature Birth ...	...	13	...	1	...	—	7	...	1
Imperforate Anus ...	...	—	—	—	—	—	—	—	—
Other congenital defects ...	...	—	—	—	—	—	—	—	—
Old age ...	...	91	...	21	...	13	...	19	...
<i>Nervous System.</i>									
Inflammation of Brain or its Membranes ...	...	3	...	—	—	—	2	...	1
Apoplexy ...	...	6	...	1	...	—	3	...	—
Paralysis ...	...	7	...	2	...	1	4	...	—
Epilepsy ...	...	7	...	5	...	—	2	...	—
Convulsions ...	...	9	...	1	...	2	1	...	1
Infantile Convulsions ...	...	140	...	42	...	10	40	...	12
Tetanus ...	...	7	...	2	...	1	1	...	1
Paraplegia, diseases of the Spinal Cord ...	...	2	...	1	...	—	1	...	—
Other and undefined diseases of Brain or Nervous System ...	...	2	...	—	—	—	2	...	—
<i>Organs of Special Sense.</i>									
Conjunctivitis and other diseases of Eye ...	...	3	...	1	...	—	1	...	1
Epistaxis & other diseases of Nose ...	...	2	...	1	...	—	1	...	—
<i>Circulatory System.</i>									
Angina pectoris, Syncope ...	...	—	—	—	—	—	—	—	—
Valve disease of Heart ...	...	1	...	1	...	—	2	...	—
Other and undefined diseases of Heart or Circulatory System ...	...	20	...	5	...	3	2	...	3
<i>Respiratory System.</i>									
Croup ...	...	—	—	—	—	—	—	—	—
Bronchitis ...	...	36	...	15	...	2	9	...	7
Asthma ...	...	13	...	2	...	—	4	...	2
Pneumonia ...	...	210	...	64	...	11	72	...	33
Pleurisy ...	...	5	...	—	—	—	3	...	10
Other and undefined diseases of Respiratory System ...	...	7	...	3	...	—	1	...	15
<i>Digestive System.</i>									
Quinsy ...	...	—	—	—	—	—	—	—	—
Sore Throat ...	...	—	1	...	—	—	1	...	—
Hæmatemesis ...	...	—	—	—	—	—	—	—	—
Diseases of Stomach ...	...	—	—	—	—	—	—	—	—
Enteritis ...	...	—	1	...	—	—	—	—	—
Ulceration of Intestines ...	...	—	—	—	—	—	1	...	—

Table XI.—Causes of Deaths registered, &amp;c.—continued.

Causes of Death.	Central Province.			Province of Sabaragamuwa.			Western Province.		
	Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.
Ileus, Obstruction of Intestine ...	8	...	—	—	4	...	3	...	1
Hæmorrhage ...	1	...	1	...	—	—	—	—	—
Peritonitis ...	6	...	—	2	3	...	1	...	1
Ascites ...	10	...	2	2	—	—	1	4	1
Cirrhosis of Liver ...	5	...	1	1	3	...	—	—	—
Other diseases of Liver ...	6	...	3	2	—	—	—	1	—
Other and undefined diseases of Digestive System ...	7	...	3	—	—	3	—	1	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>									
Diseases of the Lymphatic System ...	—	...	—	—	—	—	—	—	—
Diseases of Spleen ...	—	1	...	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>									
Nephritis ...	—	...	—	—	—	—	—	—	—
Bright's Disease ...	10	...	—	—	6	2	1	—	—
Uræmia ...	1	...	—	—	—	—	—	—	—
Suppression of Urine ...	1	...	—	1	—	—	—	—	—
Calculus (Stone) ...	—	...	—	—	—	—	—	—	—
Diseases of Bladder ...	—	...	—	—	—	—	—	—	—
Other and undefined diseases of Urinary System ...	—	...	1	—	—	—	—	—	—
<i>Diseases of Organs of Generation.</i>									
Diseases of Uterus and Vagina ...	—	...	—	—	—	—	—	—	—
Disorders of Menstruation ...	—	...	—	—	—	—	—	—	—
Diseases of Testes, Penis, Scrotum, &c. ...	2	...	—	—	1	—	—	1	—
<i>Diseases of Parturition.</i>									
Abortion, Miscarriage ...	1	...	—	—	1	—	—	—	—
Puerperal Mania ...	1	...	—	—	—	—	—	1	—
Puerperal Convulsions ...	11	...	2	—	3	—	—	4	1
Placenta Prævia, Flooding ...	—	...	—	—	—	—	—	—	—
Other and undefined accidents of Childbirth ...	46	...	13	3	18	7	2	2	1
<i>Diseases of Organs of Locomotion.</i>									
Caries, Necrosis ...	—	...	—	—	—	—	—	—	—
Arthritis, Ostitis, Periostitis ...	—	...	—	—	—	—	—	—	—
Other and undefined diseases of Organs of Locomotion ...	1	...	—	—	1	—	—	—	—
<i>Diseases of Integumentary System.</i>									
Plegmon, Cellulitis ...	—	...	—	—	—	—	—	—	—
Ulcer, Bed sore ...	4	...	—	—	1	—	—	2	—
Other and undefined diseases of Integumentary System ...	2	...	—	—	1	—	—	—	1
<i>Accident or Negligence.</i>									
Fractures, Contusions ...	9	...	3	—	1	2	2	1	—
Gun-shot wounds ...	—	...	—	—	—	—	—	—	—
Burn, Scald ...	8	...	3	—	4	1	—	—	1
Poison ...	—	...	—	—	—	—	—	—	—
Drowning ...	7	...	4	—	1	—	2	1	—
Suffocation ...	—	...	—	—	—	—	—	—	—
Snake-bite ...	—	...	—	—	—	—	—	—	—
Otherwise ...	—	...	—	—	—	—	—	—	—
<i>Homicide.</i>									
Murder, Manslaughter ...	—	...	—	—	—	—	—	—	—
<i>Suicide.</i>									
Gun-shot wounds ...	—	...	—	—	—	—	—	—	—
Drowning ...	2	...	1	—	—	—	—	—	1
Hanging ...	5	...	1	1	2	1	—	—	—
Otherwise ...	—	...	—	—	—	—	—	—	—
<i>Execution.</i>									
Hanging ...	—	...	—	—	—	—	—	—	—
<i>Ill-defined and not specified Causes.</i>									
General Dropsy ...	134	...	52	18	19	9	3	21	3
Debility ...	573	...	251	38	185	67	18	35	11
Sudden deaths (causes unascertained) ...	—	...	—	—	1	—	—	—	—
Abscess ...	4	...	—	—	1	1	1	—	1
Tumour ...	—	...	—	—	—	—	—	—	—
Hæmorrhage ...	2	...	1	—	1	—	—	—	—
Other ill-defined and not specified causes ...	10	...	1	—	3	1	—	4	1

Table XII.—Causes of Deaths registered in the Colombo Municipality in the Fourth Quarter of 1905.

CAUSES OF DEATH.	Colombo Town.	WARD.										NATIONALITY.						
		Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospital.	Maradana (exclusive of Hospital)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Mos	Malays.	Others.
ALL CAUSES	1862	10	42	65	182	328	169	447	309	172	138	24	102	922	437	282	44	51
I.—Specific, Febrile, or Zymotic Diseases	524	2	7	19	47	97	38	135	90	47	42	9	35	237	140	78	9	16
II.—Parasitic Diseases	58	1	—	2	2	6	4	29	3	8	3	—	3	37	13	4	—	1
III.—Dietetic Diseases	7	—	—	—	—	—	—	6	1	—	—	—	—	5	1	1	—	—
IV.—Constitutional Diseases	194	—	4	9	14	32	20	37	38	23	17	1	9	103	32	31	8	10
V.—Developmental Diseases	107	1	—	4	27	8	7	26	23	11	1	1	5	65	16	13	5	2
VI.—Local Diseases	736	3	22	27	91	118	78	144	129	67	57	7	38	340	190	124	19	18
VII.—Violence	24	5	1	—	1	4	1	8	2	—	2	2	1	15	3	2	—	—
VIII.—Ill-defined and not specified causes	212	—	6	8	23	44	20	81	20	4	6	4	11	120	42	29	—	4
I.																		
Miasmatic Diseases	71	1	—	2	2	16	2	20	15	9	4	2	9	39	8	8	—	4
Diarrhoeal do.	391	1	5	12	30	73	26	105	67	36	36	7	24	179	108	56	7	10
Malarial do.	39	—	1	2	12	7	6	3	5	1	2	1	14	16	7	—	1	—
Zoogenous do.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Venereal do.	3	—	—	—	—	—	—	1	1	1	1	—	—	1	1	1	—	—
Septic do.	20	—	1	3	3	1	3	6	2	1	—	1	4	7	6	3	1	—
II.—Parasitic Diseases	58	—	1	2	2	6	4	29	3	8	3	—	2	37	13	4	—	—
III.—Dietetic Diseases	7	—	—	—	—	—	—	6	1	—	—	—	—	5	1	1	—	—
IV.—Constitutional Diseases	194	—	4	9	14	32	20	37	38	23	17	1	9	103	32	31	8	10
V.—Developmental Diseases	107	—	1	—	4	27	8	7	26	23	11	1	5	65	16	13	5	2
VI.																		
Diseases of Nervous System	265	—	7	8	44	48	33	18	59	23	25	2	17	116	58	59	9	4
Do. Organs of Special Sense	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Do. Circulatory System	32	1	2	—	2	3	6	8	7	—	3	1	1	17	10	3	—	—
Do. Respiratory System	269	1	10	15	37	57	29	37	43	26	14	2	10	126	65	47	9	10
Do. Digestive System	112	1	—	1	3	6	3	63	15	9	11	1	6	54	41	9	—	—
Do. Lymphatic System and Ductless Glands	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Do. Urinary System	30	—	1	3	4	1	3	6	4	4	4	1	3	16	6	1	—	3
Do. Reproductive System :—																		
(a) Organs of Generation	2	—	—	—	—	—	—	1	—	1	—	—	—	1	1	1	—	—
(b) Parturition	14	—	1	—	—	—	—	4	4	1	3	—	3	5	5	—	—	—
Do. Organs of Locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Do. Integumentary System	12	—	1	—	—	—	—	7	—	1	—	1	7	4	—	—	—	—
VII.																		
Accident or Negligence	18	3	1	—	1	4	1	5	1	—	2	—	1	12	2	2	1	—
Homicide	3	—	2	—	—	—	—	3	—	1	—	2	—	3	—	—	—	—
Suicide	3	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.																		
Ill-defined and not specified Causes	212	—	6	8	23	44	20	81	20	4	6	4	11	120	42	29	2	4
Miasmatic Diseases.																		
Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—
Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple and ill-defined Fever	16	1	—	1	—	—	—	3	5	5	1	—	2	6	3	3	—	—
Enteric Fever	46	—	—	—	—	12	2	17	7	4	8	1	4	30	4	4	—	3
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoeal Diseases.																		
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	195	1	1	5	7	41	7	54	41	23	16	1	13	96	54	20	4	7
Dysentery	196	1	4	7	23	32	19	51	26	13	20	6	11	83	54	36	3	3

Table XII.—Causes of Deaths, &amp;c.—continued.

CAUSES OF DEATH.	WARD.												NATIONALITY.							
	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hos- pitals.	Kollapitiya.	Maradana (exclu- sive of Hospitals).	Slave Island.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
<i>Malarial Diseases.</i>																				
Remittent Fever	...	...	38	—	—	1	2	12	6	6	3	5	1	2	1	13	16	7	1	
Ague	...	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malarial Cachexia	...	...	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	
<i>Zoogenous Diseases.</i>																				
Hydrophobia	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Venereal Diseases.</i>																				
Syphilis	...	...	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	
Gonorrhœa, Stricture of Urethra	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Septic Diseases.</i>																				
Phagedæna	...	...	2	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	
Erysipelas	...	...	5	—	—	—	—	—	—	1	—	—	—	—	—	—	3	—	1	
Pyæmia, Septicæmia	...	...	4	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	
Puerperal Fever	...	...	9	—	—	1	1	1	1	3	—	—	—	—	—	2	2	5	1	
<i>Parasitic Diseases.</i>																				
Thrush	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms (animal)	...	...	31	—	1	2	2	6	4	2	—	3	8	3	—	3	20	4	4	
Dochmias Duodenalis	...	...	27	—	—	—	—	—	—	27	—	—	—	—	—	17	9	—	—	
<i>Dietetic Diseases.</i>																				
Starvation, want of Breast milk	...	...	7	—	—	—	—	—	—	6	1	—	—	—	—	5	1	1	—	
<i>Constitutional Diseases.</i>																				
Rheumatism	...	...	5	—	—	—	—	—	3	—	—	—	1	1	—	2	—	2	—	
Rickets	...	...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	
Cancer	...	...	5	—	—	—	—	—	—	—	—	1	1	2	—	2	—	1	—	
Tabes Mesenterica	...	...	7	—	—	—	—	—	5	1	—	—	1	—	—	6	—	1	—	
Tubercular Meningitis (hydrocephalus)	...	...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Phthisis	...	...	155	—	3	8	13	22	15	34	31	16	13	1	7	83	26	25	6	
Other Forms of Tuberculosis Serofula	...	...	3	—	—	1	—	—	1	—	1	—	—	—	—	2	—	1	7	
Anæmia, Chlorosis, Leucocythaemia	...	...	15	—	—	—	—	1	2	2	3	2	4	1	1	6	4	1	2	
Diabetes Mellitus	...	...	2	—	—	1	—	—	—	—	—	1	—	—	1	1	—	—	—	
<i>Developmental Diseases.</i>																				
Premature Birth	...	...	18	—	—	—	—	1	2	—	5	2	5	3	1	2	12	3	—	
Spina Bifida	...	...	2	—	—	—	—	—	—	1	—	1	—	—	2	—	—	—	—	
Imperforate Anus	...	...	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	
Old Age	...	...	86	—	—	1	—	3	25	8	—	23	18	8	—	3	50	13	5	2
<i>Nervous System.</i>																				
Inflammation of Brain or its Membranes	...	...	19	—	2	2	3	2	—	5	4	—	1	—	2	8	6	2	1	
Softening of Brain	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	...	...	11	—	—	—	—	2	2	4	—	1	—	—	1	3	5	2	1	
Paralysis	...	...	13	—	2	—	—	—	—	3	5	2	1	—	5	2	1	2	—	
Epilepsy	...	...	4	—	—	—	—	1	—	—	1	1	1	—	1	2	1	2	—	
Convulsions	...	...	3	—	—	—	—	3	—	—	—	—	—	—	—	2	1	—	—	
Infantile Convulsions	...	...	163	—	2	6	25	37	21	3	47	9	13	—	10	84	25	38	5	1
Collapse	...	...	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	
Tetanus	...	...	2	—	—	1	—	13	2	8	3	—	9	5	—	11	16	11	1	
Paraplegia, diseases of the Spinal Cord	...	...	41	—	—	—	1	—	1	—	1	—	—	—	1	11	16	11	1	
Other and undefined diseases of Brain or Nervous System	...	...	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	
<i>Organs of Special Sense.</i>																				
Conjunctivitis and other diseases of Eye	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Otitis and other disease of Ear	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Circulatory System.</i>																				
Pericarditis	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Valve disease of Heart	...	...	4	—	—	—	—	1	—	—	1	—	—	—	—	2	2	—	—	
Anginapectoris, Syncope	...	...	2	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	
Aneurism	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Embolism, Thrombosis	...	...	2	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	
Varicose veins	...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other and undefined diseases of Heart or Circulatory System	...	...	24	—	2	—	1	3	5	6	5	—	2	—	1	12	8	3	—	

Table XII.—Causes of Deaths, &amp;c.—continued.

CAUSES OF DEATH.	WARD.										NATIONALITY.					
	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hos- pitals.	Maradana (exclu- sive of Hospitals).	Slave Island.	Kollupitiya.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.
<i>Respiratory System.</i>																
Bronchitis . . . . .	72	—	—	2	—	—	—	—	—	—	5	—	—	—	22	—
Asthma . . . . .	12	—	—	8	—	—	—	—	—	—	1	—	—	—	3	—
Pneumonia . . . . .	182	—	—	7	—	—	—	—	—	—	8	—	—	—	22	—
Pleurisy . . . . .	1	—	—	25	—	—	—	—	—	—	—	—	—	—	—	—
Other and undefined diseases of Respiratory System . . . . .	2	1	—	43	—	—	—	—	—	—	14	—	—	—	22	—
<i>Digestive System.</i>																
Stomatitis . . . . .	4	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Dyspepsia . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Diseases of Stomach . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Enteritis . . . . .	72	—	—	1	—	—	—	—	—	—	47	—	—	—	3	—
Ulceration of Intestines . . . . .	3	—	—	1	—	—	—	—	—	—	5	—	—	—	2	—
Intus, Obstruction of Intestine . . . . .	4	—	—	2	—	—	—	—	—	—	1	—	—	—	3	—
Stricture or Strangulation of Intestine . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	3	—
Hernia . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Fistula . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Peritonitis . . . . .	8	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—
Ascites . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Cirrhosis of Liver . . . . .	4	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—
Other diseases of Liver . . . . .	2	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Other and undefined diseases of Digestive System . . . . .	9	—	—	5	—	—	—	—	—	—	1	—	—	—	2	—
<i>Diseases of Urinary System.</i>																
Nephritis . . . . .	16	—	—	2	—	—	—	—	—	—	3	—	—	—	8	—
Bright's Disease . . . . .	12	—	—	1	—	—	—	—	—	—	3	—	—	—	7	—
Urgenia . . . . .	2	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Other and undefined diseases of Urinary System . . . . .	—	—	—	3	—	—	—	—	—	—	1	—	—	—	6	—
<i>Diseases of Organs of Generation.</i>																
Ovarian diseases . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	4	—
Diseases of Uterus and Vagina . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
<i>Diseases of Parturition.</i>																
Puerperal Convulsions . . . . .	10	—	—	1	—	—	—	—	—	—	2	—	—	—	4	—
Phlegmasia Dolens . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	3	—
Other and undefined accidents of Child-birth . . . . .	4	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—
<i>Diseases of Integumentary System.</i>																
Carbuncle . . . . .	1	—	—	1	—	—	—	—	—	—	5	—	—	—	3	—
Phlegmon, Cellulitis . . . . .	6	—	—	1	—	—	—	—	—	—	2	—	—	—	3	—
Ulcer, Bed sore . . . . .	3	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—
Eczema . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—
Pemphigus . . . . .	2	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—
Other and undefined diseases of Integumentary System . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
<i>Accident or Negligence.</i>																
Fractures, Contusions . . . . .	5	1	—	2	—	—	—	—	—	—	2	—	—	—	3	—
Burn, Scald . . . . .	5	—	1	1	—	—	—	—	—	—	1	—	—	—	3	—
Drowning . . . . .	8	2	—	4	—	—	—	—	—	—	1	—	—	—	6	—
Snake bite . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Otherwise . . . . .	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
<i>Homicide.</i>																
Murder, Manslaughter . . . . .	3	—	—	3	—	—	—	—	—	—	1	—	—	—	3	—
<i>Suicide.</i>																
Cut, Stab . . . . .	2	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Poison . . . . .	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
<i>Ill-defined and not specified Causes.</i>																
General dropsy . . . . .	6	—	—	6	—	—	—	—	—	—	1	—	—	—	6	—
Debility . . . . .	—	—	—	8	23	36	20	69	14	3	5	—	—	8	105	39
Abscess . . . . .	184	—	—	—	—	—	—	—	—	—	—	—	—	—	28	2
Tumour . . . . .	11	—	—	2	—	—	—	—	—	—	8	—	—	—	3	—
Hæmorrhage . . . . .	7	—	—	1	—	—	—	—	—	—	2	—	—	—	4	—
Other ill-defined and not specified causes . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—

Table XIII.—Deaths of Males and Females at different Periods of Life registered in Ceylon, and in each District, during the Fourth Quarter of 1905.

Table XIII.—Deaths of Males and Females at different Periods, &c.—*continued.*

District, and Nationality	Persons.	All Ages.		Ages at Death.											
		Males.	Females.	10 years and under 10.	10 years and under 20.	10 years and under 30.	10 years and under 40.	10 years and under 50.	10 years and under 60.	10 years and under 70.	10 years and under 80.	10 years and under 90.	100 years and under 100.	All ages and years not stated.	
Matale.															
Burghers	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sinhalese	607	298	309	65	49	22	24	23	11	14	21	18	12	25	—
Tamils	134	12	12	4	3	3	2	2	4	3	3	2	6	5	—
Moors	19	27	27	4	2	1	—	—	—	1	2	1	—	—	—
Malays	3	2	—	—	—	—	—	—	—	1	—	—	—	—	—
Others	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	..	911	439	472	71	64	28	41	17	25	30	31	14	18	23
Nuwara Eliya.															
Europeans...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burghers	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Sinhalese	302	146	156	25	14	15	13	7	11	9	10	14	6	9	17
Tamils	387	368	386	27	54	23	11	8	7	13	21	18	19	12	15
Moors	8	8	5	2	2	1	—	—	1	—	—	—	—	—	—
Malays	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	..	1078	546	532	52	70	38	37	18	15	16	24	27	30	26
Jaffna.															
Burghers	4	2	—	—	—	—	—	—	1	1	—	—	—	—	—
Sinhalese	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tamils	1884	963	921	117	109	82	75	86	82	83	76	48	28	14	15
Moors	28	14	2	1	—	—	—	2	2	2	1	—	—	—	—
Others	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	..	1919	937	919	110	83	75	89	84	84	78	49	58	34	30
Mannar.															
Sinhalese	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Tamils	115	77	88	6	5	3	2	3	2	3	2	3	2	1	2
Moors	49	22	27	6	8	1	2	—	—	—	—	—	—	—	—
Total	..	165	100	65	12	13	6	5	3	6	4	5	3	4	6
Mullaitivu.															
Sinhalese	9	8	3	1	1	2	3	—	—	2	1	4	1	1	1
Tamils	134	82	62	9	7	6	4	3	2	2	1	1	1	1	1
Moors	11	6	5	2	—	—	—	—	—	—	—	—	—	—	—
Others	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	..	163	98	62	10	6	5	4	3	2	2	1	2	1	1



Table XIII.—Deaths of Males and Females at different Periods, &c.—*continued.*