

SUPPLEMENT

TO

The Ceylon Government Gazette,

PART I.

FRIDAY, JANUARY 24, 1908.

VITAL STATISTICS OF TOWNS IN CEYLON.

Report of the Registrar-General for the Month of December, 1907.

THIS report deals with the Vital Statistics of the several towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased, and no dead body is buried or cremated without registration being effected. This system was commenced on January 1, 1893, in the town of Colombo, under the Ordinance No. 20 of 1891, and has been gradually extended till it now embraces 30 towns.

2. Table I. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the month, their rates, and the infantile mortality in each town.

3. Table III. gives for the first time similar information as regards each ward in the Colombo Municipality.

4. The estimated population of the 30 towns is 460,948, or about one-ninth of the total population of the Island. The population of Colombo (176,724) is nearly two-thirds of the population of all the other towns taken together (284,224).

5. The births registered in the 30 towns numbered 1,146—of which 581 were of males and 565 of females—and correspond to an annual birth-rate per 1,000 of 29·27 as against 31·94 during the preceding month. The highest birth-rate for the month was in Gampola (60·36), and the lowest in Nuwara Eliya (14·10). In the other towns the birth-rate ranged from 56·61 in Lunugala to 14·88 in Nawalapitiya.

6. The town of Colombo, where the births registered numbered 340—of which 169 were of males and 171 of females—records a birth-rate of 22·65 per mille as against 28·71 in the preceding month. The highest birth-rate was in Slave Island Ward (31·52), and the lowest in Pettah (7·79), while there were no births recorded in the Fort and Galle Face Ward. In the other Wards the birth-rate ranged from 28·39 in St. Sebastian to 16·72 in St. Paul's.

7. The number of deaths registered in the 30 towns was 1,448—of which 796 were of males and 652 of females—and correspond to an annual death-rate of 32·58 per mille, as against 31·26 during the previous month. 428 of the total deaths, or little less than one-third, occurred in hospitals (with 6 deaths in jails), and exaggerated the normal mortality of the towns.

8. Corrected death-rates as well as crude death-rates are shown for the several towns. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the Island, and also excluding from the total deaths those of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of towns than the crude rate. I am unable to give the corrected rates for "Hatton and Dikoya," Kalpitiya and Lunugala towns, because the age- and sex-constitution of their populations was not ascertained at the last Census. The population of Lunugala (as now constituted) was not enumerated at the Census of 1901, and the figure given is an estimate made at the beginning of October last.

9. The lowest corrected mortality during the month was observed in Nawalapitiya (10·64), and the highest in Vavuniya (95·88). In the other towns the death-rate ranged from 12·60 in Mannar, 20·52 in Nuwara Eliya, 20·55 in Trincomalee, and 22·72 in Matara to 52·25 in Anuradhapura, 65·53 in Kurunegala, and 88·82 in Gampola.

10. In the town of Colombo, where the deaths registered numbered 452—of which 263 were of males and 189 of females—the annual death-rate recorded is 30·48 per 1,000 as against 30·80 during the preceding month. In Table III., which gives the death-rates for the several wards of the town, I am unable to give the corrected rates because the age- and sex-constitution of the Ward populations at the last Census has not been recorded. Omitting the Fort and Galle Face Ward and the Pettah Ward, which contain a population mainly adult male and floating, the healthiest division during the month was St. Sebastian with a crude death-rate of 15·90. The highest crude death-rate was in Slave Island Ward (25·46). In the other wards the death-rate ranged from 16·44 in Kollupitiya to 23·98 in Kotahena.

11. The infantile mortality for the 30 towns was equal to a rate of 307 per 1,000 births registered. In the towns having a population of 5,000 or more the mortality ranged from 556 in Nuwara Eliya, 448 in Jaffna, 444 in Kurunegala, 429 in Matale, 423 in Kalutara, 375 in Badulla, and 368 in Batticaloa to 179 in Negombo, 176 in Moratuwa, 143 in Mannar, and 83 in Matara.

12. The infantile mortality in the town of Colombo was 356 per 1,000 births registered. The infantile mortality now given for each ward in Table III. enables a comparison to be made of the health of the various wards. The lowest mortality was observed in Kollupitiya Ward (79 per 1,000), showing it to be the healthiest in the town during the month, and the highest infantile mortality was in Kotahena (424) followed by New Bazaar (378), and Maradana (301).

13. Table II. in the Appendix gives for each town and race the principal causes of deaths registered during the month, and shows the infantile mortality separately from the other mortality.

14. Table IV. gives for the first time similar information for each ward and race of the Colombo Municipality.

15. Out of the 1,448 deaths from all causes in the 30 towns, 352 or more than one-fourth were among infants under one year. Of these the chief causes were 103 Convulsions (of which 32 in Colombo), 74 Debility (of which 22 in Colombo), 40 Prematurity (of which 13 in Colombo), 33 Diarrhoea (of which 19 in Colombo), 29 Pneumonia (of which 8 in Colombo), 23 Bronchitis (of which 6 in Colombo), and 21 Tetanus (of which 9 in Colombo).

16. In the Town of Colombo, Maradana Ward accounted for the highest mortality among infants, viz., 10 from Debility in Hospitals, 9 from Convulsions outside Hospitals, and 8 each from Prematurity and Diarrhoea in and outside Hospitals, respectively. Of the other wards, the next highest mortality was observed in Kotahena 5 each from Prematurity, Convulsions, and Diarrhoea, in Slave Island 5 from Debility, and in New Bazaar 5 from Convulsions.

17. Out of the 1,096 deaths of persons, one year and over in age, there were 217 due to Diarrhoea and Dysentery, of which 49 were in Colombo, 24 in Kurunegala, 15 each in Kandy, Matale, and Galle, 12 in Jaffna and 10 in Badulla; 126 Pneumonia, of which 46 were in Colombo, 17 in Galle, and 10 in Kurunegala; 80 Phthisis, of which 37 were in Colombo, 8 in Kandy, and 7 in Galle; 58 *Dochmius Duodenalis*, of which 47 were of Tamil coolies; 33 Enteric Fever, of which 16 were in Colombo and 6 in Moratuwa; 32 Malarial Cachexia; 30 Remittent Fever, of which 8 were in Jaffna, and 4 each in Colombo and Mullaittivu; 27 Simple Fever, of which 9 each were in Jaffna and Galle; 22 Bronchitis, of which 11 were in Colombo; 16 Brights Disease and Nephritis, of which 5 were in Colombo.

18. The highest mortality in Colombo was from Diarrhoea and Dysentery 49, of which 27 were in Maradana Hospitals and 8 in Kotahena, followed by Pneumonia 46, of which 14 were in Maradana Hospitals, 9 each in St. Paul's and Maradana exclusive of Hospitals and 7 in Kotahena; Phthisis 37, of which 8 were in Maradana Hospitals, 7 each in Maradana exclusive of Hospitals and Slave Island and 5 in Kotahena; Enteric Fever 16, of which 4 were in Maradana Hospitals and 3 each in St. Paul's and Kotahena; Bronchitis 11, of which 5 were in Maradana exclusive of Hospitals; Bright's Disease and Nephritis 5, of which 4 were in Maradana Hospitals; and Remittent Fever 4, of which 3 were in Kotahena.

19. Of the total number of deaths of all ages in the towns, Diarrhoea and Dysentery accounted for nearly 18 per cent. Bronchitis and Pneumonia nearly 14 per cent., Debility more than 9 per cent., Infantile Convulsions more than 8 per cent., various kinds of Fever more than 6 per cent., and Phthisis more than 5 per cent.

20. Of the total number of deaths of all ages in the Town of Colombo, Bronchitis and Pneumonia accounted for nearly 16 per cent., Diarrhoea and Dysentery more than 15 per cent., Infantile Convulsions nearly 9 per cent., Phthisis more than 8 per cent., Debility more than 7 per cent., and various kinds of Fever more than 5 per cent.

Registrar-General's Office,
Colombo, January 13, 1908.

P. ARUNACHALAM,
Registrar-General.

Table I.—Number of Births and Deaths registered during December, 1907, and their Proportion per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, and the mean temperature and rainfall observed, in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

Towns.	Population of 1901.	Increase.	Total Births registered.		Total Deaths, including Deaths in Hospitals and Jails.		Deaths registered in Hospitals and Jails.	Total Deaths, excluding Deaths of Estate Coolies and non-residents.	Per Mille per Annum.			Deaths of Children under One Year.	Deaths of Children under One Year of Age to 1,000 Births registered.	Mean Temperature.	Rainfall in Inches.	
			Males.	Females.	Males.	Females.			Birth-rate.	Crude Death-rate.	Corrected Death-rate.*					
All 30 Towns	417,673	460,948	581	565	1,146	796	652	1,448	434 †	1,207	29.27	30.83	32.58 ‡	352	807	—
<i>Western Province.</i>																
Colombo	155,869	176,724	169	171	340	263	189	452	131	411	22.65	27.38	30.48	121	356	1.29
Negombo	19,819	20,401	46	32	78	35	20	55	10	49	45.02	28.83	28.83	14	179	0.53
Moratuwa	29,600	33,481	49	59	108	28	45	73	—	73	37.98	25.67	24.24	19	176	—
Kalutara	11,500	11,922	12	14	26	27	15	42	12	36	25.68	35.55	34.64	11	423	5.23
Panadura	3,845	4,214	12	8	20	12	4	16	10	8	55.88	22.35	23.74	2	100	—
<i>Central Province.</i>																
Kandy	26,511	29,020	41	37	78	48	45	93	41	71	31.65	28.81	30.21	27	346	1.51
Gampola	3,791	4,487	9	14	23	18	14	32	—	32	60.36	83.98	88.82	6	260	4.25
Nawalapitiya	3,454	3,957	4	1	5	13	12	25	22	3	14.88	8.93	10.64	1	200	—
Hatton and Dikoya	2,888	3,575	3	2	5	10	6	16	13	3	16.47	9.88	—	1	200	1.66
Matsale	4,951	5,497	11	3	14	27	19	46	34	17	29.99	36.41	41.49	6	429	3.70
Nuwara Eliya	5,072	7,515	5	4	9	9	4	13	1	10	14.10	15.67	20.52	5	556	1.92
<i>Northern Province.</i>																
Jaffna	33,879	35,099	48	48	96	58	58	116	6	112	32.20	37.57	39.59	43	448	1.1
Mannar	5,332	5,832	6	1	7	1	4	5	—	5	15.46	11.04	12.60	1	143	4.92
Mullaitivu	1,308	1,391	3	2	5	—	4	4	—	4	42.38	33.86	37.07	—	—	5.00
Vavuniya	566	591	1	—	1	3	1	4	2	4	19.93	79.73	95.88	2	—	7.62
<i>Southern Province.</i>																
Galle	37,165	39,624	53	49	102	79	78	157	31	143	30.31	42.49	41.54	28	275	7.98
Matara	11,848	13,043	27	33	60	12	17	29	3	26	54.16	23.47	22.72	5	83	5.18
Hambantota	2,843	3,026	2	3	5	10	1	11	—	11	19.45	42.80	44.81	3	600	0.22
Tangalla	2,333	2,586	5	3	8	6	2	8	1	8	36.42	36.42	38.47	4	500	1.16
<i>Eastern Province.</i>																
Batticaloa	9,969	10,369	8	11	19	6	17	23	—	23	21.58	26.12	26.93	7	368	6.64
Trincomalee	11,887	11,295	9	11	20	9	8	17	1	17	20.85	17.72	20.55	6	300	6.07
<i>North-Western Province.</i>																
Kurunegala	6,483	7,831	8	10	18	35	23	58	32	37	27.06	55.63	65.53	8	444	2.19
Puttalam	5,115	5,205	9	14	23	16	7	23	9	20	52.03	45.24	46.31	7	304	3.96
Kalpitiya	1,487	1,611	3	3	6	3	2	5	—	5	43.85	36.54	—	1	167	—
Chilaw	4,168	4,466	6	9	15	13	6	19	8	19	39.55	50.09	51.04	4	267	—
<i>North-Central Province.</i>																
Anuradhapura	3,672	4,675	8	5	13	11	7	18	4	18	32.74	45.34	52.25	6	462	7.81
<i>Province of Uva.</i>																
Badulla	5,924	6,576	12	4	16	14	15	29	18	19	28.65	34.02	34.79	6	375	1.80
Lunugala	—	416	1	1	2	6	10	16	15	2	56.61	56.61	—	2	—	—
<i>Province of Sabaragamuwa.</i>																
Ratnapura	4,084	4,481	9	7	16	18	13	31	22	14	42.04	36.78	38.07	2	125	7.27
Kegalle	2,340	2,538	2	6	8	6	6	12	8	7	37.11	32.47	33.85	4	500	—

* By "corrected death-rate" is here meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the whole Island, and also excluding the deaths of estate coolies and other non-residents.
 † Includes two deaths of Colombo town residents (both Sinhalese), which occurred in the Infectious Diseases Hospital, Kanatta (outside the town), and were registered by an extra-urban Registrar.
 ‡ The population of "Hatton and Dikoya," Kalpitiya, and Lunugala towns at the Census of 1901 not being available by age- and sex-constitution, their corrected death-rates cannot be calculated. The death-rate given for "All Towns" is, therefore, independent of these three towns, but is scarcely affected by their rates owing to the smallness of their population.
 § The population of Mannar and Trincomalee towns at the Census of 1891 not being available, no estimate can be made of the rate of growth 1891-1900 or 1901-1907. Their population estimated for 1907 is the Census population of 1901, less (in the case of Trincomalee) the Military, who are no longer stationed there.
 ¶ The population of Lunugala town at the Census of 1901 is not available. The figure given is the population estimated at the beginning of October, 1907.
 ¶ In each of these columns blanks appear against towns which do not possess observatories or rain-gauges.

Table II.—Causes of Deaths registered during December, 1907, in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

Causes of Deaths.	Western Province.				Central Provinces.				Northern Province.			Southern Province.			Eastern Province.		North-Western Province.			North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.																											
	Colombo.	Negombo.	Moratuwa.	Kalutara.	Pandure.	Kandy.	Gampola.	Nawalapitiya.	Dikoya and Hatton.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Galle.	Matara.	Hambantota.	Tangalla.	Baticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Kalpitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Katnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.														
All Causes	1,448	452*	55	73	42	16	93	32	25	16	46	13	116	5	4	4	157	29	11	8	23	17	58	23	5	19	18	29	16	31	12	4	27	684	501	184	29	19													
I.—Infantile Mortality	352	121	14	19	11	2	27	6	1	1	6	5	43	1	2	28	5	3	4	7	6	8	7	1	4	6	6	2	2	4	1	8	173	90	64	11	5														
A.—One Week and under.																																																			
1. Prematurity	33	10											8			2	1																																		
2. Debility	47	12	3	4		4			1	2		7																																							
3. Convulsions	31	10				2						1																																							
4. Diarrhoea																																																			
5. Tetanus																																																			
6. Bronchitis																																																			
7. Pneumonia																																																			
8. Other causes																																																			
B.—Over 1 Week and under 1 Year.																																																			
1. Prematurity	7	3																																																	
2. Debility	27	10	2																																																
3. Convulsions	72	22	2		5																																														
4. Diarrhoea	33	19	1																																																
5. Tetanus	10	2																																																	
6. Bronchitis	23	6																																																	
7. Pneumonia	29	8	3																																																
8. Other causes	23†	11																																																	
II.—General Mortality (1 Year and over)	1,096	331	41	54	31	14	66	26	24	15	40	8	73	4	2	129	24	8	4	16	11	50	16	4	15	12	23	14	29	8	3	19	511	411	120	18	14														
1. Smallpox																																																			
2. Chickenpox																																																			
3. Measles																																																			
4. Influenza																																																			
5. Simple Fever																																																			

* This includes the deaths of 2 town residents (both adults, 1 from Enteric Fever and 1 from Smallpox), which occurred in the Infectious Diseases Hospital, Kanakatta (outside the town), and were registered by an extra-urban Registrar.

† All these resulted from Inanition.

‡ This includes 4 deaths from Dysentery (1 in Kalutara, 2 in Matale, and 1 in Jaffna), 4 from Enteritis (all in Colombo), 3 from Simple Fever (1 each in Kandy, Jaffna, and Tangalla), 2 from Remittent Fever (1 in Nuwara Eliya and 1 in Vavuniya), and 2 each from Malnutrition and Dropsy, and 1 each from Worms, Chronic Dyspepsia, and Laryngeal Catarrh in Colombo.

Table III.—Number of Births and Deaths registered during the month of December, 1907, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, in each Ward of the Colombo Municipality.

Wards.	Population (inclusive of the Military at the Census of 1901.	Population estimated to the middle of 1907 by Intercensal Increase.	Total Births registered.			Total Deaths including Deaths in Hospitals and Jails.			Deaths registered in Hospitals and Jails.	Total Deaths excluding Deaths (if any) of Estate Coolies and Non-residents.	Per mille per annum.			Deaths of Children under One Year of Age to 1,000 Births registered.	
			Males.	Females.	Persons.	Males.	Females.	Persons.			Birth-rate.	Crude Death-rate.	Corrected Death-rate.*		Deaths of Children under One Year.
Colombo Town	155,869	176,724	169	171	340	293	189	452	183	411	22.65	27.38	30.48	121	356
Fort and Galle Face	2,285	†2,285	—	—	—	2	—	2	—	2	—	10.31	—	—	—
Pettah	7,561	†7,561	2	3	5	4	2	6	—	6	7.79	9.34	—	1	200
St. Sebastian	9,349	10,366	15	10	25	6	8	14	—	14	28.39	15.90	—	6	240
St. Paul's	20,260	23,232	14	19	33	22	21	43	—	43	16.72	21.79	—	9	273
Kotahena	33,355	37,319	32	27	59	41	35	76	—	76	18.61	23.98	—	25	424
New Bazaar	17,470	19,657	17	28	45	19	19	38	1	38	20.95	22.76	—	17	378
Maradana Hospitals	30,381	35,688	4	6	10	87	44	131	131	90	—	—	—	26	—
Maradana (exclusive of Hospitals)	16,927	19,424	39	34	73	42	27	69	1	69	24.08	22.76	—	22	301
Slave Island	18,281	22,204	29	23	52	22	20	42	—	42	31.52	25.46	—	12	231
Kollupitiya	18,281	22,204	17	21	38	18	13	31	—	31	20.15	16.44	—	3	79

* For explanation of "corrected death-rate" vide Table I. foot-note marked (*). The population of the several wards of the Town at the Census of 1901 not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† The population of these two wards being a fluctuating one, their estimated population has not been calculated. Hence the Census figures are retained.

Table IV.—Causes of Deaths registered during the Month of December, 1907, in each Ward and Race of the Colombo Municipality.

Causes of Death.	Colombo Town.	Ward.								Deaths among all Races.								
		Fort and Galle Face.	Pettab.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	452	2	6	14	43	76	*38	131	†69	42	31	3	19	218	107	76	18	11
I.—Infantile Mortality	121	—	1	6	9	25	17	26	22	12	3	—	1	61	17	26	7	3
<i>A.—One Week and under.</i>																		
1. Prematurity	10					4		6						7	2			
2. Debility	12				2			5		2				6	1			1
3. Convulsions	10					1		3						5	3			2
4. Diarrhoea	—								4									
5. Tetanus	7			2						1				1				4
6. Bronchitis	—																	
7. Pneumonia	—																	
8. Other Causes	†1					1												
<i>B.—Over 1 Week and under 1 Year.</i>																		
1. Prematurity	3							2						1				
2. Debility	10							5						6				
3. Convulsions	22							1						9				1
4. Diarrhoea	19			1	3	4	4	1	5	3				11				6
5. Tetanus	2							1						3				2
6. Bronchitis	6							1						1				1
7. Pneumonia	8							1						3				1
8. Other Causes	§11				2	3	1	1	3	1				4				4
II.—General Mortality (1 Year and Over)	331	2	5	8	34	51	21	105	47	30	28	2	13	157	90	50	11	8
1. Smallpox	—																	
2. Chickenpox	1																	
3. Measles	—																	
4. Influenza	—																	

* Includes the death of a Sinhalese adult who died from Smallpox in the Infectious Diseases Hospital, Kanatta.

† Includes the death of a Sinhalese adult who died from Enteric Fever in the Infectious Diseases Hospital, Kanatta.

‡ Due to Inanition.

§ Includes 4 deaths from Enteritis (2 in St. Paul's and 1 each in Maradana Hospitals and Maradana exclusive of Hospitals), 2 from Malnutrition (1 in Kotahena and 1 in Maradana exclusive of Hospitals), 2 from Dropsy (1 in Kotahena and 1 in New Bazaar), 1 from Laryngeal Catarrh in Slave Island, 1 from Chronic Dyspepsia in Maradana exclusive of Hospitals, and 1 from Worms in Kotahena.

Table IV.—Causes of Deaths registered during the Month of December, 1907, in each Ward and Race of the Colombo Municipality.—*contd.*

Causes of Death.	Wards.										Deaths among all Races.							
	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamilis.	Moors.	Malays.	Others.	
II.—General Mortality (1 year and over)—<i>contd.</i>																		
5. Simple Fever								1	1				2			1		
6. Enteric Fever								4	1				11			1		
7. Remittent Fever				3					1				2			1		
8. Ague																		
9. Malarial Cachexia				1														
10. Cholera													11					
11. Diarrhoea													9					
12. Dysentery				2									6					
13. Doehrnus Duodenalis													6					
14. Cancer			2	3	5	1							18		9			
15. Phthisis				1														
16. Other Tubercular Diseases																		
17. Anaemia																		
18. Diabetes Mellitus																		
19. Convulsions																		
20. Tetanus																		
21. Bronchitis																		
22. Pneumonia																		
23. Other Diseases of Respiratory System																		
24. Bright's Disease and Nephritis																		
25. Puerperal Convulsions																		
26. Puerperal Fever																		
27. Miscarriage																		
28. Other and undefined Accidents of Child-birth																		
29. Starvation																		
30. Accidents or Negligence																		
31. Homicide																		
32. Suicide																		
33. Execution																		
34. All other Causes	1	2	2	10	16	8	25	10	14	16	1	6	56	23	12	4		2

* Here are included 19 deaths from Old Age, 12 from Debility, 11 from Worms, 5 each from Paralysis and Enteritis, 4 from Remittent Fever, 3 each from Apoplexy, Cirrhosis of Liver, and Bright's Disease, and 2 each from Rheumatism, Nephritis, and Abscess.

RESULTS OF METEOROLOGICAL OBSERVATIONS IN CEYLON DURING THE MONTH OF OCTOBER, 1907.

Table with columns: STATION, OBSERVER, RAINFALL (Total No. of Inches, Greatest Quantity in any 24 hours, No. of Days on which Registered), BAROMETER REDUCED TO 32°, TEMPERATURE OF THE AIR AND OF EVAPORATION (Mean Daily Maximum, Mean Daily Minimum, etc.).

Table with columns: STATION, NAME OF SENDER, RAINFALL (Total No. of Inches, No. of Days on which Registered, Greatest Quantity in any 24 hours), STATION, NAME OF SENDER, RAINFALL (Total No. of Inches, No. of Days on which Registered, Greatest Quantity in any 24 hours).

ERRATA.

OMISSIONS OF THE PREVIOUS ABSTRACT (Returns received late).

Table with columns: Month, Station, Height, Total No. of Inches, No. of Days on which Registered, Greatest Quantity in any 24 hours, Month, Station, Height, Total No. of Inches, No. of Days on which Registered, Greatest Quantity in any 24 hours.