## SUPPLEMENT

10

## The Ceylon Government Gazette,

## PART I

No. 6,270. — FRIDAY, OCTOBER 23, 1908.

# VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF SEPTEMBER, 1908.

## REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the several towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased, and no dead body is buried or cremated without registration being effected. This system was commenced on January 1, 1893, in the town of Colombo, under the Ordinance No. 20 of 1891, and has been gradually extended till it now embraces 31 towns.

- 2. Table I. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the month, their rates, and the infantile mortality in each town, with mean temperature and rainfall of each town.
  - 3. Table III. gives similar information as regards each ward in the Colombo Municipality.
- 4. The estimated population of the 31 towns is 476,265, or more than one-ninth of the total population of the Island. The population of Colombo (180,262) is a little less than two-thirds of the population of all the other towns taken together (296,003).
- 5. The births registered in the 31 towns during the month numbered 1,214—of which 608 were males and 606 of females—and corresponded to an annual birth-rate per 1,000 of 31·67, as against 27·92 during the preceding month. Of the towns excluding Vavumiya and Lunugala, which have a population under 1,000, the highest birth-rate was observed in Mannar (80·18) and the lowest in Kegalla (9·46). In the other towns the birth-rate ranged from 55·53 in Tangalla, 45·82 in Chilaw, 43·32 in Mullaittivu, and 42·26 in Matara to 19·92 in Panadure, 16·42 in "Hatton and Dikoya," 15·23 in Matale, and 14·91 in Kalpitiya.
- 6. The town of Colombo, where the births registered numbered 373—of which 182 were of males and 191 of females—records a birth-rate of 25·24 per mille per annum as against 22·33 in the preceding month. The highest birth-rate was in Slave Island (29·50) and the lowest in Pettah (3·23). In the other wards the birth-rate ranged from 26·63 in St. Sebastian to 5·34 in Fort and Galle Face.

#### Deaths

- 7. The number of deaths registered in the 31 towns during the month was 1,406—of which 736 were of males and 670 of females—and corresponded to an annual death-rate of 31·14 per mille as against 31·23 during the previous month. 452 of the total deaths or a little less than one-third occurred in hospitals (and 9 deaths in jails), and exaggerated the normal mortality of the towns.
- 8. Corrected death-rates as well as crude death-rates are shown. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the Island, and also excluding from the total deaths those of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate. For the wards of the city of Clolombo only crude death-rates are available.
- 9. Of the towns, excluding Vavuniya and Lunugala, the highest death-rate was in Gampola (50·27) and the lowest in Kegalla (4·93). In the other towns the death-rate ranged from 15·94 in Nuwara Eliya, 16·68 in Weligama, 19·91 in Galle, and 20·45 in Matara to 37·93 in Mullaittivu, 42·95 in Puttalam, 46·19 in Anuradhapura, and 47·96 in Kurunegala.
- 10. In the town of Colombo the deaths registered numbered 529—of which 268 were of males and 261 of females—corresponding to an annual corrected death-rate of 36.90 per 1,000 per annum as against 35.35 during the preceding month. Omitting the Fort and Galle Face Ward and the Pettah Ward, which contain a population mainly adult male and floating, Slave Island shows this month the lowest crude death-rate (19.66) and New Bazaar the highest rate (40.20). In the other wards the death-rate ranged from 23.44 in Kollupitiya to 30.10 in St. Sebastian.

### Infantile Mortality.

11. The infantile mortality for the 31 towns in the month was equal to a rate of 236 per 1,000 births registered. In the towns having an estimated population of 5,000 or more the mortality ranged from 542 in Kurunegala, 375 in Puttalam, 300 in Badulla, 286 in Matale, and 261 in Negombo to 143 in Moratuwa, 125 in Nuwara Eliya. 115 in Weligama, 87 in Matara, and 62 in Galle.

12. The infantile mortality in the city of Colombo was 319 per 1,000 births registered. The infantile mortality given for each ward in Table III. enables a comparison to be made of the health of the various wards. The lowest mortality was observed in St. Paul's (244 per 1,000) and the highest mortality was in Maradana exclusive of hospitals (508) followed by St. Sebastian 391, and New Bazaar and Kollupitiya (370 each.)

#### Causes of Death.

- 13. Table II. in the Appendix gives for each town and race the principal causes of deaths registered during the month, and shows the infantile mortality separately from the other mortality.
  - 14. Table IV. gives similar information for each ward and race of the Colombo Municipality.
- 15. Infants.—Out of the 1,406 deaths from all causes in the 31 towns, 286 or a little over one-fifth were among infants under one year. Of these, the chief causes were 90 Convulsions (of which 37 in Colombo, 8 in Trincomalee, 7 in Negombo, and 5 in Kandy); 62 Debility (of which 21 in Colombo, 8 in Jaffna, and 6 each in Kandy and Kurunegala); 28 Premature Birth (of which 8 in Colombo, 5 in Jaffna, and 3 in Kandy); 20 Tetanus (of which 8 in Colombo, 6 in Moratuwa, and 5 in Jaffna); 19 Pneumonia (of which 6 in Colombo, 4 in Negombo, and 3 in Kandy); 11 Bronchitis (of which 10 in Colombo); and 7 Diarrhæa (of which 3 in Colombo).
- 16. In the town of Colombo, Convulsions accounted for the highest mortality, and the cases were distributed as follows:—16 in Maradana (exclusive of hospitals), 9 in Kotahena, 4 in New Bazaar, 3 in Slave Island, 2 in Kollupitiya, and 1 each in Fort and Galle Face, St. Sebastian, and St. Paul. The next highest mortality (21) was from Debility (5 in Slave Island, 4 each in St. Sebastian and Maradana Hospitals, and 2 each in St. Paul's, New Bazaar, Maradana, exclusive of hospitals, and Kollupitiya), followed by Bronchitis 10 (5 in St, Paul's, 2 in Maradana exclusive of hospitals, and 1 each in Kotahena, Maradana Hospitals, and Islave Island), Premature Birth 8 (3 in Kotahena, 2 in Maradana exclusive of hospitals, and 1 each in Maradana Hospitals, Slave Island, and Kollupitiya), Tetanus 8 (3 each in St. Sebastian and New Bazaar and 1 each in St. Paul's and Maradana Hospitals), Pneumonia 6 (3 in Maradana exclusive of hospitals and 1 each in St. Sebastian, Kotahena, and Kollupitiya), and Diarrheea 3 (1 each in St. Paul's, Slave Island, and Kollupitiya).
- 17. General Mortality. (One year and over).—Out of the 1,120 deaths of persons one year and over in age there were 234 due to Diarrhæa and Dysentery, of which 55 were in Colombo, 23 in Kandy, 17 in Matale, 14 each in Galle and Badulla, 13 in Kurunegala, 10 in Ratnapura, 9 each in Negombo, Nawalapitiya, and Jaffna; 124 due to Pneumonia, of which 64 were in Colombo, 9 in Trincomalee, 8 in Kandy, 6 in Moratuwa, and 5 in Kurunegala; 103 to Philisis, of which 56 were in Colombo, 10 in Jaffna, 8 in Galle, and 5 each in Moratuwa and Kandy; 50 to Enteric Fever, of which 36 were in Colombo and 7 in Moratuwa; 49 to Malarial Cachexia, of which 12 were in Matale and 6 each in Kurunegala and Ratnapura; 39 to Dochmius Duodenalis, of which 35 were among Tamils, almost all of whom were coolies; 36 to Remittent Fever, of which 8 were in Jaffna, 5 in Negombo, and 3 each in Weligama and Anuradhapura; 25 to Smallpox, of which 24 were in Colombo; 17 to Bronchitis, of which 12 were in Colombo; 15 to Bright's Disease and Nephritis, of which 7 were in Colombo and 3 in Kandy; 13 to Puerperal Fever, of which 4 were in Negombo, and 2 each in Colombo and Trincomalee; 12 to Anæmia, of which 3 were in Kalutara, and 2 each in Colombo, Negombo, and Moratuwa; and 5 to Simple Fever.
- 18. In the town of Colombo, the highest mortality was from *Pneumonia* (64), of which 19 were in Maradana Hospitals, 11 in Kotahena, 10 in St. Paul's, 8 in Maradana exclusive of hospitals, 7 in New Bazaar, 5 in St. Sebastian, followed by *Phthisis* (56), of which 17 were in Maradana Hospitals, 11 in Maradana exclusive of hospitals, 8 in Kotahena, and 5 each in St. Paul's, New Bazaar, and Slave Island; and *Enteric Fever* (36), of which 10 occurred in Maradana Hospitals, 6 in New Bazaar, 5 in Maradana exclusive of hospitals, 4 each in Kotahena and Kollupitiya, 3 each in St. Sebastian (including the death that occurred in the Infectious Diseases Hospital, Kanatta, whither the patient was removed) and St. Paul's, and 1 in Slave Island.

Altogether in this and the preceding month there have been over 218 cases reported to the Municipal authorities and 88 deaths registered from Enteric Eever.

- 19. The other chief causes of deaths were Diarrhæa 33 (17 in Maradana Hospitals, 4 in Maradana exclusive of hospitals, 3 each in New Bazaar, Slave Island, and Kollupitiya); Dysentery 22 (11 in Maradana Hospitals, 4 in Maradana exclusive of hospitals, 3 in St. Paul's; Bronchitis 12 (4 in Kotahena, 2 each in St. Paul's and New Bazaar; Bright's Disease and Nephritis 7 (3 in St. Paul's and 2 each in New Bazaar and Maradana Hospitals; and Dochmius Duodenalis 6 (all in Maradana Hospitals). There were no deaths registered as due to Cholera during the month in the town of Colombo, the last case having occurred on July 16 last.
- 20. Smallpox.—In the month under review 25 deaths (as against 5 in the preceding month) were registered in the town of Colombo as due to Smallpox. Of these 24 occurred in the Infectious Diseases Hospital, Kanatta, and the other at Maradana exclusive of hospitals, and were distributed as follows:—13 from New Bazaar, 5 St. Paul's, 3 Kotahena, 2 Maradana exclusive of hospitals, and 1 each Pettah and Slave Island. The epidemic broke out in the beginning of July. Its origin has not yet been traced, but it is believed to be due to infection from South India. Altogether in this and the preceding month, there have been over 125 cases reported to the Municipal authorities and 30 deaths registered from this cause.
- 21. Percentage of principal causes of Death at all Ages.—Of the total number of deaths at all ages in the towns, Diarrhea and Dysentery accounted for nearly 18 per cent., Bronchitis and Pneumnoia more than 12 per cent., Infantile Convulsions more than 8 per cent., Phthisis and Debility more than 7 per cent., and various kinds of fever more than 6 per cent.
- 22. Of the total number of deaths at all ages in the city of Colombo, Bronchitis and Pneumonia accounted for more than 17 per cent., Diarrhea and Dysentery more than 11 per cent., Phthisis nearly 11 per cent., Convulsions more than 9 per cent., various kinds of fever more than 7 per cent., and Debility nearly 5 per cent.

3 (

1.—Number of Births and Deaths registered during Sept. 1908, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under I Year and their Proportion per 1,000 Registered Births, and Mean Temperature and Rainfall observed in each Town proclaimed under §§ 31-36 of Ord. 1 of 1895.

	Population (inclusive	Population estimated to	Total Bi	Total Births registered	l	Total De Deaths	otal Deaths including Deaths in Hospitals and Jails.		Deaths	Total Deaths,		Per Mille per Annum	um.	Deaths	Deaths of Children under One		:	*
Towns.	of the Military) at the Census of 1901.	the Middle of 1908 by Intercensal Increase.	Males.	Females. Persons.		Males. F	Females Persons	1 100	in Hospi- tals and Jails.	of Estate Coolies and Non- residents.	Birth-rate.	Crude Death-rate.	Corrected Death-rate.	ar a si	Year of Age to 1,000 Births registered.†	Mean Tem per- ature.‡	Kainfall in Inches ‡	
All 31 Towns	423,109	476,265	809	616	1,214	736	670 1	1,406	461§	1,130	31-67	29.43	31.14	286	236			
Western Province.	1 1	696 081	691	101	979	986	196	290	92			99 -16	00.9%	:		0	1	
Colombo	19,808	20,495	35	30	65	35	22	59	11	51	38.58	30.27	30.86	119	319	0.8/	1.54	
		34,139	53	000	103	325	36	89	1	89	36.70	24.23	22.87	17	165	}	1	
Kalutara Panadure	3,845	4,275	2 4		07	 - 6	3 9	19	) [·	12	28.41 19.92	34.15	36 - 26	44	143		66.7	
Central Province.		3			í								,					
	26,511	29,437	24.2	7.00	<u>5</u> 12	 90 80	- <del>1</del> 5	0		9/	32:65	31.41	32·94 50·27	81 6	228	75.4	10.14	
Gampola Nawalapitiya		4,043	ဗ	- 21	- - - -	 	10	25	91	6	24 .07	27 -08	32.20		375		<u> </u>	
and Dikoya		3,705	≎। <del>4</del>	ಣಣ	10 F	ල කි.දු	200	11	တတ္ထ	cı 4	16.42	80.47	=- <del>7</del>	— с	200	l	22.86	
Matale Nuwara Eliya		7,997	10	9	-91	တ်	. °	14	် သ	<u>.</u>	24.34	12.17	15.94	101	125	59.4	12.53	
Northern Province.		1	(				•	,			;		,					
Jaffna	33,879	35,295	56 15	20 1	116 22	94 9 4	2 <u>1</u> 0	- 6 - 6		87	30.08 80.18	98.18 98.18	31.60	56 26	224	82.4	5.78	•
Mullaitivu		1,404	, m -	וכ י	, ro -		က	4		4	43.32	34.65	37.93		200	; ×	ot recd.	
Vavuniya	200	595			-	1		1	ſ	İ	20 .45	I		1	1	1	5.76	
Southern Province.	27 165	40.026	46	51	46	89	88	76	1.1	67	94.48	90.36	19.91	<u> </u>		100	0.40	l
Matara	11,848	13,242	24	25	46	9.7	- 5	. 63 ±	4	23	42.26	21.13	20.45		87	<u> </u>	6.46	ð
Wengama Hambantota		3,056	3.4	2 4	2 00	. e.s	2 2	္ ထ		c1 &		31.84	33.35	n en	115 375	50	ا 90.5 1	,
Tangalla		2,629	00	₩	13	'n	4	<u>.</u>	က	9	55 .53	27 .76	. 29.33	<u> </u>	<u> </u>	;   :	3.20	
Eastern Province.		10.433	70	- 2-	35		σ	Ç	_	α	37.39	00.06	01.64	Ć		-		
96	11,887	11,295	17	22	33	12	13	28	·	28	42 .01	30.16	34.97	01	256	83.5 83.5	2.43	
ern Provinc		990 8	ĠĪ	- 61	76		00	ī	24		96.10		17				: :	
Puttalam	5,115	5,219	9	10	16	14		55	32	181	37.29	41.95	42.95	13	542 375	81.1	11:43	
Kalpitiya Chilaw		1,631	<b></b> 4	65	2 5	ରା ଶ	e	ಸ್ ಪ	     	70 E	14 ·91 45 ·82	37.28		'	] =		· 	
Central Province	224		l	)		,	)	)	1	3	)	8			118	۲ 	ot reed.	•
Anuradhapura	3,672	4,856	00	េា	10	16	ro.	21	14	16	25.05	40.08	46.19	4	400	82.6	6.41	2
Province of Uva. Badulla	5,924	6,686	. 11	6	20	17	17	34	16	18	36.39	32.75	33.50	9	300	74.8	6.49	
Lunugala	1	416**			i		0	9	<b>ි</b>		[	29.24	<u>T</u>	J	1			
Province of Sabaragamuwa Ratnapura Kecalla	a. 4,084 9,340	4,548	7	∞ c₁	15	18	ζ <u>ς</u> 4	33	27	00-	40.13	21.39	22.14	- 23	133	79.4	20.89	
	2										`\   	1	£ 20				[	

\* By "corrected rate" is here meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the whole Island, and also incorrected rate and other non-residents.

† Infantile death-rates have been omitted where the number of births is less than five. excluding the deaths of estate coolies and other non-residents.

In each of these columns blanks appear against towns which do not possess observatories or rain gauges.

Registrar, of which 27 occurred in the Infectious Disease Hospitals and I may both at Kanatta (outside the town).

Registrar, of which 27 occurred in the Infectious Disease Hospitals and I must be seen that the Infection of "Hatton and Disease Hospitals and Lundgala towns at the Census of 1901 not being available by age- and sex-constitution, their corrected death-rates cannot be calculated. The death-rate given for "All Towns" is, therefore, independent of these three towns, but is scarcely affected by their rates owing to the smallness of their population.

The population of Mannar and Timoomalee towns at the Census of 1891 not being available, no estimate can be made of the rate of growth 1891-1900 or 1901-1908. Their popula-

tion estimated for 1908 is the Census population of 1901, less (in the case of Trincomalee) the Military, who are no longer stationed there.

\*\* The population of Lunugala town (as now constituted) was not enumerated at the Census of 1901. The figure given is of the population estimated at the beginning of October, 1907.

11117111

11111

Others,

Malays.

11

83

1711111

11111

1111

1111

11111

| | |

1111

1111

1111

11111

1 1 24

8 0 10

:::::

Smallpox Chickenpox Measles Influenza Simple Fever

しなるよな

11

11

11 

111

Ø

Ø

22

130

401

515

32

31

28/10

5 111

16

38

18

13

'n

70 19 12

Ø

16 22

15

27

51

42

410

1,120

II.—General Mortality (1 Year and over)

Other causes

Pneumonia Bronchitis

42305.00

-- 01 69 44 70 50 F- 30

111

11

CI

Deaths among all Races. ... 47 177 11 Moors. 84 1124 485 .slimsT 4 6 6 0 1 2 125 8 8 4 12 Table II.—Causes of Deaths registered during September, 1908, in each Town of the Island proclaimed under Sections 31–36 of Ordinance No. 1 of 1895. 640 Sinhalese. 12 | | | | Burghers. 11111 11 Europeans. Province of Sabara-gamuwa. 1 | Kegalla. İ 1 ন 33 1111 Ratnapura. 34 10 Pro-vince of Uva. Lunugala. 111 1111 Badulla. North-Central Pro-vince. 1 | | | | 21 AnutadbarunA Chilaw North-Western Province. Kalpitiya. विष 6 Puttalam. 13 5 Kurunegala. 11111 10 Eastern Province. 28 11 Trincomalee. 0101 4 <u>-</u> 11 Batticaloa. Tangalla. ŏ Hambantota, Southern Province. Galle.
| Galle.
| Matera.
| Weligan 3 Weligama. - 67 111 111 Galle. Vavuniya. Northern Province. Mullaittivu. 9 4 Mannar id bas | 2 id bas | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 2 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale | 3 iolatale C) Nuvara Eliya. Central Province. Hatton and Dikoya. Matale. 1111111 . RavitiqalawaN 1925 8 Gampola. 18 101 1111 111 Kandy. 11 Panadure. Western Province. 1111111 Kalutara, 1 co -17 89 111 Могасима. 17 Negombo. 11111 111 119 529 Colombo, 25 3 3 9 9 9 All 31 Towns. 1,406 225 45 6 10 10 114 14 286 27 36 36 11 11 12 : : ::::::; B.—Over 1 Week and under 1 Year, A .- One Week and under Causes of Deaths. f .- Infantile Mortality All Causes Tetanus Bronchitis Pneumonis Other causes Debility Convulsions Diarrhosa Prematurity Prematurity Debility Convulsions Diarrhoa **Tetanus** 

\* This includes 28 deaths of Colombo town residents, of which 27 occurred in the Infectious Diseases Hospital and 1 in the Sogregation. Camp, both at Kanatta, vide Table IV. footnote (†), 2 deaths from Congenital Syphilis in Nawalapitiya, and 1 from Obstruction of bowels in Moratuwa.
† This includes, besides the 21 deaths described in Table IV. footnote (‡), 3 deaths from Evsipelas in Jaffna, 3 from Dysentery (1 in Jaffna and 2 in Kurunegala), 2 from Thrush in Negombo, 2 from Congestion of Lungs in Moratuwa, 2 from Obstruction of bowels, (1 in Moratuwa and 1 in Jaffna, 2 from Remittent Fever (1 each in Jaffna and Kurunegala), 1 each from Measles and Jaundice in Negombo, 1 from Whooping Cough in Moratuwa, 1 from Enteritis in Kandy, 1 from Obstinate Constipation in Jaffna, and 1 from Abscess in Chilaw.

Table II.—Causes of Deaths registered during September, 1908, in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895—continued.

Causes of Deaths. T		We	stern	Western Province.	nce.	ర	ntral	Central Province.	ince.	Nor Pro	Northern Province.		Southern Province.	ern 1ce.	Eag Prov	Eastern Province.	Wei Pro	North- Western Province.	North- Central Pro- vince.	al vince of Uva.	- 6 - 2 - 8	Province of Sabara- gamuwa.	o e e	Dea	Deaths among all Races	nong	all Re	3008.	ĺ
	All 31 Towns,	Colombo.	Negombo.	Moratuwa. Kalutara.	Panadure.	Kandy.	Gampola. Nawalapitiya.	Hatton and Dikoya,	Matale.	Laffna.	Mullaittivu.	Galle,	Matara.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Burghers.	Sinhalese.	,slimsT	Moora	Malays.	Others.
II.—General Mortality—contd.		-		<u>                                      </u>						<u> </u>											-	<del></del> ;							
6. Enteric Fever	50	98	1	1	63	-	20			00	11	- 63	03		1 5		<del></del>	1.	1 <del>1</del> =	 		<u>                                     </u>	1 1	27	3 1 16 16	1 6 14	20,73	11	
	3	- i	<u>.</u>	<u> </u>	<u> </u> 	<u> </u>	1	1	1;	+	+	1	-		1	1	1		 		ŢĒ	<u> </u>	1 -	1	<u>- ا</u>	6	1		
	40	 ന	- <u>:</u> .	ŀ	1	<u> </u>	I	<u> </u>	177	ا ص آ	-	<u> </u>	<u>-</u>	-	<u> </u>	_ 	ا	ا ا	 <del> </del>	1	<u> </u>	5	1 1 1	<u> </u>	<u>'  </u>	,	- 1	1	
1. Diarrhea	169	1 88	, 1	1 1	;    !	<u>. ⊘</u>	9	2		4	1	- 00	٠ و	2	1	1	Ġ	23	ı	<del>-</del>	10 2	00 (	r-		64 0		00 0	e4 C	
12. Dysentery 13. Dochmins Duodenelis	95 30	<u> </u>	- es	! 	<u> </u>	, er		<u> </u>	m 9	1 2	뷰	<del></del>	6 I				च छ	<u> </u>	1 1		4 –	<u> </u>	<u>ا</u> ج	<del>-</del> -			- 1	-	
	9 2	. O ?	-	1	1	ı	+-	1	<u> </u>	<u> </u>		<sup>*</sup>			<u>ا ّ</u> جہ	6			. 			<u> </u>	1	 	-1-	22 3	3 27 14	61	
Other tubercular diseases	507	9 6	ا	<u> </u>	l	1	<u> </u>		1	0 01		<u> </u>	1	1	-		1	_T		,		<u>.</u>	<u>'</u> 1	- <u> </u> 				1	
	12	. C9	Ø	67	<u>ب</u>	<u> </u>	1	1	1		+	7	<u> </u>	+	1	1	İ		Τ		Ţ	<u>.</u>	1	1 			N N -		
Diabetes Mellitus Convulsions	<del>4</del> 62	<u></u>		<del>-</del> -	1 1	1	-6	1 }		1 1		<u>  </u> 	67			<u> </u>	Ι	<u> </u>   <u> </u>	  -			<u> </u>	<u> </u>	! 	1 2		   C3		
Tetanus	? -	0	<u>.</u> 1	<u>'</u>	1		1	 	1	2	1	1	1	+	1		-	1			J.	<u>.</u> 	<u> </u> 	: -	1		4.		
Bronchitis	107	27.5	<del>-</del>	<u>– a</u>	1	1	-		- 4	<u> </u> -		1	+		 		"		  -	. 4	1 4	- ≎ঃ	<u></u> ] [		<del>- 4</del>		18	1	
Other Diseases of Res-	# 7	 5	-	>	! -		-	, -		-	-							_	1			· ·		<u> </u>					
piratory System Bright's Disease and	11	63	<del>-</del>	<u> </u>	 	1	<u> </u>	1	I	<u> </u>		1	I	<u> </u>	<u> </u>	<u> </u>	I	<u> </u>	C3		T	1	<u> </u>	! !		4	1	•	
tis	15	7			- <u> </u> 	1	60	1	I		1	<del></del>	<u> </u>	1	<u> </u>	-	I	1.	 	<u> </u>		·	1	1	1			İ	
Puerperal Convulsions	9 6	4, C	<u>.</u> 	1-	1	1	ij			<u>                                     </u>			<u>†</u>		 	1		<u> </u>	  -	ļ 	IJ		1 1	_  		-10	- C3	1 (1)	10
Miscarriage	3 -	· 1	+ 1	-	 	1	1	1	1	1	+	1	+	ţ	1	i	I	+	I T	-	T	<u> </u>	1		1	<u> </u>	<u> </u>	<u> </u>	
Other and undefined	-	-						· ··.		G				!		_			•					!		4		_	
Accidents of Childbirth	<u>ه</u> د	4	<u> </u>	  -	1					7					]					 		· ·	 	l i	   L	H			
Accidents or Negligence	20.	œ			-	_	5 1	1	_	1	<del> </del>		4 1-	#	<u> </u>		_	-	1	<u> </u>	T	-	<u>'</u>	<u> </u>		0	4		67
Homicide	9		<u>'</u>	<u> </u> 	1	-	1	1	27	+	+	1		十	j T	1	C)	<u> </u>	l T	<u> </u>	Ţ	1	<u> </u>		1	07 0		 61 -	
32. Suicide	410	<u>'</u> က	<u> </u>	 		. <del>-</del>	-	 						1											= -	7 60			
All other causes	*	16	1 2		। ज	- 9	15 3	9	4	421		29	ಲ	4	-	.01	ಣ	2	က	4	<u>م</u>	9		67	5 14	1	77 34	4	-60

\* Here are included 62 deaths from Old Age (of which 23 in Colombo, 7 in Jaffna, and 5 each in Negombo, Kalutara, and Galle); 40 from Debility (of which 6 each in Galle and Ratna.) from Noratuwa); 16 from Paralysis (of which 9 in Colombo), 9 from Cirrhosis of Liver (of which 5 in Colombo); 7 from Enteritis (of which 4 in Kandy); and 6 from Apoplexy (of which 3 in Colombo.)

Table III.—Number of Births and Deaths registered during the Month of September, 1908, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, in each Ward of the Colombo Municipality.	of Births and Deaths registered during the Month of September, 1908, and their Proportion per 1,000 of the Population Children under One Year and their Proportion per 1,000 Registered Births, in each Ward of the Colombo Municipality.	ths registered to Year and t	l during heir Pro	the Mon portion I	th of Sep per 1,000	tember, Registe	1908, an red Birtl	nd their hs, in ea	Proportic ch Ward	on per 1,0 of the Co	100 of th lombo	ie Popul: Municipa	ation, and	d the De	aths of	
	Population	Population		Total Births registered.	istered.	Total 1 Deatl	Total Deaths including Deaths in Hospitals and Jails.	shding pitals	Deaths	Total Deaths excluding	Per I	Per Mille per Annum.	Vmnum.	Deaths	Deaths of Children	
Wards.	(inclusive of the Military) at the Census of 1901.	(inclusive of estimated to the Military) the middle of at the census of Increase.	Males.	Females.	Persons.	Males.	Females.	Persons.	registered in Hospitals Persons, and Jails.	Deaths (if any) of Estate Coolies and Non-	Birth- rate.	Crude Death- rate.	Corrected Death- rate.*	Of Children under One Year.	under One Year of Age to 1,000 Births	
Colombo Town	155,869	180,262	182	191	373	268	261	529	158‡	490	25 · 24	33.16	36-90	119	318	
Fort and Galle Face	2,285	2,285§	.		<b>—</b>	-	<b>,-</b>	61		63	5 ·34	10.67		1		
Pettah	7,561	7,561§	-	г	63	4	- I	ro	7	χ <b>ο</b>	3.23	8.07	1	1		,
St. Sebastian	9,349	10,536	91 ,	7	23	6	17	56	-	56	26.63	30.10		· 6:	391	٠.
St. Paul's	20,260	23,740	18	23	41	58	56	54	ıo	54	21.06	27 · 75	`	10	244.	, .
Kotahena	33,355	37,987	35	37	72	39	41	80	eo ,	80	23 · 12	25.69		.24	. 333	
New Bazaar	17,470	20,027	12	15	27	29	37	99	15	99	16.44	40.20	,	10	370	
Maradana Hospitals	7	908 96	5 28	39	67	80	50	130	130	16 ,				6	1	
Maradana (exclusive of Hospitals)	100,00	96,000	98 }	59	65	43	47	06	63	06	21.66	66.62		33	508	
Slave Island	16,927	19,804	21	27	48	17	15	32	-	32	29.50	19.66	1.	12	250	,
Kollupitiya	18,281	22,896	15	12	27	18	97	44	1	44	14.38	23 · 44		10	370	

\* For explanation of "corrected death-rate" "vide Table I footnote marked (\*). The population of the several wards of the town at the Census of 1901 not being available by ago-and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates have been omitted where the number of births is less than five.

† Infantile death-rates have been omitted where the number of births is less than five.

† Includes twenty-seven deaths in the Infectious Diseases Hospital and one in the Segregation Camp, both at Kanatta (outside Municipal limits), and were registered by an extra-

urban Registrar.

§ The population of these two wards being a fluctuating one, their estimated population cannot be calculated. Hence the Consus figures are retained

Table IV. -Causes of Deaths registered during the Month of September, 1908, in each Ward and Race of the Colombo Municipality.

	Causes of Deaths.	All Causes	I.—Infantile Mortality	A.—One Week and under.  1. Prematurity 2. Debility 3. Convulsions 6. Tetanus 6. Bronchitis 7. Pneumonis 7. Other Gauses	B.—Crer I Week and under I Year.  1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 6. Tetanus 6. Bronchitis 7. Pneumonia 7. Other Causes	-General Mortality (1 Year and over)	Smallpox Chickenpox
		:	:	:::::::		:	: : :
	Colombo Town.	529*	119	10 . 12 . 12 . 15	255 33 36 6 6 6 6	410	24
	Fort and Galle Face.	81	1		11-1111	-	
	. Рессевд.	ಸಂ	1		1111111	4	
	St. Sebastian.	26	6	60     61	- -	17	
	St. Paul's.	42	10	64     1-	10	44	ro
Ward.	Коtаћепа.	08	24	es   es       44	9       19	26	m
_	Ием Вахаат.	99	10	1111-111	014  01    -	26	12
	alatiqaoH anabataM	130	6	10     1     1	0   - -	121	
	Maradana (excinalore).	06	33	60   1-	01 00     01 00 00	22	62
	Slave Island.	83	12	1001111		8	
	Kollupitiya.	44	10		1-01   1-6	34	1.1.1
	Europeans.	8 31				7 22	
Deaths	Sinhalese.	1 249	9 46	4.6.6.   0.     4.	2   1   1   2   2   2   2   2   2   2	203	6   -
Deaths among all	Tamils.	114	42	400	1-0     0010	06	
Il Races.	Moors.	88.	- 5g	44	1,000-000-	83	r
zó.	Malays.	12	7	67	.     %     1	14	62
	Others.	17	8	1117711	[=1]]]4	11	1 1 1

\* Includes 28 deaths of town residents, of which 27 occurred in the Infectious Diseases Hospital and the other in Segregation Camp, both at Kanatta (outside the town), and were registered by an extra-urban Registrar, viz., 24 deaths from Smallpox (9 Sinhalèse, 5 Tamils, 7 Moors, 2 Burghers, and 1 Malay), 13 from New Bazaar, 5 from St. Paul's, 3 from Kotahena, and 1 each from Pettah, Slave Island, and Maradana (exclusive of Hospitals); 2 from Diarrhæa (of Tamils from New Bazaar and Maradana ward, respectively); 1 from Enteric Fever (of a Sinhalese

from St. Sebastian); and I from Debility (in the Segregation Camp, of a Moor infant from New Bazaan).

† Four deaths from Inanition (in Kotahena), and I from Suppurating Umbilical Cord (a Sinhalese, in the General Hospital).

† Seven deaths from Inanition or Mal-nutrition (6 from Maradana, exclusive of Hospitals, and I from Kotahena); 3 from Dysentery (2 from Kollupitiya and I from Maradana, exclusive of Hospitals); 2 from Abscess (in Kotahena and Maradana Hospitals); and I each from Failure of Heart, Ascites, Septicamia, Whooping Cough, Gastritis, Smallpox, Stomatitis, Anæmia, and Tuberculosis in Pettah, Kotahena, New Bazaar, Slave Island, and Kollupitiya.

1	Colombo Cousses of Death.  Town.  Fort and Galle Face.	1.   General Mortality (1 Year and over) contd.   1   5. Simple Fever   3.6   5. Enterior Fever   3.6   5. Enterior Fever   3.6   5. Maintent Fever   3.8   4. Maintent Cancer   3.8   5. Maintent Cancer   3.8   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Doennius Duodenalis   5. Diabetees Mellitus   5. Diabetees   5.
,	Pettah.	
;	St. Paul's.	100   1   1   1   1   1   1   1   1   1
Warde.	Котанепа.	403   1   03 -     0       1   0 - 4
le.	Дем Вахват.	0         8       0     0   0   0
	Alariadana Hospitala.	0     2   2   2
! !	Maradana (exclusive).	ro         4 4   - = -   co         -   -
	Slave Island.	
	Kollupitiya.	14
	Europeans.	
Pe	Burghers.	[2]
Deaths among all Kaces.	alimaT	2   1   2   1   2   2   2   2   2   1   2   1   2   1   2   2
ng all K	Moore.	
aces.	Malays.	