SUPPLEMENT

ro

The Ceylon Govennment Gazette,

PART I.

No. 6,287 - FRIDAY, JANUARY 15, 1909.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE THIRD QUARTER OF 1908.

I.--Population.

THE estimated population of the Island on the last day of the quarter was 4,030,604, showing an increase of 21,862 on the previous quarter, due to an excess of 9,606 births over deaths, and a further excess of 12,256 arrivals over departures of Indian coolies.

2. Arrivals and departures of Indian coolies.—The number of Indian coolies who arrived in the Island during the quarter was 30,523 and of departures 18,267, as against 30,423 arrivals and 17,406 departures, the averages for the corresponding quarters of the last ten years.

"II.-Marriages.

3. Marriages.—4,099 general marriages (*i.e.*, marriages other than Kandyan or Muhammadan) were registered during the quarter and 1,633 Kandyan marriages. Their distribution by Provinces and districts is given in Table I.

4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register.

5. Table VII. gives similar information in respect of the Kandyan marriages.

6. First marriages; re-marriages.—Of the 4,099 general marriages, 3,549 (equal to 87 per cent.) were between bachelors and spinsters, 369 between widowers and spinsters, 111 between bachelors and widows, 57 between widowers and widows, 8 between divorced men and spinsters, and 5 between bachelors and divorced women. Of the 1,633 Kandyan marriages, 1,299 (equal to 80 per cent.) were between bachelors and spinsters, 150 between widowers and spinsters, 49 between bachelors and widows, 47 between widowers and widows, 41 between divorced men and spinsters, 33 between divorced women and bachelors, 6 between divorced men and divorced women, 4 between divorced men and widows, and 4 between widowers and divorced women.

7. Age at marriage.—The mean age at marriage for the general community was $26 \cdot 9$ for males and $20 \cdot 4$ for females, and for Kandyans $25 \cdot 9$ for males and $19 \cdot 6$ for females. It is likely that in many of these cases the couples had lived as husband and wife for years before registration of marriage, the usual religious ceremony alone having been performed in time. The figures in this chapter are based on actual registration, which is not, except among Kandyans, necessary to the validity of a marriage.

8. *Minors.*—In the general community about 4 per cent. of the bridegrooms and 53 per cent. of the brides, and among the Kandyans about 13 per cent. of the bridegrooms and 74 per cent. of the brides, were under 21 years of age.

9. Mixed marriages.—There were 29 mixed marriages during the quarter: 5 between Burghers and Sinhalese, 1 between a Burgher and a Tamil, 19 between Sinhalese and Tamils, 1 between a Malayalam and a Tamil, 1 between a Telegu and a Tamil, 1 between a Sinhalese and a Bengalee, and 1 between a Veddah and a Sinhalese.

10. Signatures in marriage register.--Of the 8,198 persons married in the general community during the quarter, 826 men and 2,679 women signed the register with marks; that is to say, nearly 20 per cent. of the men and 65 per cent. of the women could not write their names. Of the 3,266 Kandyans married, 515 men and 1,515 women signed the register with marks, *i.e.*, about 32 per cent. of the men and 93 per cent. of the women could not write their names.

III.—Births and Deaths.

11. Births.—The births registered during the quarter numbered 36,629 (40 Europeans, 208 Burghers, 25,022 Sinhalese, 9,073 Tamils, 2,117 Moors, 115 Malays, and 54 Others), and were in the proportion of $38 \cdot 1$ per 1,000 persons living, as against $41 \cdot 9$ in the previous quarter and $34 \cdot 0$ the average of the corresponding quarters in the period 1898–1907.

Table VIII. gives the births of the quarter according to race and sex for each Province and district of the Island.

(1)

12. Deaths.—The number of deaths registered during the quarter amounted to 27,023 (32 Europeans, 155 Burghers, 17,121 Sinhalese, 7,824 Tamils, 1,682 Moors, 108 Malays, and 101 Others), and was equal to an annual rate of $28 \cdot 1$ per 1,000 persons living, as against the average $27 \cdot 2$ for the third quarters in the period 1898–1907 and $27 \cdot 7$ the rate in the preceding quarter. Table IX. gives the deaths according to race in each month of the year for each Province and district in the Island.

13. The births and deaths and their rates are compared in Tables I. and II. in the Appendix for each Province and district with the results obtained in the previous quarter, the corresponding quarter of the previous year, and the average rates for the third quarters of 1898–1907, and are summarized for the whole Island in the following Table A :---

			TABL	е А.			Per Mill	e per	Annum.
,	Average for ten previous	third	Births.		Deaths.	E	Birth -ra t	e. I	Death-rate.
	guarters in 1898–1907	••	31,292	••	25,097		34 ·0		$27 \cdot 2$
	Third quarter, 1907		29,846		24,966	••	$31 \cdot 3$		$26 \cdot 2$
	Second quarter, 1908	••	39,730		26,280		41·9	••	27 • 7
	Third quarter, 1908	••	36,629	••	27,023	••	38·1	••	$28 \cdot 1$

14. It will thus appear that whilst the birth-rate shows an improvement on the average, the death-rate shows a slight deterioration. The improvement in the birth-rate was shared by all the Provinces and districts of the Island, except the Eastern Province and the Batticaloa District and the North-Central Province which is coterminous with the Anuradhapura District. The deterioration of health was as in the previous quarter, in the Western, Central, Southern, Uva, and Sabaragamuwa Provinces, and among the districts was greatest in Hambantota, Ratnapura, Trincomalee, Puttalam, Nuwara Eliya, and Matale (vide Table II. in the Appendix).

15. Sex.—Of the total number of births (36,629), 18,614 were of males and 18,015 were of females, *i.e.*, 1,033 males to 1,000 females. Of the total number of deaths (27,023), 13,702 were of males and 13,321 were of females. Out of equal numbers living of each sex there died 906 males to 1,000 females.

16. Infantile mortality.—The deaths of infants under one year of age numbered 6,200, and were in the proportion of 169 to 1,000 registered births. The rate of infantile mortality varied in different districts from 370 (for Tamils), 278 (for Moors), and 237 (for Sinhalese), in Puttalam, 236 (for Tamils) in Trincomalee, 221 (for Tamils) in Mannar, 207 (for Sinhalese) in Matale, and 206 (for Sinhalese) in Kandy to 133 (for Tamils) in Jaffna, 128 (for Sinhalese) in Galle, 115 (for Sinhalese) in Kalutara, 114 (for Sinhalese) in Negombo, and 99 (for Sinhalese) in Chilaw.

IV .--- State of Public Health.

17. The general health of the population during the quarter was worse than usual, the death-rate having risen to $28 \cdot 1$ from the average $27 \cdot 2$ for the third quarters in the period 1898–1907. The deterioration is noticeable in five out of the nine Provinces, the exceptions being, as in the previous quarter, the Northern, Eastern, North-Western, and North-Central Provinces. The death-rate is a slight deterioration also on the previous quarter's rate $(27 \cdot 7)$ and on the rate $(26 \cdot 2)$ for the corresponding quarter of last year. The deterioration from the previous quarter was noticeable in the Western, Central, and the North-Western Provinces, and the deterioration from the corresponding quarter of last year was distributed over five out of the nine Provinces, the exceptions being the Northern, Southern, Eastern, and the North Central.

18. The healthiest Province during the quarter was the Northern, with a death-rate for all races of 21.8; followed by the Western, which usually ranks as the healthiest, with a death-rate of 24.6; and the unhealthiest was the Province of Uva, with a death-rate of 37.3. The healthiest district for all races was as usual Negombo, with a death-rate of 16.3, followed by Chilaw, with a death-rate of 16.7; and the unhealthiest Matale, with a death-rate of 44.0.

19. Tables III., IV., and V. in the Appendix show the number of births and deaths registered in the several Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, and the average for the corresponding quarters in the period 1898–1906. The birth-rates and death-rates for all ages and for infants in the several Provinces and districts of the Island are shown for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for the Tamils only where Tamils form the bulk of the population. In the Puttalam and the Batticaloa Districts, which contain a resident population comprised of Sinhalese, Tamils, and Moors, the rates are given for each of these races.

20. Western Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter were estimated to number 852,408 or a little less than a third of the entire Sinhalese population of the Island, experienced worse health than usual, their death-rate (21.4) having shown a rise of 1.6 over the average 19.8. However, compared with the other Provinces, it ranks as the healthiest during the quarter, for the indigenous population. The health of the Province is indicated also by the rate of Sinhalese infantile mortality, viz., 132 per 1,000 births registered, which was the lowest of any Province in the Island. Of the three districts, Negombo alone shows an improved rate, compared with the average (14.9 against 18.3), whilst Colombo and Kalutara show enhanced rates, viz., 23.3 against 20.1 and 21.8 against 20.3. respectively. Negombo was the healthiest district in the Island for the indigenous population (the Sinhalese), as it was also the healthiest for all races. The infantile mortality was 114 per 1,000 births registered, the second lowest in the Island, Chilaw leading with 99 and Kalutara taking the 3rd place with 115. The birth-rate of the Province (31.3) was a slight improvement on the average (29.9), all the three districts sharing in the improvement. The highest birth-rate was in Negombo (33.7).

3

 b_A

Ŕ

3)

. . . .

(39.8). Two of its districts, viz., Kandy and Matale, shared in the enhancement of the birth-rate. The highest birth-rate was in the District of Matale (46.3), and the lowest in Nuwara Eliya (39.1).

22. Northern Province.—The health of the Tamil inhabitants of the Province, who form the bulk of the population, and were estimated to number a little over 345,000 on the first day of the quarter, was better than usual, their death-rate for the quarter $(21 \cdot 7)$ having declined by $2 \cdot 7$ from the average $(24 \cdot 4)$. The improvement was shared by two of its districts, the exception being Mullaittivu the unhealthiest in the Province, which recorded a death-rate of $39 \cdot 7$ against the average $(35 \cdot 9)$. The improvement was greatest in Jaffna, the healthiest in the Province (from $23 \cdot 3 \text{ to } 20 \cdot 4$) and least in Mannar (from $36 \cdot 2$ to $34 \cdot 3$). The birth-rate of the Province $(41 \cdot 1)$ was slightly better than the average $(38 \cdot 5)$. The improvement was shared by all the three districts and was greatest in the Mullaittivu and least in Jaffna. These districts, however, showed respectively the highest and the lowest death-rates in the Province. The infantile death-rate of the Province was the second lowest in the Island.

23. Southern Province.—The health of the Sinhalese inhabitants of the Province, who numbered nearly 596,000 on the first day of the quarter, was unsatisfactory, the death-rate for the quarter rising to 27.4 from the average (24.5). The deterioration was shared by every district in the Province. It was greatest in the Hambantota District, the most unhealthy in the Province, where the death-rate for the quarter rose to 35.6 from the average (25.6), and was least in the Galle District, the least unhealthy in the Province, where the death-rate rose slightly to 25.0 from 24.5. The birth-rate of the Province (39.6) was, on the other hand, an improvement on the average (35.6). This improvement is noticeable in each of its three districts. The highest birth-rate was recorded by Hambantota (46.4), and the lowest by Galle (36.3).

24. Eastern Province.—This Province, which at the beginning of the quarter was estimated to contain a population of 102,106 Tamils (of whom 84,660 were in the Batticaloa District and 17,446 in the Trincomalee District), 69,370 Moors, and 8,886 Sinhalese, presented death-rates of $28 \cdot 0$, $24 \cdot 8$, and $25 \cdot 1$, respectively, for the Tamils, Moors, and Sinhalese, against their respective averages of $30 \cdot 6$, $28 \cdot 0$, and $34 \cdot 2$ for the corresponding quarters of the period 1898-1907. All the three sections enjoyed improved health. The greatest improvement in health was among the Sinhalese, who record the lowest infantile mortality in the Province, viz., 174 per 1,000 births registered, and the least improvement among the Tamils, who record in the Province the highest death-rate among all ages. The improvement in the Tamil death-rate is confined to the Batticaloa District, where the death-rate fell by $4^{\circ}7$ from the average (30.5), while in the Trincomalee District it has risen to 38.5 from the average (30.5). The Moors show an improvement of $3 \cdot 2$ per mille. The birth-rate of the Province showed a deterioration for the Tamil and Moor sections of the population, viz., Tamils 39.4 (average 42.9), Moors 40.6 (average 50.9), and Sinhalese 41.2 (average 36.8). The decline in the Tamil birth-rate is also confined to the Batticaloa District it rose to 43.6 from the average (34.0). The highest birth-rate was among the Sinhalese and the lowest among the Tamils.

25. North-Western Province.—The Sinhalese, who form the bulk of the population of the Province, and were estimated to number 330,829 persons on the first day of the quarter, experienced better health than usual, their death-rate for the quarter falling to 27.7 from the average (31.9) for the corresponding quarters of the last ten years. Two of its three districts shared in the improvement, the exception being the district of Puttalam, the unhealthiest in the district during the quarter, where the death-rate rose to 32.4 from the average (30.9). The improvement is noticeable in almost equal degree in the Chilaw District (from 19.3 to 15.4) and in the Kurunegala District (from 35.4 to 31.1). The mortality of the Chilaw District was the lowest in the Province and the second lowest in the Island for the indigenous population (the Sinhalese), as it was also the second lowest for all races. The Sinhalese infantile mortality of this district, viz., 99 per 1,000 births registered, is the lowest in the Island. The Tamils and Moors of the Province have experienced worse health than usual, viz., Tamils 58.4 against average 44.7 and Moors 33.4 against 32.6, and in the case of the former the deterioration was considerable. The Sinhalese birth-rate of the Province (46.4) was a great improvement on the average (39.6), the improvement being shared by each of its districts. The Tamils and Moors also show enhanced birth-rates.

26. North-Central Province.—The North-Central Province or the Anuradhapura District, with which it is co-terminous, showed a great improvement in the health of its Sinhalese inhabitants, its death-rate (26.7) having declined from the average (32.6). The birth-rate of the Province, however, showed a great deterioration from the average 42.0 to 36.4. The mortality among the Sinhalese infants of the Province was 170 per 1,000 births registered.

27. Province of Uva.—This Province, which is the same as the Badulla District, enjoyed slightly better health than usual, its death-rate falling to 36.8 from the average 37.3. The birth-rate (42.3) is also a slight improvement on the average, (41.9).
28. Province of Sabaragamuwa.—The health of the Sinhalese inhabitants of this Province during

28. Province of Sabaragamuwa.—The health of the Sinhalese inhabitants of this Province during the quarter was better than usual, their death-rate having fallen to 26.4 from the average 28.3. The improvement was confined to the district of Kegalla, where the death-rate fell to 22.1 from the average 26.8, while in Ratnapura it was 32.1 against 30.2. The birth-rate of the Province also showed an improvement from the average 36.9 to 42.0, an improvement shared by both its districts. V.—Causes of Death.

		Small-	Diarrhœa		Phthi-	Bron- chitis		Viole	nce.		AЦ	
District.	Cholera.	pox.	and Dysentery.	Fevers.	sìs.	and Pneu- monia.	Acci- dent.	Homi- cide.	Suicide.	Execu- tion.	other Causes.	Total.
CEYLON	11	87	4,818	5,161	1,005	1 ,159	361	41	59	4	14,317	27,023
Colombo			50 199 718 2 231 330 90 14 	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	21 76 68 21 17 139 55 2 18 55 2 18 55 2 18 57 7 2 1 3 2 1 8 7 7 2 1 3 2 1 8 7 7 2 1 8 7 7 1 2 1 8 55 2 1 7 7 9 2 1 8 9 5 5 5 2 1 7 9 2 1 8 9 5 5 5 5 2 1 7 1 7 9 2 1 8 9 5 5 5 2 1 7 1 7 9 2 1 8 9 5 5 5 5 2 1 7 1 7 9 2 1 8 9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	$\begin{array}{c} 13\\ 42\\ 160\\ 24\\ 78\\ 153\\ 18\\ 17\\ 28\\ 5\\ 5\\ 5\\ 44\\ 45\\ 46\\ 45\\ 18\\ 22\\ 19\\ 3\\ 72\\ 5\\ 22\\ 22\\ 22\\ 22\\ 22\\ 22\\ 22\\ 22\\ 22$	$\begin{array}{c} 10\\ 29\\ 40\\ 14\\ 11\\ 33\\ 23\\ 21\\ 16\\ 6\\ 6\\ 1\\ 24\\ 24\\ 8\\ 8\\ 8\\ 4\\ 4\\ 27\\ 17\\ 17\end{array}$	6	$\begin{array}{c} 4\\ 7\\ 7\\ 3\\ 4\\ 2\\ -\\ -\\ -\\ 3\\ 1\\ 1\\ 2\\ -\\ -\\ 3\\ -\\ 1\\ 1\\ 1\\ 1\\ 7\\ 7\\ 2\end{array}$	3	$\begin{array}{c} 2,069\\ 425\\ 924\\ 1,690\\ 564\\ 630\\ 817\\ 104\\ 58\\ 894\\ 616\\ 375\\ 403\\ 124\\ 1,385\\ 156\\ 235\\ 283\\ 896\\ 586\\ 896\\ 880\\ \end{array}$	$\begin{array}{c} 698\\ 1,601\\ 2,972\\ 1,069\\ 1,133\\ 1,653\\ 139\\ 1,840\\ 1,522\\ 9855\\ 975\\ 2,234\\ 278\\ 348\\ 547\\ 1,790\\ 1,410\end{array}$

30. Smallpox.—This disease which was responsible for 4 deaths in the first quarter and 68 in the second continued to spread vigorously this quarter, and caused as many as 87 deaths (45 in Colombo District, 34 in Kurunegala, 2 each in Matale, Galle, and Kegalla, and 1 each in Kalutara and Kandy). The Colombo deaths were a continuation of the epidemic of the two previous quarters. Of the 45 deaths that occurred in the district, 35 were of residents within the Municipality, and the remaining 10 occurred in the suburbs, the infection being supposed to have been carried from Colombo. The epidemic at Kurunegala and Kegalla continued from the previous quarter, and was responsible for 34 and 2 deaths respectively. The cases reported from Matale occurred in the "Wiharagama estate," and the one from Kandy in the village Huluganga, and the origin of these could not be traced. The two deaths in Galle were of patients who contracted the disease from Colombo, while the Kalutara death was of a cooly who appears to have brought the infection from India, which indeed was the original source of this and the cholera epidemic.

31. Cholera.—There were 11 deaths from cholera reported for registration during the quarter, all in Colombo District. Of these 4 were of patients from the Lunatic Asylum, 5 of recent arrivals from India, 1 of a prisoner from Mahara Jail, and the other from Borella Jail Quarters. The origin of the epidemic in the Lunatic Asylum remains a mystery, as of the deaths in the jails. See further under paragraph 60.

32. Fever and diarrhocal diseases.—Of the 27,023 deaths registered in the Island during the quarter, no less than 4,829 were due to diarrhocal diseases and 5,161 were reported as due to various kinds of fever, *i.e.*, fever and diarrhocal diseases were responsible for nearly 37 per cent. of the total number of deaths.

33. There were 3 deaths from chickenpox reported for registration during the quarter (1 each in Kandy, Nuwara Eliya, and Kegalla), and 2 from diptheria in the Jaffna District. Twenty deaths were due to measles (5 each in Negombo and Kandy, 3 in Colombo, 2 each in Kalutara and Matale, and 1 each in Galle, Kurunegala and Badulla). Whooping cough caused 35 deaths (13 in Colombo, 11 in Kalutara, 8 in Galle, and 1 each in Negombo, Matale, and Nuwara Eliya). Forty-three deaths resulted from influenza (11 in Hambantota, 8 each in Kandy and Nuwara Eliya, 3 in Badulla, 2 each in Colombo, Kalutara, Kurunegala, and Ratnapura, and 1 each in Galle, Batticaloa, Chilaw, Anuradhapura, and Kegalla).

34. The other chief causes of death were infantile convulsions 2,606, debility (mostly of infants from inability to suck) 1,318, phthisis 1,005, rickets 1,001, pneumonia 982, anæmia 836, worms 781, old age 670, dropsy 636, dochmius duodenalis 310 (of which 231 were of estate coolies), abscess 277, puerperal convulsions 264, malarial cachexia 259, thrush 238, premature birth 227, and rheumatism 209.

35. Deaths by violence.—Of the 361 deaths attributed to accidents, as many as 82 were due to falls from trees. 58 to drowning (of which 8 were by falling into wells), 41 to snake-bites, 38 to burns and scalds, 21 to fall of heavy substances, 19 to taking poisonous substances, 18 to falls from heights other than trees, and 10 to gunshot wounds. Suffocation caused 6 deaths; cuts and stabs, and explosion of dynamite 2 each. Ten deaths were due to injuries caused by animals (of which buffaloes were responsible for 3, bulls and crocodiles for 2 each, and a cow, black ants, and wasps, for 1 each). Eleven deaths were registered as due to vehicles running over the body (of which 5 were by carts, 4 by railway trains, 1 each by a trolly and a motor car). Falling into plumbago pits caused 2 deaths, and sun-stroke; foreign body in air-passage, and rupture of blood-vessel caused 1 each.

36. Homicide.—Forty-one deaths were due to homicide, of which 7 were from Galle, 6 each in Colombo and Kurunegala, 4 each in Kalutara and Kandy, 3 each in Matale, Matara, Hambantota, and Kegalla, and 1 each in Nuwara Eliya and Jaffna.

37. Suicide.—Fifty-nine deaths resulted from suicide, of which 33 were by hanging, 9 by taking poisonous substances, 7 by drowning, 3 by gunshot wounds, 2 by cuts and stabs, and 5 by other means

38. Executions.—There were 4 judicial executions registered in the Island during the quarter, 3 in Kandy and 1 in Colombo.

VI.-Health of Estate Population.

39. The total number of births reported for registration from the estates^{*} in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province during the quarter amounted to 3,877 (10 Europeans, 8 Burghers, 112 Sinhalese, 3,698 Tamils, 37 Moors, 9 Malays, and 3 Others), and the deaths numbered 3,904 (1 Burgher, 102 Sinhalese, 3,770 Tamils, 24 Moors), 3 Malays, and 4 Others), corresponding to an annual birth-rate of 36.7, and a death-rate of 36.9 per thousand, as against their respective averages of 24.4 and 29.8 for the period of 1898–1907. The Ratnapura District leads with the highest death-rate of 90.8 followed by Colombo 67.1 and Matale 65.8; while Kandy District shows the lowest death-rate (26.5), followed by Nuwara Eliya 27.8. The highest birth-rate was noticeable in Matale (50.2) and the lowest in Kandy (33.2).

40. The causes of death are shown in Table XI. in the Appendix, and may be summarized as follows :---

		Тавье С).	•			
Diarrhœa …		864 G	eneral dropsy				113
Debility		615 O	ld age	• •		• •	9 3
Dysentery	·	558 B	ronchitis	••	v ·	• •	62
Pneumonia		254 P	arturition	••			61
Dochmius duodenalis	••	231 A	næmia	••		• •	54
Infantile convulsions		210 P	hthisis ·	••		••	37
Fevers		176 O	ther causes	••		• •	447
Malarial cachexia		129	•				

41. The following Table D gives the estate population at the Census of 1901, their birth- and death-rates for the third quarters of 1907 and 1908, and the averages for the third quarters of 1898 to 1907. But the rates are calculated on the population as enumerated and distributed at the Census of 1901, and the number and distribution of the population at present may be different:—

		Estimated	Birt	h-rate per M	lille per Anr	um.	Deat	th-rate per l	fille pèr An	oum.
District .	•	Population at the Census of March 1, 1901.	Average for Third Quarters, 1898–1907.	Third Quarter of 1907.	Second Quarter of 1908.	Third Quarter of 1008.	Average for Third Quarters, 1898–1907.	Third Quarter of 1907.	Second Quarter of 1908.	Third Quarter of 1908.
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo Kalutara	 Total	16,642 41,499 8,302	$\begin{array}{r} 25 \cdot 3 \\ 24 \cdot 6 \\ 22 \cdot 5 \\ 25 \cdot 9 \\ 24 \cdot 8 \\ 28 \cdot 3 \\ 18 \cdot 1 \\ 21 \cdot 1 \end{array}$	25 · 7 26 · 6 25 · 5 27 · 8 30 · 5 28 · 7 21 · 5 30 · 9 26 · 6	$ \begin{array}{r} 31 \cdot 5 \\ 40 \cdot 8 \\ 29 \cdot 1 \\ 40 \cdot 5 \\ 47 \cdot 8 \\ 32 \cdot 9 \\ 41 \cdot 7 \\ 38 \cdot 2 \\ \end{array} $	$ \begin{array}{r} 33 \cdot 2 \\ 50 \cdot 2 \\ 34 \cdot 6 \\ 37 \cdot 6 \\ 50 \cdot 0 \\ 38 \cdot 2 \\ 39 \cdot 3 \\ 39 \cdot 6 \\ \hline \end{array} $	29·2 43·4 21·9 24·5 50·2 39·8 43·1 37·6 29·8	$ \begin{array}{r} 25 \cdot 3 \\ 38 \cdot 8 \\ 25 \cdot 1 \\ 32 \cdot 0 \\ 83 \cdot 9 \\ 42 \cdot 9 \\ 56 \cdot 4 \\ 51 \cdot 7 \\ \overline{32 \cdot 7} \end{array} $	27 · 8 54 · 3 24 · 3 33 · 5 88 · 0 51 · 4 36 · 8 38 · 2 34 · 6	26.5 65.8 27.8 34.0 90.8 51.2 67.1 50.4 36.9

TABLE D.

42. Kandy District.—The total number of births reported for registration from the estates in the Kandy District amounted to 1,298 (4 Europeans, 1 Burgher, 34 Sinhalese, 1,237 Tamils, 16 Moors, 5 Malays, and 1 Other), and the deaths numbered 1,036 (29 Sinhalese, 991 Tamils, 13 Moors, 1 Malay, and 2 Others). The birth-rate during the quarter was equal to 33.2 as against the average of 25.3 for the corresponding periods of 1898–1907, and the death-rate was 26.5 as against its average 29.2 for the same period. The chief causes of death were diarrheeal diseases 372 (diarrheea 196, dysentery 176), debility (mostly of infants from inability to suck) 130, pneumonia 78, dochmius duodenalis 71, infantile convulsions 68, fevers 37, old age 32, bronchitis 29, premature birth 27, general dropsy 22, and anæmia 12.

* By "estate" is meant any land having ten or more acres in cultivation under coffee, tea, cacao, or cinchona, grouped together by Proclamation into a district under the Medical Wants Ordinance, No. 17 of 1880.

43. Matale District.—The total number of births reported for registration from the estates in Matale District was 330, (1 Burgher, 6 Sinhalese, 319 Tamils, 2 Moors, 1 Malay, and 1 Other) and the deaths numbered 432, (8 Sinhalese, 421 Tamils, 2 Moors, and 1 Other). The birth-rate during the quarter was equal to 50.2 as against the average 24.6 for the period 1898–1907, while the death-rate was 65.8 as against its average 43.4 for the same period. The chief causes of death were diarrheal diseases 128 (78 diarrhea, 50 dysentery), malarial cachexia 53, fevers 46, debility (mostly of infants from inability to suck) 42, infantile convulsions 25, general dropsy 22, dochmius duodenalis 17, anæmia 12, and pneumonia and old age 11 each.

44. Nuwara Eliya District.—The total number of births reported for registration from the estates of the Nuwara Eliya District amounted to 900 (3 Europeans, 2 Burghers, 25 Sinhalese, 865 Tamils, and 5 Moors), and the deaths numbered 724 (1 Burgher, 20 Sinhalese, 697 Tamils, 5 Moors, and 1 Malay). The birth-rate during the quarter was equal to $34 \cdot 6$ as against its average 22 $\cdot 5$ for the period 1898–1907, and the death-rate was $27 \cdot 8$ as against its average $21 \cdot 9$ for the same period. The most fatal causes were diarrhœal diseases 246 (140 diarrhœa and 106 dysentery), debility (mostly of infants inability to suck) 197, pneumonia 60, infantile convulsions 38, old age 20, dochmius duodenalis 15, malarial cachexia 12, and general dropsy 11.

45. Badulla District.—The total number of births reported for registration from the estates in the Badulla District amounted to 490 (2 Europeans, 2 Burghers, 12 Sinhalese, 468 Tamils, 5 Moors, and 1 Other), and the deaths numbered 443 (6 Sinhalese, 433 Tamils, 2 Moors, 1 Malay, and 1 Other). The birth-rate during the quarter was equal to 37 6 as against its average 25 9 for the period 1898–1907, while the death-rate was 34 0. as against its average 24 5 for the same period. The most fatal causes were diarrhœal diseases 137 (85 from diarrhœa and 52 from dysentery), debility (mostly of infants from inability to suck) 78, fevers 56, pneumonia 48, dochmius duodenalis 19, infantile convulsions 14, and general dropsy 12.

46. Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura District was 209 (1 Burgher, 7 Sinhalese, 198 Tamils, and 3 Moors) and the deaths numbered 380 (10 Sinhalese and 370 Tamils). The birth-rate during the quarter was equal to 50 0 as against the average 24 8 for the period 1898–1907, while the death-rate was 90 8 as against its average 50 2 for the same period. The chief causes of death were diarrhœal diseases 134 (81 from diarrhœa, 53 from dysentery), debility (mostly of infants from inability to suck) 71, dochmius duodenalis 67, infantile convulsions 15, malarial cachexia 13, general dropsy 11, and pneumonia 10.

47. Kegalla District.—The total number of births reported for registration from the estates in the Kegalla District amounted to 399 (1 European, 1 Burgher, 12 Sinhalese, 381 Tamils, 3 Moors, and 1 Malay), and the deaths numbered 534 (21 Sinhalese, 511 Tamils, and 2 Moors). The birth-rate during the quarter was equal to 38.2 as against the average 28.3 for the period 1898–1907, while the death-rate was 51.2 as against its average 39.8 for the same period. The principal causes of death were diarrhœal diseases 270 (194 from diarrhœa and 76 from dysentery), debility (mostly of infants from inability to suck) 50, infantile convulsions 30, malarial cachexia 28, pneumonia 23, dochmius duodenalis and general dropsy 20 each, fevers 13, and old age 12.

48. Colombo District.—The total number of births reported for registration from the estates in the Colombo District amounted to 82 (3 Sinhalese, 78 Tamils, and 1 Moor), and the deaths numbered 140 (2 Sinhalese and 138 Tamils). The birth-rate during the quarter was equal to 39.3 as against its average 18.1 for the period 1898–1907, and the death-rate was 67.1 as against its average 43.1 for the same period. The chief causes of death were diarrheeal diseases 67 (52 from diarrheea and 15 from dysentery), debility (mostly of infants from inability to suck) 12, anæmia 12, and pneumonia and general dropsy 9 each.

49. Kalutara District.—The total number of births reported for registration from the estates of the Kalutara District was 169 (13 Sinhalese, 152 Tamils, 2 Moors, and 2 Malays), and the deaths amounted to 215 (6 Sinhalese and 209 Tamils). The birth-rate during the quarter was equal to 39.6 as against the average 21.1 for the period 1898–1907, and the death-rate was 50.4 as against its average 37.6 for the same period. The chief causes of death were diarrhœal diseases 68 (38 from diarrhœa and 30 from dysentery), debility (mostly of infants from inability to suck) 35, dochmius duodenalis 22, infantile convulsions 17, and pneumonia 15.

VII.-Health of the City of Colombo.

50. The births registered in the city of Colombo numbered 1,028, and corresponded to an annual rate of 22.7, being $\cdot 8$ per thousand higher than the average 21.9 for the corresponding quarters in 1898-1907.

51. The deaths registered numbered 1,601. To this have to be added 49 deaths of town residents of which 48 occurred at the Infecticus Diseases Hospital and 1 in the Segregation Camp, both at Kanatta (outside the town limits), and which were registered by an extra-urban Registrar', making a total of 1,650, and corresponding to a rate of 36 4 per mille per annum, being 2.8 per 1,000 higher than the average 33 6 for the corresponding quarters in 1898-1907.

52. As usual in the town, the death-rate exceeded the birth-rate, owing mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Moors), to the presence of hospitals which add to the normal mortality of the town, and to the registration of births being still somewhat defective.

53. The subjoined Table E gives the births and deaths and their rates for each race for the third quarters of $19^{\circ}8$ and 1907 and the average for the third quarters in 1898-1907.

(6)

TABLE E.—Births and Deaths	and their Rat	es, by Race , of the	City of Colombo for the
		7, and 1898-1907.	

		iive of the	-	Births.		I	Deaths.			rate per r Annu		Death- pe	rate pe r Annui	r Mille n.
Nationality.		Population (inclusive the Military) at the Census, 1901.	Average of Third Quarters, 1898–1907.	Third Quarter, 1907.	Third Quarter, 1908.	Average of Third Quarters, 1898–1907.	Third Quartér, 1907.	Third Quarter, 1908.*	Average of Third Quarters, 1898–1907.	Third Quarter, 1907.	Third Quarter, 1908.	Average of Third Quarters, 1898–1907.	Third Quarter, 1907.	Third Quarter, 1908.
ALL RACES	 	155,869	882	1,022	1,028	1,356	1,383	1,650	21.9	$22 \cdot 9$	22 · 7	33.6	31.0	36.4
Europeans Burghers Sinhalese Tamils Moors Malays Others	••• •• •• ••	$\begin{array}{r} 2,657\\ 11,861\\ 68,772\\ 34,640\\ 28,898\\ 4,493\\ 4,548\end{array}$	91 478 105 143 31	154 44	19 104 587 116 150 45 7	$77 \\ 619 \\ 322 \\ 230$	72 655 308 220 48	28 95 834 322 265 57 49	$ \begin{array}{r} 30 \cdot 8 \\ 27 \cdot 8 \\ 12 \cdot 4 \\ 20 \cdot 0 \\ 27 \cdot 4 \end{array} $	$29 \cdot 6$ 11 $\cdot 0$ 19 $\cdot 0$	$ \begin{array}{r} 32 \cdot 3 \\ 30 \cdot 7 \\ 10 \cdot 3 \\ 18 \cdot 2 \\ 32 \cdot 7 \end{array} $	33 · 3 25 · 9 35 · 9 37 · 9 32 · 9 38 · 1 37 · 3	$ \begin{array}{r} 24 \cdot 1 \\ 22 \cdot 5 \\ 34 \cdot 6 \\ 28 \cdot 2 \\ 27 \cdot 2 \\ 35 \cdot 8 \\ 39 \cdot 1 \end{array} $	$43 \cdot 6 \\ 28 \cdot 6 \\ 32 \cdot 3$

* Including 49 deaths of town residents of which 48 (3 Burghers, 24 Sinhalese, 9 Tamils, 8 Moors, and 4 Malays) occurred in the Infectious Diseases Hospital, and 1 (Moor) in the Segregation Camp, at Kanatta (outside the town), and were registered by an extra-urban Registrar.

54. The rates are calculated on the figures for the quarter estimated upon the basis of the population as enumerated and distributed at the Census of 1901. The rates for Europeans, Malays, and the races classed together as "Others" being calculated upon small populations are not very reliable. Excluding the rates for these sections, the lowest death-rate was among the Tamils (28.6 against an average of 37.9), and the highest death-rate was among the Sinhalese 43.6 followed by 32.3 among the Moors. The Malays, who at the last Census numbered 4,493, show a death-rate of 41.5 against 38.1, the average for the corresponding quarters in 1893-1907.

55. The highest birth-rate in the quarter was among the Malays, 32.7, a rise of 5.3 per 1,000 over the average 27.4. The Burghers come next with a birth-rate of 32.3 and the Sinhalese 30.7 as against their respective averages 30.8 and 27.8. The low birth-rates for Tamils and Others are due to their population being mostly a floating one and composed chiefly of adult males.

56. Table XII. gives in detail the deaths from various causes in each ward of the city of Colombo and according to each nationality. The number of births and deaths in each ward of the town, their rates per mille per annum, and certain selected causes of death during the quarter are shown in the following Table F :=

TABLE F.—Births and Deaths, by Race and Ward, of the City of Colombo, and selected causes of deaths in the Third Quarter of 1908.

						Bir	hs.											١			Dea	ths.										An	nual
•	of the 8, 1901	B	l'ota irthi	1]	Nati	ona	lity.	`		Tota	l De	aths.	Ī		Nat	tion	ality	7.				Selec	ted C	auses	3 of 1	Deat	h.			Rat 1,	e per)00.
Ward.	Population (inclusive of Military) at the Census,	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamila.	Moora.	Malays.	Others.	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Diarrhea	Dysentery.	Pneumonia.	Bronchitis.	Phthisis.	Enteric Fever.	Other Fevers.	Cholera.	Smallpox.		Births.	Deaths.
Colombo Town	155869	1028	520	508	19	104	587	116	150	45	7	1650	848	802	2 28	95	834	322	265	57	49	139	63	203	68	194	138	11	6	35 2	0	22.	6 86 • 4
Fort & Galle Face Pettah St. Sebastian St. Paul's Kotahena Maradana Maradana : Hospitals Excl. of hospitals Siave Island Kollupitiya	16927	6 54 94 204 92	27 43 102 45 89	4 27 51 102 47	5 1 8235	1 4 6 13 16 14 26 11 13	8 23 31 150 37 151 99 45 48	2 3 31 23 11 11 6 21 8	21 23 15 28 5 34 22 2	2 13 27		5 17 68 134 259 161 423 281 146 156	4 12 36 60 119 85 264 133 65 70	1 5 32 74 140 76 159 148 81 81	2 16 2	2 1 5 16 12 13 22 7 18		62 48 18	4 28 24 31 55 17 68 27 10	4 3 4 13 29	$1 \\ 1 \\ 3 \\ 4 \\ 2 \\ 9 \\ 14 \\ 7 \\ 6 \\ 2 \\ 2 \\ 14 \\ 7 \\ 6 \\ 2 \\ 14 \\ 7 \\ 6 \\ 2 \\ 14 \\ 7 \\ 6 \\ 2 \\ 14 \\ 7 \\ 6 \\ 2 \\ 14 \\ 7 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 $	2 6 18 9 55 17 15 17	3933 335 7	4 9 20 57 14 45 34 11 9	1 8 9 14 10 2 12 6 6	1 4 17 32 19 58 35 12 16	49 22 13		1		20	19.	$7 8 \cdot 7 2 8 \cdot 9 4 25 \cdot 7 7 22 \cdot 4 4 27 \cdot 1 3 32 \cdot 0 7 30 \cdot 5 2 29 \cdot 3 4 27 \cdot 1$

* The estimated population on the last day of the quarter was 181,258. Its distribution among the wards cannot be estimated. Hence the Census figures are retained.

57. The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population being for the most part a floating male adult one. Excluding these wards, the healthiest division of the town was St. Paul's with a death-rate of $22\cdot4$ and the unhealthiest New Bazaa: with $32\cdot0$.

58. The following Table G is an attempt to ascertain the comparative healthiness of each ward and race in the city. It is based on the infantile mortality, which is about the most sensitive sanitary test available. In that table the Census population, the births and infantile deaths, and their rates are given for the third quarter of 1908 by wards and races. TABLE G. — Population (1901) and Infantile Mortality, by Race and Ward, of the City of Colombo in the Third Quarter, 1908.

I

Wards.			N	All Races.		Euro	Europeans.	H	Burghers.		Sinh	Sinhalese.		Tamils.		Moors.)118.			Malays.		Others,	
Colombo Town .		-		155,869	69		2,657		Ŧ,	11,861		68,772		34	34,640		28,898	88		4,493	<u></u>		4,548
Fort and Galle Face . Pettab				2,2	85 61		130 63			39 439		2,551	•	, F	269		257 2,202	57		14 34 145	444		69 310 132
St. Paul's				9,349 20,260	649		29 29		6	943 943 2.149		2,140 4,904 21,572		101	10,143 5.759		3,625	5 2 1 0		4.0	9.7		570 264
Kotahena New Bazaar		••		53,3 17,4	02		37		ĩ	1,460		6,795) (A) 	2,679		5,520	50		16	9		813
Maradana { Hospitals Maradana { Exclusive of Hospitals Slave Island Kollupitiya	e of Hos	pitals	<u></u>	30,381 16,927 18,281	81 27 81		418 244 941		ต๋ – ํิณํ	3,109 1,023 2,028		14,833 5,310 9,379		4 04	4,459 3,646 4,379		5,573 3,207 1,087	73 07 87		1,117 2,504 143	3	-	868 830 324
		. .	-	Births.					-	Death	Deaths of Children under One Year.	ldren u	nder O	ıe Year.			Deatl	ns of 1,	Childr 000 B	Deaths of Children under One Year of Age to 1,000 Births registered †	r One Y ristered.	ear of ∠ †	ge t
Wards.	А]] Касея.	Europeans.	Burghers.	.9zəladni2	.alimaT	Moors.	.ауаlаМ	.erentio	.аөэвЯ ША	Europeane.	Burghers.	.ezelsdniZ	.elimaT	.arooM	.avalaM	Others.	АШ Касез. Еuropeans.	Burghers.	Sinhalese.	.alimaT	Moore.	.ayalaM	Others.
Golombo Town	1,028	19	104	587	116	150	45	~	370	8	22	185	58	77	16	10	360	15 21	212 315	5 500	513	356	1429
Fort and Galle Face Pettah	6 01	<u>مر</u>		"	67			— 1			-	- '								!	ķí s		11
St. Sebastian St. Paul's	0.04 04	11	4.9	31	31 °	23	о И И И	- °	35 35		- C) C	30 30	~ ~ 4	9 0 0 0 0			848 872 872 872 872 84 872 84 87 87 87 87 87 87 87 87 87 87 87 87 87	ة م ا ا	333 386 333 386 931 960		435 435	, 	
Notanana New Bazaar Maradana Hospitals	92 92 184	- I °°	91	37 37 151	3==	∩i 00 9	a 		36 4 0	11	000	32		16	` <u> </u>	"	391		125 405	273	211		
Maradana (exclusive of Hospitals) Slave Island Kollunitive	181 131	01 69 FO	26 11 13	99 45 7	$^{21}_{8}$	553 3 4	13 27 1	8 -	87 46 28		\$\$ \$\$ \$	44 17 16	00 00 C	²⁰	99	° ° ° –	481 351 364	&≍8 	231 444 182 378 231 333	4 1,333 8 381 3 750	588 455	462 222	

^{*} The military population at the 1901 Census (1,178) is included in the population given for the whole town and the wards, but not in the population of the races distributed in the wards.

٠

.

• • • • •

59. In the quarter under review the infant mortality, which was 360 per 1,000 births in the whole city, rose as high as 500 in Pettah, 481 in Maradana (exclusive of hospitals), 444 in St. Sebastian, and was lowest (200) in the Fort. Among the races those classed together as "Others" lead with the highest mortality, followed by Moors and Tamils. The Moor mortality for the whole town was 513, and rose as high as 600 in Kotahena, 588 in Maradana (exclusive of hospitals), and 571 in New Bazaar. The Tamil mortality for the town in the quarter was 500 rising as high as 1,333 in Maradana (exclusive of hospitals), 750 in Kollupitiya, and 696 in Kotahena. The Malays show a rate of 356 for the whole city, rising to 462 in Maradana (exclusive of hospitals). The Sinhalese rate for the whole town in the quarter was 315 rising to 444 in Maradana (exclusive of hospitals), 405 in New Bazaar, and 391 in St. Sebastian. The European rate (15) is the lowest for the city, and the Burgher rate (212) the next lowest.

The European rate (15) is the lowest for the city, and the Burgher rate (212) the next lowest. 60. Six deaths were registered in the Infectious Diseases hospital, Kanatta, as due to Cholera. Four of the patients were inmates of the Lunatic Asylum, Colombo, and the others were recent arrivals from India who were removed from St. Paul's and Slave Island. The former were old residents of the Institution, which is well protected from risk of infection and the origin of the epidemic there remains a mystery. The others probably brought infection with them as they developed the disease soon after their arrival.

61. As many as thiry-five deaths were registered from Smallpox. Of this number 31 occurred in the Infectious Diseases Hospital at Kanatta whither the patients were removed from the town, namely, 15 from New Bazaar, 5 from St. Paul's, 4 from Slave Island, 3 each from Kotahena and Maradana (exclusive of hospitals), and 1 from Pettah, 3 at Slave Island, and the other at Maradana. The epidemic broke out in the beginning of the quarter. Its origin has not been ascertained, but is believed to be infection from India.

62. Two deaths were registered from Measles, one in the Infectious Diseases Hospital, Kanatta (a Tamil from St. Sebastian), and the other at New Bazaar of a Sinhalese.

63. Bronchitis and Pneumonia were fatal in 271 cases (against an average of 167 in the corresponding quarters of the last ten years), Diarrhœa and Dysentery in 202 (average 249), Phthisis in 194 (average 138), Enteric Fever in 138 (average 40), Infantile Convulsions in 133 (average 112), Debility (mostly of infants from inability to suck) in 88 (average 99), Old age in 72 (average 61), Worms in 36 (average 26), Tetanus in 35 (average 46), Paralysis in 30 (average 12), and Premature Birth in 20 (average 18).

64. Twenty-six deaths were due to accidents, of which 5 were due to burns and scalds, 4 to taking poison, 2 to drowning, 2 to fall from a height, 1 to fall off a horse, 1 to being run over by a cart, 1 to injuries received from machinery, and 1 to coming in contact with a railway waggon.

65. Three deaths were attributed to homicide and 8 to suicide.

VIII.—Health of the Principal Towns.

66. This chapter deals with the Vital Statistics of the several towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased; and no dead body is buried or cremated without registration being effected. This system was commenced on January 1, 1893, in the town of Colombo, under the Ordinance No. 20 of 1891, and has been gradually extended till it now embraces thirty-one towns, including the town of Weligama in Matara District, which was brought under the operation of the special provisions of the Ordinance No. 1 of 1895, with effect from the beginning of the quarter under review.

67. Table XIII. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the third quarter of 1908, their rates and the infantile mortality in each town, with mean temperature and rainfall of each town.

68. Population.—The estimated population of the thirty-one towns is 476,265, or more than one-ninth of the total population of the Island. The population of Colombo (180,262) is a little less than two-thirds of the population of all the other towns taken together (296,003).

69. Births.—The births registered in the thirty-one towns during the quarter numbered 3,428, of which 1,721 were of males and 1,707 of females, and correspond to an annual birth-rate per 1,000 of $29 \cdot 56$, as against 30 $\cdot 97$ during the previous quarter and $26 \cdot 99$ during the corresponding quarter of last year. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate for the quarter was observed in Mannar (57 $\cdot 83$), and the lowest in Kegalla (12 $\cdot 51$). In the other towns the birth-rate ranged from $48 \cdot 69$ in Hambantota, $43 \cdot 19$ in Jaffna, $40 \cdot 09$ each in Mullaittivu and Chilaw, and $40 \cdot 04$ in Negombo to 20 $\cdot 89$ in Nawalapitiya, $20 \cdot 71$ in Anuradhapura, $18 \cdot 60$ in Nuwara Eliya, and $15 \cdot 19$ in "Hatton and Dikoya." Colombo records a rate of $22 \cdot 94$ as against $25 \cdot 73$ in the previous quarter and $22 \cdot 94$ during the corresponding quarter last of year.

70. Deaths.—The number of deaths registered in the thirty-one towns during the quarter was 4,457, of which 2,350 were of males and 2,107 of females, and correspond to an annual death-rate of 32 59 per mille, as against 31 52 during the preceding quarter, and 19 41 during the corresponding quarter of last year. 1,451 of the total deaths, or little less than one-third, occurred in hospitals (and 23 deaths in jails), and exaggerated the normal mortality of the towns.

71. Corrected death-rates, as well as crude death-rates, are shown. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the Island, and also excluding from the total deaths those in hospitals of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate.

72. Of the towns excluding Vavuniya and Lunugala the lowest corrected mortality during the quarter was recorded in Kegalla (4.89), and the highest in Puttalam (55.22). In the other towns the death-rate ranged from 16.13 in Weligama, 29.41 in Nuwara Eliya, 22.29 in Galle, 23.18 in Nawalapitiya,

2) ·

and 24.80 in Moratuwa to 41.00 in Matale, 41.29 in Trincomalee, 44.04 in Kurunegala, 47.02 in Mullaittivu, 47.08 in Gampola, and 48.67 in Anuradhapura. Colombo town shows 37.59, as against 35.26 in the previous quarter and 31.83 in the corresponding quarter of last year.

35.26 in the previous quarter and 31.83 in the corresponding quarter of last year. 73. In the following Table H the birth- and death-rates for each town for the quarter are compared with the rates for the third quarter of last year and the average birth- and death-rates for the corresponding quarters of the preceding ten years.

TABLE H.—Birth- and Death-rates of the Principal Towns in the Third Quarter, 1907, 1908, and 1898-1907.

		Birth-rate	per Mille p	er Annum.		Death-1	ate per Mille per A	num.	
•					Ayerage of T	hird Quarters.	Third Quarter, 19	7. Third Qu	arter, 1908.
Towns.		Average of Third Quarters, 1898–1907.	Third Quarter, 1907.	Third Quarter, 1908.	Inclusive of Hospital and Jail Deaths, 1898–1907.	Exclusive of Rospital and Jail Deaths, 1898–1907.	Inclusive of Hosp of Hospital and J and Jail Deaths.	il and Jail	Exclusive of Hospits and Jail Deaths,
Western Province.	•		<u>ن</u>						
Colombo Negombo Moratuwa Kalutara ° Panadure	• • • • • • • •	$21 \cdot 6 \\ 34 \cdot 8 \\ 34 \cdot 2 \\ 28 \cdot 6 \\ 30 \cdot 6$	$22 \cdot 9 \\ 36 \cdot 6 \\ 28 \cdot 7 \\ 24 \cdot 3 \\ 28 \cdot 2 \\ \cdot$	$\begin{array}{c} 22 \cdot 94 \\ 40 \cdot 04 \\ 32 \cdot 98 \\ 34 \cdot 55 \\ 27 \cdot 28 \end{array}$	33 · 1 33 · 1 20 · 4 30 · 1 40 · 0	$24 \cdot 8 \\ 28 \cdot 3 \\ 18 \cdot 9 \\ 22 \cdot 6 \\ 19 \cdot 5$	$\begin{array}{c ccccc} 31 \cdot 0 & 22 \cdot \\ 25 \cdot 9 & 21 \cdot \\ 16 \cdot 4 & 16 \cdot \\ 35 \cdot 9 & 27 \cdot \\ 47 \cdot 1 & 22 \cdot \end{array}$	$\begin{array}{c c} 30.02 \\ 26.27 \\ 39.24 \end{array}$	$\begin{array}{c} 26 \cdot 2 \\ 25 \cdot 1 \\ 26 \cdot 2 \\ 32 \cdot 2 \\ 37 \cdot 6 \end{array}$
Central Province.								ł	t i
Kandy Gampola Nawalapitiya Hatton and Dikoya Matale Nuwara Eliya	• • • • • • • •	$ \begin{array}{r} 24 \cdot 2 \\ 26 \cdot 0 \\ 21 \cdot 8 \\ \\ 29 \cdot 0 \\ 16 \cdot 5 \end{array} $	$23 \cdot 8 \\ 32 \cdot 7 \\ 20 \cdot 1 \\ 15 \cdot 5 \\ 33 \cdot 2 \\ 17 \cdot 4$	30.60 26.18 20.89 15.19 28.06 18.60	$ \begin{array}{r} 39 \cdot 3 \\ 76 \cdot 4 \\ 88 \cdot 9 \\ \overline{84 \cdot 3} \\ 26 \cdot 1 \end{array} $	$ \begin{array}{c} 24 \cdot 4 \\ 26 \cdot 9 \\ 23 \cdot 2 \\ \hline 25 \cdot 8 \\ 13 \cdot 5 \end{array} $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	55 0 68 · 64 70 · 56 113 · 71	18 · 99 32 · 29 19 · 89 8 · 60 29 · 5 11 · 50
Northern Province.									1
faffna Jannar Jullaittivu Javuniya	••• ••• ••	39·8 25·5 33·6 29·1	$ \begin{array}{r} 44 \cdot 1 \\ 20 \cdot 8 \\ 31 \cdot 4 \\ 20 \cdot 1 \end{array} $	$\begin{array}{r} 43 \cdot 19 \\ 57 \cdot 83 \\ 40 \cdot 09 \\ 20 \cdot 28 \end{array}$	$ \begin{array}{r} 32 \cdot 6 \\ 18 \cdot 0 \\ 38 \cdot 5 \\ 90 \cdot 3 \end{array} $	$ \begin{array}{c} 30 \cdot 9 \\ 18 \cdot 9 \\ 34 \cdot 5 \\ 47 \cdot 0 \end{array} $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$26.50 \\ 51.54$	27 · 6 22 · 8 42 · 9 27 · 0
Southern Province.									
Jalle Matara Weligamu Hambantota Fangalla	•••	$ \begin{array}{c} 27 \cdot 0 \\ 31 \cdot 0 \\ 35 \cdot 6 \\ 30 \cdot 6 \\ \end{array} $	$ \begin{array}{r} 23 \cdot 7 \\ 28 \cdot 0 \\ \hline 36 \cdot 7 \\ 26 \cdot 1 \end{array} $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$27 \cdot 9$ $30 \cdot 3$ $\overline{31} \cdot 3$ $22 \cdot 1$	$ \begin{array}{r} 24 \cdot 5 \\ 25 \cdot 7 \\$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c} 20 \cdot 1 \\ 23 \cdot 9 \\ 17 \cdot 8 \\ 26 \cdot 3 \\ 29 \cdot 0 \end{array} $
Eastern Province.			}						
Batticaloa Frincomalee	 	37·3 31·3	44 ∙0 33 ∙0	33 · 92 34 · 89	$33 \cdot 7 \\ 29 \cdot 9$	$\begin{array}{c} 30 \cdot 2 \\ 27 \cdot 6 \end{array}$	$\begin{array}{c ccccc} 41 \cdot 3 & 37 \cdot 1 \\ 24 \cdot 0 & 22 \cdot 1 \\ \end{array}$		29 · 2 35 · 2
North-Western Provin	ice.								
Kurunegala Puttalam Kalpitiya Chilaw	• •	1	$ \begin{array}{r} 23 \cdot 3 \\ 36 \cdot 6 \\ 29 \cdot 5 \\ 28 \cdot 4 \end{array} $	$ \begin{array}{c} 32 \cdot 90 \\ 39 \cdot 30 \\ 21 \cdot 54 \\ 40 \cdot 09 \end{array} $	74 · 3 39 · 9 35 · 0 32 · 7	$ \begin{array}{r} 30 \cdot 0 \\ 27 \cdot 7 \\ 21 \cdot 7 \\ 27 \cdot 0 \end{array} $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	63 · 95 32 · 05	$\begin{array}{c} 21 \cdot 4 \\ 45 \cdot 4 \\ 32 \cdot 0 \\ 25 \cdot 8 \end{array}$
North-Central Provin	ce.								
Anuradhapura	•	. 27.8	18.7	20.71	5 0 · 6	34.5	38.2 22.1	54.65	24 · 0
Province of Uva.								1	
Badulla Lunugala		29.8	25.3	23·46 36·51	50·5 —	25.5	47.7 15.7	$54 \cdot 74 \\ 386 \cdot 73$	$21 \cdot 6$ 19 · 3
Province of Sabaragam	uwa.								
Ratnapura Kegalla	•		$21 \cdot 2 \\ 18 \cdot 8$	34·49 12·51	$71 \cdot 0$ $72 \cdot 3$	27.6 15.3	83·2 29·2 61·0 17·2		16·8 4·6

(10)

74. The death-rates shown in this Table are the crude rates (the corrected death-rates not being available for comparison before the middle of 1907), and are given inclusive as well as exclusive of hospital and jail deaths.

75. Infantile mortality.—The infantile mortality for the thirty-one towns was equal to a rate of 267 per 1,000 births registered, as against 233 in the previous quarter and 224 in the corresponding quarter of last year. In the towns having an estimated population of 5,000 or more the mortality ranged from 424 in Kurunegala, 372 in Puttalam, 334 in Badulla, and 307 in Batticaloa to 194 in Kalutara, 186 in Moratuwa, 155 in Weligama, 145 in Matara, and 139 in Galle. The infantile mortality in the town of Colombo was 360 per 1,000 births registered as against 330 in the previous quarter and 298 in the corresponding quarter of last year.

76. Causes of death.—Table XIV. in the Appendix gives for each- town and race the principal causes of deaths registered during the quarter, and shows the infantile mortality separately from the general mortality (one year and over).

77. Infants.—Out of the 4,457 deaths from all causes in the thirty-one towns, 916 or little more than one-fifth were among infants under one year. Of these, the chief causes were 282 convulsions (of which 107 in Colombo, 22 in Galle, 18 in Trincomalee, 17 in Negombo, 14 in Kandy, 13 in Batticaloa, 12 in Matara), 209 debility (of which 70 in Colombo, 25 in Jaffna, 14 in Kurunegala, 13 in Kandy, 12 in Puttalam, 11 in Batticaloa), 84 premature birth (of which 20 in Colombo, 10 each in Kalutara, Kandy, and Jaffna, 9 in Moratuwa), 80 pneumonia (of which 34 in Colombo, 16 in Kandy, 9 in Moratuwa), 57 tetanus (of which 27 in Colombo, 17 in Jaffna, 9 in Moratuwa), 47 diarrhœa (of which 30 in Colombo, 2 each in Moratuwa, Kandy, Jaffna, Kurunegala, Chilaw, and Badulla), and 43 brogachitis (of which 31 in Colombo, 2 each in Kandy, Nuwara Eliya, and Jaffna).

78. General mortality (one year and over).—Out of the 3,541 deaths of persons one year and over in age, there were 771 due to diarrhœa and dysentery, of which 169 were in Colombo, 67 in Kandy, 53 in Matale, 46 in Ratnapura, 42 in "Hatton and Dikoya," 36 in Galle, 35 in Badulla, 33 in Negombo, 31 in Kurunegala, 27 each in Jaffna and Matara, 26 in Kegalla, 21 each in Gampola and Nawalapitiya, 20 in Moratuwa; 392 to pneumonia, of which 169 were in Colombo, 27 in Kandy, 24 in Trincomalee, 20 each in Moratuwa, Galle, and Kurunegala, 13 in Badulla, 12 each in Kalutara and Anuradhapura, 10 in Matale; 319 to Phthisis, of which 191 were in Colombo, 28 in Galle, 21 in Jaffna, 16 in Kandy, 9 in Moratuwa; 177 to Enteric Fever, of which 138 were in Colombo, 14 in Moratuwa, 7 in Kandy; 136 to malarial cachexia, of which 36 were in Matale, 18 in Kurunegala, 15 in Ratnapura, 10 in Puttalam; 133 to dochmius duodenalis, of which 111 were among Tamils—almost all of whom were coolies; 108 to remittent fever, of which 37 were in Colombo, 7 in Kalutara; 55 to Bright's disease and nephritis, of which 23 were in Colombo, 5 each in Moratuwa, Kandy, and Galle; 48 to anæmia, of which 13 in Negombo, 10 in Colombo, 6 in Kalutara; 33 to puerperal fever, of which 5 each were in Colombo and Negombo, 4 each in Jaffna and Trincomalee; and 27 to simple fever, of which 7 were in Galle, 5 in Kandy, 4 in Colombo.

79. Percentage of principal causes of death at all ages.—Of the total number of deaths at all ages in the towns, diarrhœa and dysentery accounted for more than 18 per cent., bronchitis and pneumonia more than 13 per cent., infantile convulsions and debility each more than 7 per cent., and phthisis and various kinds of fever each nearly 7 per cent.

Registrar-General's Office, Colombo, December 14, 1908.

P. ARUNACHALAM, Registrar-General.

(12)

APPENDIX.

	Elles.	latior.	: M	ARRIAGES	s.		BIRTHS.			DEATHS.	
Province and District.	Area in Square Miles.	Bstimated Population on July 1, 1908.*	Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Females.
CEYLON	$25,331\frac{5}{8}$	3,824,907	5,732	4,099	1,633	36,629	18,614	18,015	27,023	13,702	
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	1,4322,29913,36312,14614,03612,99674,00213,15411,901	999,450 658,254 359,972 626,218 186,076 380,655 78,051 190,821 345,410	85 839 133 226	1,822 125 600 911 79 395 12 39 116	400 1 3 6 444 121 187 471	7,821 6,398 3,730 6,157 1,845 4,315 711 1,947 3,705	3,146 968 2,180 389 941	3,858 3,139 1,856 3,011 877 2,135 322 1,036 1,811	6,185 5,174 1,970 4,347 1,243 2,860 547 1,790 2,907	3,200 2,540 1,048 2,105 655 1,450 298 941 1,465	2,63 92 2,24 58 1,41 24 84
Western. Colombo Negombo Kalutara	560 2 247 623	575,882 170,460 253,108	377	1,054 377 391		4,282 1,472 2,067	741	2,070 731 1,057	3,886 698 1,601	2,032 365 803	33
Central. Kandy Matale Nuwara Eliya	911 925 462 3	401,054 96,653 160,547	349 104 72	90 10 25	259 94 47	3,837 1,144 1,417		1,894 549 696	2,972 1,069 1,133	1,467 521 552	54
Northern. Jaffna Mannar Mullaittivu	1,265 9431 1,1543	322,242 23,274 14,456	533 48 20	5 33 48 19	1	3,3 16 237 177	1,669 120 85	1,647 117 92	1,653 178 1 3 9	871 100 77	78
Southern. Galle Matara Hambantota	$652\frac{1}{481\frac{1}{4}}$ 1,012 $\frac{2}{4}$	286,972 229,056 110,190		371 317 223	3	2,556 2,316 1,285	1,186	1,278 1,130 60 3	1,840 1,522 985	869 736 500	78
Eastern. Batticaloa Trincomalee	$2,871\frac{1}{2}$ 1,165	155,891 30,185	64 21	58 21	6	1,545 300	809 159	736 141	975 268	518 137	45 13
North-Western. JKurunegala Puttalam Chilaw	1,8447 889 2 2624	269,412 28,572 82,671	573 39 227	142 26 227	431 13 	3,289 269 757	1,642 153 385	1,647 116 372	2,234 278 348	1,153 135 162	1,08 14 18
North-Central. Anuradhapura	4,002]	78,051	133	12	121	711	389	322	547	298	24
Uva. Badulla	3,154§	190,821	226	39	187	1,947	941	1,006	1,790	941	84
Sabaragamuwa. Ratnapura Kegalla ,	1,259 642	136,845 208,565	216 371 _.	52 64	164 307	1,546 2,159	804 1,090	742 1,069	1,410 1,497	717 748	69: 74:

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Third Quarter of 1908.

* The estimate of the population in this Table and in Tables III., IV., and V. is based on the Census of March, 1901, and the returns of births and deaths registered.

(13)

	B	irth-rate per M	lille per Annun	1.	De	ath-rate per l	dille per Annu	m.
• Province and District.	Average for Third Quarters, 1898–1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.
CEYLON	34.0	31.3	41.9	38 · 1	27.2	26.2		
OBIEM			41.5			20.2	27 · 7	28.1
North-Central Uva	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$26 \cdot 9 \\ 28 \cdot 4 \\ 30 \cdot 7 \\ 42 \cdot 6 \\ 36 \cdot 0 \\ 42 \cdot 4 \\ 32 \cdot 8 \\ 32 \cdot 3 \\ 3$	$\begin{array}{c} 36 \cdot 7 \\ 41 \cdot 5 \\ 40 \cdot 5 \\ 44 \cdot 4 \\ 38 \cdot 4 \\ 47 \cdot 7 \\ 42 \cdot 9 \\ 45 \cdot 7 \\ 47 \cdot 9 \end{array}$	$31 \cdot 1 \\ 38 \cdot 7 \\ 41 \cdot 2 \\ 39 \cdot 1 \\ 39 \cdot 4 \\ 45 \cdot 1 \\ 36 \cdot 2 \\ 40 \cdot 6 \\ 42 \cdot 7$	$\begin{array}{c} 22 \cdot 2 \\ 30 \cdot 2 \\ 24 \cdot 7 \\ 24 \cdot 9 \\ 29 \cdot 2 \\ 32 \cdot 8 \\ 33 \cdot 1 \\ 33 \cdot 8 \\ 31 \cdot 6 \end{array}$	$21 \cdot 6 26 \cdot 3 23 \cdot 4 28 \cdot 7 27 \cdot 8 27 \cdot 5 35 \cdot 6 33 \cdot 1 ' 29 \cdot 2$	$22 \cdot 5 \\ 28 \cdot 3 \\ 25 \cdot 4 \\ 28 \cdot 8 \\ 29 \cdot 0 \\ 26 \cdot 6 \\ 32 \cdot 6 \\ 39 \cdot 2 \\ 35 \cdot 3 \\ 3$	$\begin{array}{c} 24 \cdot 6 \\ 31 \cdot 3 \\ 21 \cdot 8 \\ 27 \cdot 6 \\ 26 \cdot 6 \\ 29 \cdot 9 \\ 27 \cdot 9 \\ 37 \cdot 3 \\ 33 \cdot 5 \end{array}$
Western.								
Negombo	26·9 32·0 30·6	$25 \cdot 5$ $28 \cdot 4$ $29 \cdot 2$	35·9 38·4 37·4	$29.6 \\ 34.3 \\ 32.5$	22 · 8 19 · 3 22 · 6	21.8 14.2 . 26.0	$24 \cdot 8$ 15 $\cdot 2$ 22 $\cdot 2$	26·8 16·3 25·2
Central.								
Matolo	$32 \cdot 5$ $37 \cdot 0$ $27 \cdot 5$	$27 \cdot 8$ 34 \cdot 6 26 \cdot 1	42 · 4 54 · 3 31 · 6	38 · 1 47 · 1 35 · 1	30 · 5 39 · 6 23 · 5	$26 \cdot 0$ 30 \cdot 3 24 \cdot 4	$27 \cdot 1$ $40 \cdot 3$ $23 \cdot 9$	$29 \cdot 5 \\ 44 \cdot 0 \\ 28 \cdot 1$
Northern.			· .				7	
Mannar	. 39·0 . 37·3 . 37·0	34·7 34·6 27·4	40 · 1 43 · 4 44 · 3	39 · 7 40 · 5 48 · 7	23 • 4 35 • 6 35 • 9	21·3 40·7 42·3	23 · 6 43 · 2 34 · 9	19·8 30·4 38·2
Southern.							. {	
· Matara	$\begin{array}{c} 33 \cdot 9 \\ 35 \cdot 0 \\ 38 \cdot 1 \end{array}$	$29 \cdot 2$ 30 \cdot 4 35 \cdot 3	40 · 4 45 · 2 53 · 1	35·4 40·2 46·4	$25 \cdot 0$ $24 \cdot 3$ $25 \cdot 7$	$29 \cdot 3$ $26 \cdot 3$ $32 \cdot 4$	$24 \cdot 8$ $27 \cdot 3$ $42 \cdot 6$	25 · 5 26 · 4 35 · 6
Batticaloa	. 46.4	44 ·0		8 0 d				
Trincomalee	. 36.6	35.4	38 · 5 37 · 8	$\begin{array}{c} 39 \cdot 4 \\ 39 \cdot 5 \end{array}$	28·9 27·8	$\begin{array}{c} 28 \cdot 3 \\ 25 \cdot 2 \end{array}$	$\begin{array}{c} 26\cdot 3 \\ 42\cdot 7 \end{array}$	$\begin{array}{c} 24 \cdot 9 \\ 35 \cdot 3 \end{array}$
North-Western. Kurunegala .	40 5							
Puttalam	. 40·7 . 30·5 . 30·1	$37 \cdot 8$ $32 \cdot 8$ $31 \cdot 4$	$51 \cdot 3$ $37 \cdot 9$ $39 \cdot 4$	$48.6 \\ 37.5 \\ 36.5$	36·5 33·6 19·1	$\begin{array}{c} 30 \cdot 2 \\ 33 \cdot 9 \\ 15 \cdot 4 \end{array}$	28.5 34.2 17.7	33·0 38·7 16·7
North-Central.								
Anuradhapura . Uva.	. 40.2	42.4	42·9 .	36-2	33 · 1	35.6	32.6	27.9
Badulla .	. 36.1	32.8	45.7	40.6	33.8	33.1	39.2	37.3
Sabaragamuwa.					· .			010
Ratnapura . Kegalla .		31·4 32·9	50·0 46-3	44·9 41·2	32·6 30·2	34·7 25·6	44·4 29·2	41·0 28·5

Table II.—Birth- and Death-rates in the Third Quarter of 1908, the corresponding Quarter of 1907,the Second Quarter of 1908, and the Mean Rates for the Third Quarters of 1898-1907.

١

•

.

,

ł

.

•

2

,

Table III.—Sinhalese Births and Deaths, with their Rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Sinhalese Districts in the Third Quarter of 1908.

		HO H	Birt	hs.	Deat	ths.	Birth Pé	-rate	per Mi aum.	lle	Deatl P	n-rate er Ani	per Mi num.	lle	under rths hird
Province, District, and Division.	Area in Square Miles.	Estimated Population on July 1, 1908.	Average for Third Quarters, 1898–1907.	'Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Deaths of Children under I Year to 1,000 Births registered in the Third Quarter of 1908.
CEYLON	25331§	2,589,244	21566	25022	15767	17121	35.6	31 · 1	44 · 3	38 · 4	26.0	23 · 8	25 · 6	26 · 3	160
WESTEEN	1,432	852,408	5,701	6, 6 99	3,940	4,587	29 •9	26.9	37 · 5	31 · 3	19.8	18.2	19.8	21 · 4	132
Colombo Colombo Municipality Alutkuru Korale	560 3 10	47 7,959 64,974		3,665 587	2,258 615		28·8 	26·0	37 · 9	30 · 5 	20 · 1	18·1	22·1	23·3	146
South Hewagam Korale Salpiti Korale Siyane Korale East* Siyane Korale West*	72 167 75 116 <u>1</u> 120 1	74,717 73,426 104,831 58,321 101,690	689 416	738	463	676									
Negombo Negombo Local Board Alutkuru Korale	247 <u>1</u> 71	153,346 14,730	119	1, 3 00 120			32·1	27 · 7	38.3	33·7	18·3	13.1	13.8	14·9	114 —
South Hapitigam Korale	159 81 1	102,377 36,239	727 272	854 326	285 148		=	_	=	=	=	=	=	-	_
Kalutara Kalutara Local Board Kalutara Totamune Pasdun Korale East* Pasdun Korale West* Rayigam Korale	88] 2801		63 711 210 189	77 754 230 219	64 495 126 129	80 598 150 136		28.5	36·3						115
CENTRAL Kandy Kandy Municipality Harispattu /Pata Dumbara Pata Hewaheta Tumpane Uda Bulatgama Uda Bulatgama Uda Dumbara Uda Palata Yati Nuwara	571 467 230 2381 345	209,813 14,157 33,995 40,685 14,249 13,216 12,948 21,786	$ \begin{array}{r} 1,872 \\ 106 \\ 313 \\ 366 \\ 127 \\ 126 \\ 126 \\ 228 \\ 134 \\ 5 206 \\ \end{array} $	2,240 138 353 470 149 5 173 9 98 262 4 184 3 226	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1,610 145 226 3 226 3 306 0 97 1 78 3 82 7 -228 0 11 1 204									
Matale . Matale Local Board Matale South . Matale East . Matale North .	1	1,85 28,96 15,41	$ \begin{array}{ccc} 9 & 1 \\ 1 & 28 \\ 7 & 15 \\ \end{array} $	4 1 8 31 0 20	8 2 3 22 5 14	1 3 7 24 0 14		6 36·	757.	6 46·3	3 35. 	5 25.7	7 32.8	34·5	207 — — — —
• • • • • • • • • • • • • • • • • • •	. 462 1 . 236 . 108 . 113	2,06 15,63 19,82	$ \begin{array}{ccc} 2 & 1 \\ 0 & 13 \\ 8 & 18 \\ \end{array} $	2 1 2 14 3 18	8 3 9 3 10	9 1 9 13 5 11	4	6 28.	139.	7 39 ·			¥ 27 · :	3 30·3	
SOUTHERN	nd	270,58 27,89	0 2,17 8 19	0 2,46 5 21	9 1,54 2 18	8 1,70 0 16	$\begin{array}{c} 0 & 34 \\ 4 & - \end{array}$			239 236 —		528. 529.			
Municipat and Akmimana Gangaboda Pattuwa Wellaboda Pattuwa Talpe Pattuwa Walallawiti Korale Hinidum Pattuwa	a 128	34,8' 73,2' 58,0' 47,7'	75 28 19 69 39 4 4 39 3 9	39 30 22 72 46 50 95 42	i0 18 29 43 05 32 21 2'	37 22 35 52 26 36 71 26	4 — 22 —								

* Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901-1907.

.

Table III.—continued.

	les.	uo uo	Bir	ths.	Deat	ths.		i-rate er Ani	per Mi ium.	lle		th-rate per An		ille	irths irths
Province, District, and Division.	Area in Square Miles.	Estimated Population on July 1, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Third Quarter of 1908.
Matara Matara Local Board	481 <u>1</u> 1 <u>1</u>	218,932 10,667				1,457 84	35·E	530.5	45·8	40·4	23·8 —,	26·0	27.0	26·5	136
Four Gravets beyond Local Board limits Wellaboda Pattuwa. Weligam Korale Morawak Korale Kandaboda Pattuwa Gangaboda Pattuwa	77 51 111 160 70 79§	47,691 59,472 17,335 27,690	397 478 159 236	453 581 208 321	244 295 115 182	327 316 160 221									
Hambantota Hambantota Four Gravets					679 11	951 5	38 • 4	35.0	54·1	46·4	25.6	32.4	42·5	35 • 6	191
Magam Pattu, exclu- sive of Four Gravets Giruwa Pattu East	1 <u>1</u> 641 1221	6,482 11,434	67 114	$\begin{array}{c} 56 \\ 132 \end{array}$) 51 81	84 98	_	·	_	=		_	=	_	· ·
Giruwa Pattu West	247 3	87,377		•	536	764			38.8		34·2		32.8	 05.1	
EASTERN	4,036½	8,886		92	77	56									- · .
Batticaloa *† Batticaloa Local	2,871 <u>4</u>	*7,648	•	82	69	. 49 2	$37 \cdot 1$	36.0	33 · 1	42.6	35.4	30.3	30.0	25.2	171
Board Manmunai Pattu North		226	3	8	4	2	<u> </u>	-	-			_			
Manmunai Pattu South Bintenna Pattu	148 74 6771	31 17 3,295		1 34		1 32		_	_		-	-		_	
Chammanturai Pattu Eravur and Rukam		5,295 595		34 8	20 9	32	_	_			—	,			<u> </u>
Pattus Koralai Pattu Eruvil and Porativu	$372rac{1}{290}$	$179\\166$	2 1	1 1	1 1	1	Ξ	=	=	-	- -,	_	-	_	
Pattus Karavaku and Ninta-	247	776	5	2	3	-		-	-	—		—		·—	
vur Pattus Akkarai Pattu Panawa Pattu	41 374 486]	125 1,170 1,068		1 11 15	1 14 10	 4 6				.				_	
North-Western	2,996 7	330,829	3,046	3,857	2,525	2 308		36.8		46 ·4	3 1 ·9	26· 1	$25 \cdot 5$	27 • 7	175
<i>Kurunegala</i> Kurunegala Local	1,8447	248,42 2		3,061			4 1 · 7	38·2	51 · 9	49 •0	35•4	29 ·0	27·8	31.1	189
Board Hiriyala Hatpattu Weudawili do Dambadeni do Dewamedi do Katugampola do Wanni do	$1\frac{3}{2}$ $387\frac{1}{2}$ 177 $164\frac{1}{2}$ $186\frac{3}{2}$ $358\frac{1}{2}$ $569\frac{1}{2}$	3,063 30,346 44,093 45,519 33,459 56,191 35,751	294 470 442	48 364 562 552 459 662 414	72 256 445 387 297 356 304	74 292 390 303 257 348 276									
Puttalam* Puttalam Local	8893	11,529	96	118	91	- 94	32·9	32 · 7	35 · 3	40 · 7	3 0 · 9	3 5 · 8	29•3	32.4	237
Board Demala Hatpattu Kalpitiya Division Puttalam Division	$8\frac{5}{441\frac{1}{4}}$ 315 1247	642 6,470 1,068 3, 3 49	5 71 4 16	8 84 7 19	11 56 8 17	16 49 13 16									
Chilaw Chilaw Town Pitigal Korale North Pitigal Korale Cen-	$262\frac{1}{4}$ $132\frac{3}{4}$	70,878 2,530 7,359	548 18 75	678 37 75	317 21 49	274 21 47	33·7 	32·9	4 <u>1</u> · 2	38·1 —	19·3	14·3	16·7	15·4 —	99
tral Pitigal Korale South‡	883 40	30,631 30,358	241 208	301 265	145 110	116 90	_		=	_	_	_	_		

* For Tamil Statistics see Table IV. and for Moor Statistics see Table V.
† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown are for the seven years, 1901-1907.
‡ Births and Deaths for this division being available from 1899 only, the averages shown are for the nine years, 1899-1907.

. •

	Table	IIIcontinue	d.
--	-------	-------------	----

· · · ·

•

.

. .

.

	, și	5	Birt	hs.	Dea	ths.	Birth	i-rate	per Mi num.	ille	Death	n-rate er An	per M	ille	-Ber
Province, District, and Division.	Area in Square Miles.	Estimated Population on July 1, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter,	Second Quarter, 1908.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Deaths of Children under I Year to 1,000 Birtha registered in the Third Quarter of 1908,
, North-Central	4,002]	62,474	660'	571	512	420	42.0	44 • 7	4 4 •2	36·4	32 6	35·0	3 0 · 9	26·7	170
Anuradhapura	4,002 1	62,474	660	571	512	420	42.0	44 • 7	44 · 2	36 ∙4	32.6	35.0	30·9	26·7	170
Anuradhapura Town Nuwaragam Palata Hurulu Palata Kalagam Palata Tamankaduwa Palata	1,040 311	836 26,339 19,897 13,957 1,445	283 212 139	8 251 190 108 14	19 214 159 106 14	27 181 124 82 6				1111				1111	
U va	$3,154\frac{1}{2}$	128,925	1,320	1,370	1,173	1,192	41 · 9	35 • 1	48 · 9	42·3	37.3	32•5	38·8	3 6•8	185
Badulla	3,154 1	128,925	1,320	1,370	1,173	1,192	41 · 9	35 · 1	48·9	42·3	37·3	32·5	3 8 · 8	3 6 · 8	185
Baduila Local Board . Yatikinda Division . Bintenna do Buttala do Wellawaya do Wellassa do Wiyaluwa do	3 ^{3¹2 1833 359 567<u>1</u> 1,0193 1883 6451 1873 4}	21,049	149 74 311 247	26 242 100 119 81 348 232 222	37 173 108 167 75 200 266 145	36 189 94 153 76 220 245 179									
SABARAGAMUWA	1,901	283,136	2,421	2,988	1,870	1,882	36.9	32 • 4	4 9 · 0	42·0	28 · 3	22.7	28·7	26·4	171
Rotnapura	1,259	121,348	1,078	1,305	884	979	37.0	30.8	48 •7	42·8	3 0 · 2	26 · 4	35 • 6	32 · 1	188
Ratnapura Local Board Kuruwiti Korale Nawadun do Atakalan do Kadawata do Kolonna do Kukulu do Meda do	211 211 193 171 130 169 224 156	25,437 18,268 10,055 10,296 8,379	231 180 106 87 77	31 273 276 228 119 156 77 145	203 158 71 74 58	31 218 221 178 84 86 61 100				+++++++	1				
Kegalla	642	161,788	1,343	1,683	986	903	36.6	33 • 7	49·2	41 • 4	26.8	19 · 9	23 · 5	$22 \cdot 1$	157
Kegalla Locai Board Paranakuru Korale ⁴ Beligal do Galboda do Kinigoda do Atulugam do Dehigampal do Panawal do Lower Bulatgama	56 1621 56 42 1251 74 40	29,028 43,409 22,864 18,376 12,348 17,175 7,070	259 331 219 169 100 127 51	469 281 217 123 164 66	171 230 147 144 70 95 3 38	177 179 151 127 79 93 40	11111								1111111

* Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901–1907.

7

•

Table IV.---Tamil Births and Deaths, with their rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the Third Quarter of 1908.

			121-	ths.	1	aths.		n-rate	per Mille	De	ath-rate	per M	[ille	le le
Province, District, and Division.	Area in Square Miles.	Estimated Population on July 1, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1907.	Second Quarter, B 1908. Third Quarter.	1908. Average for Third Quarters, 1898-1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Third Quarter of 1908.
Northern	3,363	345,406	3,226	3,565	2,043	1,886	3 8 · 5	34 · 0	40.541	· 1 24 · ·	4 22 · 9	$25 \cdot 1$	21 · 7	138
Jaffna Jaffna Division Valikamam East Valikamam North Valikamam North Valikamam West Vadamaradchi East Vadamaradchi East Vadamaradchi East Vadamaradchi East Tenmaradchi Pachchilaippallai Karaichchi Punakari Islands* Delft* Tunukkai Mannar Island Divisions Mantai Division Mullaittivu†	$1,265 \\ 18\frac{1}{3} \\ 40\frac{1}{4} \\ 36\frac{3}{4} \\ 555 \\ 80 \\ 87\frac{1}{2} \\ 226\frac{3}{4} \\ 59\frac{3}{4} \\ 943\frac{1}{4} \\ 47\frac{3}{4} \\ 644\frac{1}{2} \\ 251 \\ 1,154\frac{3}{4} \\ 644\frac{1}{4} \\ 251 \\ 1,254\frac{3}{4} \\ 644\frac{1}{4} \\ 251 \\ 1,254\frac{1}{4} \\ 644\frac{1}{4} \\ 251 \\ 1,254\frac{1}{4} \\ 644\frac{1}{4} \\ 251 \\ 1,254\frac{1}{4} \\ 1,$	$\begin{array}{c} 318,059\\ 44,054\\ 27,070\\ 48,875\\ 49,591\\ 52,683\\ 38,146\\ 5,600\\ 2,710\\ 4,502\\ 35,867\\ 4,405\\ 605\\ 15,313\\ 5,639\\ 5,125\\ 4,549\\ 12,034\\ 9,022\\ 35,867\\ 12,034\\ 4,549\\ 12,034\\ 12$	$\begin{array}{c} 415\\ 255\\ 462\\ 421\\ 511\\ 494\\ 373\\ 49\\ 7\\ 48\\ 352\\ 411\\ 5\\ 139\\ 63\\ 39\\ 37\\ 112\\ \end{array}$	464 256 544 479 62 530 369 80 4 54 396 37 154 65 51 38 136	1,781319124239227455253251437412142655149.535441113	300 102 216 181 53 211 274 48 12 32 32 182 20 3 132 67 45 20 120	 33.7	27·8	40 · 2 41 	· 0 36·	2 42.0	23·7 		133
Maritime Pattus Vavuniya North Vavuniya South	$ 393\frac{3}{4} 316 445 $	5,960 2,322 3,752	18	61 28 47	52 20 42	55 26 39	=	_	= =					
EASTERN	4,036 <u>1</u>	102,106			760	718			39 • 9 39			33 · 7	· .	204
Batticaloa† Batticaloa Local	2,8711	84,660		820	627	549	44.8	$42 \cdot 9$	41 · 2 38	•5 30 •1	5 32.5	30·9	$25 \cdot 8$	196
Board Manmunai Pattu North	1 <u>1</u> 148	8,291 13,849	88 137	6 8 104	83 104	61 75		_		-	-		_	
Manmunai Pattu South Bintenna Pattu Chanmanturai Pattu Erayur and Bukam	74 677 1 160	8,842 678 3,190	102	104 102 18 36	62 6 26	54 12 27	- 							
Pattus Koralai Pattu Eruvil and Porativu	372‡ 290	$8,581 \\ 6,122$	104 81	86 92	74 57	64 63	_	-	_ -	= =				_
Pattus Karavaku and Ninta-	247	14,024	136	80	89	48		-		-	-	-		
vur Pattus Akkarai Pattu Panawa Pattu	41 374	14,817 5,527 739	58	165 62 7	130 35 7	97 44 4						Ĭ		
Trincomalee Trincomalee Town Kaddukkulam Pattu Koddiyar Pattu Tampalakamam Pattu	1,165 1 490 <u>1</u> 223 450 <u>1</u>	17,446 9,253 1,817 4,358 2,018	80 17 36		133 79 19 22 13	169 75 27 47 20	· <u>34</u> ·0 	32·0 — — —	33·543 	·6 30·1	5 28.3	47·3	38·5 — — —	236
North-Western	2,996 7	22,831	136	176	291	335	21.0	21 · 3	30·8 30	•7 44•	7 48.7	42.7	58.4	284
Puttalam	889 <u>‡</u>	6,703	44	54	80	97	22.7	$21 \cdot 5$	31 · 1 3 2	•0 41•		44.8	1	1
Puttalam Local Board Demala Hatpattu Kalpitiya Division Puttalam Division	$\begin{array}{r} 8\frac{5}{8}\\ 441\frac{1}{4}\\ 315\\ 124\frac{1}{3}\end{array}$	865 324 1,928 3,528	$2 \\ 15$	3 16	21 5 29 25	34								

Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901-1907.
† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the seven years, 1901-1907.

۰.

(3)

(18)

Table V.—Moor Births and Deaths with their rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Batticaloa and Puttalam Districts in the Third Quarter of 1908.

		· D1	3011003	111 01		Iu eju		01 10							
· · ·	les.	on on	Birt	hs.	Deat	chs.	Birth p	-rate j er Ani	per Mi num.	11e	Death p	er An	per M num.	ille	under irths hird 8.
Province, District, and Division.	Area in Square Miles.	Estimated Population on July 1, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1908.	Average for Third Quarters, 1898–1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Average for Third Quarters, 1898-1907.	Third Quarter, 1907.	Second Quarter, 1908.	Third Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Third Quarter of 1008.
EASTERN	4,0361	69,37 0	821	708	451	432	50.9	48.0	37.5	40.6	28 · 0	23.0	93 · N	24 .8	209
DASIENN	±,000- <u>7</u>		0	.05	201	104				10 0	20 0	20 0	20 0	2 T 0	
Batticaloa*	$2,871\frac{1}{2}$	59,9 91	729	631	404	3 60	$52 \cdot 2$	48·2	36 • 5	41 · 8	$28 \cdot 9$	23 +0	$20 \cdot 3$	$23 \cdot 9$	198
Batticaloa Local		351	2	2		6			[[i	l l	3
Board Manmunai Pattu	11	201		z		·, U	_		-				-	-	
North	148	12,059	168	94	-78	102				,					
Manmunai Pattu			ļ					1							•
South	74	45		2		1		-		-		-			
Bintenna Pattu Chammanturai Pattu	$677\frac{1}{2}$ 160	$127 \\ 5,960$		73	49	36							-		
Eravur and Rukam		0,000	1 10	10	40	30	-					-	-	-	
Pattus	3721	6,575		58	40	22				-		-		- 1	
Koralai Pattu	290	4,295		28	17	6	—	i					-		
Eruvil and Porativu		画					-	1						ļ	
Pattus Karavaku and Nin-	247	176	1 1		1	-	-	-		-		!			
tavur Pattus	41	19,384	254	232	126	100		-		-		1			·
Akkarai Pattu	074	9,027				77		-				_			_
Panawa Pattu	486			20		9	· ·					- (-	
			i.	1	1		1	1							
North-Western.	2,9967	24,760	214	260	191	208	25.1	240.4	48.1	41.8	20.4	09.1	00.4	33.4	231
NORTH-WESTERN.	2,9904	24,700	214	200	191	200		9 ±0 c	1±0 1	141.0	32.0	23.1	20.4	33.4	231
Puttalam .	. 8893	9,832	83	90	75	82	35.2	2 40.0	$ 46 \cdot 4$	131.7	31 0	22.5	33.2	33.2	278
Puttalam Loca	1 -	-	1		1	1			1						1
Board		2,79							-	-				1-	-
Demala Hatpattu	. 441								1-	-	-		-		- 1
Kalpitiya Division . Puttalam Division .	. 315							-	-	—	- 1	1-	1-	-	
ruttalam Division .	. 124	1,91	5 I.7	20	" · ·		1 ~	-		-				-	
	<u>.</u>	<u> </u>		<u> </u>		1-10-10-1-1-		<u> </u>	<u></u>				<u></u>	1	<u> </u>

* Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the seven years, 1901-1907.

.`

•		}			Contre	Contracted between	etwee				04			Contracted between	ted be	stween	_			Contracted between Persons of same Race.	ed bet f same	ween 3 Race	PerBo		of Persons of 21 Years of Age.				1					The number who signed Register	ar Bred
Province and District.	Ş ——————————— Total Mariayea.	Bachelors and Bainsters.	Bachelors and Widows.	bins srowobiW gpinsters.	bus srowobiW swobiW	Divorced Men.	Bachelors and Divorced Women.	Divorced Men and Widows.	Divorced Women.	Divorced Men and	.erewobiW	.ewobiW	European and Burgher.	Sinhalese.	European and Tamil.	Burgher and	Sinhalese and	Other Mixed Marri	Cillér Mixed marin	Burgher.	Sinhalese.		Tamil. Othera.				aA slaM jæsdaiH		28 olaM teowo.I A olamon teodniH	A elsme'i teengiH 	8A 9lsm9A ns9M	ah olsmolt teowo.I 	by Ministers.	Males. K	Tenales.
CETION	4099	99 3549	111	1 369	9 57	7 8	. 5				426	168			$\frac{1}{1}$	1 20		1 61	*	0	37 3204	1	820	1 16	162 2	2164	7526	6.9	18	5020	4	13 8	864 8	82620	2679
Western Central Northern Eastern North-Western North-Central Uva Sabaragamuwa	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			146 146 1140 146 1140 146 146 146 146 146	149 149 12 12 12 12 12 12 12 12 12 12 12 12 12	³ ¹ ¹ ³ ³ ¹					168 114 114 113 130 130 130 130 130 130 130 130 130	12 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2								4 m H	11. 22 22 22 1. 24 2 2 2 2 1 1 1. 2 4 2 2 2 2 1 1 1. 2 4 2 2 2 2 2 1 1. 2 4 2 2 2 2 2 1 1. 2 4 2 2 2 2 2 2 1 1. 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1715 85 902 5 349 31 109	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		181 - 57 57 5 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	7770 73 552 552 242 18 18	7526 7127 5727 6527 6527 6026 6026 6026 6026 5128 5128	6 4 0 0 0 5	118 119 119 120 119 18	3520 3520 3520 3018 3018 3022 3022 3022 3022 3022 3022 3022 302	20.3 20.3 20.3 20.3 20.3 119.9 119.9 119.9	14663332 16653324 1665332 166533 16753 17755 17755 177	1406 3 36 36 3 30 13 2 13 2 14 14	2260 8344 19 2260 1 2260 1 2260 1 2260 1	1037 71 735 52 5279 11 32 92 92
Western. Colombo Negombo Kalutara Central. Kandy Matale Nuwara Eliya	33 33 33	က က က	922 2 351 3 339 1 73 2 23	1 350 1 350							104 23 41 12 12	1 - 0 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5										981 347 387 61 17 17	00.84 9330		801 4 0	450 208 112 50 50 17	45 39 45 30 45 30 40 40 40 40 40 40 40 40 40 40 40 40 40	26-7 28-0 28-0 28-0 26-4	18 18 18 18 18 18 18	5021. 3019. 3220 3220 32220 32220	21.1 21.5 21.5 21.5 21.5 22.3 19.5	15 15 15 15 15 15 15 15 15 15 15 15 15 1	239] 135] 25 25 9	3 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	553 246 48 48 18 18
Norutern. Jaffna Mullaittivu Southern. Galle Matara Hambantota		533 4 48 48 19 3 371 3 223 11	466 1 29 15 - 312 2 312 2 190	80 80 133 4	25 23 23 25 4 8 4 8 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8	<u>++ 02 0 0 -1</u>	 			11111	22 34 8 6 10 28 38 4 6 10 29 4 8 20 29 4 6 10	20 10 8 8									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	$\begin{array}{c c} 1 & 5 \\ \hline & 1 & 5 \\ \hline & 367 & 5 \\ 219 & - \\ 219 & - \\ \end{array}$	527 3 3 88 188 188 188 188 188 188 188 188 188		34 k2 11 23	316 29 18 175 175 154	5727 4526 46276 5828 5026 6526	2000 1000	18 20 18 18 18	41119 3819 2817 4521 4019 5020	9.0 9.0 1.4 1.0 0.0	123	149 45 7 7 1 7 1 1 49	54 55 55 55 55 55 55 55 55 55 54 55 55 5	324 32 14 253 253 253 217
Eastern. Batticaloa Trincomalee North-Western.	::		17		1	 	11			11	4	0 01 0		 	11					1 1		~~	20	· · · · · · · · · · · · · · · · · · ·	ا ^{ور}	49	402	27 ·4 25 ·9	18 21	3018	9.6	13.	21 9	41-	42
Kurunegala Puttalam Chilaw North-Central. Anuradhapura	::::	142 1 26 1 287 19 12	119 17 198 198 10	<u>4-0 -</u> 0 - 0		 - ~ ~ ~ .	<u> </u>			.		<u>n 699 n</u>							<u> </u>			132 210 3	8 12 8			83 16 143 3	60 25 55 26 45 28 45 28	4 0 0 0	20 25 19	4020 3521 4519 3022	2 0.5 1.5 1.5	14 14 16	23 17 115	3 20 1	115 20 144
Uva. Badulla Sabaragamuwa. Ratnapura Kegalla	: ::	339 64 64 64 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	53 53 1		10 0				<u> </u>		ີ ເວັດ	4			1 1 1							31 51	<u>6 – 4</u>	<u> </u>		18 30 49	5128 5126 4024	28·4 26·4 24·9	20 18 19	3620 2519 3018	0.0 4.6 7.8	14 14 14	11.33	8 4 2	32 46 46

、

Table VI.-Marriages (General), Civil Condition, Nationality, Age, Mode of Solemnization, Signature of Marriage Register, &c., in the Third Quarter of 1908.

)

-

19)

•

•

. •

(20) Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the Third Quarter of 1908.

· · · ·				Con	tracter	l betw	7een.				no Yea	sons t 21 rs of ge.							nur	'he aber signed dister ith rks
Province and District.	Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinaters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
CEYLON	1633	1299		150	47	41	4	33	4	6	214	1212	65	25 · 9	16	48	19.6	13	515	1515
Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	400 1 3 6 444 121 187 471	319 2 5 344 91 152 385		29 1 1 57 14 13 36	9 	15 8 1 17 1		9 	1	4	55 	338 	35 55 56 65 55 58	25 · 2 35 · 0 33 · 3 26 · 2 28 · 5 26 · 8 26 · 8 25 · 2	18 35 20 23 18 18 18 18	23 32 25 40 40 45	$ \begin{array}{r} 18 \cdot 9 \\ 23 \cdot 0 \\ 22 \cdot 7 \\ 19 \cdot 3 \\ 20 \cdot 4 \\ 21 \cdot 3 \\ 19 \cdot 8 \\ 19 \cdot 8 \\ 19 \cdot 0 \end{array} $	$13 \\ 23 \\ 18 \\ 15 \\ 13 \\ 16 \\ 14 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13$	1 1 128 31 77	$ 1 \\ 3 \\ 6 \\ 427 \\ 118 \\ 175 $
Central. Kandy Matale Nuwara Eliya	259 94 47	213 69 37	5	17 10 2		7 6 2	I	6 2 1		3 1	30 15 10	[•] 232 70 36	41	$25 \cdot 0$ $25 \cdot 6$ $25 \cdot 2$	18 19 18	40	$ 18 \cdot 8 19 \cdot 6 18 \cdot 5 $	13 14 14	69 24 15	223 91 41
Northern. Mullaittivu	1	1		·							_	-	35	35 · 0	35	23	23 · 0	23	1	1
Southern. Galle Matara	3	_2	-	_	_1	_	_		-		_1	· 2	55	33·3	20	32	22.7	18	_1	3
Eastern. Batticaloa Trincomalee	6	5		1	_	_				_	_	3	56	30 · 3	23	25	19.3	15	_1	6
North-Western. Kurunegala Puttalam	431 13	333 11	10	55 2	20	_8	_	_4	_1		50 1	$273 \\ 10$	65 35	26 · 2 25 · 8	18 20		20 · 5 18 · 8	13 16	121	414 13
North-Central. Anuradhapura	121	91	. 9	14	5		1	_	1		.6	77		28.5	18		21.3	16	31	118
Uva. Badulla	187	152	8	13	8	1	• 1	4			13	128		26.8	18		19.8	14	77	175
Sabaragamuwa. Ratnapura Kegalla	164 307	134 251	3 5	15 21	3 1	5 12	_1	3 13	-2	-2	25 63	1 34 247		25 · 7 24 · 9	16 17		8·9 9·0	13 15	51 117	150 280

Table VIII.--Return of Births of each Nationality in each Province and District in the Island registered during the Third Quarter of 1908.

.

ų,

.

.

ı

									•			-			-	4	THOOLE.		1	maunye.		Othera	
Frovince and District.	ť	Persons.	. s əla <u>M</u>	Females.	Регволя.	.səlaM	Females. Persons.	Persons.	Females.	Регвода.		. aəlaməT	Persons.	Males.	Females	Persons.	.aslaM	Females.	.anoarad	.aslaM	Females.	Persons.	Males. Females.
CETLON	•	36,629	18,614	18,015	40	50	20 2	8	107 101	01 25,022	2 12,735	12,287	9,073	4,585	4,488	2,117	1,081	1,036	115	56	59	54	8
Western		7,821	3,963	3,858	19	00 0	11					3,268		254	285	376	179	197	50	22	28	12	20
Northern	::	3,730	5,209 1,874	0,139 1,856		<u>ا</u> «		2 2 4	- 	18 3,492 2 20			2,572 3,565	1,300	1,272 1,775	260 139	139 69	121 70	50	م ج	=	.	- 0 - 0
Southern	:	6,157	3,146	3,011		1	1				ŝ	2,889	-	27	51	136	99	20	19	ৰ ব	15	-	
~	::	4,315	2,180	2,135			1						-	89 89	4 / / 87	260	304 136	344 124	× II	00	2 0	<u>7</u>	
North-Central	:	1117	389	322		1		1		5.0	•	271		33	11	83	52	31		- <u></u> -	, /	(r -	4
Sabaragamuwa	::	3,705	1,894	1,811	100	<u>,</u>		<u></u>	14	1 2,98	0 009 8 1,512	м		322	204 284	54 101	52	0 4	0	ج ب		20	<u>4 0</u> 1
Western. Colombo		1 000	0 010	070.0		1				000	-		1	;							+		
Negombu	• • •	1,472	741	731		°	-	ې مې و		1,300	0 1,912 059	1,703 641 641	138	63 63	114 75	198	12	13	4 6	<u>, s</u>	, K	ا ∽ → ر	4 ,
	•	· · ·		1001				a—						no	06	ner	/.0	ŝ	m.		N	24	
Central. Kandy	•	3,837	1,943	1,894	ii	- 00	റ്റ് -		10	¢,		1	Ĩ	680	665	198	102	96	18	80	10	69	ا ص
Nuwara Eliya		1,144	090 721	696 696	- 4		- ന	 	- 4	5 502	2 266	365 236	343 884	180 440	163 444	45	27 10	18	<u> </u>	- <u>-</u>		<u>- 10</u>	1
Northern.																			<u> </u>				
Mannar Mannar		237	120	117		 	1	ا ح	 	N .		1	3,276	1,646 78	1,629 76	34	19 41	15 41		÷	$\frac{1}{1}$		
	•		2	N. R]	· . 	}		 			×			10	23	0	14	<u> </u>	• <u> </u>	, , ,		
	:	2,556		1,278		, 		80	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	5 2,46		Π		10	12	54	30	24	3			، 	
Matara Hambantota	::	2,316 1,285	1,186 682	1,130		· · 	 	ا ت	ا م <u>ہ</u>	$\begin{array}{c c} 4 & 2,223 \\ - & 1,241 \end{array}$	3 1,146	1,077	25	13	310	61	25	98 901	12-12	- m	- विवि		<u></u>
Eastern.								÷								· .						·	, . 7 . ,
Davocaloa Trincomalee	::	1,045 300	809	736	11	<u> </u>	11	4	6 69	11 80	82 42 10 5	40 010	820 191	436	384 93	631	325 39	306 38		6	11	-	_ oc
North-Western.					 .	•									<u> </u>								
Kurunegala Puttalam		3,289 269	1,642	1,647 116		<u></u> 		<u>ا 'ت</u>	. - 10	3 3,061	1 1,526 8 63	1,535	75 54	. 40	35 29	145	72	73		014		<u>-</u>	1
Chilaw	:	757	385	372		·	1	4	। च	- 67					30	25	12	In c	ົຕີ	1 70 H		• ۱ 	ເມ ຊີ່:
North-Central.	Ŷ.		006	006					<u> </u>	1 1				4							_		
emdennemue.			200	220			r I	/ 1	 	-	nne	1/2	nq		17	8	25	31	 	 1	}	-	4
va. Badulla	:	1,947	941	1,006	ŝ	63		<u>.</u>	21	1 1,370	699 0	101	500	236	264	54	24	30	DI.	4		12	4
Sabaragamuwa.		1						· · · - · ·		in terms to se						i	<u> </u>						
Katnapura		1,546	804	1.069	, 	1	17	<u> </u>		1 1,305	673	632	218	117	101	19	11	8	 	'		67	। देवे

(21)

۰.

.)

(22)

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the Third Quarter of 1908.

					JUI	Y.		0					AUG	UST.						, s	EPTE	MBER.		
Province and Di	strict.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays,	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.
CE	VLON	9035	9	58 	5718	2587	588	42	38 —	9087	14	48	5740	2690	543	27	25	9100	9	49	5668	2547	551	393
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	··· ··· •··	$2111 \\ 1798 \\ 651 \\ 1381 \\ 400 \\ 937 \\ 176 \\ 580 \\ 1001 \\ -$	8 1	4	4 1289 26 787 136	838 619 33 204 75 28 187	159 60 26 53 157 69 10 26 28	23 7 3 5 2 2	$23 \\ 2 \\ 1 \\ 4 \\ 2 \\ 2 \\ 1 \\ 1 \\ -$	$2108 \\ 1659 \\ 677 \\ 1488 \\ 416 \\ 954 \\ 194 \\ 580 \\ 1011 $		4	1588 810 1412 16 759 150 392 612	297 772 655 31 259 113 20 164 379	154 64 20 38 131 77 22 18 19	4 1- 2- 3 1- 1	4	1966 1916 642 1478 427 969 177 630 895	9	5 1	1445 861 6 1407 14 762 134 439 600	768 612 16 255 137 26 166	74 23 49 144 62 16	4 4 5
Western. Colombo Negombo Kalutara	•••	1355 230 . 526	8	42 1	975 186 393	35	98 9 52	23	22 1	1310 252 546	112 		968 213 407	183 33 81	92 5- 57-	- -	4] 1	1221 216 529 -	93	3.	858 175 412	180 38 76	100 3 41	21 20
Central. Kandy Matale Nuwara Eliya	• • • • • •	1058 360 380	1	3 1	583 179 124	412 174 252	50 7 3	7	2	949 358- 352-	_ -	-	501 186 123	393 154 225	44 18 - 2	3 1 -	4	964 - 351 - 401 -			526 193 142	377 141 250	50 15 9	4 3
Northern. Jaffna Mannar Mullaittivu	 	534 73 44			2 2	526 57 36	5 16 5		1	563 62 52	 		-	$558 \\ 46 \\ 51$	4 16-	1		556 - 43 - 43 -	 	-	6	550 29 33	6 14 3	
Southern. Galle Matara Hambantota	 	567 470 344		1 1	510 445 334	20 8 5	35 15 3	1 - 1 - 1		660 - 497 - 331 -	_	1	619 473 320	14 14 3	24 - 8 6	1- 1-		613 555 310-		-	571 539 297	9 6 1	31 9 9	1
Eastern. Batticaloa Trincomalee	- ··	298 102		4	22 4	$\begin{array}{c} 141 \\ 63 \end{array}$	129 28	14	1 3	326- 90-		5 1	15 1	200 59	106 25	3	1	351- 76-		5	12 2	208 47	125 19	- 1 4 3
North-Western. Kurunegala Puttalam Chilaw	 	752 71 114		1 1	658 30 99	49 17 9	42 22 5	2-	2	720 118 116	- -	1	642 33 84	38 51 。24	39 - 34 - 4			762 - 89 - 118 -		-	640 31' 91	88 29 20	30 26 6-	4 1 2
North-Central. Anuradhapura	••	176			136	, 28	10-	_ .	2	194-		_	150	- 20	22	1	1	177 -		-	134	26	16-	_ 1
Uva. Badulla		580		2	361	187	26	2	2	580-	_ -		392	164	18	2	4	630-	- -	-	439	166	18-	7
Sabaragamuwa. Ratnapura Kegalla		517 484			[•] 362 308		2 26		1	448 - 563 -		1	293 319	149 230	5- 14-			445- 450-	, _ _		324 276	117 156	4- 17-	

.

•

.

Table X.--Causes of Deaths Registered in Ceylon and in each Province and District during the Third Quarter of 1908.

.

:

Megombo. Colombo. CEXLON.
27023 3886 698 1601 2972 1069
$\begin{array}{c} 106551189\\ 1329215\\ 122\\ 122\\ 19\\ 3315\\ 706\\ 121\\ 3315\\ 706\\ 121\\ 229\\ 28\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 213\\ 7975\\ 1249\\ 127\\ 127\\ 127\\ 127\\ 127\\ 127\\ 127\\ 127$
204 680 18 18
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
19 1 706 121 3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
580 50 18 <u>-</u>

۱

(23)

Table X.--Causes of Deaths, &c.--continued.

.

		OBATON' CTARS OF DRATH. CAUSE OF	9 Organs of Locomotion	::::	VIII. 111-defined and not specified causes	Miaematic Disease. Smallpox Chickenpox Chickenpox Measles Whooping Cough Whooping Cough Oniphenerspinal Fever Simple and ill-defined Fever Enteric Faver Beri-beri	Diarrhosa Diseases. Diarrhosa Diseases. Diseas	Malarial Diseases. Ague Malarial Cachexia 21 Malarial Cachexia 22	Zoogenoue Discases. Hydrophobia	Venereal Diseases.
Rousses.		1	1	361 41 59	2262 2			192 10 269		28
Routings: Routings: <throutings:< th=""> <throutings:< th=""> <thr< td=""><td>WE8. PROV</td><td></td><td>1</td><td>• •</td><td></td><td></td><td>·· ··</td><td></td><td> </td><td>- 0</td></thr<></throutings:<></throutings:<>	WE8. PROV		1	• •			·· ··		 	- 0
Routings: Routings: <throutings:< th=""> <throutings:< th=""> <thr< td=""><td>TEEN TINGE.</td><td></td><td>{ '</td><td></td><td>30</td><td></td><td></td><td></td><td> 1</td><td></td></thr<></throutings:<></throutings:<>	TEEN TINGE.		{ '		30				 1	
Strendstate Note:		<u></u>		6341-1						<u> </u>
Bourtanda Buttan	PROF		<u>۱</u>	1					 	
Recentances Reconstants	BAL ROE		66	1		8 1 8 A CU				
Волганая потолования Волганая потолования Маллантис. Маллантис. Полганая потолования Волганая потолования Потолования Потолования Маллантис. Полганая потолования Потолования Потолования Потолования Потолования Потолования Потолования Потолован		1		1			1.	I		
Boorrands Backman Multistrature Diagrams	NIAON.						!			
Boundance Particulation Diametric provided and the	GB.					11111111111	1	1		1
Trutteres Reserves Nationalises Distance Annonalises Provisions	<u>कॅ</u> ट्र	Galle.						I	<u> </u>	}
Backmann Backmann Hammanfolde Partness Norrer Partness NC. Uve and the mannel of a structure and the mannel of a	DALYOR	Matara.		1						
Bargerskie Normalise Party Pary Party and the second of the second o		.stotasdasH		1				}		ۍ
Normer Wastrank NG. Urs Continent. Norme State Monte Wastrank Norme State Monte Wastrank Distance Monte State Monte	EAST PROV	Batticaloa.					1	1		
NC. Uve Construct Distribution Manuadbapura Anumadbapura Parov Percover Parovinona Distribution Manuadbapura Anumadbapura Converterion Distribution Distribution Manuadbapura Manuadbapura Distribution Distribution Distribution Manuadbapura Manuadbapura Distribution Distribution Distribution Manuadbapura Manuadbapura Distruction Distruction Distribution Manuadbapura Manuadbapura Distruction Distruction Distruction Distruction Distruction Distruction Distruction Distruction Distruction Distruction <thdistruction< th=""> Distr</thdistruction<>		Trincomalee.	1				15		11	
NC. Uve Constraints Anumadbapura. Anumadbapura. Anumadbapura. Parov Perov Parovinous. Backulla. Anumadbapura. Anumadbapura. Convertered Signature Signature Anumadbapura. Anumadbapura. Convertered Signature	ORTH- PRO	Kurunegala.	450	300	182	3358	187 23	23		1
NC. Uve Distribution Distribution Manuadbapure, Manuadbapure,<	WEST VINOE	Puttalam.	00	8	25		· 57 · · ·	13	·	
Plantagura, Provinva, Provina, Provina, Provinva, Provinva, Provinva, Provinva, Provinva, Pro	PN	Chilaw.	53		19		100 B		- <u></u>	
Plantagura, Provinva, Provina, Provina, Provinva, Provinva, Provinva, Provinva, Provinva, Pro	C. C.		· ³							
DBAARB AMONG ALL Europeaus. DBAARB	AA VOS		. I	1 1				· · · · ·		- 61
DRATER Med. L Europeaus. DRATER Maximum viewart Europeaus. Europeaus. Drater 10 10 10 1246 Europeaus. 1 1 10 10 10 1246 Europeaus. Europeaus. 1 1 1 10 10 10 1246 Europeaus. Europeaus. 1 1 1 10	SABARJW. RAMUW. ROVING	·								i
DBATHS ARONG ALL BURGHER. DBATHS ARONG ARONG ALL BURGHER. DBATHS ARONG ARONG ARONG ARONG ARONG ARONG	. न मं	לאימל י		<u>,</u>	99		1000	।। 		 - ম
Arness Arova All Acoustic and All Acoust	DE		1					<u> </u>	i	
1 1 <td>ATES A</td> <td>Sinhalese.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>~ ~</td> <td></td> <td></td>	ATES A	Sinhalese.						~ ~		
1 1 <td>BNOW</td> <td></td> <td></td> <td>394 394 1</td> <td>31 10</td> <td>19 - 11</td> <td>11</td> <td>-</td> <td>-4</td> <td></td>	BNOW			394 394 1	31 10	19 - 11	11	-	- 4	
	ALL			13.33				I I		- 91
	AOES.		 	 		<u>6 8 99 99 99 99 99 99 99 99 99 99 99 99 9</u>	<u>, 1</u>			
		Others.		<u> </u>			1-			

Gonorrhœs, Stricture of Urethra

,

(24)

.

Paraeitic Disease. 238 2 21 1 65 10 13	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Distriction Distriction n, want of Breast Milk 119 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <td< td=""><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td></td<>	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Constitutional Disease. $Constitutional Disease. Constitutional Disease. Constitutiona Disease. Constitutiona D$	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 3 5 1 6 4 1 1 1
Nervous System. 37 15 $ 2$ 1 11 $ -$	8 5 8 3 1 16 0 29 - 6
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

X.--Causes of Deaths, &c. -- continued.

• •

~

11-1=1 осретв. 111 111111 1 ١٢ **FEELEE** 1111 111 AAIAY8. DEATHS AMONG ALL RACES. 15 | | 4 | 0 | | | 2 58 101 11 1 l 1 '8100TØ 34 3008122 8008122 <u>13 00 13</u> 10 00 11 66 14 ł t ţ ١ 11 ١ ł 1 .slimsT 52 245 245 101 57 643 20 - 10 10 18 200 111 1 111 11 i 11 .essisdai2 1 "1 ١ 111111 11 1111 1111 111 11 Burghers, 111101 ł 1 1 1 1111111 1111111111111111 Burseqowid 181 21 113 NORTH-WESTERN N.-C. UVA FROVINGE PROVINCE. PROVPROV GT SANDA. T 11.111 11 111 I 1111 111 Кеgalla. 1045 ¢1 1111 L I 111 111 1 | | | | .stugantaß 1 I 0 4 6 143 1111 11 111 111 .sllubs8 81 11 11 1 1 1 1 1 1111 111 ļ 11 .augadbauna. 2 5-01 27 111 { | } ł .walidO , <u>1, 1</u> 14 11 111 +++++11 11111111111 .malatiu T 1 1 01 60 - Cl Cl 193 **-**++ 1 1 1 1 1 11 EASTERN PROVINCE. 42 111111 111 11111111 ł 111111 Trincomalee. 1481 ····· 24 1111 ł ||**-** | 111 Batticaloa. Į 11111 111 111 11 1 11 l .etotasdmsE SOUTHERN PROVINCE. 3 - 6 4 1111 ł ł 1 1 1 1 1 1 1 1 1 1111111 ļ 11 .arstaM 26-12 11 111 Galle. 111 11151 111 111111111 111 ł Mullaltivu. NORTHBRN PROVINCE. | | | | [∞] 23 } 1 111 1111111111 1 1 1 1 1 1 1 1 111 JAGRAM. 101 111 15083 5 12 111 11 111111 111 111 .eafte. 66 51 ł 11 1111 11 111111111 1 111 ичага ЕЦУа. 1 CENTRAL PROVINCIA. 45 10 ľ, 161 111 11111 \mathbf{H} I 1 111 111 11l 1 Matale. 1 18 123 1191 $\frac{1}{127}$ 11 11111 11 111 1 1 L .vbnsX 16 11 8 31 E1 111 111 ł 11 1 1 1 1 1 .erstuleX WESTERN PROVINCE. 1201 11111111 11 11 111 I 1111111111 Negombo. ł 49 1 101 73 - <u>9</u> 0 9 1111 1 1 1 1 -1 11 111 .odmoloQ 113 769 177 65 982 120112 15 1 25 37 | CETLON. 11 l ł : : : ,:::::::: : Organs of Special Sense. Conjunctivitis and other diseases of Eye Otitis and other Diseases of Ear Epistaxis and other diseases of Nose Debility Stricture or Strangulation of Intestine Intussusception of Intestine Respiratory System. : CAUSES OF DEATH. **Oirculatory** System Digesitve System : : : lieus, Obstruction of Intestine Ulceration of Intestines Diseases of Stomach : Dyspepsia . Hæmatemesis Quinsy Sore Throat Croup Bronchitis Asthma Preumonia Pleurisy Other and System Laryngitis Stomatitis Dentition Enteritis Melæna

Hernia Fistula Appendicitis Peritonitis Astitas Astitas Gallstones Cirrhosis of Liver Other diseases of Liver Other and undefined System	Diseases of Lymphatic System and Ductless Glands. Diseases of the Lymphatic System Diseases of Spleen Nephritis Nephritis Urama Suppression of Urino Hæmatura Diseases of Bladder Ot her and undefined diseases of Urinary System	Diseases of Organs of Generatio Ovarian Diseases Diseases of Uterus and Vagina Disorders of Menstruation Pelvic Abscess Perineal Abscess Diseases of Testes, Penis, Scrotum, &c.	Diseases of Parturition. Abortion, Miscarriage Puerperal Mania Puerperal Convulsions Placenta Prævia, Flooding Phegmasia Dolens Other and undefined accidents of childbirth	Diseases of Organs of Locomotion. Cies, Neorosis	Discases of Inte Carbuncle Phlegmon, Cellulitis Lupus Ulcer, Bed sore
	of Lymphatic System and Ductless the Lymphatic System Spleen Discases of Urinary System essee t of Urino Bladder Bladder	Diseases of Organs of Generation. Diseases of Uterus and Vagina	urturition.	Diseases of Organs of Locomotion. rosis Ostitis, Periostitis I undefined diseases of Organs of Loco	Diseases of Integumentary System.
17 132 17 17 17 17 17 17 17 17 17 17 17 17 17		400- 0	264 66	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	81 10.5
15 15 10			8 38 7		- 4 , 6
3 11 2			1 ¹ 1 1	1111	
			10 54 °		
- 4 m - 2 =	- +6 0		33 33 1 ¹ 8 33	-	
					111
21 10 10 10 10 10 10 10 10 10 10 10 10 10		 		 	
		<u>+ </u>		<u> </u> <u> </u>	
				<u> </u>	<u> </u>
		11111			
		11111		.	
		11111		111.	
	11 1111	11111	22	11,1	1111
	1 1 1 1		25 25		
		1 8 11	33 %		
		1111	22		
21 53 8 11 23 6	1000 10 m	 ماني الم	201 226		10 61
10 13 13 10 10 10 10 10 10 10 10 10 10 10 10 10	8.8 ²		4 8 2 2		
			² ⁹ ¹	• • • •	1 1
					<u> </u>
				1 1	

(27)

	CAUSES OF DEATH.	Eczema Eczema Pemphigus Other and undefined diseases of Interumentary	System	Accident or Negligence. Fractures, Contusions Gunshot wounds Uut, Stab Burn, Scald Poison Proison Suffocation Suffocation Otherwise	Homicide Murder, Manslaughter	Suicide. Gunshot wounds Cut, stab Poison Drowning Hanging Otherwise	Execution.	III-defined and not specified Causes. General Dropsy Debility Sudden deaths (causes unascertained) Abscess Abscess Hamorrhage Hamorrhage Other ill-defined and not specified causes
		terumentary				::::::	•	цизев.
	Свугои.		1630	164 231-0 232-0 20-0 20	41	ar 20 10 10 20	4	636 1318 2 277 2 4 1 24
PRO	Colombo.		108	<u>20050000</u>	9	1 0 - 0 0	. m	141 20 5
WESTERN PROVINCE.	Уеgombo.		100					8 30
	Kalutara. Kandu		28	<u>6 - 76 % 92 </u>	় ৰ	+		1 4 5 2 5 8
CENTRAL PROVINCE.	Kandy. Matale.	·	229 9	<u>40 000 014</u>			ا چ	81 35 2225 566 54 28 35 54 28 35 35 35 35 35 35 35 35 35 35 35 35 35
RAL -	Nuwara Eliya.	<u> </u>	38	⁻				6 225 6 225 1
×4	.suftat.	<u> </u>	5 129				1	
NORTHERN Province.	Маплаг.	11	0.		1		1	r-4
B.N. 18.	Mullsittvu.	11	П			11111		·
Sot PB0	Galle.	11	20	5 T C T T T T T T T T T T T T T T T T T	7		· · · · · · · · · · · · · · · · · · ·	33
SOUTHERN PROVINCE.	.втазаВМ	7	61	2 1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
	.atotnadanaH		2					<u> </u>
EASTERN Province.	Batticaloa.		167		···· · · · · · · · · · · · · · · · · ·		 	
	Trincomalee. Kurunegala.		14 4		 I		 	
RTH-WESTR PROVINOE.	Puttalam.		449		ا ت	<u> </u>	·]	
NORTH-WESTERN PROVINCE.	.walia0		8 21		<u> </u>			
NNC. Prov	AnutedbaunA.	11	1 68		1			
UVA Prov	.alinbaI	11	5		1	1 010	, 1	$\begin{array}{c} 16\\120\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-\\-$
SABARA- GAMUWA PROVINCE.	.aruqantaH	11.	58					266 145 1 1 1 1
UWA UWA INOIE.	Kegalla.		128	8 1 1 8 18	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1		· 2 19 65
	. Ецгореала.		·].	¢1	 			
DEATHS AMONG	Burghers.	· 					I	
B AMO	.9a9ladnig		1228	123 123 123 123 123 123 123 123 123 123	34	8000004		2301.81
I ALI	.alimaT		243	**************************************	<u>ന</u>			259
ALL RACES.	M0078.		156					111 12 22 22
, si	Malays.							<u></u>
1.	Others.	1 11		~ ~ ~ ~ ~ ~ ~ ~ ~ ~	ľ		,	, e , , , e

X.--Causes of Deaths, &c. -- continued.

÷

(28)

•

•

Table XI.—Causes of Deaths Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces and in the Colombo and Kalutara Districts of the Western Province, during the Third Quarter of 1908.

	olomno anu kai		21001				l Pro	vince	•	Ē. (vince	s	Provi: abarag			Ŵ	Vestern	Pro	vince.
Car	uses of Death.	~			andy.	Mo	tale.		uwara		va. Iulla.	Rat	napura	a. E	Cegalla.	Col	lombo.	Ka	lutara.
			eylon.		-				liya.	-			380 ·					:	
ALL CAUSES	••	3	,904	1	,036	4	132	••-	724	•••	143	••-		•••-		··-		-	
T G 'C	. Tabaila on Zurra	otio								•				•					
I.—Specifi disea	c, Febrile, or Zym		1,798		438	!	2 3 6	••	281	••	206	••	162	••	316	••	71	••	88 .
II.—Parasi		•	255	••	81	••	21	••	17	••	22 1	••	68	••	23 9	••	1	••	22 1
III.—Dieteti		•	38	••	$13 \\ 26$	••	5 17	••	9 16	••	10	••	11	•••	6	•••	18	••	9
	tutional diseases pmental diseases	• •	113 136	••	20 59	••	14	•••	25	••	ĩĩ		4	••	15	• •	3	••	5
VI.—Local		<u>.</u> :	789		257		71	••	159	••	97	••	48	• •	87	••	25	••	45 4
VII.—Violen	ce	••	37	••	6	••	4	••	8	••	4	••	2	••	8	••	1	••	*
	ined and not speci		738		156		64		209		9 2		85		70		21	••	41
caus	es	••	100	••	100	••	•	••											
Miasmatic dise	I. 8365		186		42		48		13		54	••	6	•••	12	••	2	••	9
	lo.		1,422	••	372	••	128	••	246	••	137	••	34	••	270	••	67	••	68 11
Malarial (ło.	••	149	••	13	••	55	••	14	••	12	••	17	••	27	••		••	
	lo.	••	12	••	5	••	1	••	3		_	•••			2		1	••	· ·
	lo. lo.	••	29	•••	.6	••	4		5		3		5	••	5	••	1	••	
Septic d	II.														- - '		-		~-
Parasitic diseas		••	255	••	81	••	21		17	••	2 2	••	68	••	23	••	1	••	22
	III.						۲		9		1				9				1
Dietetic disease		••	38	••	13	••	۰5	••	ษ	••	1	••		••					
Constitutional	IV. diseases	••	113	••	26	••	17	••	16	••	10	••	11	••	6	••	18	••	9
Developmental	V.	•	136		59		14	••	25	••	11		4		15	••	3	••	5
Developmenta	VI.	••	100	••		••				-		۱							•
Diseases of—															0.5		e		20
Nervous sys	tem	••	272	••	76	••	40	••	53	••	23	••	17	••	37	••	6	••	20
Organs of sp	ocial sense	••	2	••	1	••	2	••	$\frac{1}{2}$	••	2		2	•••	3	•••	2	••	3
Circulatory		••	26 336	••	10 116	••	16	••	70	••	61		17		60	•••	9		17
Respiratory Digestive sy		•••	64	••	26		5		19		3	••	4		. 1	••	5	••	1
Lymphatic	system and duc	tless						•							,				
glands	••	••	1			••		••		••		••	1	••	1	••		••	
Urinary sys		••	13	••	9	••		••	1	••	1	••	1	••		••		••	
Reproductiv	ans of generation		_			••			_			••		••		••		••	_
(b) Par	turition	••	61	••	16	••	7	••	9	••	7	••	6	••	12	••		••	4
Organs of L	ocomotion	••	1	••	1 2	••		••	4	••		••	1	••	2	••	3	•••	_
Integument	• •	••	13	••	z	••	1	· ••	Ŧ	••	—	••	•						
	VII.		90		5		4		7		4		1		5				4
Accident or ne Homicide	u •	••	30 2	••		•••	-		<u> </u>		_		_		2	••	—	••	
Suicide	••	••	5		1	•••		••	1	••			1	••	. 1	••	1	••	
Execution	5.	••	_	••		••		••	. 	••		••	••	••		••		•;	
\$	VIII.							·	~~~		00		or		70	•	21	•	41
	not specified cause	əs	738	••	156	••	64	••	209	••	92	••	85	••	70	••	21	•	-21
Mias	matic Diseases.																		•
Smallpox	••	••	4	••	1	••	2	••		••		••	_	• •	1	••		••	1
Chickenpox	•• •	••	3 5	••	1	••	2	••		••	1	•••	_	•••	,	••			1
Measles Whooping Cou	igh	••	1	••		••		• • •	_		_			•		••		••	1
Diphtheria	••	•••				••	_			••	_	••		•		••	_	••	·
Cerebro-spinal	Fever	• •		••		••		•••		••	49	• •		•	9	••	2	••	5
Simple and ill	-defined Fever	••	142 10	••	27 4		41 3	•••	-	••	49 1	•••	4	•	. 1	•		•••	<u> </u>
Enteric Fever Influenza	••	••	20		4 8	•••		•••	6	••	3	• •	î		. i	••		••	1
	rhæal Diseases.	••			-														
Cholera		••		••		••		••	. —	••		• •		•	•	••		••	
Diarrhœa	••	••	864	••	196	••	78 50	••	140 106	••	85 52	• •	81 53	•	. <u>194</u> . 76	••	$52 \\ 15$	••	38 30
Dysentery	••	••	558	••	176	••	90	••	100	••	02	• •	. 00	•	. 10	••	10	••	50
	arial Diseases.		18	、	5		2	-	1		4		4		. 1		_		1
Remittent Fe	ver	••	18	••	1	••	_		1	•••	- 2	•••		:	. 2	••		•••	<u> </u>
Ague Malarial Cach	exia.	•••	129	••	- 7	••	53				- 2 6		. 13	:				••	10
	nous Diseases.																		
Hydrophobia	••			••	—	••	-	••		••		•		•		••		••	
Cowpox and c	other effects of Vac	cina-					_												
tion	••	••		••		••		••		••		• •	,	•	•	••		••	
	ereal Diseases.								-						-				
Syphilis Conombone	tricture of Thethre	••	10	••	5	••		•••	3	••		•	· · · · ·	•	. 2	••		••	
Gonorrhœa, s	tricture of Urethra	•••	. 2	••		••	1	••		••		•	• -	•	. —	••	, I	••	

.

(30)

Table XI.-Causes of Deaths Registered on Estates, &c.-continued.

								_			Prov			Prov	ince o	of			
	Causes of Death.		(inde	_			ntral	· · · ·			Π	of va.		abara	gamu	wa.			n Province.
	Septic Diseaess.		Ceylo	11a -	Kan	u y.	Mate	16.	Elly	18. 18.	Badu	la.	Ratne	ipura,	Kega	lla.	Colom	b o .	Kalutara.
	Phagedæna	••	1				1		_		_								
	Erysipelas	••	4	••	3		_		_		_	•••	_	••	1	••		••	
	Pyæmia, Septicæmia Puerperal Fever	••	.9	••	1	••	1	••	2	•••	1		1		2	•••	1	•••	_
	Parasitic Diseases.	••	15	••	2	••	2	••	3	۰.	2	••	4	••	2	•••			
	Worms (animal)		24		10														
	Dochmius Duodenalis	••	231^{24}	••	10 71	••	4 17	••	2	••	3	••	1	••	3	••	1	••	-
	Dietetic Diseases.	•••	201	••	11	••	17	••	15	••	19	••	67	•••	20	••		••	22
	Starvation, want of breast-milk		37		13		4		9 `		,				•				
	Intemperance, Chronic Alcholism	••	i	••			ī		-	•••	1	••		••	9	••	_	••	L
	Intemperance, Delirium Tremens	••		••		••	_	••	_							••	_	•••	
	Constitutional Diseases.																	••	
	Rheumatism Rickets	••	7	••	5	••		••	1	••		••		•••		••			1
	Cancer		'8 4	••	2 1	••	1	••	_	••	2	••	1	••		••	1	••	1
	Tabes Mesenterica		$\overline{2}$	••	_	••		••	$\frac{2}{2}$	••	_	••		••	<u> </u>	••		••	<u>·</u>
	Tubercular Meningitis (hyd	ro-						••	-	••	_	••		••		•••		••	
	cephalus) Phthisis	••		••	-	••	_	••	—	••	_			••					
	Other forms of Tuberculo	··· naia	37	••	6	••	3	••	6	••	3	••	2	••	5	••	5		7
	Scrofula						_	;	_										
	Anæmia, Chlorosis, Loucocythæn	mia	54	•••	12	•••	12		5	•••	4	••		••		••	10	••	
•	Diabetes Mellitus	••	1	••		••		••	—	••	ī		_	•••		••	12	••	
	Parangi	••		••		••		••		••	—	••		••		•••		•••	_
	Developmental Diseases.	••	-	••		••		••		••	—	••	·	••		••	—	·.	
	Premature Birth		43		07		0		_		_								
	Imperforate Anus			••	27	•••	3	••	5	••	3	••		••	3	••		••	2
	Old age	••	93	•••	32		11	•••	.20	••	8	••	4	••	12	••	3	••	
	Nervous System.							••	.=•	••	0	••	4	••	12	••	ð	••	3
·	Inflammation of Brain or its Me	m-																	
	branes Apoplexy	••	6	••	1	••	1	••	1	••	1	••		••	_		2		
	Paralysis	••	8 6	••	_	••	1	••		••		••	-	••	1	•••	_		1
	Epilepsy	••	29	••	2 3	•••	10	••	•	••	1	••		••	-	••		••	
	Convulsions		3		ĭ		ĩ	••	1	••	7	••	2	••	4	••	1	••	
	Infantile Convulsions	••	210	•••	68	••	25		38	••	14	••	15	•••	30	•••	3	••	17
	Collapse Tetanus	• •		••		••	—	••		••			<u> </u>		_		_	••	<u> </u>
	Paraplegia, diseases of the Spir	nal	7	••	1	••	1	••	1	••		••	-	••	2	••		••	2
	Cord	• •	-1				_		1										
	Other and undefined diseases	of	k1			••		••		••	_	••		• •	-	••	_	••	
	Brain or Nervous System	••	12	••		••	1	••	1	••		••	-	••					
	Organs of Special Sense.		•															••	
	Otitis and other diseases of Ear Epistaxis and other diseases of No	•••	I	••	I	••		••	_	••	-	••	_	••	_	••			_
		80	1	••		••	—	••	I	••		••		••		•••		••	
	Circulatory System. Pericarditis		2				ð												
	Valve disease of heart	••	2 5	••	3	••	_	••	-	••	1	••	1	••	_	••		••	
	Hypertrophy of heart		ĭ	•••	_		ī		_	••	_	••		••	2	••、	-	••	-
	Anginapectoris, Syncope	••		••		••	-	••	- ,	•••	_	•••		•••	_	••	_	•••	
	Embolism, Thrombosis Other and undefined diseases of Her	•••	-	••		••		••		••	-	••				••		••	_
	or Circulatory System	art 	18		7		1		•										
	Respiratory System.	••	-0	••	1	••	1	••	2	•	1	••	1	••	1.	••	2	••	3
3	Laryngitis	••	_		_	••	_		_		_		_						
	Croup	••	2	••	1	••	_	••	1	•••		••	_	•••		••		••	
'	Bronchitis Asthma	••	62	••	29	••	4	••	0		8	•••	5	•••	7	•••	_	••	1
	Pneumonia	••	10 254	••	5 78	••	11	••	-	••	3	••	1	••		••		••	1
	Pleurisy	:.	204 2	••	78 1	•••	<u>11</u>	••	60	••	48 1	••	10	•••	23	••	9	••	15
		of			-	••	-	••		• •	T	••	_	•• •		••	— .	••	
	Respiratory System	••	6	••	2	••	1	••	1.	•	1	•••	1	••					
	Digestive System. Stomatitis															·			
	Quinsy	••	1 2	••	-	••	1.	••	-	••		••		•••		•••			-
	Sore Throat		_	•••	1	••	_	••	1	••	-	••		••	— .	••		••	
	Dyspepsia	••		•••	<u> </u>	•••	_	••		• •	_	••	_	••		••	-	••	_
	Hæmatemesis Melæna	••	-	••	-	••		••		•		••	_	•••	_ :	••		•• •	_
	Diseases of Stomach	••	_	••	-	••		••	— .	•	-	••		••••		••			_
	Enteritis	•••	īī	••	7	••		••	-	•	_	••	—	••••	.	••			- .
	Ulceration of Intestines	•••	1	•••	<u> </u>	•••	1	••	4.	•		••		•• •		• •		•	<u> </u>
•	Ileus, Obstruction of Intestine Debility	••	9	••	4	••		••	4		1	••		•••	_ '	••		••	_
		n		••	-	••	-	••	,	•	_	••	_	••		••	_ :		_
	testine	ш- а.	_	••					_								•	-	
	Intussusception of Intestine	••		•••		•••	_	••		•		••	_	•••••		••		••	-
	Hornia	••		••	'	••		••			_	•••	_	•••		••		•	<u> </u>
												-				••		•	

(31)

Table XI.-Causes of Deaths Registered on Estates, &c.-continued.

-

.

						Cen	tral P	rovin	08.		Provir	100	. F Sab	Tovin	oe of muwa.	,	West	m P	rovince.
Causes	of Death.		Ceylo	а.	Kand		Mata		Nuwa	na j	of Uv	78	Ratna						Kalutara
Peritonitis			6		2		2		Eliya 2								_	•••	_
Ascites	••		10	••	3	• •		••	2	••		••	_	• •	—	••	5	••	-
Cirrhosis of Liver			8	••	3	••	1	••	1 2	••		••	2 1	••	1	••	—	••	1
Other diseases of Other and und		of	7	••	3	• •	_	••	2	• •		••	T	••	1	••		••	
Digestive Syste		•••	9	••	3	••		••	3	••	2	••	1	••	-	• •	-	•••	-
Diseases of Lyr and Ductle	ess Glands.												١						
Diseases of the Diseases of Splee	Lymphatic Sys	tem •••	1	•••		••	- -	••	_	••	_	••	_	••	1	•••	_	••	
Diseases of U	Irinary System.					-													
Nephritis		••	1	• •	1	••	—	••		••	_	••	-	••		••		••	—
Bright's Disease	• •	••	9	••	6	••	—	••	1	••	1	••	-	••	1	••	-	••	
Suppression of U Diseases of Blade		••	1	••	_	•••	_	••	_	••		••	1	••	_	••	_	••	
Other and und		of	1	••		••		•••		••		••	•	••		••		••	
Urinary Syster		••	2	••	2	••		••	_			••		••	_ .	••		••	
Diseases of Org	ans of Generation	n.			•								·						
Diseases of Uteru		••		••		••	_			••		••	-	••		••		••	·
Disorders of Men Diseases of Te		 20-	_	••		••		••		••	_	••	_	• •		••		••	
tum, &c.	···	••	—	••		••	-	••	-	••	. –	••	<u> </u>		-	••		••	
-	Parturition.		-		_						-								
Abortion, Miscar		••	3	••	1	••		••		••	1	••	—	••		••	<u> </u>	••	1
Puerperal Mania Puerperal Convu		••	17	••		••	<u> </u>	••	3	•••	1	••	4	••	3	••		•••	1
Placenta prævia,	flooding						-		_		_		_		_				
Other and unde	fined accidents	of					_		~		_		•		•				
Childbirth	••	••	41	••	10	• •	7	••	6	••	5	••	2	••	A	••		••	2
Diseases of Org	ans of Loc omo tion	3.																	,
Cies, Necrosis		•••	1	••	1	••		••	_	••				••		••	******	••	'
Other and und Organs of Loco		of																	
0		••	—	••	_	••		••	—	••			-	••		••		••	
•	egumentary System	m.																	
Carbuncle		••		••		••	—	••		••		••	•—	••		••		••	
Phlegmon, Cellul Ulcer, Bed sore		••	3 7	•••	1	••	1	••	3	••	_	••	<u> </u>	••	2	••	1	••	_
Eczema	••	••	_	•,•				••		••	-	•••	_	••	_	••	·	••	—
Other and und Integumentary		of	9		1												•		
megamentary	System	••	3	••	1	••		••		••	n <u> </u>	••		••		••	. 2	••	_
	r Negligence.																•		
Fractures, Contu	sions	••	8	••	1	••	1	••	3	••	-	••		••	2	••		••	1
Gunshot wounds Burn, scald	••	••	3 10	••	2	••		••		••	1	••	_	••	-	••		••	-
Poison	••		ž	•••	ĩ			•••	-	••	_	•••	1	•••	_			•••	_
Drowning	••	••	4	••	1	••	1	••	—	••		••	_	••	1	••	—	••	1
Suffocation Snake-bite	••	••	1	••		••		••	_	••		. • •	_	••	_	••	_	••	1
Otherwise	• •	••	2	••	_	•••		••	Ξ	••	_	••	_	••	1	••	_	••	1
				-								;			-				- ·
	nicide.		0																
Murder, Manslau		••	2	••	_	••		••	_	••		••	-	••	Z	••		••	
	icide.																		
Gunshot wounds	••	••		••		••	_	••	—	••	—	••		••		••	-	.:	—
Poison Drowning	• •	••	_	••		••		••	_	••	_	••	_	••		••	—	••	-
Hanging	••		-5	•••	1	••	_	••	ī	••	_	•••	ī	••	1	••	1	••	
Otherwise	••	••		••	—	••	—	••		••	—	••		••	_	••	_	••	—
i	Execution.								÷.,			,							
Hanging	••	••	—	••		••	_	••		••		••	, —	•••		••		••	<u> </u>
Ill-defined and n	ot specified Caus	es.																	
General Dropsy			113	••	22	<u>.</u> .	22	••	11		12		11		20 [`]		0		6 ·
Debility	••	•••	615	••	130	••	42	••	197	••	78	••	71	••	20 50	•••	$\frac{9}{12}$	••	35
Sudden deaths	(causes unas	cer-								ŕ									•-
tained) Abscess	••	••	5	••		••		••		••		••	—	••		k •	—	••	 ``
Tumour	••	••		••	2 	••	_	••	-	••		••	2	••				••	<u> </u>
Hæmorrhage	••			••		•••	_	••	<u> </u>	••		••		••		2		•••	
Other ill-defined causes			~		•						_		_	349 ⁴⁴	чт с У	٩.			- '
001202	••	••	5	••	2	••、	—	••		• •	2	•••	1	••			- •	-	

\$

•

				-		WA	RD.							NA	FIONAI	JFFY.	
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclu- sive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.
ALL CAUSES	1650	5	17	68	134	259	160	423		147	156	27					
I.—Specific, Febrile, or Zymotic Diseases II.—Parasitic Diseases III.—Distetic Diseases IV.—Constitutional Diseases V.—Developmental Diseases VI.—Cocal Diseases VI.—Violence VII.—Violence VII.—Ill-defined and not specified causes	431 56 19 239 92 670 37 106		2 2 1 1 1 1	11 2 8 1 38 2 6	31 4 22 4 67 1 5	44 7 9 33 22 133 4 7	44 2 1 25 10 66 1 11	153 23 60 61 132 19 30	54 6 9 47 24	40 7 19 10 46 1 24	50 5 23 14 51 3 10	10 	25 -1 15 5 40 2 8	235 30 9 111 52 329	82 18 2 55	52 7 3 41 13 120 4 24	12 2 7 8 24 2 2
I. Miasmatic Diseases Diarhœal do Malarial do Zoogenous do Venereal do Septic do	$ \begin{array}{r} 186 \\ 208 \\ 11 \\ \overline{} \\ 7 \\ 19 \\ 19 \\ \end{array} $			5 5 		18 21 4 - 1 1	29 12 	51 88 4 	26 22 2 2 2 2 2	$ \begin{array}{c} 23 \\ 16 \\ - \\ - \\ 1 \end{array} $	$20 \\ 28 \\ - \\ 1 \\ 1$	5 4 1 		$103 \\ 115 \\ 5 \\ -4 \\ 8$	$25 \\ 46 \\ 5 \\ -1 \\ 5 \\ 1 \\ 5 \\ -1 \\ -1$	28 20 	8 3
II.—Parasitic Diseases III.—Dietetic Diseases IV.—Constitutional Diseases V.—Developmental Diseases	56 19 239 92		2 1	2 8 1	_4 _22 _4	7 9 33 22	2 1 25 10	23 60 6	6 9 47 24	-7 -19 10	5 23 14	2 	 15 5	30 9 111 52	18 2 55 13	7 3 41 13	-2 7 8
VI. Diseases of Nervous System Do. Organs of Special Sense Do. Circulatory Sys- tem Do. Respiratory System Do. Digestive Sys- tem	238 — 28 275 66	1	3 1 6 	14 	24 2 29 2	49 2 71	31 24 3	16 	56 6 46 13	17 4 18 5	27 16 3	4 1 1 4	15 2 15 7	124 	43 5 60 7	38 6 58 8	9 — 3. 7 3
Do. Lymphatic Sys- tem and Duct- less Glands Do. Urinary System Do. Reproductive	1 29	_		-	5	-		1 14		-2	-2	-2	-1		1 5		-1
System :	4 19 2 8			2 		2 1	1 2 - 1	2 5 2 6	_2 					2 9 5	1 3 1 2	1 5 1	
VII. Accident or Negligence Homicide Suicide Execution	26 3 8	1 - -		2	1	3 1 		15 1 3 	2 1 2		1 2 2	_2 	2	14 2 3	5	_1 3	2
VIII. Ill-defined and not specified Causes Miasmatic Diseases.	106	_	1	6	5	7	11	30	12	24	10	ı	8	49	20	24	2
Smallpox Chickenpox Measles Whooping Cough	35 		1 	1	- -	3	15 1		_4 	7			2	15 1 2	6 1	9	3

· · · · · ·

(32)Table XI

• (33)

.

Table XII.—Causes of Deaths in the Colombo Municipality, &c.—continued.

CAUSES OF DEATH.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		 				 12		
Cerebero-spinal Fever .	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				81 	- 1 24 21 . . . 1 - 1 - 1 1			
Diarrhæal Diseases. 6 - - - 1 Diarrhæa . 139 - 2 6 Dysontery . 63 - - 3 9 Malarial Diseases. . 63 - - 3 9 Malarial Diseases. . - <t< td=""><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td></td><td></td><td></td><td></td><td>$\begin{array}{c} 24 \\ 21 \\ \\ \\ \\ \\$</td><td></td><td></td><td></td></t<>	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					$ \begin{array}{c} 24 \\ 21 \\ \\ \\ \\ \\ $			
Cholera 6 1 Diarrhœa 139 2 6 Dysontery 63 3 9 Malarial Diseases. 7 1 3 9 Malarial Cachexia 7 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					$ \begin{array}{c} 24 \\ 21 \\ \\ \\ \\ \\ $			
Remittent Fever $71 -Ague -Malarial Cachexia4 -Zoogenous Diseases.4 -Hydrophobia -Venereal Diseases.6 -Syphilis6 -Gonorrhœa, Stricture ofUrethra1 -Septic Diseases.3 -Phagedena2 1Erysiplas.2 -Puerperal Fever2 -Parasitic Diseases.20 -Worms (animal)36 24Dochmius Duodenalis20 -Dietetic Diseases.18 -Constitutional Diseases.1 -Rickots1 -Cancer1 -Tabes Mesenterica14 1-Tabes Mesenterica14 -$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	 1			4 2 1 3				
Hydrophobia - <	$ \begin{array}{c c} - & - & 1 \\ - & - & 3 \\ - & 2 & 3 \\ - & 1 & - \\ - & 7 & 2 & 3 \end{array} $	$\begin{vmatrix} 1 \\ - \\ - \\ 3 \\ - \\ 3 \\ - \\ - \\ 1 $	 1			4 2 1 3			 	
Venereal Diseases. Syphilis Gonorrhœa, Stricture of Urethra 1 - - Septic Diseases. Phagedæna 2 - - Septic Diseases. 2 - - 1 Phagedæna 2 - - 1 Erysipelas. 2 - - 1 2 Puerperal Føver 5 - 1 - - - Puerperal Føver 5 - 1 -	$ \begin{array}{c c} - & - & 1 \\ - & - & 3 \\ - & 2 & 3 \\ - & 1 & - \\ - & 7 & 2 & 3 \end{array} $	$\begin{vmatrix} 1 \\ - \\ - \\ 3 \\ - \\ 3 \\ - \\ - \\ 1 $	 1			1 3				
Syphilis 6 $ -$ Gonorrhœa, Strictureof 1 $ -$ Gonorrhœa, Strictureof 1 $ -$ Septic Diseases. 1 $ -$ Phagedæna 3 $ -$ Erysipelas 2 $ -$ Pyæmia, Septicæmia 9 $ -$ Puerperal Fever 5 $ 1$ $-$ Parasitic Diseases. $ -$ Worms (animal) $$ 36 $ 2$ Dochmius Duodenalis 20 $ -$ Dietetic Diseases. 18 $ -$ Starvation, want of breast- milk 18 $ -$ Constitutional Diseases. 1 $ -$ Rheumatism 4 $ 1$ 1 Cancer $$ 5 $ 1$ Tabes Mesenterica 14 $ 1$ $-$	$ \begin{array}{c c} - & - & 1 \\ - & - & 3 \\ - & 2 & 3 \\ - & 1 & - \\ - & 7 & 2 & 3 \end{array} $	$\begin{vmatrix} 1 \\ - \\ - \\ 3 \\ - \\ 3 \\ - \\ - \\ 1 $	 1		 1	1 3				
Gonorrhœa,Strictureof Urethra1Septic Diseases.1Phagedæna.21Erysipelas21Pyæmia, Septicæmia.9-12Puerperal Fever.5-1-Parasitic DiseasesThrushWorms (animal).36-24Dochmius Duodenalis.20Dietetic Diseases.20Starvation, want of breast- milk18Constitutional Diseases.1Rheumatism.411Cancer14-1-Tabes Mesenterica14-1-	$ \begin{array}{c c} - & - & 1 \\ - & - & 3 \\ - & 2 & 3 \\ - & 1 & - \\ - & 7 & 2 & 3 \end{array} $	$\begin{vmatrix} 1 \\ - \\ - \\ 3 \\ - \\ 3 \\ - \\ - \\ 1 $	 1			1 3				
Phagedæna 3 $ 1$ 2 Pyæmia, Septicæmia 9 $ 1$ 2 $ 1$ 2 Puerperal Føver 5 1 $ -$ Parasitic Diseases $ -$ Worms (animal) 36 2 4 Dochmius Duodenalis 20 $ Morms (animal)3624Dochmius Duodenalis20 Morms (animal)36 Morms (animal)36 Morms (animal)36 Morms (animal)36 Morms (animal)18 Morms (animal)18 Morms (animal)18 Morms (animal)18 Morms (animal)18 Morms (animal)$	$ \begin{array}{c c} - & - & - & - \\ 1 & 2 & 3 \\ - & 1 & - & - \\ - & 7 & 2 & - & 3 \end{array} $	$\begin{vmatrix} - \\ 3 \\ - \\ - \end{vmatrix} = \begin{vmatrix} 1 \\ - \end{vmatrix}$	 1		1	1 3	 1 4			
Erysipelas. 2 1 2 Pyæmia, Septicæmia 9 1 2 Puerperal Føvør 5 1 1 2 Puerperal Føvør 5 1 1 2 Puerperal Føvør 5 1 Parasitic Diseases. 36 2 4 Dochmius Duodenalis 20 Dietetic Diseases. 20 Starvation, want of breast- milk 18 Intemperance, Delirium 1 Constitutional Diseases. 1 1 Rheumatism 4 1 1 Cancer <td>$\begin{array}{c c} - & - & - & - \\ 1 & 2 & 3 \\ - & 1 & - & - \\ - & 7 & 2 & - & 3 \end{array}$</td> <td>$\begin{vmatrix} - \\ 3 \\ - \\ - \end{vmatrix} = \begin{vmatrix} 1 \\ - \end{vmatrix}$</td> <td> 1</td> <td></td> <td>1</td> <td>1 3</td> <td></td> <td></td> <td></td> <td></td>	$ \begin{array}{c c} - & - & - & - \\ 1 & 2 & 3 \\ - & 1 & - & - \\ - & 7 & 2 & - & 3 \end{array} $	$\begin{vmatrix} - \\ 3 \\ - \\ - \end{vmatrix} = \begin{vmatrix} 1 \\ - \end{vmatrix}$	 1		1	1 3				
Thrush $ -$ <			6			2		-	1	
Worms (animal) 36 — — 2 4 Dochmius Duodenalis 20 — — 2 4 Dietetic Diseases. 20 — … Image: Constitutional Diseases. Imag		1 1. 1								
Starvation, want of breast- milk18Intemperance, TremensDelirium18Constitutional Diseases.1Rheumatism.4-11Rickets.11Cancer.51Tabes Mesenterica.14-1-		$\begin{bmatrix} 3 & -6 & -7 \\ 20 & -6 & -7 \end{bmatrix}$	5 	Ξ	=	22 8	6 12	7		1
milk 18 .										
Rheumatism 4 1 1 Rickets 1 1 Cancer 5 1 Tabes Mesenterica 14 1 Tubercular Meningitis (hy- 14 1	9	9	 		•1	8 1	2	3	2	2
Rickets 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1<										
	$ \begin{array}{c c} - & 1 & - \\ - & 1 & - \\ - & 1 & 2 \\ - & 1 & - \\ \end{array} $	$\begin{array}{c c} - & - & 1 \\ - & - & 1 \\ 2 & 1 \\ - & 5 & 4 \end{array}$				1 1 2 9	$-\frac{1}{2}$		1	
Phthisis 194 — 1 4 17 Other Forms of Tuberculosis Scrofula 1 — — — — Purpura, Hæmorrhagic Dia-	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	16 1	_1 		90 1	1 48 		-6 -	_5
thesis <t< td=""><td>- - - - - - - - - -</td><td></td><td>$\begin{vmatrix} - \\ 1 \\ 2 \end{vmatrix}$</td><td>- -</td><td>_</td><td></td><td>3</td><td>2</td><td>_</td><td>3</td></t<>	- - - - - - - - - -		$\begin{vmatrix} - \\ 1 \\ 2 \end{vmatrix}$	- -	_		3	2	_	3
Leprosy 1 1 Other and undefined Con-			-			-	-	ī	-	-
stitutional Diseases				_	-2	 11	5		1	

(34)

Table XII.--Causes of Deaths in the Colombo Municipality, &c.--continued.

•

•

.

.

,

.

· •

						W .	ARD.							NA	FIONAL	ITY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclu- sive of Hospitals.	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	M0078.	Malays.	Others.
Nervous System.																		
Inflammation of Brain or its Membranes Softening of Brain Paralysis Convulsion Infantile Convulsions fetanus Paraplegia, diseases of the Spinal Cord Other and undefined diseases of Brain or Nervous System	12 4 12 30 4 133 35 1 2					2 3 37 		$ \begin{bmatrix} 7 \\ 3 \\ 1 \\ - \\ 3 \\ - \\ 2 \end{bmatrix} $	2 -3 12 -38 1 1		$24 \\ 41 \\ 51 \\ -1 \\ 8 \\ 3 \\ -1 \\ 1 \\ 2 \\ . 2$		1 1 3 - 6 1 - 2	4 16 13 2 	2 7 	2 1 4 2 20 9 -		
Organs of Special Sense.			}			-							ι.					
titis and other diseases of Ear				-		-			_			_				_		_
Circulatory System. Valve disease of Heart Aneurism Embolism, Thrombosis Phlebitis Other and undefined diseases of Heart of Circulatory System	3 1 24			 	 2	 2		3 — 1 3	 6		0	 1		2 1 8	 5	1 5	3	
Respiratory System.																		
Bronchitis Asthma Pneumonia Other and undefined diseases of Respiratory System	68 1 203 3	¶	-1 -4 1	8 9 	9 	14 	10 	2 45 1	12 	6 	6 1 9	1 1	5 10 	27 1 97 1	13 	19 	-3 -3 1	-1 -7
Digestive System.												•						۰. م
Stomatitis Diseases of Stomach Enteritis	$ \begin{array}{c} 3 \\ 15 \\ 2 \\ -2 \\ -2 \\ 12 \\ 3 \\ 10 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8 \\ 8$							-4 -1 -2 -7 -7 -8 7 2										
Diseases of Lymphatic System and Ductless Glands.																		
Diseases of Lymphatic System	1		_			_	-	1	-	_	_	_	_	_	1	_	_	_
Diseases of Urinary System. Nephritis . Bright's Disease Hæmatura Diseases of Bladder Other and undefined diseases of Urinary System	9 13 1 4 2				-4 1 			2 9 1 . 2	 					2 9 1 3 2		3		

·

.

F

(35)

Table XII.—Causes of Deaths in the Colombo Municipality, &c.—continued.

·····	-					WAR	D.					÷		NATI	ONAL	TY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclu- sive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamis.	Moora	Malaya	Othera.
Diseases of Organs of Genera- tion.																		•
Ovarian diseases Diseases of Uterus and Vagina Pelvic Abscess Diseases of Testes, Penis, Scrotum, &c	· 1 1 1		+				- - - 1	1 				 		1 		 1		
Diseases of Parturition. Puerperal Convulsions Placenta Praevia, Flooding Other and undefined acci- dents of Child-birth	5 2 12		1 	_2 	1 4	2	1 1	1 1 3	 2			1 1	-	3 6	1	1 4	 	_1
Diseases of Organs ut Locomotion.		-						_										、 1
Arthritis, Ostitis, Periostitis	2	-	-		-		-	2	-		-		-				-	
Diseases of Integumentary System.																		
Carbuncle											=			23				
Accident or Negligence.		-												1			ļ	
Fractures, ContusionsBurn, scaldPoisonDrowningSuffocationSnake biteOtherwise																		
Homicide.		ļ																
Murder, Manslaughter		-		-		1	-	נ		ц —	-	-	-	2	2	-	-	1
Suicide. Gunshot wounds Poison Drowning Hanging																	221	
Ill-defined and not specified Causes.														-				
General dropsy Debility Abscess Tumour Other ill-defined and no specified causes	. 81 t				в — —	4						 			8 7 1 2 1 1 1			

Table XIII.—Number of Births and Deaths registered during the Third Quarter of 1908, and their Proportion per 1,000 of the Population per Annum, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births and the Mean Temperature and Rainfall observed in each

			_	-	đ	and Jaus.		registered	Leaves II.				j.	dren under One			
Towns	at 1908 by sus Intercensal 1. Increase.	Males.		Females Persons.	Males.	Females	emales Persons.	tals and Jails.	Estate Coolies and Non- Residents.	Birth-rate.	Crude Death-rate.	Corrected Death-rate.*	Under Under Vone	Year of Age to 1,000 Births- registered.	Tem- per-	Bainfall in Inches.	
	09 476,265	5 1,721	1 1,707	7 3,428	2,350	2,107	4,457	1,474‡	3,577	29-56	30-84	32-59§	. 916	267			
n Province.		1		-	9	600		1		00	c I C					1	•
Colombo 199,809 Necombo 19.819	9 180,262		106	204	x4x x8x	802 65	1,000	473	1,014	22 94 40 0 4	26.68	37 · 59 27 · 20	370	360	20-03	5.09	
					104	119	223		223	32.98	26.27	24.80	52	186		01.Z	
Kalutara 11,600 Panadure 3,845	$\begin{bmatrix} 0 & 11,990 \\ 5 & 4,275 \end{bmatrix}$	5 43 5 13	10 00		37	31 60	117 68	21	· 115	34·55 27·28	38-57 38-57	37.59 40.96	80 13 0	194 448		17-00	
Province.					•) -			•
Kandy 26,511 Gamnola 3.791	1 29,437	8 103	121	224	160	121	281	142	197	30-60 26-18	26.92	28.22	62	277	75-83	17-87	
::					6 1 4	28	69	49	20	20.89	19.89	23.18	12	571		17.07	
)ikoya					51	30	65	57	80 5	15.19	8.68	ی ا ا	L .	500		44·28	
a Eliya	2 7,997				30	10	46	23	. 31	18.60	15.59	20.41	II	297	59-20	26.57	
Northern Province.			•					,									
J.	9 30,295 8 3.338	0 194 311 26	180	875 94	143	120	263	00 m	251	43·19 57·83	28.60	30.13	18	206	86.13	6.66	
					121	00	18		15		42.95	47.02	- 4	286	01.00	•	``
	0 090				5		10	9	4		27-04	32.53		1	l	10-28	ę
WELLE T TOURCE.				266	137	121	258	57	227	26.72	22.80	22.29	37	139	78-97	17-74	
		2 <u>-</u> 59			49	45	46	15	68	35.53	27.03	26.17	17	145	1	15-55	1
ta	3,056				4 00 F	361 5	188	\$	19	48.69	25.01	26.17	500 ·	216	82-00	4·84	
h Province.		•	•		7	1	£3	01 1	0Z	11 .në	RC -09	32.32	4	167	I	8.69	
Batticaloa 9,964 Trincomalee 11,887	4 10,433 7 11,295	36 48	52	88 86 88 86	49 48	34	83 100		76	33-92 34-89	29 · 29 35 · 60	30-21 41-29	27 26	307	84-03	9-10	
North-Western Province.				•	· ,	1				00			ì		E D		
Puttalam 5,115		26			£ 4	30 10 10 10	83	24	75	32.30	37.38	44.04	58	424	81-83	13-77	
:			ເຕີ ເ	II	1-9	9	13	· ا د ب	5	21.54	32.04	3	ີພູ	273	ce.70	F.A.	
Central Province					0	2	00	0	30	60.64	31.18	91.12	-	155	0.00	00-0	
Anuradhapura 3,672	4,856	15	10	25	43	23	66	37	51	20.71	42.23	48.67	10	400	84.00	6.45	
Province of Uva.	909.9		01		. 2	, , , , , , , , , , , , , , , , , , ,	Ģ	1			1						
		,	0 C1	2 0 0	23	17	40	00 00 00 00 00	41 2	23.40	24.67	25 · 22	- 13	334	75-20	8.48	
Sabaragamuw'a.				•								•				Ì	
Katnapura 4,084 Kegalla 2,340	4,548 2,571	0 50	9 9 9	ය. දිසි 	67 21	48 16	115 37	96 34	35	34.49 12.51	30 · 95 4 · 69	32.04	6	231	79-83	35.13	

urban Registrar, of which 48 occurred in the Infectious Diseases Hospital and 1 in the Segregation Camp, both at Kanatta (outside the town). The representation of the function, their corrected death-rates cannot be all the population of "Hatton and Dikoya," Kalpitiya, and Lunugala towns at the Cansus of 1901 not being available by age- and sex-constitution, their corrected death-rates cannot be calculated. The oppulation of "Hatton and Dikoya," Kalpitiya, and Lunugala towns at the Cansus of 1901 not being available by age- accounted in the interpreted death-rates cannot be calculated. The death-rate given for "All Towns," is, therefore, independent of these three towns, but is scaredy affected by their rates owing to the smallness of their population. If The population of Mannar and Trincomalee towns at the Census of 1891 not being available, no estimate can be made of the rate of growth 1891–1900 or 1901–1908. Their population estimated for 1908 is the Census of 1901, less (in the case of Trincomalee) the Military, who are no longer stationed there.

Table XIV.—Causes of Deaths registered during the Third Quarter of 1908 in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

• ·	·	•		1		-	_	•	
	Othera.	6	14				, L	·	i pr
aces.	.ayalaya.	8		·		-0404	t c	3 ~ -	era, 3 from Diarrhœa, and <u>1</u>
all Ro	Moors.	564	152	3 19		22333	101		rrhœ
3 guo	.alimaT	525	241	23 23		26 110 110 10 10 10 10 10 10 10 10 10 10 1			Dia
Deaths among all Races.	.929ladniS	2047 1525	445	10^{-1}		23010014 29012 29012 29012 29012 29012 29012 29012 29012 29012 29012 29012 29012 29012 29012 20010 20012 20000 20000 20000 20000 20000 20000 20000 20000 20000 20000 200	105 1602 1984	13 1 12	
beath	Burghers.	01	3			- 4 00 4	0511	01 1 1	- 6
н	Europeans.	31	00				86		olers
ខ្លុំដូន	Kegalla.	31	╎─┯─		q	· · · · · · · · · · · · · · · · · · ·	36		er, 6 from Chol
Province of Sabara- gamuwa.	Ratnapura.	115	 		··		106	131,01	-] ¹⁰ [
the second s	Lunugala.	104							- town
vince of Uva.	Badulla.	91	1013	60			56 78 40		Fe -
Pro-	.sruqadbarunA	66	10				56		a Smallpox, 7 from Enteric Fever, 6 from Cholera, p, both at Kanatta (outside the town).
. ല ര	Chilaw.	35	3				80		- [3]
rta ster 'inc	Kalpitiya.	83 13	19	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	•		10		1att
worth Western Province.	Kurunegala. Puttalam.	1448	581	-9		4-0 40	116.64		, Kai
E	Trincomalee.	100	26				74 1		Smallpox,
Eastern Pro- vince.	Batticaloa.	83	1 12				56		
	Tangala.	29	427	N					- , g d
e. e.	.stotnsdmsH	12	8			N	34 12 25		48 (31 from sation Camp
vin	.enrogileW	443	6			1 61 4 1 1 1 1	34	11111	<u> </u>
Southern Province,	Galle. Matara.	258 84	37 17		··		221 77		h 48 egati
<u>, </u>		1	l 	····		· · · · · · · · · · · · · · · · · · ·		·····	-hic egr
Northern Province.	Wullsittivu. Vavunya.	1810	4				4 10	─ ─ ┼╎╎╎╎	- <u>1</u>
vin	Mannar.	22				10 10	15 14		L th
NA	.anftal	263	-18	2 10 15		100000	1851		istra V) ir
·····	Nuwara Eliya.	34	=	4-			35		- Beg
.e	.9[sts]M	158	10	4		N 10 10	148	<u> </u>	
ovine	Dikoya	65	~	⁰			58		on l
Central Province.	.avitiqalawaN haa nottaH	69	12			<u>, - 0 , , , - , </u>	57		extra sr (fr
ntr	Gampola.								an su
õ	Kandy.	28163	62 11	<u> </u>		<u></u>	21952		d by
 	Рападите.	68	13				55		istere and
nce.	Kalutara.	117	20		<u>-</u>		97		s regi vital,
rovi	Moratuwa.	223	52		. <u></u> .	00 10 10 1	171		Hosp
Western Province.	Negombo.	153	41	<u></u>		<u>1001141</u>	112 1		1 resi 38.865
West		1 1	370	<u>-1 = 1 0 = = = = = = = = = = = = = = = = </u>	··	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4 0 4	Dise
	Colombo.	*1,650		1			1,280	~~ 	ombo setious
<u> </u>	All 31 Fowns.	4,457	915	78 110 102 39 39 20†		6 99 180 180 46 79 94 79	3,541	36 27	of Col he Infe
	Causes of Deaths.	All Causes	I.—Infantlie Mortality I.—One Week and under.	Prematurity Debility Convulsions Diarrhœa Tetanus Pronchitis Preumonia	B. —Over 1 Week and under 1 Year.	Prematurity Debility Convulsions Diarrhosa Diarrhosa Bronchitis Pneumonia	-General Mortality (1 Year and over)	Smallpox Chickenpox Measles Influenza Simple Fever	 Includes 49 deaths of Colombo town residents registered by an extra-urban Registerar, of which 48 (31 from from Measels) occurred in the Infectious Diseases Hospital, and the other (from Debility) in the Segregation Camp.
			– 4		.] 8		Ë		from

(87

2)

Colombo, l each from Fever and Brysipelas in Jaffna, I from Spina Bifida in Negombo, 1 from Injury at Birth in Panadure, and 1 from Hametemisis in Gampola.

[†]These include 12 destribution, Malnuttion on Starryton Batticaloa); 6 from Worms (4 in Colombo, 1 each in Nagombo and Moratuwa); 6 from Abscess (3 in Colombo, 1 each in Matale, Badulla, and Chilaw); 6 from Whooping Cough (4 in Moratuwa, 1 each in Colombo, 1 each in Negombo and Moratuwa); 6 from Abscess (3 in Colombo, 1 each in Matale, Badulla, and Chilaw); 6 from Whooping Cough (4 in Moratuwa, 1 each in Colombo, 1 each in Negombo and Moratuwa); 6 from Abscess (3 in Colombo, 2 in Kandy); 5 from Thrush (4 in Negombo), 1 in Moratuwa); 4 from Ramiteura (1 each in Negombo); 6 from Erysipelas in Jaffna ; 5 from Tuberculosis in Colombo, 2 in Kandy); 5 from Thrush (4 in Negombo), 1 in Jaffna, 3 in Matale); 2 each from In Negombo, 1 in Jaffna, 3 in Matale); 2 each from Inactive (1 each in Negombo), 1 in Jaffna, 1 in Matale); 2 factor In Science, These Mesenterica, and Struming (2 in Colombo); 2 from Syphilis (2 in Colombo), 1 in Jaffna, 3 from Thrush (1 in Matale); 2 factor Inaction, Tabes Mesenterica, and Stomatifia in Colombo; 2 from Mesenterica in Negombo; 1 in Jaffna, 1 in 2 from Obstruction of Bowells (in Moratuwa and Jaffna); 1 each from Gastro-Intestinal Catarrh, Peritontitis, Failure of Heart, Ascites, Septicæmia, Gastrifis, Smallpox, and Anæmia in 2 from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; Colombo; 1 from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; I from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; I from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Lange, and Matale, and Matale, Pathae, and Jaffna ; I from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; I from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; 1 from Jaundice in Negombo; 1 each from Obstinate Constipation, Asthma, and Dropsy in Jaffna ; 1 from Jaundice in Negombo; 1 each from Obstinate Constipation, Asth

6

ŀ

)

ĺ

			Veste	Western Province.	rovi	JC0.		Cen	ST&L L	Central Frovince.	JC0.	_	Prov	Province.		Province.	Province.		vince.	68	Pro	w estern Province.		Pro-	Uva.	of Sabara- gamuwa.	918- 78.	-	Deatl	Deaths among all	iong (all R	Races.	
Causes of Deaths.	All 31 Towns	Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadure.	•YbnsZ	Gampola.	Nawalapitiya.	Hatton and Dikoya.		Nuwara Eliya.	Jaffne. Manner.	Mullsittivu.	Vavuniya. Galle.	Cante.	Weligama.	Hambantota.	Batticaloa.	Trincomalee.	Puttalam.	Chilaw.	1	Anuradhanura.	Lunugala.	.stuqanta.	КедаЛа.	Europeans.	Burghers.	Sinhaleae.	.elimaT	Moors.	Meleys.	
Enteric Fever		138		14		<u>რ</u>	5		-				l				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		-	1-				a		6	1	۔ ق	10	113	22	18	<u>ې</u> ر	
	108 136	<u>r-</u> 40	° ¯		 -	 	11		11		36			4 0	N 67			 -	1 1				ווו הה ו		101	I2			- 10 -	3 <u>6</u>	06	- - -	7	
10. Cholera 11. Diarrhœa 12. Dysentery	:::		1 1 1 1 1 1 1 1 1 1 1	1	<u>- 100 CN -</u>	1	1	$\frac{52}{17}$	16	39	36	 64 C	4.6.	8 8 8 8		$\frac{2623}{104}$	~ ~ ~	31		121	22 9 7 2	~	নম–	926 4 926	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	39	24	, 63 63	11.0	215 90 18	259 123	520	²² 1	
							<u>* ~</u>		°	1			14 <u>6</u> 				37	2	~	+			, ,	<u>त्र</u> =		-		-	16	9 148 13	8.684	52	6	
. Other tubercular diseases . Anæmia . Diebetes Mellitus			13	!	- 	 =		0 2 1					1000		' 								 	<u> </u> 		ŝ		1	~	123	15	00 m	11	
	199			1		 	<u>C1</u>	34					<u>া</u> নাৰাল	$\frac{1}{1}$					4	<u> </u>									4 1 2	48 6 6 4 6	3.0 5	- e 4		
21. Bronchitis 22. Pneumonia 22. Other Discourt of D.	68	37		7. 20		 लिख्	10	27 4	61	- 61	10	- 10	7 0	14		507	[[[[]	5		<u>61</u>						4		⁶¹		177	129	61	14	
Duratory System Bright's • Disease	and 25	4				• 		3	ļ	1			0	1		<u>_</u>	61	1			5		۱ در ب		г. 8				, 1 ,	12	1	-		
		20 10 10			11	1	-	- 1 5	~		.	~	<u> </u>	$\frac{1}{1}$		¹⁰ - ⁰¹	ţţļ			- 4	- m 		 				- ·	N	11	22.22	<u></u> 0	200	1-0	
20. I uerperat rever 27. Miscarriage 28. Other and undefined Ac-		ł	1	ł				' 	1	J				1				1	4		<u> </u>		1	1						19_1	1 2	00		
cidents of Childbirth 29. Starvation		1	11		1	· 		°'			 	- 04			$\frac{1}{1+1}$	<u>0 4</u>			<u> </u>		 	, -]	। নিজনা বিজ্ঞান	╘┙╦		1 .01		م 	11	N 4	50.5	_ ~		
	240	ç en ac	11							11	<u>, 1</u>	11		<u>††</u>	TT	1 2						$\frac{1}{1}$	 							04	-	014	11	
Execution , All other causes		l w	3	74	36	1	- <u>12</u>	32 11	20	1	13		502	17		78 18	312	4	6	1517	721	1	<u>م ا</u>	1010	19	16	1.00	6	51	3 463	242	113	24	

H. C. COTTLE, GOVERNMENT PRINTER, COLOMBO, CEYLON.

• .

.

٩

ø

,

•.

,