# SUPPLEMENT

# Centon Government Gazette,

No. 6,297—FRIDAY, FEBRUARY 26, 1909.

# VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF JANUARY, 1909.

### REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 31 principal towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occuring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased, and no dead body is buried or cremated without registration being effected.

- 2. Table I. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the month, their rates, and the infantile mortality in each town, with mean temperature and rainfall of each town.
  - 3. Table III. gives similar information as regards each ward in the Colombo Municipality.
- 4. The estimated population of the 31 towns is 484,240, or more than one-ninth of the total population of the Island. The population of Colombo (183.872) is a little over three-fifths of the population of all the other towns taken together (300,368).
- The death-rate for all towns this month (38 63) is a slight improvement on that of the previous month (42·13)—the highest on record since the monthly statistics began to be collected—but is still above the mean for that period (32·47). The improvement is noticeable in most of the towns, the principal exceptions being Negombo, Gampola, Jaffna, Galle, and Batticaloa. The Kurunegala death-rate has been abnormal since September last. From a mean-rate of 45.8 it rose suddenly in October to 62.05 and with a leap in November to 103 01, and a further bound in December to the extraordinary rate of 182 73, from which it has now declined to 161.96. which is still more than three times the average rate.
- I give below the mean birth- and death-rates for each of the towns in the period July, 1907, to December, 1908, and for the wards of the Colombo town in the period January to December, 1908, being the respective periods for which the monthly statistics are available.

Mean Birth- and Death-rates for each of the 31 towns proclaimed under sections 31-36 of Ordinance No. 1 of 1895, in the period July, 1907, to December, 1908.

			•			
٠				Mean Birth-rate.		Mean corrected Death-rate.*
All Towns				30.53		32 47
Western Province						
Colombo		••		$25 \cdot 23$		35 · 71
Negombo				$43 \cdot 92$		28.66
Moratuwa				33 · 89		21 59
Kalutara				$33 \cdot 75$		$31 \cdot 52$
Panadure				$35 \cdot 97$		28.31
Central Province.				•		
Kandy				$30 \cdot 20$		28 · 58
Gampola				$33 \cdot 63$		<b>52</b> · 64
Nawalapitiya				$26 \cdot 24$	٠.	$24 \cdot 37$
Hatton and Di	koya			17.69	٠.	11.61 (crude rate)†
Matale				$31 \cdot 95$	٠.	45:96
Nuwara Eliya	• •			$21 \cdot 39$		15 14
Northern Provinc	e.			•		
Jaffna				42 58		33 · 78
Mannar		• •		$34 \cdot 99$	٠.	33.14
Mullaittiyu				29 40		49 91
Vavuniya	• •			$21 \cdot 37$	• •	87 57

<sup>\*</sup> For explanation of corrected death-rate see paragraph 10.
† Corrected rates not available as these are newly created registration divisions, and the age and sex-constitution of the population will not be known till the next Census. For Lungala and Weligama the mean rates are based on the figures from October, 1907, and July, 1908, respectively, being the dates on which the registration divisions were created.

				Mean Birth-rate.		Mean corrected Death-rate.*
Southern Province	3.					
Galle		• •	• •	30.28		28 · 44
Matara			• •	$39 \cdot 93$		23.05
Weligama				10.99	٠.	19.50 (crude rate)†
Hambantota		• •		35 · 82		31 · 92 `
Tangalla	••	••		<b>33·8</b> 1		37.96
Eastern Province.		*.				
Batticaloa	•. •			31 · 76		33 · 83
Trincomalee	• •		••	28.47		33.88
North-Western	Province.					
Kurunegala				30.34		57 49
Puttalam				38 16		42.55
Kalpitiya /				22.93		31.56 (crude rate)†
Chilaw	. 19		••	35 52		33.26
North-Central Pro	vince.					
Anuradhapura	,• •	••		26 · 4.2	٠.	56 · 16
Province of Uva.						
Badulla			• •	24.03	٠.	22 36
Lunugala		• ••	• •	46.35		50.16 (crude rate)†
Province of Sabar	agamuwa					
Ratnapura		••		31.60		37 · 96
Kegalla		•	• • •	29.39		22.70
						- · ·

\* For explanation of corrected death-rate see paragraph 10,

Mean Birth- and Death-rates for each Ward of the Colombo Town in the period January to December, 1908.

					Mean Birth-rate.		ean Crude eath-rate.
All Wards	•1•				25 · 54		33 · 40
Fort and Galle	Face				7.42		8.79
Pettah					5.94	• •,	11.63
St. Sebastian		a .			$22 \cdot 22$		$24 \cdot 31$
St. Paul's					18.83		$25 \cdot 17$
Kotahena					$22 \cdot 88$		$26 \cdot 50$
New Bazaar	<b>3</b> 1				22 · 66		$33 \cdot 02$
Maradana Hos	pitals						
Maradana excl	isive o	f Hospi	tals		$22 \cdot 36$		31 · 67
Slave Island		_			<b>26</b> ·57		$30 \cdot 29$
Kollupitiya	***				15.92		24 · 15

## Births.

- 7. The births registered in the 31 towns during the month numbered 1,401—of which 735 were of males and 666 of females—and corresponded to an annual birth-rate per 1,000 of 34·06, as against 30·43 during the preceding month, 34·89 in the corresponding month of last year, and 30·53 the average for the eighteen months, July, 1907 (when monthly statistics were first published), to December, 1908. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was observed in Gampola (67·18, average 33·63), and the lowest in "Hatton and Dikoya" (15·33, average 17·69). In the other towns the birth-rate ranged from 59·96 in Mannar (average 34·99), 59·00 in Vavuniya (average 21·37), 56·61 in Negombo (average 43·92), 56·04 in Matara (average 39·93), and 51·59 in Chilaw (average 35·52) to 25·02 in Trincomalee (average 28·47), 24·90 in Mullaittivu (average 29·40), 22·80 in Nawalapitiya (average 26·24). 21·37 in Kalpitiya (average 22·93), and 17·98 in Nuwara Eliya (average 21·39).
- 8, The town of Colombo, where the births registered numbered 422—of which 212 were of males and 210 of females—records a birth-rate of 27·02, as against 23·71 in the preceding month, 29·67 in the corresponding month of last year and 25·23 the average for the eighteen months (July 1907, to December, 1908). The highest birth-rate was in Slave Island (30·77, average 26·57), and the lowest in Pettah (9·34, average 5·94). In the other wards the birth-rate ranged from 28·27 in New Bazaar (average 22·66) to 10·97 in Kollupitiya (average 15·92).

# Deaths.

9. The number of deaths registered in the 31 towns during the month was 1,878—of which 1,039 were of males and 839 of females and corresponded to an annual death-rate of 38 63 per mille, as against 42 13 during the preceding month, 32 95 in the corresponding month of last year and 32 47 the average for eighteen months, July, 1907, to December 1908. 618 of the total deaths or almost one-third occurred in hospitals (and 14 deaths in jails), and exaggerated the normal mortality of the towns.

<sup>†</sup> Corrected rates not available as these are newly created registration divisions, and the age- and sex-constitution of the population will not be known till the next Census. For Lunugala and Weligama the mean rates are based on the figures from October, 1907, and July, 1908, respectively, being the dates on which the registration divisions were created.

- 10. Corrected death-rates as well as crude death-rates are shown. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the Island, and also excluding from the total deaths those in hospitals of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate. For the wards of the town of Colombo only crude death-rates are available.
- 11. Of the towns, excluding Vavuniya and Lunugala, the highest death-rate was in Kurunegala (as high as 161.96, against average 57.49), and the lowest in Nuwara Eliya (5.44, average 15.14). In the other towns the death-rate ranged from 96.81 in Anuradhapura (average 56.16), 78.95 in Gampola (average 52.64), 70.94 in Vavuniya (average 87.5), 60.72 in Ratnapura (average 37.96), and 57.65 in Panadure (average 28.3) to 28.91 in Chilaw (average 33.26), 27.95 in Hambantota (average 31.92), 27.59 in Kalutara (average 31.52), 27.19 in Nawalapitiya (average 24.37), 24.80 in Badulla (average 22.36), and 22.67 in Moratuwa (average 21.59).
- 12. In the town of Colombo the deaths registered numbered 650, of which 350 were of males and 300 of females, corresponding to an annual corrected death-rate of 41.61 per 1,000 per annum, as against 45.56 during the preceding month, 31.13 in the corresponding month of last year, and 35.71 the average for the eighteen months July, 1907, to December, 1908. The city was thus a little healthier than in the preceding month, but still much unhealthier than usual. Omitting the Fort and Galle Face Ward and the Pettah Ward, which contain a population mainly adult and floating, Kollupitiya shows this month the lowest crude death-rate (14.46, average 24.15), and New Bazaar, the highest rate (42.70, average 33.02). In the other wards the death-rate ranged from 19.79 in St. Sebastian (average 24.31) to 39.51 in Maradana exclusive of hospitals (average 31.67).

## Infantile Mortality.

- 13. The infantile mortality of the 31 towns was equal to a rate of 285 per 1,000 births registered, as against 354 in the previous month, 242 in the corresponding month of last year, and 264, the average for the eighteen months July, 1907, to December, 1908. In the towns having an estimated population of 5,000 or more, the mortality ranged from the enormous rate of 1,233 in Kurunegala (average 347), 643 in Anuradhapura (average 395), 466 in Puttalam (average 275), 367 in Colombo (average 336), and 357 in Jaffna (average 246) to 203 in Matara (average 138), 192 in Batticaloa (average 338). 177 in Kalutara (average 171), 89 in Moratuwa (average 152), and 77 in Nuwara Eliya (average 334).
- 14. The infantile mortality given in Table III. for each ward in the City of Colombo enables a comparison to be made of the health of the various wards. The lowest mortality was observed in St. Sebastian (261 per 1,000 against average 339), followed by Slave Island (264, average 361), and the highest mortality was in Pettah (833, average 465), followed by Kotahena (487, average 351), and New Bazaar (469, average 459).

### Causes of Deaths.

- 15. Table II. in the Appendix gives for each town and race the principal causes of deaths registered dring the month, and shows the infantile mortality separately from the mortality for one year and over.
  - 16. Table IV. gives similar information for each ward and race of the Colombo Municipality.
- 17. Injants.—Out of the 1,878 deaths from all causes in the 31 towns, 400 or a little less than one-fourth we among infants under one year. Of these, the chief causes were 131 Convulsions (of which 46 were in Combo, 15 in Galle, 12 in Kurunegala, 9 each in Negombo and Anuradhapura, 8 in Matara); 75 Debility (of hich 23 in Colombo, 11 in Jaffna, 5 in Puttalam. 4 in Kurunegala); 40 Premature Birth (of which 12 in Colombo, 6 in Jaffna, 4 each in Negombo, Moratuwa, and Matara); 26 Pneumonia (of which 16 in Colombo, 4 in Kurunegala, 2 in Moratuwa); 25 Bronchitis (of which 10 each in Colombo and Jaffna); 20 Diarrhæa (of which 5 each in Colombo and Galle, 4 in Jaffna); and 20 Tetanus (of which 15 in Golombo and 5 in Jaffna).
- 18. In the town of Colombo Convulsions accounted for the highest mortality, viz., 46, which were districted as follows:—13 in Maradana exclusive of hospitals, 9 in Kotahena, 7 in New Bazaar, 6 in Slave Islanc5 in St. Paul's, 3 in Kollupitiya, 2 in St. Sebastian, and 1 in Maradana hospitals. The next highest mortay (23) was from Debility (5 in Pettah, 4 in New Bazaar, 3 each in Maradana hospitals and Maradana exclusi of hospitals), followed by Pneumonia 16 (5 in Maradana exclusive of hospitals, 4 each in Kotahena and Madana hospitals); Tetanus 15 (6 in St. Paul's, 4 each in Kotahena and New Bazaar); and Bronchitis 10 (5 in ew Bazaar).
- 1 General Mortality (One Year and ver).—Out of the 1,478 deaths of persons one year and over in age, thewere 361 due to Diarrhea and Dysentery, of which 83 were in Colombo, 43 in Kandy, 36 in Kurunegala, 30 Matale, 18 in "Hatton and Dikoya," 17 in Ratnapura, 15 in Kegalla, 13 in Badulla, 12 in Matara, 11 in Mouwa: 143 due to Pneumonia, of which 62 were in Colombo, 10 in Kurunegala, 8 each in Negombo and Galle in Moratuwa; 122 due to Phthisis, of which 69 were in Colombo, 14 in Galle, 8 each in Kandy and Kurunega 74 to Dochmius Duodenalis, of which 49 were among Tamils, almost all of whom were coolies; 68 to Ents Fever, of which 50 were in Colombo, 8 in Moratuwa; 62 to Remittant Fever, of which 13 were in Jaffna, 8 e<sub>1</sub> in Batticaloa and Kurunegala, 6 in Galle; 52 to Malarial Cachexia, of which 13 were in Matale, 12 in Kuruyala, 5 in Jaffna; 27 to Bronchitis, of which 10 were in Colombo, 4 in Jaffna, 3 in Kalutara; 22 to Simple Fev of which 8 were in Kandy, 4 in Jaffna, 3 in Trincomalee; 19 to Bright's Disease and Nephritis, of which 1 ere in Colombo; and 11 to Smallpox, of which 7 were in Colombo, 3 in Negombo and 1 in Moratuwa.
- 20. the town of Colombo, the highest mortality was from Phthisis (69), of which 21 were in Maradana exclusive of pitals, 10 each in Kotahena and Maradana hospitals, 9 in New Bazaar, 7 each in St. Paul's and Slave Island llowed by Pneumonia 62 (15 each in Kotahena and Maradana hospitals, 10 in Maradana exclusive of bitals, 8 in New Bazaar); Dysentery 47 (24 in Maradana hospitals, 6 in Maradana exclusive of hospitals); Linea 36 (18 in Maradana hospitals, 9 in Kotahena); and Enteric Fever (50), of which 25 were in Maradana hospitals, 8 in Maradana exclusive of hospitals, 5 in Kotahena, 4 in Slave Island, 3 in Kollupitiya, 2 each in St. Satian and St. Paul's, and 1 in New Bazaar. Altogether in this and the two preceding months 415 cases of etic fever were reported to the Municipal Authorities, and 87 deaths were registered from this cause.

- 21. In the month under review 8 deaths (as against, 3 in the preceding month and 17 in the month previous) were registered in the town of Colombo as due to *Smallpox*, all of which occurred in the Infectious Diseases Hospital, Kanatta (3 from Maradana exclusive of hospitals, 2 each from St. Paul's and New Bazaar, and 1 from Pettah). Altogether in this and the two preceding months 164 cases were reported to the Municipal authorities, and 40 deaths were registered from this cause.
- 22. There were no deaths registered from Cholera. The epidemic which commenced about the middle of November last ceased about the end of the following month, having caused 14 deaths, 7 of which occurred in the Welikada jail.
- 23. The other chief causes of death in the town of Colombo were Bright's Disease and Nephritis 11 (6 in New Bazaar, 2 each in St. Paul's and Maradana hospitals, and 1 in Slave Island); Dochmius Duodenalis 10 (9 in Maradana hospitals); Bronchitis 10 (5 in Kotahena, 2 in Maradana exclusive of hospitals, and 1 each in St. Paul's, New Bazaar, and Maradana hospitals).
- 24. Percentage of Principal Causes of Death at all Ages.—Of the total number of deaths at all ages in the towns, Diarrhoea and Dysentery accounted for nearly 21 per cent., Bronchitis and Pneumonia nearly 12 per cent., various kinds of Fever nearly 9 per cent., Infantile Convulsions more than 8 per cent., Debility more than 7 per cent., and Phthisis more than 6 per cent.
- 25. Of the total number of deaths at all ages in the town of Colombo, Bronchitis and Pneumonia accounted for more than 15 per cent., Diarrhea and Dysentery 14 per cent., Phthisis nearly 11 per cent.. Infantile Convulsions and various kinds of Fever each nearly 9 per cent., and Debility nearly 5 per cent.

Registrar-General's Office, Colombo, February 18, 1909 P. ARUNACHALAM, Registrar-General.

Table I.—Number of Births and Deaths registered during Jan. 1909, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under 1 Year and their Proportion per 1,000 Registered Births, and the Mean Temperature and Rainfall observed in each Town of the Island proclaimed under §§ 31-36 of Ord. No. 1 of 1895.

	Population	Population estimated to	Total B	Total Births register	tered.	Total De Deaths	Total Desting including Desting in Hospitals		Deaths	Total Deaths,		Per Mille per Annum	um.	Deaths	Deaths of Chil-		
.Томпв.	the Census of 1901.	the Middle of 1909 by Intercensal Intrease.	Males.	Females. Persons.	<del></del>	Males. F	Females Persons	1	registered in Hospi- tals and Jails.	in Hospitals of Batate Coolles and Non- residents.	Birth-rate.	Crude Death-rate.	Corrected Death-rate.*	Children under One Year.	Year of Age to 1,000 Births registered.†	Mean Tem- per- ature.	Bainfall in Inches.‡
All 31 Towns	423,109	484,240	735	686	1,401	1,039	839 1,	1,878	6328	1,504	34.06	86.57	88-63	400	285		
Western Province.		,							•							0,	
		183,872	212	210	455 455	350	900	650	172	584	27.02	37.39	41.61	155	367	18.4	99.7
Moretuwe	29,600	34,809	. <del>1</del> 80	900	134	# 65 # 65	7 60	* [	- c	200	46.32	24.01	22.67	3 -			31
		12,058	16	53	45	61	81	37	14	39	43.84	28.31	27.59	∞	177		2.05
Panadure		4,338	9	10	Ξ	ī	9	21	œ	20	29.86	54.29	57.65	4		1	1
Gentral Province.		000	ì	0	1	í	· · · · · · · · · · · · · · · · · · ·		i	į						1	
Campola	3,791	4,732	χ <sub>2</sub> α	Ø 5	200	23 00	20	30	<u> </u>	08	25.63	31.54	33.07	10		c;#/	2.61
Nawalapitiya	3,454	4,131	3 20	20	, œ	20	5 5	35	27	2 00	22.80	22 :80	27.19	- m	375	1	1
"Hatton and Dikoya,".	2,858	3,840	~	4:	ıO	17	<b>∞</b>	26	83	6	16 .33	9.50	ī	60		1	1.98
Matale Nuwara Eliva	4,951 5.072	8,509 8,509	2 00	 	- F	ب ب ب	4. rc	5 x	60	F. 623	35.22	47.66	54.31	- Q	294	57.5	6.03
rovince.						<del>-</del>				,	•		1		•		
Jaffna	33,879	35,493	59	67	126	90	48	108	60	106	41.79	35.16	37 .05	45	357	77.5	
Mannar		8886	27 0	· O	12	<u>د</u>		0.	C3 (	01	29.96	35 .27	40.27	4			
Vavuniva	1,308	1,418	20 00		<b>3</b> 02	w 01	4 ~	- 07	~ K	10 m	24.90	59.00	45.44	- 6	1		2:14
rn Province.										·	}		<u>;</u>	ľ			
Galle	37,165	40,433	9	58	118	29	67	134	14	124	34.36	36.10	36.30	92		0.84	~~
	11,848	13,445	1 00	= c	90		œ '	41	r-	38	56.04	33.27	32.21	13		1	70. 1
Wengama Hambantota	2,843	3.087	- 10	7 17	S 0:	4 60	O 10	- 00	1	L1	33.14	02.96	16	-	207	78.5	2.74
	2,333	2,672	יטי יט	4	6	4	9	01	· m	- 1-	39.62	30 .84	32.58	9 60		2	
Hastern Province.				·													
Batticalos Trincomalee	9,969	10,498 11,295¶	. ei	<u> </u>	5 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 ?I	7 21	2.59 4.59	çi)	29	29.03	32.52	33.54	, O 10	192	77.5	3.5 4.8 4.8
North-Western Province.		:								1			· ·	•	3		
Kurunegala	6,483	8,312	5	œ :	21	4.	54	128	69	97	29.74	137.40	161-96	56	_	78.4	2.03
Kalinitiva	0,110	1,652	D 65	۔	Q 66	-	× 0 0	Q 6	 ټ	7.00	933.74	47.24	<b>48.3</b> 5		466	9.	
	4,168	4,564	. 25	7	20.0	. 60		=		° =	51.59	28.37	28.91	- es	150		Ño
North-Central Province.		1		1	-												<u> </u>
Anuradhapura	3,672	5,045	 ټ	<u>ت</u>	4	62	27	4		98	32.67	84.01	86.81	6	643	- 77.4	.c.o
Province of Uva. Badulla	5,924	6,797	97	13	23	01	17	36	25	14	39.84	24.25	24.80	ις <del>-</del>	217	2-69	6.22
<b>D</b>			4		4	2		2	7	4			Ī	4			
of Sabaragamuw Ira	4,084 2,340	4,615	11	9 4	17	36	61	55 26	38	23	43.37	58.68	60.72	410	230	78.5	4.04
Kegalia	2,340	2,604	<u>و</u> ۔ ا	<b>#</b>	-	14	12	- 26	18	. 3	45.21	40.69	49.49	23		006	002

\* By "corrected rate" is here meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the whole Island, and also recluding the deaths in hospitals of estate coolies and other non-residents.

† In each of these columns blanks appear against towns which do not possess observatories or rain gauges.

† In each of these columns blanks appear against towns which do not possess observatories or rain gauges.

§ Includes 8 deaths of Colombo town residents (5 adults, 2 children of four years and 2 years and 8 months respectively and an infant of 1 month), which occurred in the Infectious biseases Hospital, Kanatta, and were registered by an extra-urban Registran.

§ Includes 8 deaths of Colombo town residents (5 adults, 2 children of four years and 2 years and 8 months respectively and an infant of 1 month), which occurred the Infectious station of Colombo town registran.

§ Includes 8 deaths of Colombo town residents (5 adults, 2 children of the Cansus of 1901 not being available by age- and sex-constitution, their corrected death-rates cannot be calculated. The death-rate given for "All Towns" is a piptized, independent of these three towns, but is scarcely affected by their rates owing to the smallness of their population.

¶ The population of Mannar and Trincomalee towns at the Census of 1891 not being available, no estimate of propulation of the rate of growth 1891-1909 or 1901-1909.

\*\* The population of Lunugals town (as now constituted) was not enumerated at the Census of 1901, The figure given is of the population of Lunugals town (as now constituted) was not enumerated to 1909.

19 11111 1111 111 Others. 30 1111 11 Races Malays. 150 15 20 220 1 11 Moors. Deaths among all 524 - 60 D - - - 0 Cl D 118 1 107 631 Tamils. 190 902  $\mathbf{H}$ Sinhalese. 37 1 12 1 49  $| \cdot |$ Table II.—Causes of Deaths registered during January, 1909, in each Town of the Island proclaimed under Sections 31–36 of Ordinance No. 1 of 1895. 11 1111 Витgретв. 111 111  $|\cdot|$ 1111 111 11111 26 111 Province of Sabara-gamuwa. İ 1 111 Kegalla. 51  $\mathbf{I}$ 11 111 111 Katnapura. 31 12 Pro-36 13 Lunugala. 11111 1 11 Badulla. ಣ 35 North-Central Pro-vince. 6 1111 11111 11 41 11111 AnuqadbarunA 60 311 Chilaw. Ø North-Western Province. Kalpitiya. 102 18 malatuu | 10 26 11 11 1111 11 Kurunegala19 +11111111 111 Eastern Province. 24 1 Trincomalee. 24 1111 11111 1111 11 Batticaloa ô 8 10 Tangalla 9 67 Hambantota. Southern Province. 9 Weligama. 28 6 13 .sisteM | 2 108 2 28 1 +111134 Gølle. ₹ ঝ Ayinnya. Northern Province. Mullaittivu. 9 4. 108 10 Mannar 63 9 10  $\Pi \Pi \Pi$ 45 .saffat Central Province. 22 65 D 25 70 Matale. 11 and Dikoya. 1 1111 | | Hatton 1118 24 32 63 g | Gampola.§ B | Nawalapitiya. 8 TTTT 10 128 Kandy. 17 1111 11 2 11 11111 Panadure. 23 -- 60 Western Province. 1111 1111 37 Kalutara. 28 12 1111 111 71 1 | 111111 Moratuwa. 51 23 1111 11111 Negombo. **--** ⇔ ;03 495 650\* 21121 | 21 | 4 155 Colombo. 1,478 18 93 44 74 74 74 74 74 74 11 All 31 Towns. 39 38 16 16 19 1 - e Si 1,878 400 General Mortality (1 Year ::::: ::::::::: B.—Over 1 Week and under 1 Year. : : A.—One Week and under Causes of Deaths. I .- Infantile Mortality Tetanus Bronchitis Pneumonis Other causes Smallpox Chickenpox Measles Influenza Simple Fever All Causes and over) Prematurity
Debility
Convulsions
Diarrhos Debility Convulsions Tetanus Bronchitis Pneumonia Prematurity Other causes Diarrhosa 1000410070 101014100100 -: 01 00 74 10

\* This includes 8 deaths of Colombo town residents, which occurred in the Infectious Diseases Hospital, Kanatta, vide Table IV. footnote (\*).

† Hore are included 3 deaths from Inamition (1 in Colombo, 2 in Vavuniya) and 1 each from Congestion of the Lungs, Congenital Syphilis and Indigestion (in Equipolation) and Asplyxia due to protracted labour (in Galle).

† This includes the 24 deaths described in Table IV. footnote (‡), 6 deaths from Thrush (6 in Negombo, 1 in Moratuwa), 4 from Enteritis (2 in Kandy, 1 in Gandy), 2 from Fouritent Flavore (†), 6 deaths from Thrush (6 in Negombo, 1 in Moratuwa, Jaffna, and Kurunegala), 2 from Enyspelas from Fouritent Flavore (1 each in Hambantota, Tangalla, and Kalpitiya), 3 from Dysentry (1 each in Hambantota, Tangalla, 1 from Dysentry (1 each in Hambantota), Pysmin in Jaffna and 1 each from Gastritis (in Panadura). Worms (in Negombo), Congestion of Lungs (in Moratuwa), Hernia (in Kandy), Congenital Syphilis (in Galle), Abscess (in Weigama), Pysmin (in Trincomalee), and Malaria Fever (in Jaffna).

Table II.—Causes of Deaths registered during January, 1909, in each Town of the Island proclaimed under Sections 31-38 of Ordinance No. 1 of 1895—continued.

According to Contract   Acco			<b>*</b>	7ester	m Pr	Western Province.	36.	Sen.	fral F	Central Province.		Northern Province.	nern nce.	Son Pro	Southern Province.		Eastern Province		North- Western Province.		North- Central Pro- vince.	Pro- vince of Uva.	A S S S S S S S S S S S S S S S S S S S	Province of Sabara- gamuwa.		)eath	Deaths among all Races.	ng al	l Rac	308.	
State   Mortality -cond,   State   Mortality -cond,   State   State   Mortality -cond,   State   Mortality -cond,   State   Mortality -cond,   State   State   Mortality -cond,   State   St	Causes of Deaths.	All 31 Towns,		Negombo.	Moratuwa.	Kalutara.	Panadure.	\$ 1	Nawalapitiya.	Dikoya.	Nuwara Eliya.	Mannar.		1	Weligaraa.				Puttalam.		.stuqadbarunA	1		Kegalla.	Entopeans.	Burghers.		<del>-</del>		Malays.	Others.
Exercise Rever   Control of Section   Exercise Rever   Exercise	-General Mortality-contd							İ	<u> </u>	Ì	-						!											<u> </u>		<u> </u>	i
Region   R	6. Enteric Fever		20	1	90	<u></u>	-	67	1	-	<del>-</del>	1	T		$\frac{}{}$	Ţ	<u>.</u> 	1	$\frac{1}{1}$	Ţ	64	1	Т	-	7	_	53	<u>-</u>	8	1	١.
Adjustical Cachoxia 52 2 2 - 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1	7. Remittent Fever	62	63	4	67	1	1	CV	1	-	<del>7</del>	1	T		~	4	<del>oo</del>	<u> </u>	8	Ī	4	<del>-</del>	7	13		1	8	56	9	1	•
Continue Centorial State   Continue Centorial	Ague		0	1	1	1	I	<u>†</u>	T.	1	  -	<u>.</u>		1	  -	0	1	<u> </u> 	15		٦	<u> </u>	1			I	7 [	١٩	۱	ī	1
Districtions 223 366 5 10 3 2 28 4 3 17 14 6 1 1 1 5 10 2 2 2 4 3 1 1 1 1 3 8 5 1 1 1 1 1 2 6 24 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		20	N	1	_	<b>-</b>		7	N -		7		N I			1	•	4	7		9	4	  -			1	1	9	0	4	
Dyvention Duodenals: 138 47 2 1 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 66	1 %	"	١	1	١	1	<u> </u>	12		l	-	_	<u>!</u>		CI		<u>!</u> _		6	· ·	120	1 -		0		100	١	(	ı
Decimina Duodenals   Ti   1   1   1   2   1   1   2   1   1   2   1   1		3 2	47	200	=	ا	7 ~			=	1 46		T		!	22	67	₹		67	2	10	ে				_	99	15	Č.	,
Comparison		4.7	201	`   -~	1	4	4 10		_	1	6	_ (	7		Ţ	1	<u>.</u> 1	[	1		-	7		9	1	1		49	O	1	
Publishis         122         69         1         2         1         8         5         1         1         2         1         8         5         1         1         2         1         4         3         2         4         3         2         4         3         2         4         3         2         4         3         2         2         3         1         1         1         1         1         1         1         1         1         4         3         2         2         3         2         3         3         3         4         3         4         3         2         3         1         3         4         3         2         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         4         3         2         3         3         3         4         3         4         3         4         3         3         3         3         3         4         3         4         3         4         3         4         3         4         3         4 <t< td=""><th></th><td>e5</td><td>_</td><td>1</td><td>1</td><td>1</td><td>Ī</td><td></td><td>1</td><td>1</td><td>7</td><td>†</td><td>Ţ</td><td>1</td><td>Ţ</td><td>T</td><td>1</td><td><u> </u>  </td><td>I</td><td>T</td><td>I</td><td>1</td><td>   </td><td>1</td><td><u>α</u></td><td>1</td><td></td><td>1</td><td> </td><td>1</td><td></td></t<>		e5	_	1	1	1	Ī		1	1	7	†	Ţ	1	Ţ	T	1	<u> </u> 	I	T	I	1	 	1	<u>α</u>	1		1		1	
Obtain the bround diseases 6 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1		_	69		Ī	67		90	<u>ت</u>	1	1	100	Ţ	14-	<u> </u>	Ţ	1	1	8	I		<u></u>	7	4	I	10	စ	24	23	6	
Attenda Melitus	_	9	-	1	1	Ī	١	1	T	1	Ŧ	Ţ	Ţ	1	1	T	1	<u> </u>	I	T		]	<u> </u>	1	I	Ī	က	ਲ	1	1	- (
Convolutions   Conv	٠,-	<u>ن</u>	c3 •	CN F	Ī	Ţ	Ī	i	<del>-</del>		T	I		<u> </u>	İ	T	1		<u></u>	T			1	<u> </u>	I	1	<del>4</del> 1	ಣ	ন	1	1
Petanus   Second State   Second St		- 08	* =	٠.		٠	I	1	T					<u>-</u>		<del>-</del>	۶	<u>'</u>	0		-	<u></u> 	1 1			-	<u> </u>	Ē	- e	<del>-</del>	,
Bronchitis 27 10 2 1 3 - 1 1 1 1 2 4 4 1 2 2 4 1 1 1 3 4 1 2 1 1 1 3 4 1 1 2 1 1 1 1 3 4 1 1 1 1 3 4 1 1 1 1 3 4 1 1 1 1	-	3 10	9 64	-				1				1	1	<u></u> 	7	1	ì	<u>'</u> 	) 1	]			1	-		1	2 0	07	3	-	- 1
Preumonia Officease of Res. 143 62 8 7 2 1 5 4 4 - 2 2 4 - 1   8 - 1   6 3 10 1 1 1 3 4 1 2 - 2 6 0 58 16 Officease of Res. 7 4 - 1   - 1		27	2	cvi	· =	3		_	_	1	7	1	Ţ	1	1	7	1	<u> </u>	-	1	١	-	 	1	Ī		_	10	ಣ	1	
Definition of Rose of Rose backs of Rose backers of Rose backers of Rose backers and between and backers and backe	Pneumonia		62	∞			<del>-</del>	īō.	4	1		1	Ţ	30	7	Ţ	9			- -	က	4	<del></del>	1	1	01		28	16	10	
Purposed by System         1.         1.         2.         2.         2.         2.         2.         4.         3.         4.	Other Diseases of		,									_	_								,						ì	•			
Nephritis   19   11	Piratory System Bright's Disease		4	1	-	1		<u>`</u> 	<u> </u>		+	İ				1	1	1	1		-		1	<u> </u>			•		1		,
Puerperal Convulsions         7         4         1	Nephritis		11	1	_	1	1	2	4	1	2	1	Ţ	<u> </u> 	7	T	_ <u>_</u> _!	<u> </u>					! T		1	-	11	60	4	-	
Purperal Fever         10         4         —			4	1	<u> </u>	J	Ξ	1	7	1	†	+	Ţ	1	Ť	7	1	1			,	1	! T	-	1	1	2	_	_	· l	- 1
Miscarriage         Other and undefined         13         5		01	4	1	Ī	Ī	1	1	7	1	+	+	Ţ	<del></del>	<del>-</del> -	T	-		-	<u>-</u>	1	1	 	<u> </u>	Ī	_	īĠ	ಣ	=	1	
Other and undefined         13         5         —         1         —         1         —         —         8         3         2         —         8         3         2         —	Miscarriage	1	}	l	}	Ī	l	1	Ŧ	1	+	†	Ţ	1	T	T	<u> </u>	<u> </u>	$\frac{1}{1}$	T		1	1	<u> </u>		1	1		1	1	, ,
Starvation Accidents or Negligence 32 6 2 2 2 2 3 2 1 3 - 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Applied and	- 61	u			_		_				_							-	_						_	ō	c	-		
Accidents or Negligence 32 6 2 2 2 2 2 3 2 1 3 - 1 1 1 - 7 1 - 1 1 - 7 2 - 1 - 1 7 9 3 Homicide 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Ø.	-	>					1	_			4		<u>1</u>  ·				-			(	l L	l	 	_	1	5	•	1	 	ı
Homicide 5 1 1 - 1 - 1 - 57 7 5 - 2 7 11 9 - 1 4 6 3 7 6 3 13 212 90 43	Accidents or		rc.	C)		C		673	-	G.		\				-		<u> </u>					 				17	٥	~	1	1
Suicide 2	Homicide		_	1	1	_	1	-	7	-	+	1	Ţ	<u> </u>  -	ţ	1	<u>.</u> 	-	22	T	1	1	<del> </del>	1	١	1	10	1	1	1	ı
All other causes 375*139 19 21 8 5 26 2 7 4 315 1 57 7 5 2 7 11 9 1 4 6 3 7 6 3 13 212 90 43		(	1	1	1	1	I	1	Ŧ	1	†	†	Ţ	1	Ť	T	<u> </u>	1	T	Ţ	-	1	 	1	Ī	1	=	1	1	1	1
5/0.109 19 21 8 0 20 2 1 4 315 1 5/ 1 1 9 1 4 0 5 7 1 8 0 43	All other	27 62	18	15	18	1		8	1	1	1	†;	Ţ	J.,	<u> </u>	1	1	١ —		T		1	  -	1	1	!		18	1	1	,
	series rates are	3	5	Ê	ă	ō	_	Ş	<u> </u>	-	3	<del> </del>	1				4			_	#	5	<del>ه</del>					3	<del>2</del>	2	

\* Here are included 80 deaths from Old Age (of which 34 in Colombo, 8 in Galle, 6 in Puttalam, 5 in Negombo, 4 in Jaffna); 61 from Dability (of which 11 in Kandy, 8 each in Kandy, 7 in Moratuwa, 5 each in Negombo and Ratnapura); 20 from Enteritis (12 in Colombo, 3 in Kandy, 2 in Galle); 14 from Paralysis (5 in Colombo, 3 in Galle); and 1 from Beri-beri of a Bengalee Fireman belonging to ss. "Siracco" who died in the General Hospital, Colombo.

												1			
	Population	Population	Totali	TotaliBirths registered.	stered.	- Total I Deatl	Total Deaths including Deaths in Hospitals and Jails.	undmg yitals	Deaths	Total Deaths	Per M	Per Mille per Annum.	Annum.	Deaths	Deaths of Children
Wards.	the Military) at the Census of 1901.	the Military) the middle of at the Census of Increase.	Males.	Females.	Persons.	Males.	Females.	Persons.	registered in Eographicals Persons, and Jails.	Deaths (if any) of Estate Coolies and Non-	Birth-	Crude Death- rate.	Corrected Death- rate.*	Children under One Year.	under One Year of Age to 1,000 Births
Colombo Town	155,869	183,872	212	210	422	. 350	300	650	172;	584	27 · 02	37-39	41.61	155	367
Fort and Galle Face	2,285	2,285§	I	1	1	ÇI		10		-	)	5.15			
Pettah	7,561	7,561§	4	2	9		ıs	12		12	9.34	89.81	1	5	833
St. Sebastian	9,349.	10,709	6	14	23	מנ	13	18	i	81	25.28	19.79	1	. 9	261
St. Paul's	20,260	24,258	1.1	24	41	26	22	9#	ći	746	19.90	22 · 32	1	16	390
Kotahena	33,355	38,666	38	8	8/	56	70	126	ı	126	23.75	38.36		38	. 487
New Bazaar	17,470	20,404	23	56	49	31	43	74	Ċ)	7.4	28.27	42.70	ľ	23	469
Maradana Hospitals	2000	27 540	141	38	62	106	58	164	164	66	İ	1	1	16	1
Maradana (exclusive of Hospitals)	_		0 <del>+</del>		7.1	7.1	55	126	er.	126	22.26	39.51	ı	30	422
Slave Island	16,927	20,286	30	23	53	. 28	. 25	53	1	23	30.77	30.77	1	14	264
Kollupitiya	18,281	23,610	6	13	22	19	01	65	l	23	10.97	14.46	ı	<b>\$</b>	364

\* For explanation of "corrected death-rate" "wide Table I. footnote marked (\*).

The population of the several wards of the town at the Census of 1901 not being available by age-constitution, their corrected death-rates cannot be calculated.

Infantile death-rates have been omitted where the number of births is less than five

Infantile death-rates work been control in the infectious Diseases Hospital at Kanatta registered by an extra-urban Registera.

In the population of these two wards being a fluctuating one, their estimated population cannot be calculated. Hence the Census figures are retained.

Table IV.—Causes of Deaths registered during the Month of January, 1909, in each Ward and Race of the Colombo Municipality.

	•		ŀ		ľ	\- -	Ward.		5				-	Death	Deaths among all	g all R	Васев.	-
Causes of Deaths.		Colombo Town.	Fort and Galle Face.	. Рессер.	St. Sebastian.	St. Paul's.	Котаћела.	New Bazast.	aletiqeoH anabaraM	Maradana (exclusive of Hospitals).	bnsleI eval2	. Kollupitiya.	Emopeans.	Burghers.	Sinhalese.	.slimsT	Moors.	Malaya. Othera.
All Gauses		650*	63	12	18	46	126	74	164	126	53	53	10	32	323 138	104	!	82
I.—Infantily Mortality	:	155	1	10	9	91	88	83	15	30	14	<b>∞</b>	(co	7	74 2	24	37	7
A.—One Week and under.  1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes 8. Other Week and under I Year.		2112   11   4	.	0	11-1-11	01   0	r -' %  0	-  %	8   0	63   00	01	-01	7	11-11111	r-00   01   m	es     03     1 -	-0.00	2   1
1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes		1214.000.14	1111111	m	-       - 0	2     -   62	∞ 4++0	1001-	01     -40	m m     m m m	110-1-14	-0   -	%	63       85	17. 13. 10. 10.	8 8 1   9 8 4	1401   2082	-     &
II.—General Mortality (1 Year and over)	er)	495	63	7	12	. 08	88	51	149	96	39	21		25	249 11	114 6	67 2	21
1. Smallpox 2. Chickenpox 3. Measles 4. Influenza		7 - 60		-111	1 1 1 1	-111	111-	07	<u> </u>	e	1111	1111	1111	-111			e	1111

\* Includes 8 deaths of town residents, which occurred in the Infectious Diseases Hospital at Kanatta and registered by an extra-urban Registrar, all from Smallpox (2 Burghers, 2 Sinhalese.)

1 Tamil, and 3 Moors), I from Pettah, 2 each from St. Paul's and New Bazaar, and 3 from Maradana.

1 Tamil, and 3 Moors), I from Thantiton (in Kotahena) and Canagential Styphils and Congestion of the lungs (in Maradana Hospitals).

2 Hospitals and Enteritis (4 in Maradana Ward and 1 each in Kotahena, Maradana Hospitals and Kollupitiya), 3 each from Dysentry, (1 each in St. Paul's, Kotahena, and New Bazaar), and Inantiton (in Kotahena) and 1 each from Tuberculosis and Itches (in St. Paul's), Meningitis (in Kotahena), Tabes Mescnterica (in Maradana Hospitals), Mahutrition and Dropsy (in Maradana Ward), Nephritis, Constipation, Fever, and Gastritis (in Slave Island).

Table 1 V.—Causes of Deaths among all R Wards.	Colombo Town. Town. Town. Face.	H. General Mortality (1 Year and over) - corrid.   2   2   2   5   1   256   8   4   2   2   1   1   1   1   1   1   1   1
	St. Sebastian.	
Wards.	Косьрепв.	1
	alatiqaoH anabataM	25
	Maradana (exclusive .(elatique) 10	8
	Slave Island. Kollupitiya.	04
	Emobesus	
	Burghers.	,  -   -4  4  -  -0  -  -  -  -  -  -  -  -  -  -  -
Deaths among all Races.	Sinhalese	23.1 16.1 16.1 16.1 16.1 16.1 16.1 16.1 1
nong al	alimaT	26
Races.	Moors.	10         100   100
,	Malays.	