SUPPLEMENT

T0

The Ceylon Government Gazette,

No. 6,306 - FRIDAY, APRIL 23, 1909.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE FOURTH QUARTER OF 1908.

I.-Population.

THE estimated population of the Island on the last day of the quarter was 4,038,456, showing an increase of 7,852 on the previous quarter, due to an excess of 8,230 births over deaths, but a deficit of 378 arrivals over departures of Indian coolies.

2. Arrivals and departures of Indian coolies.—The number of Indian coolies who arrived in the Island during the quarter was 16,946 and of departures 17,324, as against 19,620 arrivals and 15,943 departures, the averages for the corresponding quarters of the last ten years.

II.-Marriages.

- 3. Marriages.—4,186 general marriages (i.e., marriages other than Kandyan or Muhammadan) were registered during the quarter, and 1,360 Kandyan marriages. Their distribution by Provinces and districts is given in Table I.
- 4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c.
 - 5. Table VII. gives similar information in respect of the Kandyan marriages.
- 6. First marriages; re-marriages.—Of the 4,186 general marriages, 3,617 (equal to 86 per cent). were between bachelors and spinsters, 378 between widowers and spinsters, 112 between bachelors and widows, 62 between widowers and widows, 7 between divorced men and spinsters, 6 between bachelors and divorced women, 3 between divorced men and widows, and 1 between a divorced woman and a widower. Of the 1,360 Kandyan marriages, 1,043 (equal to 77 per cent.) were between bachelors and spinsters, 137 between widowers and spinsters, 65 between bachelors and widows, 37 between widowers and widows, 32 between divorced men and spinsters, 28 between bachelors and divorced women, 8 between widowers and divorced women, 6 between divorced men and divorced women, and 4 between divorced men and widows.
- 7. Age at marriage.—The mean age at marriage for the general community was 27.0 for males and 20.7 for females, and for Kandyans 26.7 for males and 20.5 for females. It is likely that in many of these cases the couples had lived as husband and wife for years before registration of marriage, the usual religious ceremony alone having been performed in time. The figures in this chapter are based on actual registration, which is not, except among Kandyans, necessary to the validity of a marriage.
- 8. Minors.—In the general community about 3 per cent. of the bridegrooms and 50 per cent. of the brides, and among the Kandyans about 14 per cent. of the bridegrooms and 74 per cent. of the brides, were under 21 years of age.
- 9. Mixed marriages.—There were 38 mixed marriages during the quarter, including 2 between Europeans and Burghers, 11 between Burghers and Sinhalese, 2 between Burghers and Tamils, 18 between Sinhalese and Tamils, 2 between Cochins and Sinhalese, 1 between a Telugu and a Tamil, and 1 between a Malayalam and a Sinhalese.
- 10. Signatures in marriage register.—Of the 8,372 persons married in the general community during the quarter, 845 men and 2,674 women signed the register with marks, that is to say, nearly 20 per cent. of the men and 64 per cent. of the women could not write their names. Of the 2,720 Kandyans married, 416 men and 1,329 women signed the register with marks, i.e., about 30 per cent. of the men and 97 per cent. of the women could not write their names.

III .- Births and Deaths.

11. Births.—The births registered during the quarter numbered 41,843 (44 Europeans, 210 Burghers, 29,386 Sinhalese, 9,564 Tamils, 2,430 Moors, 124 Malays, and 85 Others), and were in the proportion of 43.4 per 1,000 persons living, as against 38.1 in the previous quarter and 40.8 the average of the corresponding quarters in the period 1898–1907.

Table VIII. gives the births of the quarter according to race and sex for each Province and district of the Island.

- 12. Deaths.—The number of deaths registered during the quarter amounted to 33,613 (36 Europeans, 198 Burghers, 22,340 Sinhalese, 8,797 Tamils, 2,000 Moors, 121 Malays, and 121 Others), and was equal to an annual rate of 34.9 per 1,000 persons living, as against the average 29.0 for the fourth quarters in the period 1898–1907 and 28.1 the rate in the preceding quarter. Table IX. gives the deaths according to race in each month of the year for each Province and district in the Island.
- 13. The births and deaths and their rates are compared in Tables I. and II. in the Appendix for each Province and district, with the results obtained in the previous quarter, the corresponding quarter of the previous year, and the average rates for the fourth quarters of 1898–1907, and are summarized for the whole Island in the following Table A:—

TABLE A.

	Births.	Deaths.		: Annum. Death-rate.
Average for ten previous quarters in 1898-1907	37.490	 26,666	 40.8	 29.0
Fourth quarter, 1907	 35,877	 26,092	 37.5	 $27 \cdot 3$
Third quarter, 1908 Fourth quarter, 1908		27,023 $33,613$		

- 14. The birth-rate thus shows an improvement on the average, and the death-rate a deterioration. The improvement in the birth-rate has been shared by all the districts of the Island, except Negombo, Mullaittivu, Batticaloa, Galle, Mannar, Matara, Hambantota, and Puttalam. The deterioration in the death-rate has been shared by every district, except Jaffna, Mannar, and Batticaloa (vide Table II. in the Appendix).
- 15. Sex.—Of the total number of births (41,843), 21,461 were of males and 20,382 were of females, i.e., 1,053 males to 1,000 females. Of the total number of deaths (33,613), 16,924 were of males and 16,689 were of females. Out of equal numbers living of each sex there died 893 males to 1,000 females.
- 16. Infantile mortality.—The deaths of infants under one year of age numbered 9,049, and were in the proportion of 216 to 1,000 registered births. The rate of infantile mortality varied in different districts from 423 (for Tamils) in Mannar, 397 (for Sinhalese) in Batticaloa, 395 (for Tamils) in Puttalam, 386 (for Sinhalese) in Matale, 377 (for Sinhalese) in Kurunegala, 369 (for Tamils) in Mullaittivu, 354 (for Sinhalese) in Anuradhapura, and 348 (for Moors) in Puttalam, to 173 (for Moors) in Batticaloa, 170 (for Tamils) in Jaffna, 167 (for Sinhalese) in Colombo, 151 (for Sinhalese) in Galle, 146 (for Sinhalese) in Negombo, 129 (for Sinhalese) in Matara, 122 (for Sinhalese) in Kalutara, and 121 (for Sinhalese) in Chilaw.

IV .- State of Public Health.

- 17. The general health of the population during the quarter was worse than usual, the deathrate rising to 34.9 from 28.1 in the previous quarter and 29.0 the average for the fourth quarters in the period 1898–1907. The deterioration from the previous quarter was noticeable in every Province, and from the average in every Province, except the Northern and Eastern.
- 18. The healthiest Province during the quarter was the Northern, with a death-rate for all races of 25.4. The Western, usually the healthiest, follows with a death-rate of 28.6. The unhealthiest Province was as usual the Province of Uva, with a death-rate of 47.2. The healthiest district for all races was Chilaw, with a death-rate of 20.0, followed by Negombo, with a death-rate of 20.6; and the unhealthiest was Matale, with a death-rate of 71.0, followed by Kurunegala with 55.7.
- 19. Tables III., IV., and V. in the Appendix show the number of births and deaths registered in the several Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, and the average for the corresponding quarters in the period 1898–1906. The birth-rates and death-rates for all ages and for infants in the several Provinces and districts of the Island are shown for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese; and for the Tamils only where Tamils form the bulk of the population. In the Puttalam and the Batticaloa Districts, which contain a resident population comprised of Sinhalese, Tamils, and Moors, the rates are given for each of these races.
- 20. Western Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter were estimated to number 854,519, or a little less than a third of the entire Sinhalese population of the Island, experienced worse health than usual, their death-rate (25·0) rising by 4·2 over the average (20·8). It was not so healthy as the Northern Province, but was healthier than any other Province. The Sinhalese infantile mortality of the Province, viz., 150 per 1,000 births registered, was the lowest of any Province in the Island. All the three districts show higher death-rates than usual, the increase being greatest in Colombo (from 21·0 to 27·0) and least in Negombo (from 18·0 to 18·9). This is the healthiest district in the Province, and the second healthiest in the Island, coming next after Chilaw.

The death-rate of Kalutara was 24.9, against an average of 22.2. Its infantile mortality (122 per 1,000 births registered) was the lowest in the Province, and the second lowest in the Island, Chilaw leading with 121, Matara taking the third place with 129, and Negombo the fourth place with 146. The birth-rate of the Province (37.9) was also a slight deterioration from the average (38.7), all the three districts sharing in the deterioration. The highest birth-rate was in Negombo (40.7).

- 21. Central Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter numbered a little over 326,000, experienced worse health than usual, their death-rate rising to 45.5 from the average (32.1). This deterioration was most marked in Matale (71.4 from an average mortality of 37.9) and less so in Kandy (40.0 from an average of 30.6). Nuwara Eliya, on the other hand, shows an improvement (29.0 from average 30.4), and was the healthiest district in the Province, Matale being as usual the unhealthiest. The birth-rate of the Province (49.5) was about the average (49.8). Matale alone shows an enhanced birth-rate (56.9 against 52.3), the highest recorded in the Province.
- 22. Northern Province.—The health of the Tamil inhabitants of the Province, who form the bulk of the population, and were estimated to number 347,000 on the first day of the quarter, was better than usual, their death-rate for the quarter (25.0) declining by 3.9 from the average (28.9). The improvement was in Jaffna (which contains the bulk of the Tamil population, 319,701) from 28.0 to 24.2, and in Mannar 34.3 to 31.1, while Mullaittivu deteriorated from 42.4 to 43.2, and was as usual the unhealthiest district in the Province. The infantile mortality of the district of Mannar was 423, or more than double that of Jaffna (170), and the highest in the Island. The birth-rate of the Province (42.3) was better than the average (37.6). The improvement was confined to the Jaffna District, which records a birth-rate of 43.3, against 28.8 in Mannar and 34.0 in Mullaittivu.
- 23. Southern Province.—The health of the Sinhalese inhabitants of the Province, who numbered nearly 598,000 on the first day of the quarter, was unsatisfactory, the death-rate for the quarter rising to 30·1 from the average (27·3). The deterioration was shared by every district in the Province. It was greatest in the Hambantota District (36·3 from average 29·2) and least in the Matara District (28·3 from average 27·1). The infantile mortality of Matara District (129 per 1,000 births registered) was the third lowest in the Island. The birth-rate of the Province (44·0) was also worse than usual (47·1), a deterioration noticeable in each of its three districts. The highest birth-rate was in Matara (46·0) and the lowest in Hambantota (40·4).
- 24. Eastern Province.—This Province, which at the beginning of the quarter was estimated to contain a population of 102,399 Tamils (of whom 84,931 were in the Batticaloa District and 17,468 in the Trincomalee District), 69,646 Moors, and 8,922 Sinhalese, presented death-rates of 33.9, 23.1, and 30.3 respectively, for the Tamils, Moors, and Sinhalese, against their respective averages of 32.0, 27.6, and 36.5 for the corresponding quarters of the period 1898–1907. The Tamils, who constitute the majority of the population, experienced rather worse health, and the Moors and Sinhalese better health than usual, and the Tamils were even worse off this quarter than the Sinhalese, which is unusual. The birth-rate of all three sections of the population showed a deterioration, viz., Tamils 43.9 (from average 45.4), Moors 50.7 (average 50.9), and Sinhalese 36.1 (average 40.0). The decline in the Tamil birth-rate is confined to the Batticaloa District, where the birth-rate fell by 4.8 from the average (48.6), while in the Trincomalee District (which has about one-fifth of the population of Batticaloa) it rose to 44.4 from the average (40.8). The highest birth-rate in the Province (50.7) and the lowest death-rate (23.1) were among the Moors.
- 25. North-Western Province.—The Sinhalese, who form the bulk of the population of the Province and were estimated to number 332,378 persons on the first day of the quarter, experienced worse health than usual, their death-rate rising to 45.6 from the average (29.5) for the corresponding quarters of the last ten years. In Kurunegala District (which contains the bulk of the population, close on 250,000) the death-rate rose from 32.4 as high as 54.0, which was only exceeded by Matale, and in Puttalam (which contains scarcely 12,000) from 33.0 to 34.4. On the other hand, Chilaw District (which contains over 71,000 Sinhalese) was the healthiest district in the Island, with a Sinhalese death-rate of 18.1 and an infantile mortality of 121. The Tamils and Moors of the Province (who are mostly in the Puttalam and Chilaw Districts) also fared worse than usual, viz., the death-rate of the Tamils rising to 60.9 from the average 40.0, and Moors to 49.8 from 34.4. The Sinhalese birth-rate of the Province (52.8) was an improvement on the average (45.4), the Tamil rate also shows an improvement, but the Moor birth-rate was worse than usual.
- 26. North-Central Province.—The North-Central Province or the Anuradhapura District, with which it is co-terminous, showed a deterioration in the health of its Sinhalese inhabitants, its death-rate rising from the average 39·3 to 45·5. The birth-rate of the Province, however, showed an improvement from the average 42·3 to 49·1. The Sinhalese infantile mortality was 354 per 1,000 births registered.
- 27. Province of Uva.—This Province, which is the same as the Badulla District, enjoyed slightly better health than usual, its death-rate falling to 49.0 from the average 50.5. The birth-rate (50.9), on the other hand, was a deterioration from the average (54.1).
- 28. Province of Sabaragamuwa.—The health of the Sinhalese inhabitants of this Province during the quarter was worse than usual, the death-rate rising to 35·1 from the average (29·4), Ratnapura rising to 39·7 from 34·4, and Kegalla to 31·7 from 25·5. The birth-rate of the Province is, however, a slight improvement on the average, viz., 50·9 against 49·5, an improvement shared by both its districts.

V.-Causes of Death.

29. The causes of death registered in the Island during the quarter are shown in Table X. in the Appendix, and are summarized below:—

η	٦,	101	757	R
- 1	A	RI	. Mi	D.

	Cholera.	Small-	Diarrhœa and) 	Phthi-	Bron- chitis		Viole	nce.		All	
District.	Cholera.	pox.	Dysentery.	Fevers.	sis.	and Pneu- monia.	Acci- dent.	Homi- cide.	Suicide.	Execu- tion.	other Causes.	Total.
CEYLON	13	144	5,972	6,351	1,139	1,369	381	31	55	11	18,147	33,613
Colombo Negombo Negombo Kalutara Kandy Matale Nuwara Eliya Jafina Mannar Mullaittivu Galle Matara Hambantota Batticaloa Trincomalee Kurunegala Puttalam Chilaw Anuradhapura Badulla Ratnapura Kegalla	13	109 5 1 17 2 3 2 3 2 2 3	563 61 238 822 330 310 138 15 11 571 581 251 106 21 323 42 129 593 419 395	729 211 254 448 363 77 616 40 57 202 310 438 488 70 817 59 68 262 346 269 227	308 23 86 76 31 23 72 15 158 69 23 71 1 8 5 5 5 5	319 264 41 207 46 93 175 21 20 34 17 19 52 41 63 9 10 11 95 28	37, 12 32, 46 10, 15, 2, 2, 2, 33, 22, 16, 23, ——————————————————————————————————	77 33 32 33 1 - 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 2 4 4 6 6 - 1 3 1 2 1 4 - 2 - 2 - 2 2	8 - 2 - 2	2,374 1,178 2,069 938 709 935 102 65 [1,123 669 262 429 132 2,477 165 277 568 823 11,176	4,472 1,833 3,699 1,727 1,234 1,970 181 1,611 1,011 1,109 268 3,788 292 417 919 2,268 1,633 1,942

- 30. Smallpox.—This disease, which was responsible for 4 deaths in the first quarter, 68 in the second, and 87 in the third, continued to spread vigorously this quarter, causing as many as 144 deaths (109 in Colombo District, 17 in Kandy, 5 in Negombo, 3 each in Galle and Badulla, 2 each in Matale, Kurunegala, and Anuradhapura, and 1 in Kalutara). The deaths in Colombo were a continuation of the epidemic of the last three quarters which was introduced from India. Of the 109 deaths that occurred in the district, 51 were of residents within the Municipality, and the remaining 58 occurred in the suburbs. Eleven deaths in Kandy were traceable to infection from Colombo, 3 to infection from Kurunegala, and 1 to infection from Matale, while in the other 2 the origin could not be traced. The two deaths in Kurunegala had occurred during the previous quarter, but were registered this quarter. The deaths in Negombo, Galle, Anuradhapura, and Badulla were due to infection from Colombo, while in the Matale cases infection was traced to Kandy, and in the Kalutara case to Maturata in Nuwara Eliya District.
- 31. Cholera.—There were 13 deaths from cholera reported for registration during the quarter, all in Colombo District. In not one of these could the origin of the disease have been traced. See further paragraph 60.
- 32. Fever and diarrheal diseases.—Of the 33,613 deaths registered in the Island during the quarter, no less than 5,972 were due to diarrheal diseases, and 6,351 were reported as due to various kindsjof fever, i.e., fever and diarrheal diseases were responsible for nearly 37 per cent. of the total number of deaths.
- 33. There were 4 deaths from chickenpox reported for registration during the quarter (1 each in Kalutara, Matale, Badulla, and Kegalla). Forty-three deaths were due to measles (11 in Kandy, 9 in Colombo, 7 in Nuwara Eliya, 5 in Badulla, 4 in Kalutara, 3 in Kurunegala, and 1 each in Negombo, Galle, Matara, and Kegalla). Whooping cough caused 37 deaths (12 in Colombo, 10 in Galle, 8 in Kalutara, 2 in Nuwara Eliya, and 1 each in Kandy, Jaffna, Batticaloa, and Kegalla). Diptheria caused 2 deaths (1 in Colombo and the other in Jaffna). Forty deaths resulted from influenza (13 in Kandy, 11 in Nuwara Eliya, 8 in Badulla, 3 in Colombo, 2 in Matale, and 1 each in Negombo, Hambantota, and Ratnapura).
- 34. The other chief causes of deaths were infantile convulsions 3,662, debility (mostly of infants from inability to suck) 1,385, phthisis 1,239, rickets 1,171, pneumonia 1,144, anæmia 1,105, worms 1,073, old age 821, dropsy 661, premature birth 419, puerperal convulsions 410, dochmius duodenalis 364 (of which 266 were of estate coolies), thrush 354, abscess 345, and malarial cachexia 260.
- 35. Deaths by violence.—Of the 381 deaths attributed to accidents, as many as 90 were due to drowning (of which 22 were by falling into wells), 86 to falls from trees, 45 to snakebites, 32 to burns and scalds, 15 to falls from heights other than trees, 12 to fall of heavy substances, 15 to taking poisonous substances, 13 to suffocation, and 11 to gun-shot wounds; 17 deaths were due to injuries caused by animals (of which wasps were responsible for 8 deaths, buffaloes and crocodiles for 2 each, and a hikenala or Brahmin lizard, a bull, a "mad rat," a dog, and bees for 1 each). Five deaths were registered as due to vehicles running over the body (of which 2 each were by railway trains and carts and 1 by a roller). Three deaths each were due to being buried under a wall, to wire shoot accidents, and to cuts and stabs.

Sunstroke and lightning caused I death each, while a death each has been registered as due to foreign body in air-passage, to breathing poisonous gas, and to being jammed between two vessels.

- 36. Homicide.—Thirty-two deaths were due to homicide, of which 7 were from Colombo, 3 each from Negombo, Kalutara, and Matale, 2 each in Kandy, Galle, Kurunegala, Badulla, and Ratnapura and 1 each in Nuwara Eliya, Hambantota, Puttalam, Chilaw, Anuradhapura, and Kegalla. Not one homicide was contributed by the Tamil Provinces—Northern and Eastern.
- 37. Suicides.—Fifty-five deaths resulted from suicide, of which 30 by hanging, 8 by poison, 6 by drowning, 4 each by gun-shot wounds and other means, and 3 by cuts and stabs.
- 38. Executions.—There were 11 judicial executions (all Sinhalese) registered in the Island during the quarter: 8 in Kandy, 2 in Galle, and 1 in Colombo.

VI.—Health of Estate Population.

- 39. The total number of births reported for registration from the estates* in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, during the quarter amounted to 4,078 (8 Europeans, 14 Burghers, 138 Sinhalese, 3,880 Tamils, 27 Moors, 6 Malays, and 5 Others), and the deaths numbered 4,164 (5 Burghers, 106 Sinhalese, 4,010 Tamils, 34 Moors, 4 Malays, and 5 Others), corresponding to an annual birth-rate of 38.6, and a death-rate of 39.4 per thousand, as against their respective averages of 24.1 and 27.3 for the period of 1898 to 1907. Deaths are in marked excess over births in Matale and Ratnapura Districts, and in less degree in the districts of Colombo and Kalutara. The Ratnapura District leads with the highest death-rate (90.6), followed by Matale (63.0) and Kalutara (61.0), while Nuwara Eliya District shows the lowest death-rate (29.6) followed by Kandy (30.3). The highest birth-rate is noticeable in Kegalla (55.8) and the lowest in Colombo (28.7).
- 40. The causes of death are shown in Table XI. in the Appendix, and may be summarized as follows:—

· · · · · ·		TABI	LE C.			
Diarrhœa	••	 806	Malarial cachexia	••		131
Dysentery		 5 85	General dropsy		• •	121
Debility	••	 507	Premature Birth		• •	115
Pneumonia		 332	Bronchitis			75
Infantile convul	sions	 279	Parturition			67
Dochmius duod	enalis	 266	Phthisis			45
Fevers	• •	 177	Anæmia			3 8
Old age	• •	 139	All other causes			596

41. The following Table D gives the estate population at the Census of 1901, their births and deaths during the fourth quarter of 1908, together with their birth and death-rates for the fourth quarters of 1907 and 1908, and the averages for the fourth quarters of 1898 to 1907. But the rates are calculated on the population as enumerated and distributed at the Census of 1901, and the number and distribution of the population at present may be different.

TABLE D.

		Births	Deaths	1	h-rate per l	tille per An	num.	Death	ı-rate per Mi	lle per Ann	um.
District.	Population at the Census of March 1, 1901.	registered during Fourth Quarter 1908.	registered during Fourth Quarter 1908.	Average for Fourth Quarters, 1898–1907.	1007	Third Quarter of 1908.	Fourth Quarter of 1908.	Average for Fourth Quarters, 1898–1907.	Quarter of		Fourth Quarter of 1908.
Kandy	155,444	1,340	1.185	24.7	26.6	33.2	34.3	25 · 7	22.3	26.5	30.3
Matale	26,136	233	414	25 · 1	34 · 2	50.2	35.5	34.5	34 · 2	65 · 8	63.0
Nuwara Eliya	103,564	833	770	22.5	27.2	34.6	32.0	20 · 1	21.2	27.8	29.6
Badulla	51,788	566	521	28.3	40.2	37.6	43.5	28.5	40.4	34.0	40.0
Ratnapura	16,642	2 32	379	26 · 4	29.8	50.0	55 • 4	45 · 1	58.9	90.8	90.6
Kegalla	41,499	582	559	26 · 1	37.9	38.2	55 · 8	34.6	39.7	51 · 2	53.6
Colombo	8,302	60	76	17.1	18.2	39.3	28 · 7	39.5	31.5	67 · 1	$36 \cdot 4$
Kalutara	16,965	232	260	25 · 2	41.2	39.6	54.4	45.5	66.6	50 · 4	61.0
Total	420,340	4,078	4,164	24 · 1	30 · 6	36.7	38.6	27 · 3	30.1	36.9	39 · 4

42. Kandy District.—The total number of births reported for registration from the estates in the Kandy District amounted to 1,340 (3 Europeans, 1 Burgher, 28) Sinhalese, 1,294 Tamils, 9 Moors, 1 Malay, and 4 Others), and the deaths numbered 1,185 (32) Sinhalese, 1,141 Tamils, 11 Moors, and 1 Malay). The birth-rate during the quarter was equal to 34.3 as against the average of 24.7 for the corresponding period of 1898 to 1907, and the death-rate was 30.3 as against its average 25.7 for the same period. The chief causes of death were diarrheal diseases 353 (diarrhea 200, dysentery 153), pneumonia 120, infantile convulsions 117, premature birth 83, debility (mostly of infants from inability to suck) 81, dochmius duodenalis 74, old age 47, fevers 46, bronchitis 29, and general dropsy 20.

^{*} By "estate" is meant any land having ten or more acres in cultivation under coffee, tea, cacao, or cinchona grouped together by Proclamation into a district under the Medical Wants Ordinance, No. 17 of 1880.

- 43. Matale District.—The total number of births reported for registration from the estates in the Matale District amounted to 233 (8 Sinhalese, 218 Tamils, 6 Moors, and 1 Malay), and the deaths numbered 414 (8 Sinhalese, 399 Tamils, 6 Moors, and 1 Malay). The birth-rate during the quarter was equal to 35.5 as against the average 25.1 for the period 1898 to 1907, while the death-rate was 63.0 as against its average 34.5 for the same period. The chief causes of death were diarrheal diseases 105 (diarrhea 43, dysentery 62), fevers 49, malarial cachexia 42, delibilty (mostly of infants from inability to suck) 40, dochmius duodenalis 32, general dropsy 25, infantile convulsions 24, pneumonia 21, anæmia 11, old age 10, and bronchitis 8.
- 44. Nuwara Eliya District.—The total number of births reported for registration from the estates in the Nuwara Eliya District amounted to 833 (3 Europeans, 6 Burghers, 22 Sinhalese, 798 Tamils, 2 Moors, and 2 Malays), and the deaths numbered 770 (1 Burgher, 21 Sinhalese, 739 Tamils, 5 Moors, and 4 Others). The birth-rate during the quarter was equal to 32 · 0 as against its average 22 · 5 for the period 1898–1907, while the death-rate was 29 · 6 as against its average 20 · 1 for the same period. The most fatal causes were diarrheal diseases 221 (diarrheal 135, dysentery 86), debility (mostly of infants from inability to suck) 186, pneumonia 73, infantile convulsions 43, dochmius duodenalis 30, old age 25, general dropsy 18, bronchitis 14, fevers 13, and premature birth 10.
- 45. Badulla District.—The total number of births reported for registration from the estates in the Badulla District amounted to 566 (1 European, 3 Burghers, 17 Sinhalese, 540 Tamils, 4 Moors, and 1 Malay), and the deaths numbered 521 (2 Burghers, 7 Sinhalese, 504 Tamils, 6 Moors, 1 Malay, and 1 Other). The birth-rate during the quarter was equal to 43.5 as against its average 28.3 for the period 1898–1907, and the death-rate was equal to 40.0 as against its average 28.5 for the same period. The chief causes of death were diarrheeal diseases 170 (99 from diarrheea and 71 from dysentery), debility (mostly of infants from inability to suck) 62, pneumonia 58, fevers 35, infantile convulsions 28, old age 25, general dropsy 14, dochmius duodenalis and premature birth 13 each, and bronchitis 11.
- 46. Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura District was 232 (2 Burghers, 15 Sinhalese, 214 Tamils, and 1 Moor), and the deaths numbered 379 (12 Sinhalese, 366 Tamils, and 1 Moor). The birth-rate during the quarter was equal to 55.4 as against the average 26.4 for the period 1898–1907, while the death-rate was 90.6 as against its average 45.1 for the same period. The chief causes of death were diarrheeal diseases 151 (diarrheea 57, dysentery 94), dochmius duodenalis 62, debility (mostly of infants from inability to suck) 47, infantile convulsions 24, pneumonia 12, malarial cachexia 11, fevers 10, old age 10, and general dropsy 8.
- 47. Kegalla District.—The total number of births reported for registration from the estates in the Kegalla District amounted to 582 (f European, 2 Burghers, 33 Sinhalese, 543 Tamils, and 3 Moors), and the deaths numbered 559 (20 Sinhalese, 538 Tamils, and 1 Moor). The birth-rate during the quarter was equal to 55 8 as against the average 26·1 during the period 1898–1907, while the death-rate was 53·6 as against its average 34·6 for the same period. The principal causes of death were diarrheal diseases 273 (190 from diarrhea and 83 from dysentery), debility (mostly of infants from inability to suck) 55, malarial cachexia 33, pneumonia 28, dochmius duodenalis 25, general dropsy 25, infantile convulsions 22, and old age 15.
- 48. Colombo District.—The total number of births reported for registration from the estates in the Colombo District amounted to 60 (58 Tamils, 1 Malay, and 1 Other), and the deaths numbered 76 (1 Burgher, 2 Sinhalese, and 73 Tamils). The birth-rate during the quarter was equal to 28 7 as against its average 17 1 for the period 1898-1907, and the death-rate was 36 4 as against its average 39 5 for the same period. The chief causes of death were diarrheal diseases 28 (diarrhea 25, dysentery 3), ascites 7, and pneumonia and infantile convulsions 6 each.
- 49. Kalutara District.—The total number of births reported for registration from the estates in the Kalutara District was 232 (15 Sinhalese, 215 Tamils, and 2 Moors), and the deaths amounted to 260 (1 Burgher, 4 Sinhalese, 250 Tamils, 4 Moors, and 1 Malay). The birth-rate during the quarter was equal to 54.4 as against its average 25.2 for the period 1898-1907, and the death-rate was 61.0 as against its average 45.5 for the same period. The chief causes of death were diarrheal diseases 90 (diarrhea 57, dysentery 33), debility (mostly of infants from inability to suck) 35, dochmius duodenalis 29, malarial cachexia 17, infantile convulsions 15, pneumonia 14, and fevers 9.

VII.—Health of the City of Colombo.

- 50. The births registered in the city of Colombo numbered 1,151, and corresponded to an annual rate per mille of 25·3, being ·8 per 1,000 higher than the average (24·5) for the corresponding quarters in 1898–1907.
- 51. The deaths registered numbered 1,861. To this have to be added 55 deaths of town residents, of which 53 occurred in the Infectious Diseases Hospital and the 2 others in the Segregation Camp, both at Kanatta (outside the town limits), and which were registered by an extra-urban Registrar, making a total of 1,916, and corresponding to a rate of 42·1 per mille per annum, being 6·5 per 1,000 higher than the average 35·6 for the corresponding quarters in 1898–1907.
- 52. As usual in the town, the death-rate exceeded the birth-rate, owing mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Moors), to the presence of hospitals which add to the normal mortality of the town, and to the registration of births being still somewhat defective.
- 53. The subjoined Table E gives the births and deaths and their rates for each race for the fourth quarters of 1908 and 1907, and the average for the fourth quarters in 1898–1907.

Table E.—Births and Deaths and their Rates, by Race, of the City of Colombo for the Fourth Quarter, 1908, 1907, and 1898-1907.

	,	ive of the		Births.)	Deaths.			rate per r Annu			-rate pe r Annu	
Nationality.		Population (inclusithe the Military) at the Census, 1901.	Average of Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Fourth Quarter, 1908.	Average of Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Fourth Quarter, 1908.	Average of Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Fourth Quarter, 1908.	Average of Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Fourth Quarter. 1908.
ALL RACES	• •	155,869	1,063	1,169	1,151	1,443	1,351	1,916*	24.5	26.1	25.3	35.6	30.2	42.1
Europeans Burghers Sinhalese Tamils Moors Malays Others	•••	2,657 11,861 68,772 34,640 28,898 4,493 4,548	98: 542 167 179 34	21 94 606 174 205 47 22	23 101 610 166 193 37 21	663 347	12 71 612 311 253 54 38	31 125 937 424 294 49 56	$29.7 \\ 15.3 \\ 23.9$	26·7 29·3 31·9 15·8 25·2 34·8 13·7	30 · 2 31 · 3 31 · 8 14 · 6 23 · 4 26 · 7 12 · 4	24·8 38·2	15·3 22·1 32·2 28·3 31·3 40·0 23·6	40 · 8 38 · 7 48 · 8 37 · 3 35 · 6 35 · 4 33 · 2

^{*}Includes 55 deaths of town residents, of which 53 (3 Burghers, 37 Sinhalese, 7 Tamils, 5 Moors, and 1 Malay occurred in the Infectious Diseases Hospital and 2 (a Sinhalese and a Malay) in the Segregation Camp, both at Kanatta (outside the town), and were registered by an extra-urban Registrar.

- 54. The rates are calculated on the figures for the quarter estimated upon the basis of the population as enumerated and distributed at the Census of 1901. The rates for Europeans, Malays, and the races classed together as "Others" being calculated upon small populations are not very reliable. Excluding the rates for these sections, the lowest death-rate was among the Moors (35.6 against an average of 35.5), and the highest death-rate was among the Sinhalese 48.8 (average 38.2) followed by 38.7 among the Burghers (average 24.8). The Malays, who at the last Census numbered 4,493, show a death-rate of 35.4 against 36.2, the average for the corresponding quarters in 1898–1907.
- 55. The highest birth-rate in the quarter was among the Sinhalese, 31.8, a rise of 2.1 per 1,000 over the average 29.7. The Burghers come next with a birth-rate of 31.3, which, however, shows a fall of 2.2 from the average (33.5) for the period 1898–1907. The low birth-rates for Tamils and Others are due to their population being mostly a floating one, and composed chiefly of adult males.
- 56. Table XII. gives in detail the deaths from various causes in each Ward of the city of Colombo, and according to each nationality. The number of births and deaths in each Ward of the town, their rates per mille per annum, and certain selected causes of death during the quarter are shown in the following Table F:—

TABLE F.—Births and Deaths, by Race and Ward, of the City of Colombo, and selected causes of deaths in the Fourth Quarter of 1908.

اد*	و ا					Bir	ths.		•		1]	Dea	ths.										An	nual
	of the		Tota irth				Nati	iona	lity		T	otal I	Dea	ths.			Nat	iona	lity	•			1	Selec	eted C	ause	s of l	Dea	h.			Rat 1,0	e per
Ward.	Population (inclusive of the Military) at the Census, 1901.	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Domes	T CLEOUIS,	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Diarrinea	Dysentery.	Pneumonia.	Bronchitis,	Phthisis.	Enteric Fever.	Other Fevers.	Cholera.	Smallbox.		Births.	Deaths.
olombo Town	155869	1151	597	554	28	101	610	166	-	ì—- i	-1	16 10	10	906	31	125	937	424	294	49	56 1	94 1	10	222	62	190	123	22	13 5	1 3:	1 1	25 · 8	42.
Fort & Galle Face Petah k. Sebastian k. Pani's Kotabena New Bazaar faradana : Hospitals Excl. of hospitals lave Island	2285 7561 9349 20260 33855 17470 80381 16927 18281	210 114 /202 \190	98	24 50 111 57	8	1 5 6 18 7 20 20 8 16	155 40 154 100 40	3 53 18 11 16 17 83	28 18 53	1 - 1 - 2 1 6 24 2 -	4 2 2 1 2	74 30 14 14 14	24 96 06	2 5 42 104 146 108 168 185 68 78	19	1 5 7 21 15 19 33 5	159 78 296	5 10 12 110 54 22 113 48 25 25	6 34 33 29 75 19 62 24 12		7 8		1 3 13 9 8 50 16 2 8	1 4 7 25 42 23 52 43 14	2 1 23 9 13 2 7 2 3	3 1 7 18 17 25 48 43 11 17	2 9 9 7 14 44 13 4 21	2 4 7 2 5	4 7 1 2 1 1	3 9	3	18 (21 : 21 : 22 : 20 : 27 :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

^{*}The estimated population on the last day of the quarter was 182,060. Its distribution among the Ward cannot be estimated. Hence the Census figures are retained.

^{57.} The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population being for the most part a floating male adult one. Excluding these wards, the healthiest divisions of the town were Kotahena and Kollupitiya, each showing a death-rate of 28·1, while the unhealthiest was New Bazaar, with a death-rate of 40·3.

^{58.} The following Table G is an attempt to ascertain the comparative healthiness of each ward and race in the city. It is based on the infantile mortality, which is about the most sensitive sanitary test available. In this table the Census population, the births and infantile deaths, and their rates are given for the fourth quarter of 1908 by wards and races.

TABLE G.—Population (1901) and Infantile Mortality, by Race and Ward, of the City of Colombo in the Fourth Quarter, 1908.

					,	,				Popul	ation of	Population of Colombo at the Census of 1901.*	o at th	e Censu	s of 19	01.*							
Wards.			A A	All Races.		Eúro	Europeans.		Burghers.	şi.	Sinh	Sinhalese.		Tamils.		Moors.)f.8,		Ms	Malays.		Others.	
Colombo Town				155,869	69		2,657		=	11,861		68,772		34,	34,640		28,898	8		4,493			4,548
Fort and Galle Face Pettah St. Sebastian St. Paul's Kotshena Maradana Hospitals Slave Island Kolupitiya			· ~	2,285 7,561 9,349 9,349 20,260 33,355 17,470 30,381 16,927 18,281	885 661 660 660 655 770 881 81		130 63 44 44 29 133 37 418 244 941		. જેમેં જે મેંજે	39 439 661 661 943 2,149 1,460 3,109 1,023 2,028		2,551 2,745 4,904 21,572 6,735 14,833 5,310 9,379		ખુંખું⊖ું જુજું વૃ છુવ્	269 1,962 1,344 10,143 5,759 2,679 4,459 4,379		267 2,202 4,278 3,625 3,149 5,520 5,520 1,087	27 28 28 27 28 27 28 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28		14 34 146 46 324 166 1,117 2,504 143			69 310 132 570 264 813 868 830 824
			-	Births.						Death	s of Chi	Deaths of Children under One Year.	ıder On	e Year.			Death	1,0	hildren 00 Bir	Deaths of Children under One Year of Age to 1,000 Births registered.†	One Ye	ar of A	ge to
Wards.	All Races.	Europeans.	Burghers.	Sinhalese.	.alimaT	.srooM	.syslaM	others.	All Races.	Europeans.	Burghers.	.eseladni8	.alimsT	Moors.	.ayslaM	Others.	III Races.	durghers.	.eseladni	.elime'	loors.	lalays.	there.
Colombo Town	1,151	23	101	610	166	193	37	12	486	69	26	252	94	87	4	10	10	10	<u> </u>	266	451	378	0 47
Fort and Galle Face Pettah St. Sebastian St. Paul's	. 17 48 130 210 210 114 202 190 190 138	, ro	18 20 20 16 8 16	1 9 18 39 155 40 100 40 40 40	1 1 1 1 1 1 1 1 1 1 1 1 8 8 1 1 1 1 1 1	23 28 28 118 53 4 4	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 4 16 48	1 8 2 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			2 9 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 38 16 16 2 2 14 8	100 100 100 100 100 100 100 100 100 100	1	1110000000	143 471 371 371 562 	2000 5000 571 571 187 187	222 222 333 3462 1 575 6 475 7 463	667 679 889 545 - 824 242 750	289 289 528 390 348		

* The military population at the 1901 Census (1,178) is included in the population given for the whole town and the wards, but not in the population of the races distributed in the wards.

59. In the quarter under review the infant mortality, which was 422 per 1,000 births for the whole city, rose as high as 588 in New Bazaar, 562 in St. Paul's, 484 in Maradana (exclusive of hospitals), and 471 in Pettah, and was lowest (143) in the Fort. Among the races the Tamils lead with the highest mortality (566), followed by those classed together as "Others" (476) and the Moors (451). The Moor mortality rose to 528 in New Bazaar, 476 in St. Sebastian, and 464 in St. Paul's. The Sinhalese come next with a rate of 413 for the whole town, rising to 575 in New Bazaar, 490 in Maradana (exclusive of hospitals), 475 in Slave Island, 463 in Kollupitiya, and 462 in St. Paul's. The Malays show a rate of 378 for the whole city, rising to 667 in Maradana (exclusive of hospitals). The European rate (130) is the lowest for the city, and the Burgher rate (257) the next lowest.

60. Thirteen deaths were registered in the town during the quarter as due to cholera. epidemic commenced about the middle of November last and ceased about the end of the following month. Its origin could not be traced. Of the total number, 7 occurred in the Welikade jail, 3 in New Bazaar Ward, I each in Maradana and Slave Island, and 1 in the Infectious Diseases Hospital at Kanatta (a

patient from New Bazaar Ward).

61. As many as 51 deaths were registered from smallpox. Of this number, 46 occurred in the Infectious Diseases Hospital at Kanatta, whither the patients were removed from the town, namely, 22 from Maradana Ward, 8 from Slave Island, 7 from St. Paul's, 4 from Kollupitiya, 2 each from St. Sebastian and New Bazaar, and 1 from Pettah, 2 at Slave Island, 2 at Kollupitiya, and the other at Maradana.

Five deaths were registered from measles, 2 in New Bazaar, 1 each in Kotahena and Maradana 62 (exclusive of hospitals), and 1 in the Infectious Diseases Hospital at Kanatta (a patient from Slave Island).

63. Diarrhoa and dysentery were fatal in 304 cases (against an average of 256 in the corresponding quarters of the last ten years), bronchitis and pneumonia in 284 (average 173), phthisis in 190 (average 139), infantile convulsions in 180 (average 133), enteric fever in 123 (average 31), debility in 91 (average 111), old age in 75 (average 77), worms in 63 (average 23), tetanus in 54 (average 55), premature birth in 37 (average 26), enteritis in 35 (average 19), paralysis in 27 (average 16), and starvation and want of breast milk in 19 (average 3).

64. Fifteen deaths were due to accidents, of which 7 were due to burns and scalds, 2 to drowning,

2 to falls from trees, 1 to sunstroke, and 1 to pieces of stone striking vital parts.

Four deaths were attributed to homicide and 7 to suicide.

VIII.—Health of the Principal Towns.

This chapter deals with the Vital Statistics of the 31 principal towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased, and no dead body is buried or cremated without registration being effected.

67. Table XIII. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the fourth quarter of 1908, their rates, and the infantile mortality in each town, with mean temperature and rainfall of each town.

68. Population.—The estimated population of the thirty-one towns is 476,265, or more than one-ninth of the total population of the Island. The population of Colombo (180,262) is a little less than two-thirds of the population of all the other towns taken together (296,003).

69. The death-rate for all towns this quarter (38.28) is higher than in the previous quarter (32.59) and in the corresponding quarter of last year (30.88). Corrected death-rates not being available before the middle of 1907, an average cannot be stated for the quarter for the purpose of comparison. However, if the average of the monthly mortality rates up to December, 1908, be regarded as holding good for the quarters too, the death-rate has risen by 5.81 over this average. This deterioration occurred in 20 out of the 31 towns, and was greatest in Kurunegala town, where the death-rate during the quarter rose to 117.45 from the average (57.49). The death-rate here has been abnormal since September last, when it was only 47.96. In October (the first month in the quarter) it rose suddenly to 62.05, and with a leap in November to 103.01, mounted to the extraordinary rate of 182.73 in December (the last month in the quarter)

Births.—The births registered in the thirty-one towns during the quarter numbered 3,722, of which 1,906 were of males and 1,816 of females, and correspond to an annual birth-rate per 1,000 of 32.09, as against 29.56 during the previous quarter and 30.71 during the corresponding quarter of last Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000) the highest birth-rate for the quarter was observed in Jaffna (51.84), and the lowest in Kalpitiya (9.86). In the other towns the birth-rate ranged from 45 25 in Matara, 44 05 in Weligama, 39 38 in Kurunegala, 38.91 in Kalutara, and 38.31 in Chilaw, to 22.91 in Mullaittivu, 19.45 in Ratnapura, 18.45 in Hatton and Dikoya, and 17·10 in Nuwara Eliya. Colombo records a rate of 25·68, as against 22·94 in the previous quarter and 26·24 during the corresponding quarter of last year.

71. Deaths.—The number of deaths registered in the thirty-one towns during the quarter was 5,236, of which 2,843 were of males and 2,393 of females, and correspond to an annual death-rate of 38.28 per mille, as against 32.59 during the preceding quarter and 30.88 during the corresponding quarter of last year. 1,711 of the total deaths, or little less than one-third, occurred in hospitals (and

41 deaths in jails), and exaggerated the normal mortality of the towns.

72. Corrected death-rates, as well as crude death-rates, are shown in Table XIII. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sexconstitution is the same as for the Island, and also excluding from the total deaths hospital deaths of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate. 73. Of the towns, excluding Vavuniya and Lunugala, the lowest corrected mortality during the quarter was recorded in Nuwara Eliya (11·20) and the highest in Kurunegala (117·45). In the other towns the death-rate ranged from 21·35 in Nawalapitiya, 25·58 in Moratuwa, 26·32 in Galle, 26·97 in Panadure, and 28·52 in Matara, to 44·47 in Chilaw, 52·06 in Puttalam, 68·07 in Matale, 69·24 in Gampola, and 69·67 in Anuradhapura. Colombo town shows 42·81, as against 37·59 in the previous quarter

and 31 16 in the corresponding quarter of last year.

74. In the following Table H the birth- and death-rates for each town for the quarter are compared with the rates for the fourth quarter of last year, and the average birth- and death-rates for

the corresponding quarters of the preceding ten years.

TABLE H.—Birth- and Death rates of the Principal Towns in the Fourth Quarter, 1907, 1908, and 1898-1907.

		Birth-rate	p er Mil le p	er Annum.	l	Death-1	ate per Mill	e per Annu	m.	
	į				Average of Fo 1898-	urth Quarters, 1907.	Fourth Qua	arter, 1907.	Fourth Qua	rter, 1908.
Towns.		Average of Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Fourth Quarter, 1908.	Inclusive of Hospital and Jail Deaths,	Exclusive of Hospital and Jail Deaths,	Inclusive of Hospital and Jail Deaths.	Exclusive of Hospital and Jail Deaths	Inclusive of Hospital and Jail Deaths.	Exclusive of Hospita and Jail Deaths.
Western Province.									 [
Colombo Vegombo		24·1 40·4	26·1 44·3	25·7 38·3	35·1 34·3	25·1 29·4	30·2 31·3	21.1	42·7 38·1	30 S
Ioratuwa		37.5	39.3	31.2	22.3	23.3	24 · 1	24.1	27 · 1	27.1
Calutara		35.8	32 · 6	38 ·9	34.9	27 · 1	35.5	24.3	38 · 6	27 .
Panadure	• •	40.1	46 ·9	31.0	46.9	22.8	41.3	12.2	⊼6·4	23 · 8
Central Province.		-			1		1	 	: !	
Kandy		27.5	29.6	29 · 1	37.6	23.9	36.1	19.7	20.0	25.8
łampola	• •	26.5	39.5	31.4	77.5	34.3	69.4	54.5	65 · 5 66 · 6	30 · 8
Nawalapitiya Hatton and Dikova*	• •	1	18.9	32.8	89.0	21.6	83.8	14·9 4·4	59.7	20:
fatale		29.3	15·5 28·0	27.3	87.5	28.4	52 ·8 84 ·8	19.4	159.0	38.
Nuwara Eliya	• •	19.8	15.1	17.1	$28 \cdot 2$	17.0	15.7	11.9	12.6	6.6
Northern Province.))				
Jaffna		36.0	37.4	51.8	35.4	33 · 1	34.5	32.2	33 · 8	32 .
Mannar	٠	21.4	14.9	37.4	17.9	20.3	17.9	17.1	28.9	22 ·
Mullaittivu '	٠.	37.7	$28 \cdot 4$	22.9	39.7	35.4	39 8	39.8	45.8	37.2
Vavuniya	• •	25.7	20.2	33.8	77.7	26.7	114.2	47.0	121 · 7	60.8
Southern Province.							j	t j		
Galle		31.3	31.5	31.5	30 · 1	26.5	37 · 4	30.8	30.7	25 4
Matara	• •	39 · 4	44.5	45.3	28 · 1	24.5	25.8	22.4	38·0 22·4	29 · 8
Weligama† Hambantota	• •	40.4	35.3	35·5	34.2	26.3	52.3	40.5	52.6	26
Tangalla	••	36.7	42.8	30 6	24.6	22.9	44.3	39·7	35.2	26
Eastern Province										
Batticaloa		35.1	34 · 4	27.8	30.2	32.0	33.2	31.3	33.5	30.8
Trincomalee	••	31.1	19.7	31.7	30.4	28.6	16.7	15.7	29.5	26.7
North-Western Provi	nce.	-				1	1	ĺ		
Kurunegala		28.4	27.1	39.4	65 · 4	25.8	64 · 4	25.1	145.1	61.8
Puttalam			46.5	33 · 9	47.6	38 • 2	44.2	33.5	63 · 2	43 · 9
Kalpitiya‡ Chilaw	• •	00 =	36·9 22·2	38.3	$\begin{array}{c} 28.9 \\ 31.2 \end{array}$	28·9 24·7	27·0 31·9	27·0 19·5	27·1 43·7	27 · 1 29 · 4
North-Central Provi	nce.	99.0	22.2	38.0	31.2	24 /	31.9	199	10 /	
Anuradhapura		26.1	21.9	33.1	65 · 7	43.7	57.2	39.5	69.6	42.2
Province of Uva.										
Badulla		. 38.7	33.1	36.1	60.5	30.2	51.8	16.8	69.2	27 ·]
Lunugala§	•		85.8	58.0	-	-	438 · 7	47 - 7	386.8	48.3
Province of Sabaragan	nuwa.	1						·		
Ratnapura		. 34.2	32.6	19.5	69.8	25.8	87.3	21.2	97.3	22 · 1
Kegalla	•	. 33.3	29.6	28.2	70.9	13.9	57.6	14.0	89.2	18.8

^{*} Statistics for this town having been recorded from Second Quarter, 1907, only, the averages are not available.
† Statistics for this town being available from Second Quarter, 1908, only, the averages cannot be calculated.
‡ Statistics for this town having been recorded from First Quarter, 1905, only, the averages available are for the

three years 1905-1907.

[§] Statistics for this town being available from the Fourth Quarter, 1907, only, the averages cannot be calculated.

- 75. The death-rates shown in this table are crude rates (the corrected death-rates not being available for comparison before the middle of 1907), and are given inclusive as well as exclusive of hospital and jail deaths.
- 76. Infantile mortality.—The infantile mortality for the thirty-one towns was equal to a rate of 306 per 1,000 births registered, as against 267 in the previous quarter and 251 in the corresponding quarter of last year. In the towns having an estimated population of 5,000 or more the mortality ranged from 684 in Kurunegala, 422 in Colombo, 395 in Matale, and 375 each in Kandy and Batticaloa, to 200 in Negombo, 191 in Trincomalee, 181 in Moratuwa, 127 in Matara, and 113 in Weligama. The Colombo town rate was 62 in excess of previous quarter's rate (360), and 47 per cent. in excess of the rate in the corresponding quarter of last year, viz., 287 per 1,000 births registered.
- 77. Causes of deaths.—Table XIV. in the Appendix gives for each town and race the principal causes of deaths registered during the quarter, and shows the infantile mortality separately from the general mortality (one year and over).
- 78. Infants.—Out of the 5,236 deaths from all causes in the thirty-one towns, 1,138 or little more than one-fifth were among infants under one year. Of these, the chief causes were 369 con ultions (of which 139 in Colombo, 41 in Galle, 21 each in Negombo and Kandy, 19 in Kurunegala, 17 each in Matara and Anuradhapura, 13 in Trincomalee, 11 in Kalutara, 10 in Jaffna), 204 debility (of which 70 in Colombo, 28 in Jaffna, 21 in Kurunegala, 13 iin Kandy, 12 in Batticaloa), 136 premature birth (of which 37 in Colombo, 29 in Jaffna, 25 in Kandy, 12 in Kalutara, 9 in Moratuwa), 83 pneumonit (of which 46 in Colombo, 7 each in Moratuwa and Kandy, 6 in Kurunegala, 5 in Galle), 74 teanus (of which 46 in Colombo, 17 in Jaffna, 7 in Moratuwa), 65 di urth ea (of which 37 in Colombo, 6 in Jaffna, 5 in Galle), and 47 bronchitis (of which 28 in Colombo, 11 in Jaffna).
- 79. General mortality (one year and over).—Out of the 4,098 deaths of persons one year and over in age, there were 1,023 due to diarrhea and dysentery, of which 262 were in Colombo, 88 in Kandy, 85 in Kurunegala, 64 in Matale, 57 in Badulla, 47 in Ratnapura, 44 in Matara, 38 in Negombo, 34 in "Hatton and Dikoya," 33 in Gampola, 31 each in Moratuwa and Jaffna, 28 in Kegalla, 21 in Lunugala; 466 to pneumonia, of which 176 were in Colombo, 40 in Kurunegala, 36 in Kandy, 25 in Galle, 20 in Negombo, 16 in Moratuwa, 15 in Trincomalee, 11 in Matale, 10 each in Kalutara, Anuradhapura, and Badulla; 330 to phthiss, of which 188 were in Colombo, 42 in Galle, 15 in Kandy, 13 in Jaffna, 12 in Moratuwa, 10 in Kurunegala; 180 to dochmus deodenalis, of which 145 were among Tamils—almost all of whom were coolies; 169 to enteric fever, of which 121 were in Colombo, 23 in Moratuwa, 4 each in Galle and Weligama; 149 to malarial cachevia, of which 50 were in Matale, 26 in Kurunegala, 10 in Batticaloa, 9 in Jaffna, 6 each in Puttalam and Kegalla; 124 to remittent fever, of which 15 were in Jaffna, 14 in Anuradhapura, 13 in Colombo, 8 in Kurunegala, 7 in Puttalam, 6 each in Galle and Batticaloa; 84 to bronchitis, of which 34 were in Colombo, 8 each in Matara and Trincomalee, 6 in Jaffna, 4 each in Kalutara and Kegalla; 66 to smallpox, of which 46 were in Colombo, 10 in Kandy; 53 to Bright's disease and nephritis, of which 26 were in Colombo, 8 in Kandy; 40 to simple fever, of which 10 each were in Matale and Jaffna, 8 in Colombo, 6 in Kandy; 31 to anemie, of which 9 were in Negombo, 6 each in Colombo and Kalutara; 14 to cancer, of which 6 in Colombo and 3 in Jaffna; and 13 to cholera in Colombo.
- 80. Percentage of principal causes of deaths at all ages.—Of the total number of deaths at all ages in the towns, diarrhea and dysentery accounted for nearly 21 per cent., bronchitis and pneumonia 13 per cent., infantile convulsions nearly 9 per cent., various kinds of fever and debility each nearly 7 per cent., and phthisis more than 6 per cent.

Registrar General's Office, Colombo, March 25, 1909.

P. Arunachalam, Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Fourth Quarter of 1908.

	198	ation 08.*	M	[arriage	s.		Births.	<u> </u>		DEATHS.	
Province and District.	Area in Square Miles.	Betimated Population on October 1, 1908.*	Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Femalce.
CEYLON	25,3315	3,834,513	5,546	4,186	1,360	41,843	21,461	20,382	33,613	16,924	16,689
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	$\begin{array}{c} 1,432 \\ 2,299\frac{1}{2} \\ 3,363\frac{1}{4} \\ 2,146\frac{1}{4} \\ 4,036\frac{1}{2} \\ 2,996\frac{7}{4} \\ 4,002\frac{1}{4} \\ 3,154\frac{1}{2} \\ 1,901 \end{array}$	1,001,086 659,478 361,732 628,028 186,679 382,110 78,215 190,978 346,208	419 518 1,001	1,966 156 518 992 56 350 10 43 95	263 9 43 379 108 176 382	9,377 6,954 3,857 6,835 2,147 4,865 941 2,308 4,559	4,852 3,538 1,974 3,515 1,089 2,514 486 1,206 2,237	4,525 3,416 1,883 3,320 1,058 2,351 455 1,102 2,272	7,192 6,630 2,312 4,813 1,377 4,497 919 2,268 3,575	3,701 3,298 1,189 2,343 736 2,204 467 1,203 1,786	3,362 1,123 2,470 641
Western. Colombo Negombo Kalutara	$560\frac{3}{4}$ $247\frac{1}{2}$ $623\frac{3}{4}$	576,278 171,234 253,574	1,104 367 495	1,104 367 495	=	4,995 1,736 2,646	2,594 874 1,334	2,401 862 1,262	4,472 887 1,8 33	2,313 469 919	2,159 418 914
Central. Kandy Matale Nuwara Eliya	$\begin{array}{c} 911 \\ 925 \frac{5}{8} \\ 462 \frac{7}{8} \end{array}$	401,919 96,728 160,831	263 73 83	95 24 37	168 49 46	4,2 3 9 1,280 1,435	2,153 607 773	2,081 673 662	3,699 1,727 1,234	1,847 836 615	1,852 891 619
Northern. Jaffna Mannar Mullaittivu	1,265 9431 1,1543	323,905 23,333 14,494	471 29 18	471 29 18	_	3,528 199 132	1,801 104 69	1,725 95 63	1,970 181 161	1,003 97 89	937 84 72
Southern. Galle Matara Hambantota	$652\frac{1}{481\frac{1}{4}}$ $1,012\frac{3}{4}$	287,638 229,850 110,490	509 331 161	503 328 161	6 3	3,088 2,628 1,119	1,625 1,324 566	1,463 1,304 553	2,131 1,671 1.011	1,021 822 500	1,110 849 511
Eastern. Batticaloa Trincomalee	$\frac{2,871\frac{1}{2}}{1,165}$	156,461 30,217	8 3 16	40 16	_43	1,793 354	912 177	881 177	1.109 268	6 96 13 0	503 138
North-Western. Kurunegala Puttalam Chilaw	1,8447 8893 2621	270,467 28,563 83,080	473 54 202	120 28 202	353 26 —	3,833 222 810	2,007 109 398	1,826 113 412	3,788 292 417	1,816 164 224	1,972 128 193
North-Central. Anuradhapura	4,0021	78,215	118	10	108	941	486	4 5 5	919	467	452
Uva. Badulla	3,154§	190,978	219	43	176	2,308	1,206	1,102	2,268	1,200	1.068
Sabaragamuwa. Ratnapura Kegalla	1,259 642	136,981 209,227	195 282	49 46	146 236	1,721 2,838	867 1,420	854 1,418	1,633 1,942	837 949	796 993

^{*} The estimate of the population in this Table and in Tables III., IV., and V. is based on the Census of March, 1901, and the returns of births and deaths registered.

Table II.—Birth- and Death-rates in the Fourth Quarter of 1908, the corresponding Quarter of 1907, the Third Quarter of 1908, and the Mean Rates for the Fourth Quarters of 1898-1907.

	Bir	rth-rate per M	ille per Annun	ı.	De	ath-rate per I	dille per Annu	m.
Province and District.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.
• Ceylon	40.8	37.5	3 8·1	43·4	29.0	27 · 3	28 · 1	34 ·9
Western Central Northern Seuthern Eastern North-Western North-Central Uva Sabaragamuwa	37.0 37.8 46.1 46.4 43.3 40.8 45.5	36·7 35·1 31·6 39·4 36·8 38·2 30·2 43·6 45·6	31·1 38·7 41·2 39·1 39·4 45·1 36·2 40·6 42·7	37·3 41·9 42·4 43·9 45·8 51·7 47·9 48·1 52·4	23·4 29·9 28·8 27·6 30·1 30·5 40·9 44·4 31·8	22·7 25·7 27·6 30·2 29·9 25·3 35·3 38·6 31·1	24.6 31.3 21.8 27.6 26.6 29.9 27.9 37.3 33.5	28 · 6 40 · 2 25 · 4 30 · 5 28 · 7 46 · 8 46 · 7 47 · 2 41 · 1
Western.				[] !				
Colombo Negombo Kalutara	41.0	34·3 40·9 39·3	29·6 34·3 32·5	34·5 40·3 41·5	23·5 19·0 25·2	22·9 17·2 25·5	26·8 16·3 25·2	30 · 9 20 · 6 28 · 9
Central.						i		
Kandy Matale Nuwara Eliya	44.7	35·6 41·6 29·7	38·1 47·1 35·1	42·0 52·6 35·5	30·0 38·9 24·1	25 · 7 29 · 5 23 · 5	29·5 44·0 28·1	36·6 71·0 30·5
Northern.						20 0	. 20 1	30 5
Jaffna Mannar Mullaittivu	1 11 1	32·1 28·0 25·3	39·7 40·5 48·7	43·3 33·9 36·3	28·0 35·1 42·8	26·3 33·4 44·9	19·8 30·4 38·2	24·2 30·9 44·3
Southern.								
Galle . Matara . Hämbantota .	48.0	43·4 39·4 28·8	35·4 40·2 46·4	44·1 45·5 40·3	27·0 27·4 29·2	29·7 28·5 34·8	25·5 26·4 35·6	29 · 5 28 · 9 36 · 4
Batticaloa Trincomalee	46·7 45·0	37·4 33·9	39·4 39·5	45·6 46·6	29·2 34·7	30 · 2 28 · 1	24·9 35·3	28·2 35·3
North-Western.]					
Kurunegala Puttalam Chilaw	33.8	39 · 6 32 · 8 35 · 6	48 · 6 37 · 5 36 · 5	56·4 30·9 38·8	33·1 36·9 18·2	26·6 31·7 18·4	33·0 38·7 16·7	55·7 40·7 20·0
North-Central.								200
Anuradhapura	40.8	30.5	36.2	47.9	40.9	35 3	27.9	46.7
Uva.			1					
Badulla	45.5	43 ·6	40.6	48.1	44 · 4	3 8 · 6	37.3	47.2
Sabaraga muwa.								
Ratnapura Kegalla	1	43·8 46·8	44·9 41·2	50·0 54·0	37·1 28·3	38 · 1	41.0	47.4

Table III.—Sinhalese Births and Deaths, with their Rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Sinhalese Districts in the Fourth Quarter of 1908.

	8	n on	В	rths.	De	aths.	Birt	h-rate er An	per Mi	llle	Deat p	h-rate er An	per M num.	ille	nder ths irth
Province, District, and Division.	Area in Square Miles.	Estimated Population October 1, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, '	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter of 1908.
CEYLON	25331	2,589,244	27309	29386	16786	22340	44.9	40.0	38 · 4	45·1	27 · 7	25 · 3	26 · 3	34·3	212
Western	1,432	8 54,519	7,691	8,135	4,143	5,370	38·7	37 · 2	31 · 3	37.9	20.8	1	- 1	- 1	150
Colombo Colombo Municipality Alutkuru Korale	560 3 10	478,822 64,731	4,116 512	4,305 610	2,370 762	3,252 899	36·7 —	35·5 —	30 · 5	35.8	<u>21·0</u>	19.9	23 · 3	27.0	167
South Hewagam Korale Salpiti Korale Siyane Korale East* Siyane Korale West*	72 167 75 $116\frac{1}{2}$ $120\frac{1}{4}$	74,860 73,696 104,912 58,584 102,039	647 643 890 560 923	639 675 895 550 936	350 279 522 210 386	434 405 810 229 475								=	
Negombo Negombo Local Board Alutkuru Korale	247 <u>1</u> 71	14,761	1,454 140	120	630 110	7 3 2 110	41·6	40.4	33 · 7 4	0.7	18.0	16·3	14.9	8.9	146 —
South Hapitigam Korale	159 81 1	102,873 36,438	943 371	1,056 402	377 143	429 193	=	-	-	-	=	=	-1	=	_
Kalutara Local Board Kalutara Local Board Kalutara Totamune Pasdun Korale East* Pasdun Korale West* Rayigam Korale	6233 13 881 2801 1231 130	221,625 9,098 102,059 27,152 26,397 56,919	2,121 79 970 250 262 544	2,252 93 987 293 269 610	1,143 73 537 139 148 255	1,386 85 678 172 163 288	41.4	38.5	1 · 2 4	0.4	22.2	2 - 6 2 - 6	21 · 8 2	4.9	122 — — — —
CENTRAL Kandy Kandy Municipality Harispattu Pata Dumbara Pata Howaheta Tumpane Uda Bulatgama Uda Dumbara Uda Nuwara Uda Palata Yati Nuwara	2,299½ 911 11 50½ 107½ 46½ 230 238¼ 34% 106 29	326,188 210,443 14,150 34,122 40,849 14,301 13,311 12,964 21,820 15,445 23,757 19,724					49·8 49·4	42·14 42·54 ————————————————————————————————————	2.74	9.5	32:1230:62	25 · 2 3 25 · 1 3	31.34	5·5 0·0; — — — — —	260 226 ————————————————————————————————
Matale	925 163 1 373 1 388 1 388 1	64,559 1,844 29,034 15,477 18,204	802 17 354 212 219	923 15 387 292 229	575 23 218 166 168	1,158 55 463 310 330	52·3	5·64 - - -	6.35	6.9	37.92	5·5 3 	4·5 7	1·4 — — —	386
Nuwara Eliya Nuwara Eliya Local	4623	51,188	557	572	359	460	47 · 2	36 · 1	9 · 1 3	6 · 1	30 · 4 2	5-43	0.32	9 · 0	211
Board and outside Kotmale Uda Hewaheta Walapane	43 236 108 113	2,066 15,641 19,894 13,587	16 137 219 185	19 154 219 180	14 92 135 118	14 136 148 1 6 2			= : = :	= =				-	<u>-</u>
SOUTHERN Galle Galle Municipality Four Gravets beyond	2,146 <u>1</u> 652 <u>1</u> 6 <u>1</u>	597,709 271,349 27,946					47.1	9·83 4·33	9 · 6 4 · 6 · 3 4 ·	4·0 3·8	27·33 26·72				158 151 —
Municipal limits and Akmimana		i t	223 406	229 408	117	128 296		-	- -	_		_	_	_	
Gangaboda Pattuwa Wellaboda Pattuwa Talpe Pattuwa Walallawiti Korale Hinidum Pattuwa	831 97 146 166		831 634 561	841 629 529 90	452 375 300 38	563 381 346 56					=				

^{*} Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901-1907.

Table III.—continued.

	les.	по по	Bir	ths.	Dea	ths.	Birth-	rate p	er Mill um.	e	Dea	th-rate per An	per Mi num.	lle	inder riths urth
/ Province, District, and Division.	Ares in Square Miles.	Estimated Population October 1, 1908.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter,	Third Quarter, 1908.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter,	Third Quarter, 1908.	Fourth Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter of 1908.
Matara : Matara : Matara Local Board	481		2,475 104	2,543 123		1,562 104		39.7	40.4	46·0	27 · 1	28:3	26.5	28 · 3	129
Four Gravets beyond Local Board limits Wellaboda Pattuwa Weligam Korale Morawak Korale Kandaboda Pattuwa Gangaboda Pattuwa	71 51 111 160 70 79	47,817 59,737 17,383 27,790	551 647 198 337	192 515 712 220 317 564	280 337	366	_			11111				<u>-</u>	
Hambantota Hambantota Four	1,012	106,662	1,135	1,084	779	974	43 · 2	28 · 6	46 . 4	10-4	29-2	34 · 6	35 · 6 3	6.3	244
Hambantota Four Gravets Magam Pattu, exclu-	11	1,080	11	7.	12	22	_	-	-	-	-		-	-	-
sive of Four Gravets Giruwa Pattu East Giruwa Pattu West		6,454 11,468 87,660	61 113 950	52 139 886	81 99 584	93 121 738	=	_		_		_	-	_ _	Ξ
EASTERN	4,036 <u>‡</u>	8 ,92 2	91	81	80	68	40.0	37.2	41.2	8 · 1	36 · 5	23 · 8	25 · 1 3	0.3	370
Batticalog *† Batticaloa Local	2,8711	7,681	79	68	69	61	40.5	40.2	42 · 6 3	5 · 2	35.6	23.5	25 · 5 3	1 · 6	397
Board Manmunai Pattu	11	232	2	2	5	1	- '	- j	-	-	-	-	-	- [· —
North Manmunai Pattu	148	31	-	-	-	-	-	-	-	-	-	-	- -	- [
South Bintenna Pattu Chammanturai Pattu Erayur and Rukam	$74 \\ 677 \frac{1}{2} \\ 160$	17 3, 297 600	34 9	38 7	28 8	31 11	=			=	= -			-	=
Pattus Koralai Pattu Eruvil and Porativu	372 1 290	180 166	1 2	-3	2 1	1 6	=	=	=	=	_	=	= =	-	_
Pattus Karavaku and Ninta-	247	778	4	2	4	-	-	-	- -	-1	-	-	- -	- [
vur Pattus Akkarai Pattu Panawa Pattu	41 374 4863	126 1,177 1,077	1 14 12	1 13 4	12	1 5 5	=	=			Ξ			-	
NORTH-WESTERN.	2,9963	332,378	3,592	4,411	2,323	3.811	45 • 43	9.0	46-4 5	2.8	29 ·5	23.62	7 · 7 45	-6	3 32
Kurunegala Kurunegala Local	1,84 <u>4</u> 7	249,543	2,807 3	,572	1,923 3	,386	47.34	0.2	9 · 0 56	3.8	32.4	24 • 9 3	1 · 1 54	. 0	377
Board Hiriyala Hatpattu Weudawili do Dambadeni do Dewamedi do Katugampola do Wanni do	1½ 387½ 177 164½ 186¾ 358¾ 569⅓	3,037 30,418 44,265 45,768 33,661 56,505 35,889	38 332 561 585 380 558 353	61 344 777 826 499 687 378	64 295 399 1 323 271 281 289	165 582 ,038 578 370 345 308				- - - -				 	
Puttalam*	8893	11,553	104	112	97	100	35.3 25	5 1 4	0 · 7 38	6 3	3 · 0 2	9 - 6 32	2 • 4 : 34 •	4	268
Puttalam Local Board Demala Hatpattu Kalpitiya Division Puttalam Division	8	634 6,505 1,062 7,352	8 73 3 20	5 72 4 31	12 66 4 15	15 57 6 22		- -	- -	- - -			_		
Chilaw Chilaw Town Pitigal Korele North	2621 1322	1	661 26 60	727 36 83	- 1	325 29 62	40.4 37	38	3 · 1 40	٠,	8·4]	7-8 15	.4 18.		121
Pitigal Korale Central Pitigal Korale South	88 3 40					124 110	_ -	- -	- -	- -	_ -	-			=

^{*} For Tamil Statistics see Table IV. and for Moor Statistics see Table V.
† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown are for the seven years, 1901-1907.

‡ Births and Deaths for this division being available from 1899 only, the averages shown are for the nine years, 1899-1907

Table III.—continued.

			<u>.</u>												1
	88	g 5	Bi	rths.	De	eths.	Bir	h-rate per Ai	per M num.	ille	Deat	n-rate or An	per M	Lille 	rder trhs urth
Province, District, and Division.	Ares in Square Miles.	Betimated Population October 1, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter,	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter,	Third Quarter, 1908.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter of 1908.
North-Central	4,002	62,625	666	773	620	717	42.3	31 · 0	36.4	4 9·1	39·3	34 · 1	26 · 7	45 · 5	354
Anuradhapura	4,002}	62,625	666	773	620	717	42.3	31 · 0	36.4	19 - 1	39 · 3	34 • 1	26 · 7	45·5	354
Kalagam Palata	58 1,4908 1,040 311 1,155	817 26,409 19,963 13,983 1,453	10 276 211 148 21	120 321 235 138 29	21 258 184 129 28	213								= =	
UVA	3,1541	129,103	1,707	1,652	1,584	1,539	54 · 1	46.0	42 · 3	0.9	50 · 5	37 · 7 3	6 · 8 4	9.0	252
Badulla	$3,154\frac{1}{2}$	129,103	1,707	1,652	1,584	1,589	54 · 1	46.0	42 · 3 5	0.9	50 · 5	37 - 7 3	6 · 8 4	9.0	252
Udukinda do Wellassa do	35 2 183 2 359 567 2 1,019 1 188 2 645 2 187 3 7	3,591 22,897 9,651 14,149 7,235 32,143 21,036 18,401	46 285 136 191 90 381 303 275	45 294 112 151 84 387 301 278	48 215 132 262 106 234 354 233	59 172 136 181 109 283 342 307					-			- - - - - - -	
SABARAGAMUWA	1,901	284,242	3,256	3,639	1,943	2,510	49 · 5	16 · 8	2.05	0.9	29 · 4 2	6 · 7 2	6 • 4 3	5 · 1	195
Ratnapura	,259	121,674	1,392	1,473	1,008	1,214	47.7	14.84	2.84	3 ⋅ 2	34 · 4 3	2 · 7 3	2 • 1 3	9 · 7	197
Ratnapura Local Board Kuruwiti Korale Nawadun do Atakalan do Kadawata do Kolonna do Kukulu do Meda do	2112 2112 1933 1713 1301 169 2241 1561	3,107 32,412 25,492 18,318 10,090 10,366 8,395 13,494	30 326 305 227 134 110 88 172	21 334 298 256 135 125 101 203	34 173 210 179 115 91 58 148	36 233 218 204 103 178 59 183									
Kegalla	642	162,568 I	,864	2,166	935	1,296	50.94	8.44	1 • 4 5	3.0	25.52	2.2 2	2 · 1 3	1 · 7	193
Kegalla Local Board Paranakuru Korale* Beligal do Galboda do Kinigoda do Atulugam do Dehigampal do Panawal do Lower Bulatgama	561 1621 1621 563 42 1251 743 40 841	1,783 29,132 43,699 22,994 18,466 12,392 17,246 7,096 9,760	17 360 486 297 252 123 163 74 98	15 441 591 307 296 145 207 76 88	20 164 223 147 132 66 85 37 54	19 204 266 236 308 68 93 47 55									

^{*} Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901–1907.

Table IV.—Tamil Births and Deaths, with their rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the Fourth Quarter of 1908.

Province, District, and Division. Second	Deaths of Children under Deaths of Children under 1 Year to 1,000 Births 1 Year to 1,000
Northern	183
Northern 3,363 347,086 3,162 3,691 2,426 2,179 37 · 6 31 · 6 41 · 1 42 · 3 28 · 9 27 · 4 21 · 7 · 25 · 7	
Valikamam East 401 27,224 239 273 154 140 — <t< td=""><td>170</td></t<>	170
Mannar Island Divisions 47½ 5,637 49 33 45 45 — <t< td=""><td>- 423</td></t<>	- 423
Mantai Division 644½ 5,131 46 50 52 48	420
Maritime Pattus 393\(\frac{3}{4}\) 5,966 49 46 65 60	_
EASTERN 4.0361 102.399 1.130 1.131 798 873 45:4 35:1 39:4 43:9 32:0 33:1 28:0 33:9	369 - -
	243
Batticaloa Local 84,931 952 936 636 693 48 6 36 2 38 5 43 8 31 7 33 7 25 8 32 5	235
Board . 11 8,298 78 63 71 74	
Manmunai Pattu North 148 13,878 157 150 122 104 — — — — — — — — — — — — — — — — — — —	_
Manmunai Pattu South 74 8,890 93 92 62 57 —<	=
Pattus 3721 8,603 96 113 71 84 — — — — — — — — — — — — — — — — — —	_
Pattus 247 14,056 149 114 92 62 — — — — — — — — — — — — — — — — — —	-
vur Pattus 41 14,885 165 156 109 100 —	
Trincomalee 1,165 17,468 178 195 162 180 40·8 29·9 43·6 44·4 37·2 30·1 38·5 41·0 Trincomalee Town 1 9,260 75 78 76 73 — — — — — — — — Kaddukkulam Pattu 490½ 1,823 22 26 22 29 — — — — — — — Koddiyar Pattu 223 4,362 54 51 38 40 — — — — — — — Pattu 450½ 2,023 27 40 26 38 — — — — — — —	287
NORTH-WESTERN 2,9967 22,682 132 183 252 347 23 2 29 7 30 7 32 1 40 0 46 3 58 4 60 1	366
Puttalam Local 6,660 39 38 69 76 20 1 24 0 32 0 22 7 36 0 36 3 57 6 45 4	
Board 85 849 7 7 17 19	3 95

^{*} Births and Deaths for this division being available from 1901 only, the averages shown are for the seven years, 1901-1907.

† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the iverages shown for them are for the seven years, 1901-1907.

Table V.—Moor Births and Deaths with their rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Batticalca and Puttalam Districts in the Fourth Quarter of 1908.

	18	uo u	Bir	ths.	Dea	ths.	Birth p	-rate ; er An	per Mi num.	lle	Death P	ı-rate er An	per M	lille	inder rths ourth
Province, District, and Division.	Area in Square Miles.	Estimated Population October 1, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898-1907.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Average for Fourth Quarters, 1898–1907.	Fourth Quarter, 1907.	Third Quarter, 1908.	Fourth Quarter, 1908.	Deaths of Children under 1 Year to 1,000 Births registered in the Fourth Quarter of 1909.
Eastern	4,036 <u>1</u>	69,646	82 2	887	44 9	404	50.9	40 · 8	40 · 6	50 · 7	27 · 6	27 · 3	24 · 8	23 •1	170
	$2,871\frac{1}{2}$	6 0,26 2	706	775	382	342	50 · 4	40.0	41 · 8	51 · 1	27 · 1	27 ·0	23.9	22.6	173
Batticaloa Local Board	11	347	2	3	2	8		_ }	_ !	_}			}		
Manmunai Pattu North	148	12,051	186	203	1 23	96]					
Manmunai Pattu	,	,-		200	123	50			ſ						
South Bintenna Pattu	74 6771	. 46 126		_		,	; ;	_		_1				_	
Chammanturai Pattu	160	5,997		121	50	40		-	 i	-1					
Eravur and Rukam Pattus	3721	6,611	57	64	30	27		_	;]				_	
Koralai Pattu Eruvil and Porativu	290	4,317	61	55	29	33	-	-		-]				
Pattus	247	176			_	_		_		_			-		_
Karavaku and Nin- tavur Pattus	41	19,516	216	216	115	88	1		;				·		
Akkarai Pattu	374	9,072		92	54	41		_	_	_	{		_ !	_	
Panawa Pattu	486½	2,003	22	21	11	8	-	-		-				-	
North-Western	2.9967	24,818	2 42	253	201	311	40.8	26.6	41.8	10.8	34 · 4	97 • 5	33 - 4	19.8	403
North-Western	2,3908	24,010	242	255	201	31.1		1	İ	1	j				
Puttalam Puttalam Local	8892	9,84 0	103	66	101	108	43.0	46 • 4	31 · 7	26 · 7	42.0	29 · 3	33 · 2	43.7	348
Board	85	2,788	32	29	29	42	{	· - {	\	(, - 'i		
Demala Hatpattu	4414	457	5	4	5	10 29			- i	-1	:		_	_	-
Kalpitiya Division Puttalam Division	$\begin{array}{c} 315 \\ 124\frac{7}{8} \end{array}$	$rac{4,669}{1,926}$		21 12	51 16	29 27	_	_	_	_		_	_	_	
						<u> </u>									<u> </u>

^{*} Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the seven years, 1901-1907.

19)

				(19)				~ ~ ~ ~	œ	63	37
		. 41	111 90 333 755 35 241 8 8 8 8 8 69	573 219 319 51 14	296 25 12	$\frac{346}{264}$	29 6	89 23 129	J	32	
ber igned igned ster th	Females.	52674		95 60 80 17 17 80 90	2 4 2	1114 105 57	- co	21 cs	4,	. O.	==
The number who signed Register Register Weith	-aslaM	845	60 01	305 1 137 32 1 41 5	95 27	4-	16 4	9 9 9 9 9 9	I	<u>ල</u>	01 Lm
bezl	nmelos segsirisM sreisiniM vd	848	3 474 3 60 124 12 124 13 147 15 9	13 3(15 15 15 15 16 15	122 1	13 14 1	14	13	15	13	15
	Lowest Female	12				<u> </u>	<u>0,70</u>	0817	.5	 	19.4
rge-	A olamoù nasM	60 20 · 7	55 21 · 3 52 20 · 9 45 19 · 8 60 20 · 3 36 18 · 3 45 19 · 9 28 20 · 5 43 20 · 5 26 19 · 7	20 20 23 23 21 21 21	61 17 18	56 21 40 19 60 19	30 17 3. 19	40 20 40 21 45 19	07 83	43 20	207
.9 2 Å.	Highest Female	09				20 18 20 20	20	18 19	-02	18	10 10
ge.	A sight teswool	18	18 18 18 18 18 19 19	18 19 19 20 21		210	6.9	1.00	4	•	÷ %
.e.	Mean Male Ag	0.73	27.7.7 28.2 26.1 26.1 28.0 28.0 28.0 26.0	29.22 29.73 29.73 29.73 29.73 29.73	25.5. 27.5.	252	3825. 4826.	5 25 55 29 55 25	37.28	63,29	36 26 35 25
.93	A elsM tsedgiH	7027	2010 2010 2010 2010 2010 2010 2010 2010	60 70 55 62 65 65	19.4%	70 61 70			10 10	- G	1000
		2087	2286 596 596 210 210 25 56	442 193 139 154 12	253 222 11	269 225 102	3.5	80 15 115		Si	01 21
f Persons t 21 Years of Age.	Females	ČĀ	50 11 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	22 24 23 6	<u> </u>	484		- <u>5</u> -9	-	23	4-
of 1 of	Males.	4		69 64				111	1		
воля	Others.	1.	000000000000000000000000000000000000000	39 1 1 25 - 1	466 29 18	<u> </u>	36 - 16 -	31.	9		
en Perace.	Tamil.	767	8410	,	_ 	922		110 5 70	4	32	45. 04.
betwee	Sinhalese.	463313	1811 101 984 984 295 4 4 32 85	1000 122 49 6 1	, <u>(u)</u>	1 500 327 157	- 23			 -	~ .
of as	Burgher.	46	33	288		 					
Contracted between Persons of same Race.	Karopean.	21	17	11	<u> </u>				_		11
	risM bexiM rediO	10	21-11-11	21 -	- 1	111		-			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Siphalese and Tamil.	81	60 0 0 0	80 10	111						1
MARRIAGES 70en	Burgher and Tamil.	67		11 - 1		111		111		-	
Detwo	Burgher and Sinhalese.	=	92 1	9 1	111	111					1
MAN Contracted between	European and Tamil.		11111111	111 11		111		111	1		11
Contra	European and Sinhalese.		1 1 1 1 1 1 1 1					111	1	1	11
,	Huropean and Burgher.	_ C3	C7	2		111	11	111	1	}	11
	.awobiW	1771	70 00 10 4 00 4 m	24 18 18 44	1 6 5	<u> </u>	- 67	1-10 c	ÇI	4	- 2
5	Widowers.	441	8 100 8 100	101 36 59 17	<u>1</u> 10 0 0	55 85 8	ರ್ ರ	10 6 17	-	6	£0.70
	Divorced Men.	1 1		111	111	111	11	111	1	}	11
	Divorced Women and Widowers. Divorced Men	-			111			111	-	1	11
		62 	2 1 1 1 1 7	1 1 1 1 = -		1 1 1	11	111		i	
gen gen	Divorced Women. Divorced Wen and Divorced Women.			<u> </u>		111	11	- 11	1	1	- 67
Contracted between	snd Spinsters. Bachelors and Divorced Women.	-	21 - 21 -	21 1 1 1 1	-	111	<u> </u>	27 -	<u> </u>	<u> </u>	-,
racted	Divorced Men and Spinsters.	62	2 2 12 1 2 1 m 1	304 3	0000	400	-	<u>0144</u>	_ <u>'</u>	<u></u>	-
Cont	Midowers and Widows.		174 174 177 177 178 179 179 179 179	889 330 114	. 65 ± ±	40 13 13	न 10	∞ c) m	1	9	- 01 to
	Widowers and Spinsters.	2 378	25 12 25 17	80 4 01 6	ಸ್ತರಣಣ	700	<u>∞</u> –	ō 1 5	-61		
	Bachelore and Widows.	7 112			08.56	- 48	33 10	102 21 179	∞	33	38
	Bachelors and Spinsters.	4186 3617	66 1714 18 447 192 861 26 43 50 302 10 8 10 8 95 81	ာ က် ⊣	4	3 411 8 284 1 136	16 3		10	43	49 4
	Total Marriages.		61 100 8	co 4	₹	328 161	4 .	120 285 202		4	44
	strict.	2	::::::::::						g	•	
	Province and District.	CEYLON	itern tral nuwa	S S S S S S S S S S S S S S S S S S S	ivu	itota	os salee	gala n	Anuradhapura Anuradhapura	Badulla	ura
· . ·	nce a	ਹੋ	Western Central Northern Southern Eastern North-Western North-Central Uya	n n n n n n n n n n n n n n n n n n n	₹+>	uthern. Galle Matara Hambantota	Batticaloa Trincomalee	Kurunegala Kurunegala Puttalam Chilaw	Anuradhapu	Badulla	Ratnapura Kegalla
	Provi		Western Central Northern Southern Eastern North-W Orth-Ce Uva	Western. Colomk Negom Kaluta Gentral. Kandy Matale	Northern Jaffna Manna Mullait	Southern. Galle Matara Hamba	Bat Bat Trii	Ku Ku	Andrein Andrein	Back	Rei
		1 1	SOZOBZZPő	> 0	Z 4	30 E	4 2	i 2	. I	, 7.	, 1

Table VI.—Marriages (General), Civil Condition, Nationality, Age, Mode of Solemnization, Signature of Marriage Register, &c., in the Fourth Quarter of 1908.

Two between Cochin and Sinhalese, I between a Scotch and an Australian, I between a Makayakan and a Sinhalese, and I between a Telugu and a Tanil.

Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the Fourth Quarter of 1908.

				Con	tracte	d betv	veen.				not Yea	sons ; 21 rs of ge.				4			num who s Reg wi Mar	ber signed ister th
Province and District.	Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and 'Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
Ceylon	1360		65	137	37	32	4	28	8	6	192	1011	60	26.7	16	5 2	20.5	13	41 6	1329
Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	263 -9 43 379 108 176 382	205 	$\begin{array}{c} 7 \\ - \\ 23 \\ 10 \\ 8 \\ 15 \end{array}$	13 15	4 6	$\begin{bmatrix} - \\ - \\ - \\ - \\ 3 \end{bmatrix}$	1 - - 2 1	10 - - - 1 8		4. - 1 - 1	41 - 3 45 8 14 81	209	38 35 55 50	25·5 25·7 25·1 25·8 27·7 24·9 25·1	18 21 19 18 18 16	23 31 43 38 50	19·4 	16 13 15 16	68 - 28 98 24 76 121	7 43 365 105 174
Central. Kandy Matale Nuwara Eliya	168 49 46	135 35 35	3	3	3		 - 	8 2 —	_1 _	_2 2	29 5 7	136 37 3 6	5 0	$25 \cdot 0 \\ 26 \cdot 8 \\ 26 \cdot 2$	18 19 18	35	19·3 20·2 18·9	13 14 14	36 17 15	48
Northern. Mullaittivu	_	_	_	_	_			_		_		_			_	_	_		_	<u> </u>
Southern. Galle Matara	6 3	6 2	<u>-</u>	_ 1	_	_	_	-	_	_	_ _	6 2		$rac{24 \cdot 3}{28 \cdot 3}$	23 21	$\frac{20}{23}$	$18 \cdot 3 \\ 20 \cdot 0$	16 17	I	5 2
Eastern. Batticaloa Trincomalee	4 3	3 8	2	_2	_1	_	_	_	<u>-</u>	-	3	24 —	35 	25·1	_19	31 —	20·4 —	13 —	28 —	43
North-Western. Kurunegala Puttalam	353 26	257 16	22 1		8		_2	8		_1	$\frac{42}{3}$	$\frac{234}{22}$		$25 \cdot 8 \\ 25 \cdot 6$	$\frac{18}{20}$		20·3 19·2	15 16	89 9	339 26
North-Central. Anuradhapura .	108	80	10	13	4	_	1			_	8	72	50	27 · 7	18	38	21.2	16	24	102
Uya. Badulla	176	142	8	15	6	3	_	1	1		14	136	60	$24 \cdot 9$	16	50	19·2	14	76	174
Sabaragamuwa. Ratnapura Kegalla	146 236					47		3 5		1	30 51	125 181		$25 \cdot 5 \\ 24 \cdot 9$	17 18		18·3 19·2	13 14		

(21)

	,		All Baces.		Buro	Buropeans.	-,	Burghers			Sinhalese.	<u> </u>	1	Temils.		Moon	1	_	Malay	1	0	Others.	
Province and District.	riot.	Persons.	Males.	Females.	Persons.	Males.	Females.	Males.	Females.	у Бетвопв.	Males.	Females	Persons	Males	Lewster-	Letaous.	Males.	Persons	Males	Females.	Persons.	Males.	Females
CEYLON	•	41,843	21,461	20,382	44	22	22 21	0 111	66	29,386	15,088	14,298	9,564	4,917	4,647 2	430 1	,218 1,5	,212 124	1	65 59	85	0#	45
Western	· ·	. 9,37		`			11 12		Ì	8.135			1	311	292	420		į	1	35	92.	ī	4 14
Central Northern	: :			3,416	15	9 -		34 21	-	4,064		2,012	CA c	1,288	1,194	315		165	29 1	<u>.</u>		20 -	
Southern	.*					· ₁	2			6,613		3,218	,	32	22	134			12				
Eastern North-Western	: :				11	1	, ,	t	7	4 411		37	-	260 22	571 84	887 253			42 <u>-</u>	4 70			
	:				· 	<u> </u>	<u> </u>	1	ļ			368		23	98	102				· ,			4,
Sabaragamuwa	::	4,559	9 2,287	2,272		1) 	,		0 to	1,652 3,639	1,819	$\frac{794}{1,820}$	787	305 403	266 384	121	31 59		 □	<u> </u>			!
Western.					6				1			1000	1	1	*	8		+	Į _	1 3	"		
Negomba	: : :	1,736	874	862	3	, ,		0 4 0 ec 0	୍ଟର ଦ୍ୱ ଚଳଚ୍ଚିତ୍ର	1,578	798	780 780 1 059	120 120 120 120	148 60 103	19.6 19.4	359	13	01.08	- <u> </u>	1 1	•	!	- I I
											•			2	i i	2	2	1)
Kandy	٠	4,23		e)Î	10	ಣ	2	700	12	છ્	_	1,259	1,393	714	629	212	102	110	19	10			9
Nuwara Eliya		1,280	5 773	673	=	1	, 61	710	1	923 572	428 314	$\begin{array}{c} 495 \\ 258 \end{array}$	265 824	138 436	127 388	85 18	ာ တ က	4 0 0	יט יט	101	4 m	4	63
Northern.																							
Jaffna Mannar	•	3,526	–í	1,725	_		1 1	න ා	<u> </u>	1	1		3,477	1,778	1,699	43	20	2 23	, 1 -	1 1			
ivu	•	. 132	69 28		1	<u> </u> 	1	<u>(2)</u>	1	. 18	ōc T	10	103	56	47	, a	4	10	<u> </u>		<u> </u>	<u> </u>	1
Southern.		•							_]			-					
Galle Matara	• ,	3,088	1,625	1,463	1		1 0	∞ ₹	್ ಬ -		1.572	1,414	2000	1 23	į~ π	27.4	80 G		10	1		ا <u>ا</u>	1 1
ntota	•	1,11			1	<u> </u>	1			1,084	-	538		22	<u> </u>	1 20	11	7	10	1 10	1 10		-
Eastern.																		-			CHIMICAL PROPERTY.		
Trincomalee	• •	1,793 354	912	1771			1 1	9 6J) _ = = =	68 13	78	$\frac{31}{6}$	936 195	465 95	$\frac{471}{100}$	175	300 200	376 54	24	14	Ē	∞ ∞	၁ လ
North-Western.							in depote											<u> </u>			prijem/ ***		
Kurunegala Puttalam		3,833	ପଃ	1,826	11			 	1	3,572	1,880	1,692	938 38	49	50	155	30	C C	.œ. 4	Ç1 Ç1	40	- ;	
Chilaw .	•		398)	21				375		53	17	32	16	5	- i-			-	
North-Central. Anuradhapura	:	. 941	1 486	455			-			773	405	368	50	23	~	102	54	8		1		· •	4
Uva.							-											***************************************					
padulla	•	2,308	8 1,206	1,102		<u>-</u>	_	တ	-5- -4-	1,652	858	794	571	305	266	09	31	29	ಣ	Η -	Ç1	12	m,
nuwa. Ira	:	1,721	1 867	854	1		1	<u> </u>	- 62	1,473	744	729	228	112	9:1	- 8	6	6	1		<u> </u>		 }
regalla.	:				_	_	,		8		_	1001		100	C	60.	Č	č	•		_	÷	-

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the Fourth Quarter of 1908.

		}			Осто	BER.				<u> </u>		N	VOVEN	IBER.				<u> </u>			DECE	uber.		
Province and Dist	rict.	Total.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays,	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays. Others.
CEY	LON	9779	12	61	6097 ——	2945 ——	596	34	34	11310	12	69	7603	2826	705	50	45	12524	12	68	864 0	3026	699	37 42
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		2135 1989 716 1484 437 964 210 718 1126		7 3	1572 971 8 1405 23 780 161 486 691	311 921 670 33 267 100 26 207 410	161 76 35 41 140 78 19 21 25	14 6 3 2 2 3 4		2467 2255 750 1601 553 1422 301 843 1118		8 1 3 1 2	1868 1309 2 1507 31 1207 238 632 809	327 825 705 44 330 108 26 173 288	160 98 41 46 179 99 33 31 18	25 5 8 7 1 1	21 7 1 3 1 4 6	2590 2416 846 1728 387 2111 408 707	10	5 1 4 3 2	1930 1452 5 1616 14 1824 318 471	372 849 804 43 276 139 46 218 279	191 100 36 61 85 134 41 11	15 23 3 6 3 1 6 2 9 3 1 3 1
Western. Colombo Negombo Kalutara	*	1333 256 546	10	15	948 200 424	185 49 77	113 6 42	13	19 1	1550 318 599	_	1	122 271 475	214 40 73	106 2 6 - 48 -	25 2	1	1589 1 313 - 688 -	_		1182 261 487	196 40 136	$122 \\ 7 \\ 62 \\ -$	15 2:2
Central. Kandy Matale Nuwara Eliya		1161 384 444	1	6	574 243 154	517 120 284	52 19 5	5	6 1	1230 - 629 - 396 -	_	1	425	420 172 233		2 –	6	1308 - 714 - 394		1	810 490 152	430 185 234	60 36 4	$\begin{array}{c c} 1 & 3 \\ 2 & - \\ 3 & \end{array}$
Northern. Jaffna Mannar Mullaittivu	••	600 - 58 - 58 -		2	-1 -7	589 36 45	8 22 5	- -		639 - 57 - 54 -	_	- <i>-</i> - -	2	622 37 46	16- 20- 5-		1	731 – 66 – 49 –		1	 1 4	721 43 40	9 22 5	
Southern. Galle Matara Hambantota		674 - 517 - 293 -		-	637 486 282	11 17 5	24 14 3	1 -	1	712 - 591 - 298 -	- -	- 8	365 555 287	15 26 3	29 10 7			745 – 563 – 420 –		3	690 521 405	16 22 5	38 - 17 - 6	3 1
Eastern. Batticaloa Trincomalee		376 61	_ -	2	22	223 44	128 12	_	3	-424 129 -	_ 2	2	25 6	253 77	142 37	- 2 3, 1		309 78	- { 	3	14	217 59		1 ::
North-Western. Kurunegala Puttalam Chilaw		751 - 82 - 131 -	_ -	2	655 27 98	53 22 25	41 30 7	2	1	1180 103 139		-	068 27 12	62 26 20	46 47 6	1		857 — 107 — 147 —	- I		663 46 115	91 28 20	31	6 2 1 — 2 1
North-Central. Anuradhapura		210	_ -		161	26	19	3	1	301	-	2	38	26	33 —	4		408 —	_		318	46	41	3
Uva. Badulla		718-	- -		186	207	21	4		843	-	6	32	173	31 1	6		707 —	3	4	171 9	218	11	 1 3
Sabaragamuwa. Ratnapura Kegalla		492 – 634 –	_			142 268	2 23	-		510 608	- 1			126 162	7	1		631 — 700 —	1			35 44	6 34	1

T. D. Commun.			Tree man	-					-				ŀ						ŀ	1900.						ı
3	'N	- Pi	WESTERN PROVINCE.		CENTRAL PROVINCE.	AL CE.	PROV	NORTHERN PROVINCE.		SOUTHERN PROVINCE.		EASTERN PROVINCE.	_	NORTH-WESTERN PROVINCE.	Vesteb Ince.	NNC. Prov	UVA Prov	SABARA- GAMUWA PROVINCE.	WA FOR.	н	Въл	AMONG	ALL	RACES.		ı,
CAUSES OF DEATH.	CEATO	Colombo.	Negombo.	Kalutara. Kandy.	Matale.	Nuwara Ellya.	.saftas.	Mannar. Mullaittivu.	Св.Де.	Matara.	.stotasdmsH	Batticalos.	Trincomalee.	Kurunegala.	Chilaw.	-sindsdhsinnA	Badulla.	Katnapura.	Kegalla.	Europeans.	Burghers.	.eselsadris	.slims.	Moors.		Cthers.
ALL CAUSES	3361	33613 4472	. 1	887 1833 3699 1727 1	91727	234	1970	81 1(161213	1 1671 10	1 10	1109	26837	3788 29	292 417	7 919	2268	1633	1942	1 9	1 00	340	7	+=	+ =	121
Specific, Febrile, or Zymotic diseases Parasitic diseases Diefetic diseases Constitutional diseases Local diseases Local diseases Violence Il-defined and not specified causes	$\begin{array}{c} 13075 \\ 1791 \\ 155 \\ 3959 \\ 1242 \\ 10501 \\ 479 \\ \end{array}$	13075 1484 1791 265 155 24 3959 736 1242 248 10501 1479 479 57 2411 179	281 65 160 37 298 17 29	529 1356 116 265 4 28 392 437 119 198 570 1052 35 60 68 303	556 764 28 142 28 37 142 98 20 52 435 60 17	423 63 121 445 291 260	835 4 4 1119	61 12 12 15 15 15	76 793 1 109 16 107 17 365 3 98 37 628 8 98	894 14 165 165 193 186 193 193 193 193 193 193 193 193	693 	607 67 335 72 72	101 111 37 2 6 6 6 102 17 14 2	178 11 309 11 9 9 1 10 1 10 1 798 10 35 211 2	000000	20 402 25 29 2 2 2 2 40 67 8 4 8 8 4 8 993 356 112 7	985 285 247 168 645 172	234 35 292 19	669 202 202 111 258 37 503 28	151 4 15	00 4 1 22 4 4 a	8398 3 1306 1306 32 3213 773 7029 2 323	3822 379 888 8471 396 130	689 95 229 51 746	£21158615	24 27 4 4 6 6 5
Miasmatic diseases Diarrhoal do. Ralarial do. Zoogenous do. Septic do.	6425 5985 456 2 2 2 2 179	25 25 25 25 1 26 27 34 34	213 61 6	256 483 238 822 24 26 1 8	183 363 122 330 26 65 65 65 17 4	310 310 310 3	587 138 40 1	150 4	49 209 11 571 10 7 1 1 - 1 6 4	1 581 1 581 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	433 251 9	482 106 17	21 3	323	50 63 4 15 15 1	01 []		269 419 112 3	224 395 42 1	- 08 0		128612 128 128 1 1 7	369 038 275 21	210 210 40 11	01 02 1 1 6 1 1 6 1 1 6 1 1 6 1 1 6 1 1 1 1	0 42 1 1 1 2 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Parasitic diseases III. Dietetic diseases IV.	. 1791 . 155	1 265 5 24	65	116 265 4 28	5 142	63	4 70	- 61	1 109 16 —	9 14		1 2	<u> </u>	309	10 2	25 29		143	202		4 -	1306	379	95	0 01 -	- ນດ ນ
Constitutional diseases V. Developmental diseases V. V. V.	. 3959	2 248	160	392 437 119 198	7 142	121	119 94		17 365 3 98	65 193 98 91	09	29	37 2		17 4	9	24	234	258 37	4	23	3213 773	88 471 396	28 229 51	8 2	5 12 4
Nectors system Organs of special sense Circulatory system Respiratory do. Lymphatic system and Ductless Glands Urinary system Reproductive system—	4117 187 2330 362 17	59 59 346 118 61 7	8 8 8 7	384 238 24 14 53 345 25 53 53 3 15	2 4 2 2 3 2 4 2 3 2 4 2 3 3 4 4 4 4 4 4	73 11 149 26 4	316 197 32 8 8	31 24	10 497 2 2 1 18 22 40 - 16	97 334 2 1 18 4 40 23 16 12 1 4 4	134	03 86 5	37 4 1 2 2 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	274 - 3 - 1	31 4	78 73 2 1 47 89 5 2	294 10 251 14 3	145 11 35 12 12	140 1 1 1 1 1 3 4	4 6 2 2 2	3 11 13 8 33	2876 8 118 1110 186 34	922 3 44 956 139 12	253 12 200 16 15	22 24 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 20 6 6
(a) Organs of generation (b) Parturition	111 701	63	25	1 42 76	31	20			ec .	35 20	7	1		3 -	4 -	88 38	15	33	57			561	88.29	38	1	C

					•				
l	Others.	111	2 1 1	10	-	2002 	· 4 · 2	11	1
is is	Malays.	1 9	- 1 1-1	ÓI	£ 4 c	0,4	•	11	
RACES	Moors.	210	114	145	21 1 314 89 89	3 128 79	26 13 13	-	
G ALL	.elimsT	327	101	973	19 17 17 1209 1209 85	1241 797	88	11	20
DEATHS AMONG	.989ledai2	2124	261 27 24 11	1266	97 31 26 31 31 202 202 8	8 2961 692	54 16 58	1	
DEATH	Burghers.	- 60	112	9	8	17	- 60	11	11
	Europeans.	11	-	-	11111111111	1 2 2	111	11	
RA- WA NOE.	Кедала.	199	25	234	1143	297 98	98		
SABARA- GAMUWA PROVINCE.	Ratnapura.	53	17	205	877 181	302	1 =		
Uva Prov	Badulla.	122	6,62	172	3 1 1 106 106 108	356 237	16 8 20	11	63
NC. Prov	-sruqsqpsruu-	153	4 1 2	52	2 	90	17		1 1
FERN E.	.wslidO	43		17	39 39		8 6	11.	
I-WES	Puttalam.	1 21	4	20	111114	30	ه ا ا	11	11
NORTH-WESTERN PROVINCE.	Kurunegala.	885	224	211	8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	298 25	31	11	11
	Trincomalee.	14		14	700				11
EASTERN PROVINCE.	Batticaloa.	192	8 2	72	111 1881111	70	7		
N. Ei	Hambantota.	1	1 1 - 1	57	329	176 75	10 − 10	11	
SOUTHERN PROVINCE.	Matara.) 	3 22	49	 82 211	494 87	10	. 11	11
Se P	Galle.	15	ଳ ବ୍ୟବ୍ୟ ବ୍ୟ	86	10 10 10 55 136	8 531 3 40	-		
R.N.	Mullaittivu.	- 8	8	× ×	49	00.5	8 6	11	11
Northern Province.	Mannar.	1	⁶ 111	15	111113111				
ZA.	.saftas.	168	28	144		81	31	11	
AL GB.	Nuwara Ellya.	9	12 - 0	260		201 109	73.47	11	e.
CENTRAL PROVINCE.	Matale.	187	01 8 4	204	2 1 1 1 2 1 1 2 1 1	212 118	60		27
———	Kandy.	305	24 20 40 40 40	303	17 11 11 211 230 13	607 215	19	11	
RN FOE.	Kalutara.	88	ζί, α	89	8 8 8 107 1 107 1 1457 1 1455	170	22	11	
WESTERN PROVINCE.	Negombo.	159	22.82	53	9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 45 %	5 1		
	Colombo.	215	. 37	179	1 22 48	13 362 201	21	_	
	CEATON'	2670	381 32 55 11	2411	144 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	13 4367 1605	174 22 260	64	27
	,	::	::4:	:	:::::::::::::::::::::::::::::::::::::::	:::			, ,
	CAUSES OF DEATH.	ion	епсе 	m. ified causes	Diseases.	Diarrhad Diseases.	Diseases.	s Diseases.	Diseases. f Urethra
	CAUSES O	9 Organs of Locomotion 10 Integumentary system	VII. 1 Accident or Negligence 2 Homicide 3 Suicide 4 Execution	vin. Ill-defined and not specified causes	Miasmatic Diseases Smallpox Chickenpox Measles Whooping Cough Diptheria Carebro-spinal Fever Simple and ill-defined Fever Influenza Bubonic Plague Beri-beri	Cholera Diarrhœa Dysentery	Malarial Diseases. Remittent Fever Ague	Zoogenous Diseases. Hydrophobia Cowpox and other effects of vaccination	Yencreal Diseases. SyphilisGonorrhœa, Stricture of Urethra

Table X.—Causes of Deaths, &c.—continued.

	-
——————————————————————————————————————	- 8 1 2
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
198 to 18 19 1 1 1 1 1 1 1	22 22 22 22 22 4 4 8 4 1
81.6 , 468 3 1 1 1 1 1 1	
26 26 28 329 329 329 329 329 331 345 311 311 311 311 311 311 311 31	1 26
.	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
71 111 1111 1111 1111 1111 11	<u>∞ = 1; 4 31 </u>
- 1 8 2 1 1 1 8 8 1 1 4 2 2 2 1 1 1 2 2 2 2 1 1 1 2 2 2 2	2
21 101 101 101 1 1 1 1 1 1 1 1 1 1 1 1 1	13 1
138 230 9 1 1 30 0 1 1 1 3 0 0 1 1 1 3 0 0 1 1 1 3 0 0 1 1 1 3 0 0 1 1 1 3 0 1 1 1 3 0 1 1 1 3 0 1 1 1 3 0 1 1 1 3 0 1 1 1 1	27.2
	7.2
	1 2 1 1 3
22.60	36
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 1 1
	2 18 1 1
	1
1111 111 1111 4111182 1211141 11111	129 3
	327
1 801 401 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	480
	11161111
	1
18. 18. 1. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	258
	63 4 63 1
1	1 1 28 8 1
	12 16 187 1 1 1
	364
	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
91 . 11	65 65 11
38 100 1 100	114 66 3662 2622 7621 78 8
	 Ner-
enseos .	l or 2
es. ula ula ul Dis-	'ord Brain
ses	
isea. Dise Str N gdro str N ratic str N strice	10 Spi
ar a see see see see d	ns softh
alia alis alis etetic I f Brea itis (hy itis (hy derculo aggic D , Leuce d Cons dopme	0 % 6
septic Diseases. ticæmia ver Parasitic Diseases. al) odenalis Distetic Diseases. ant of Breast Milk olism nens Constitutional Diseases. rrica erica erica inorthagic Disthesis fruberculosis, Scrofula northagic Disthesis fruberculosis, Leucocythæmia itus Developmental Diseases. Inns Nervous System. Nervous System. of Brain or its Membran	7ulsi 7ulsi 7ulsi 6000000000000000000000000000000000000
Septic Diseases. ', Septicæmia al Fever ', Septicæmia al Fever Parasitio Diseases. Dietetic Diseases. Dietetic Diseases. Onstitutional Diseases. Constitutional Diseases. tism Constitutional Diseases. in year Meningitis (hydrocephalu The of Tuberculosis, Scrofula 'Hermorrhagic Diathesis Chlorosis, Leucocythæmia Mellitus I Developmental Disease is fida ato Anus Nervous System. Aurochanial Defects Arrous System. Arrous System.	ons Convulsi is, disease dd undefii
sepadena semia, Septicemia emperal Fever rush rush rus (animal) chairs Duodenalis Dieteic I rvation, want of Brea rvey conic Alcoholism ritum Tremens rvey contic Alcoholism ritum Tremens ritum Tremens cor cor cor cor cor cor cor co	alysis lepsy vulsions artile Convulsi apse anus ula tylegia, disease ar and undefii us System
nna Sept I Feve Sept I Few Melhin Sept I I and Melhin Sept I Sept I I and Melhin Sept I I and Melh	ns Con, Con, di ur sten

continued.
}
&c.
Deaths,
of
Causes
×

			•		
	Others.		-	11712	<u> </u>
82	Malays.	111		-	
RACES	Moors.	111	1 11 1 1 10	29 29 103 2 2	
3 ALL	-alimaT	67	1422	6 3 114 30 714 11	1 6 11 2 4 11 2
DEATES AMONG ALL	Sinhalese.	44	00	282 282 3 3 705	21 75 75 11 12
DEATH	Burghers.			22	
	Europeans.	111	11171111	1112	111111111111
NCE ARA- WA.	Kegalla.	11	1	12 12 13 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
UVA PROVINCE PROV OF SABARA.	Ratnapura.	111	10 110	61	1 0 0 0 1
Uva Prov	Badulla.	111			
N. C. Prov	Anutadhapura.	111		3, 77	
TERN JE.	Chilaw.	111	111111	17 29 29 17 1	
H-WES KOVINC	Puttalam.	_			
NORTH-WESTERN NC. PROVINCE. PROV	Karunegaja.	11	111111111	1 1 51	
Eastern Province.	Trincomalee.	111		00	
FROY	Batticaloa.		1111111	. 4	
RN DE.	Hambantota.				
Southern Province.	Maters.	[31122311	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ŵΑi	Galle.	101	1 1 2	1 1	
OB.	Mullsittivu.	111			
Northern Province.	Mannar.	<u> </u>	1 4	1111	1 1 1 3 3 10 1 1
ZA 	Jaffas.		1 11 11 11	16 16 16 4 10 3 – 1 48 7	
	Nuwara Eliya.		1 1	114 1 12 1 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CENTRAL PROVINCE	Matale.	111	13	1 1	
	Kandy.	.		1 2 33 24 174 3 124	1111111
BN OE.	Kalutara.		1	1 2 1 1 2 1 1 2 2 4 2 2 1 2 2 1 2 2 1 2 2 2 1 2 2 2 2	
Western Province.	Negombo.		100 04	1 1 1	3 1 2 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
	Cojompo.	21470	1 1	1,1 63	110 110 110 110 110 110 110 110 110 110
	CELFON'		22241414	10 3 225 81 1144 174 850	
	CAUSES OF DEATH.	coial Sense. er diseases of Eye ses of Ear seases of Nose	Pericarditis Valve disease of Heart Hyportrophy of Heart Anginapetoris, Syncope Embolism, Thrombosis Philobits Philophy of Heart Chabitis Cha	Respiratory System.	Digestive System. nach testines on of Intestine angulation of Intestine of Intestine of Intestine
	CAUSES	Organs of Special Sense. Conjunctivitis and other diseases of Eye Ottis and other Diseases of Ear Epistaxis and other diseases of Nose	Pericarditis Varulatory Valve disease of Heart Hypertrophy of Heart Anginapectoris, Syncope Aneurism Embolism, Thrombosis Phiebitis Varicose veins Other and undefined diseatory System	Laryngitis Croup Asthma Asthma Pheumonia Pheurisy Other and undefined System	Stomatitis Digestive System. Dentition Quinsy Sor Throat Dyspepsia Hænatemesis Melæna Diseases of Stomach Entertis Ulceration of Intestine Debility Stricture or Strangulation of Intestine Intussusception of Intestine

,	2 1 2 1 1 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1	11	11111		2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		1 1 20
	23 1 1 2 2 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3		. 119		20 20 76		€ C1 ∞
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21-	1110120 114	1411	372		x x x x 42
}				3			7
		.	2		111111		1111
,	1111011000		- mm		39	<u> </u>	
		11		111111	1 4 2		(2.31) 60
	.)		·	111111	1 1 1 1 1 1 1 1 1 1		
		11			2 13 1		
			111111		3 3	-	.
	2 1			-64	23		111
	11111	11	[C1]]]]	111111	111111	111	1111
	7 1 1 1 1 1 1 2	161		111111		111	
-			1,11111,1				
,	6	1			23 1 1 1 15		
		11			[8] [1		
		- -					
	111111	<u> </u>			21		
	0 1 n 0		181111		12 12		111
	11111112	11			18	-	- -
,	2 62 74 01	61			17, 17, 188		e
1	10 20 10	11	1 1 1		12 36 1	111	- 114
,	1	. 11	22 — 1 1 — 1 — 1 — 1 — 1 — 1 — 1 — 1 — 1		1 10 1		4 9 CI
,	20 20	149	01-	2 1 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0101	49 21
	255 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 14	8.8 6.8 6.0 6.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	<u> </u>	410 1 1 1 280 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		21 12 12 3 3 37 12
	of Digestive 84 20 —	nd Duotless	8.8 6.8 6.0 6.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	,	410 30 1 280 31 1		21 12 37 12 12
,	of Digestive 84 20 —	nd Duotless	8.8 6.8 6.0 6.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	,	410 30 1 280 31 1		21 12 37 12 12
,	1 1 1 1 1 1 1 1 1 1	nd Duotless	8.8 6.8 6.0 6.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8	,	Parturition		21 12 37 12 12
	1 1 1 1 1 1 1 1 1 1	nd Duotless	# Urinary System. 33 40 40 6 6 6 6 6 2 liseases of Urinary System 6	s of Organs of Generation. s and Vagina struction s, Penis, Scrotum, &c.	Parturition		Integramentary System. $\begin{array}{cccccccccccccccccccccccccccccccccccc$
	1 1 1 1 1 1 1 1 1 1	nd Duotless	# Urinary System. 33 40 40 6 6 6 6 6 2 liseases of Urinary System 6	s of Organs of Generation. s and Vagina struction s, Penis, Scrotum, &c.	Parturition	tis, Periostitis	litis 21 $\frac{4}{3}$
	1 1 1 1 1 1 1 1 1 1	tem and Ductless	33 40 8 6 6 6 8 System 6	<u> </u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	s of Organs of Locomotion. s, Periostitis fined discusses of Organs of Loco-	21 12 12 3 3 37 12

<u>.</u>	Others.	1 11 1	~	.1	111111	1	970 01 1
vi.	Malays.	- 20				-	- 6 i
RACES	Moors	204	4 4 66 6		1111	1	58
A ALL	.slimsT	314	22 22 13 13 13 111 111 111 111 111 111 1	က	11 2 4 70		257 677 32 3
AMONG		2 2069	110 19 31 15 15 18 18 18	27	62 62 62 64 60	11	322 630 302 1 7
DEATHS ANONG ALL	.9a9ladai8						10 -
DE	Burghers.					, 1	
-43	Europeans.	1 1	111		()))))	·	771
SABARA- GAMU WA PROVINCE.	Kegalla.	1 — — — 50 198	<u></u>	Ç1			36 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
PRO GA	-Ratnapura		<u> </u>	ন	1 1 1 1) 	11 19 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
UVA V PROV	Badulla.		1		 		80 4 1
r NC. Prov	Anuradhapura.	40 153	<u> </u>				40 72 73
North-Western Province.	Chilaw.	1 4	2				27 1 1
ROVIN	Puttalam	1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				103
	Kurunegala.	14 876		·			
EASTERN PROVINGE.	Trincomalee.	1 1	4 400-				3 4 6
PRO	Batticaloa.	_ _ 192			<u> </u>		113
R.N.	Hambantota.	61	0-7,00,0	·-··		1	111 1 12 4
SOUTHERN PROVINCE.	Matara.		0 8467 14			- C1	3 6 2 2 2 3
201	Galle,				(44 (()
R.N.	Mullaittivu.	11 9	1111111				2 6 1
NORTHERN PROVINCE.	Mannar.		~		4		58 1
MAI	. saftas.	1 168	6 6 6 4		<u> </u>	<u> </u>	
A.L.	Nuwara Eliya.	11	9- 8-			·	80 24 76 223 48 11
CENTRAL PROVINCE.	Matale.	81		- 61			' ' ' ' '
Op.	Kandy.	1 299	01	ಣ			
BN DE.	Kalutara.	33	-				, , , , ,
Western Province.	Megombo.	156	20-1 00 00 C3 E0		1 4000 m	-	6 2 3 20 1 1 6 6
<u> </u>	Colombo.	2 . 1	-		1		22 -
	CEXFOX.	2 2595	139 110 200 130 130 830 830	32	4689084	11	661 1384
-		 ary	::::::::	:	::::::	:	::::::
	-	ment					20
		ntegv		6			dause:
	TH.	:: or ::	tence.	. :	::::::	.:	fted C. rtaine rtaine
	CAUSES OF DEATH.	sease	Neglig	Homicide. tor	Swioide,	Execution.	speci 1asce 3peci
F	. O 8318	ed di	00 23 ous	Hom ter	Sur	Exe	d not
	CAU	define	Accident or Negligence.	augh			ned anged anged anged anged
		sn p	At wound and and so	Mans	woun	•	III.defined and not specified Causes 1 Dropsy 3 deaths (causes unascertained) 1 ringe 1 Indefined and not specified causes
	đ	Eczema Pompligus Other and undefined diseases of Integumentary System	Accident or Fractures, Contusions Gunshot wounds Cut, Stab Burn, Scald Poison Prowning Sufficeation Snake-bite Otherwise	$H_{ m c}$ Murder, Manslaughter	Gunshot wounds Cut, stab Forson Drowning Hanging Otherwise	ging	General Dropsy Debility Sudden deaths (causes unascertained) Absoess Tumour Hæmorrhage Other ill-defined and not specified causes
l	-	Ecz, Per. Oth	Fractur Gunsho Cut, St Burn, S Poison Drowni Suffoca Snake-t	Mur	Gunsho Cut, st. Poison Drowni Hangin Otherw	Han ging	General Debility Sudden d Abscess Tumour Hæmorri Other ill

X.—Causes of Deaths, &c. — continued.

Table XI.—Causes of Deaths Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces and in the Colombo and Kalutara Districts of the Western Province, during the Fourth Quarter of 1908.

Acres of Bar (b)	ç				Jentr	al Pro	vinc	e	Prov O Uv	f	s	Provi abarag			V	Vestern	Pro	vince.
Causes of Death.		Ceylon.	K	andy.	М	atale.		uwara Eliya.			Rat	napur	a. K	egalla	Col	lombo.	K	alutara
ALL CAUSES		4,164]	1,185		414		770	5	21		379		5 59		76		260
. ,					-		•		-		~		-		-		-	
I.—Specific, Febrile, or Zy diseases	motic	1,794		448		204		263	2	230		176		322		35		116
II.—Parasitic diseases		279	• •	84		32		32		13		62	• •	26		1	· .	29
III.—Dietetic diseases	. •	5 6		28		. 2		9		5				10			٠.	2
IV.—Constitutional diseases		105	• •	23	• •	17	• •	16	• •	17		11	٠.	.9	٠.	6	٠.	6
V.—Developmental disease		254 980	• •	130 351	• •	$\frac{12}{76}$	• •	$\frac{35}{187}$	••	38 137	• •	13 60	• •	16 89	• •	1	• •	9
VI.—Local diseases VII.—Violence	• •	980 51	• •	17		4	• •	20	., !		• •	* 1	• •	69 7	• •	28	• •	52 2
VIII.—Ill-defined and not sp		0.1	••						• •		••	•	••	•	••		• •	~
causes	••	645	••	104	• •	67	• •	2 08	••	81	٠.	56	٠.	80	٠.	5		44
I. Miasmatic diseases		195		60		51		21		3 5		10		5				0
Diarrheal do.	••	1,391	• •	353		$10\overline{5}$::	221	1	170	• •	151	• •	$\begin{array}{c} 5 \\ 273 \end{array}$	• •	$\frac{4}{28}$	• •	9 90
Malarial do.	•••	161	• •	18		43		13		18		12	• •	39	••	20	• •	17
Zoogenous do.		-	٠.		• •		٠.		• •								• •	-
Venereal do.	• •	17	٠.	8	••	$\frac{2}{3}$	٠.	$\frac{2}{6}$	• •	2	• •	1	٠.	1	٠.	1		
Septic do.	••	30	• •	9	••		• •	0	• •	5	• •	2	••	4	• •	1	• •	
II. Parasitic diseases		279.		84		32		32		13		62		26				20
III.	••	219.	••	-	•		••		••	10	••	02	•••	20	• •	1.	••	29
Dietetic diseases		56	٠.	28		2		9		5				10				2
īv.				_											•		••	2
Constitutional diseases	•••	105	••	23	••	17	• •	16	• •	17	••	11	٠.	9	٠.	6		6
V. Developmental diseases		254		130	٠.	12		35		38		13		16				_
VI.	••	201	••				• •	• •	•	.,.	••	20	••	10	• •	1	• •	9
Diseases of—																		
Nervous system		341.		135	٠.	35		47		42		31		28		c		
Organs of special sense	• •				٠.	-	• •				• • •		• •	20	••	6	• •	17
Circulatory system		23	• •	3	٠.	2		7	• •	4	٠.	~		5	•	_	• •	2
Respiratory system		442	• •	158	• •	29	• •	100		73	٠.	16		40		7	• •	19
Digestive system		76	• •	26	• •	1		17	• •	6	••,	. 4		7	٠.	9		6
Lymphatic system and d		2		ı.				1										
glands Urinary system	••	19	• •	7			• •	4.	• •	3	• •	$\widetilde{1}$	• •	3	٠.		٠.	
Reproductive system:		~~								-	••	•	••	9	• •		••	1
(a) Organs of generation	n	<u> </u>			• •	_		_	٠.				٠.	-	٠.			
(b) Parturition Organs of Locomotion	• •	67	• •	20		8	• •	10	• •	8	• •	5	• •	6		4.	• •	6
Integumentary system		1 9	• •	1	• •	- 1	٠.	1	• •		• •	2	• •	_	• •		٠.	-
VII.	• •	·						_		-	••	~	• •	_	•	2	٠.	1
Accident or negligence		38		16	٠.			13				1		6				
Homicide	••	2		1	• •		٠.	1	• •		• •	_	• • •	~	• •		• •	2
Suicide		11			• •	4	٠.	6		~				1	•		• •	
Execution	• •		- •		• •		٠.		• •	_	٠.						• •	
VIII.	*	0.48		101		e=		000										
Ill-defined and not specified car	uses	645	••	104	••	67	••	208	••	81	••	56	• •	80	• •	5		44
Miasmatic Diseases.																		
Smallpox	• •	1	• •		• •	1	٠.	_	• •	-	• •		٠.	-		_	٠.	
Chickenpox Measles	••	1 15	• •	9	· •	_	٠.	1	••	1 5	٠.				• •	_		
Whooping Cough	• • •	15	• •		••	_	• •	$\overset{1}{2}$	• •	1	• •		٠.		• •	_	٠.	
Diphtheria	• • • • • • • • • • • • • • • • • • • •	_	• •					_	••		••		••	_	••	_	••	
Cerebro-spinal Fever	• •				• •		٠.			_	••		• •		• •	_	• •	
Simple and ill-defined Fever	• •	142	• •	$\begin{array}{c} \bf 40 \\ \bf 2 \end{array}$	••	48	٠.	7	• •	23	٠.	8	٠.	4		3	• •	9
Enteric Fever Influenza	• •	.5 28	• •	9	••	2	••	11	• •	5	• •	1	• •	1	• •	Ĭ	••	
Diarrhæal Diseases.	••	40	••	v	•	_	٠.	* 1	••	S	• •	1	••	_	• •		٠.	
Cholera	,											,						
Diarrhœa	• • •	806		200		43	• • •	135	• •	99	• •	57	• •	190	• •	25	• •	
Dysentery	••	5 85		153	• •	62	٠.	86	• •	71	• • •	94	• •	83	• •	25 3	• •	57 33
Malarial Diseases.				_										-	•	9	••	u)
Remittent Fever	• •	24		3	• •	1	٠.	4	••	9		1	٠.	6				_
Ague Malarial Cachexia	• •	6 131	٠,	1 14	• •	42	٠.	$\frac{2}{7}$	٠.	3	· •		٠.					
*	••	401	••	4.2	• •	12	• •	1	• •	6	• •	11	• •	33		1		17
Zoogenous Diseases. Hydrophobia						-												
Cowpox and other effects of V	accina-				••		• •		• •		• •		• •		٠.	_	٠.	
tion	. •		, -	,			٠.		٠.			-						
											• •		٠,		• •	-	• •	
Venereal Diseases. Syphilis	_	16		8		2		a										
Gonorrhœa, stricture of Ureth	ra	1	• •				••	2	••	2	• •	-	٠.	1	٠.	1		
	,						•		••		••	1	••	~	••	_		

Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

		_, _			_	C	entral	Prov	ince.			vince of Iva.	8	Prov abara	ince gamu		W	ester	n Province.
	Causes of Death.		Ceyl	on.	Kan	dy.	Mat	ale.	Now Eli		Badu		Ratna	pura.	Keg	alla.	Colom	bo.	Kalutara.
	Septic Discaess.												•						
	Phagedæna · ·	•		•	. —	• •		• •		• •		• •		• •		• •		• •	
٠	Erysipelas	•	. 14		$\frac{}{4}$	••	i	• • •	2	• •	2	• •	1	• •	3		1		_
	Pyæmia, Septicæmia Puerperal Fever	•	16		_		2		4		3		1		1				
	Parasitic Diseases.																		
	Worms (animal)		13		10			• •	2						1				~~~
	Dochmius Duodenalis		266	• •	74	• •	32	• •	3 0	• •	13	• •	62	••	25	• •	1	• •	29
	Dietetic Diseasés.		.		•		•				_								
	Starvation, want of breast-milk	• • •	56	• •	28	• •	2	• •	9	• •	5	• •	_	••	10	• •		• •	2
	Intemperance, Chronic Alcholis Intemperance, Delirium Tremer	m		• •		• •		• •	_	• •	_	• • •		• • •	_	• •			
	Constitutional Diseases.																		
	Rheumatism		5		2		_	٠.	1		1		_	-		٠.,			1
	Rickets		10	• •	4		2		1.	• •	1	••		••	1	• •			l
	Cancer	••	1	• •		• •	$\overline{1}$	• •	`	• •	1	• •		• •		• •	_		-
	Tabes Mesenterica Tubercular Meningitis (h	yd r o-	1	• •		••	1	••		••		• •	_	••		• •	_	• •	-
	Tubercular Meningitis (ny cephalus)	,						٠.					_	• •	_				-
	Phthisis		45		12		3	٠.	6	· • •	9	• •	4	••	5		3		3
	Other forms of Tuberco	ulosis			1								,						,
	Scrofula Anæmia, Chlorosis, Leucocyth	emia	4 38	••	1 4	• •	11	••	7	• •	1 4	• •	7	• •	2	• •	3	• •	1
	Diabetes Mellitus	* *	1	••	<u> </u>	•••		••	-		_	••	<u>.</u>	• •	ĩ	• •	_	• •	
	Leprosy						_	• •	_	• •	_	••			_				
	Parangi · ·	• •		, ••		• •	-	• •	_	• •		••		••	_	··		• •	
	$Developmental\ Diseases.$		***		00				10		10								
	Premature Birth	• •	115	• •	83	• •	2	••	10	• •	13	••	3	• •	1	• •		• •	3
	Imperforate Anus Old age	••	139	• • •	47	••	10	••	25	• •	25	::	10	• •	15	• •	1	• •	6
	Nervous System.																		
	Inflammation of Brain or its 1	Mem-												,					
	branes	• •	4	• •		••	2	••	1	• •		••	_	••		• •			1
	Apoplexy	• •	$\frac{7}{4}$	••	3 2	••	2	••	_	• •	1	• •	1	• •		• •	_	• •	-
	Paralysis	••	$3\overset{\bullet}{2}$	••	9	• •	7	• •	2	• •	$\frac{1}{7}$	••	4	• •	2	• •		• •	1
	Epilepsy	• • •	ì			••	<u>.</u>		_		_			••	ī	::			
	Infantile Convulsions		279		117	• •	24	• •	43	• •	28	••	24	• •	22	• •	6		15
	Collapse	••	$\frac{2}{10}$	• •	$rac{1}{2}$	• •	_	••	1	• •	5	• •	1	••	2	• •		• •	
	Tetanus Paraplegia, diseases of the Sp	inal	10	••	2	• •		••		• •	9	••		••	z	• •		• •	
	Cord				-		_				_		_		_		_		
	Other and undefined diseases		_		_														
	Brain or Nervous System	••	2	• •	1	••	_	••	-	• •	_	• •	_	• •	1	• •		• •	
	Organs of Special Sense.																		
	Otitis and other diseases of Ear Epistaxis and other diseases of N	iose	_	••	_	• •		• •		• •		• •	_	•••	_	• •		• •	
		1000	′	• •		• •		• •	•	•		• •		• •		• •		••	
	Circulatory System. Pericarditis		1		,				1 .										-
	Valve disease of heart						_		<u> </u>							• •			
	Hypertrophy of heart	• •	2	• •		• •		• •		٠.		٠		• •	2	• •			
	Anginapectoris, Syncope	• •	1	• •		• •		• •	1.	• •	_	• •		• • •	_	• •		• •	
	Embolism, Thrombosis Other and undefined diseases of H	eart		••		••		••		• •	,	••		•• •	_	• •		• •	
	or Circulatory System		19		3		2	••	5.		4				3		_		2
	Respiratory System.																		
	Laryngitis		1	• •	_	• •		• •		•									1
	Croup Bronchitis	• •	$\frac{3}{75}$.	• •	2 29	••	8	• •	$\frac{1}{14}$.	•	— . 11 .	• •	3 .		- .			• •	2
	Asthma	• •	13	• •	3	• •		• •	4 .		4 .				7	•	_	• •	3
	Pneumonia		332		100		21		73 .		58 .	.]	2			•	6	 . <i>.</i>	14
	Pleurisy	- 6	9	• •	4	••		• •	3.						1.				1
	Other and undefined diseases Respiratory System	of 	9						5.						9		,		
	Digestive System.	••	U	••		•• '	_	••	υ.	•		• -		•	3.	•	1	• •	
	Stomatitis						_					_	_		-				
	Quinsy		2	••					:	•	ī :		_ :	: -	1				
	Sore Throat	• •		••		• •							- :		- :		- ;		
	Dyspepsia Hæmatemesis	••	3 1	••	1	••		••	- .	•	2 .								1
	Melæna	• •		• •	_	•••		•••				• -						•	
	Diseases of Stomach		6	••	4				_ :	•	- :		- :		 1 .			•	
	Enteritis		10	• •	10					, -			- :	. –	- :	. ~	- :		
	Ulceration of Intestines Ileus, Obstruction of Intestine	•	8	• •	<u> </u>	• •	_	••	<u> </u>				 .						
	Debility	••	<u> </u>	• •	1 .	••		••	6.								- .	•	1 ,
	Stricture or Strangulation of					•		••	- •							• ~		•	
	testine	• •	1	• •									ı.	. –					
	Intussusception of Intestine Hernia	••	1	••		• •		••	— <i>.</i>				- .		1.		- :		
		• •		• •	_	• •	_	• •						. –	- ,		– ,		

Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

•.								Ce	ntral	Provi	nce.		Prov	ince Iva.	Sa	Provi barag	nce of	7a.	Wes	tern :	Provance.
	Caus	es of Dea	th.		Cey	lon.	Kar	ndy.	Ma	tale.	Nuw Eli				Ratna	pura.	Keg	alla.	Colo	ombo.	Kalutara
· n.	it amitia				8		2	·	,	,	, ã	_									l
As	ritonitis scites	•••		• •	12		2	· .	,]			• ••	-		1	••	2	• •	7		
Cir	rhosis of Liv	er		••	4 12		2 4			•	, 1	• • •		• • •	2		2	• •	2		I
Ot	her diseases cher and un	defined	diseases	of			·														2
<u>.</u> 1	Digestive Sys	tem		••	8	, .		* **	-	•••	4	• •	2	, ,	- Company	• 3	******	. ,	***	• •	2
	Diseases of La and Duct	less Gla	nds.		• ,			÷													
Di.	seases of the seases of Sple	· Lymp	hatic Sys	tem	1		1	• • •		•	. 1	• •			_	• •		••			
,	Diseases of	Urinary	System.																		
	phritis	••			5		4		-								1		-		
	ight's Disease	• ••		• •	12 1		. 2 . 1			•	3	••	3	•	1		2	• •	_	• • •	1
	æmia seases of Blac	lder		••		•	·	•			_	• • •		• • •		• •					
	her and un		diseases		,						3										
	Urinary Syste		α	. ··	1	••		• ••		• •		• •	-			• •		• •		• •	
Die	<i>Diseases of Or</i> seases of Uter	<i>gans of</i> us and	<i>Generamo:</i> Vagina	n.																	
Dis	sorders of Me	nstruati	on Č			••		• •		• •				••		••		• •	~~~	• •	
	seases of T		Penis, Sc	ero-					,		_				_						
f - 1	tum, &c.	••	•	••		••	-	••	-	• •		••	_	••		••		• •		••	
1	Diseases of	•	rition.																		
	ortion, Misca		`	••	1	٠.	1	••	-	• ••	_	• •		• •				• •			
	erperal Mania erperal Convu			••	11	••	3	••	-	• •	$\frac{}{2}$					• •		• •		• •	3
Pla	centa prævia	, floodir	ng	••		• •		• • •		• • •		• •		• •				• •			_
	ner and und Childbirth		accidents		5 5		16		-		8		8		~		-				•
•		••		••	99	••	10	••	7	• •	0	••	0	• •	5	• •	5	• •	3	• •	3
. 1	Diseases of Org	ans of L	ocomotion	. .																	
Cie	s, Necrosis	, <i></i> ,		• •	1	• •									I		_				
Ott	ner and und Organs of Loc	lemned omotion	diseases	of																	
	=			••		•		••		••		••		••		• •		٠.		• •	
` <i>L</i>	diseases of Int	egument	ary Systen	n.																	
	buncle egmon, Cellu	i.		• •		• •		• •		• •		• •				• •	_				
Ule	er, Bed sore			••	1 4	••	1	••	1	••	1	• •	1	• •		• •	_	••	_	••	
Ecz	ema		••	• •	1										1	• • •	_	• •		• •	
I	er and und ntegumentary	tennea / Systen	diseases n	of	3										1				0		
				••	U	••		••	_	• •		••	_	••	1	••		• •	2	• •	****
Time	Accident o	r Neglig	gence.																		
	ctures, Contu shot wounds	-		• •	12		7	• •		••	1		-	٠.	1	• •	3				-
Bur.	n, scald	• •		••	9.	• •	3	• •		• •	6	• •		• •		• •	_	• •		• •	
Pois	on wning	••		• •		••	_	••		• •		• •		• •		• •	_	• •	_	• •	
Suff	ocation	••		••	8	••	3	••		••	2	• •		٠.			1			• •	2
Snal	ke-bite	••		• •	2	••	_	•••	_	• •	_	••		••		• •	2	••	_	• •	
oth	erwise	••		••	7	••	3	• •		• •	4	••	_			• •	-	• •		• •	
	H_{on}	ricide.	•																		
Mur	der, Manslau	ghter			2		1		-		ı			_			_				
		cide.		-	_		•	••		••	•	• •	-	••		••		• •		••	
Gun	shot wounds																				
Cut,	Stab	• •		••	ī	••	_	••		• •		• •	-	••	_	• •	-	••			
Drov	wning ging	••		• •	3	• •	_	• •		• •	3	• •	_	••	_	• •		• •	_	••	
	erwise	••		••	7	••			3		3				_	• •	1	• •	_	• •	
		- ··	i	••		••		••	_	••		••		• • '	_	• •		••		• •	
Han	rin a	ecution	n.																		
Hang	-	••		• •			-														_
Ill-o	defined and no	ot specifi	ied Causes	·. '												•		••	_	••	-
CAGTIC	rai Dropsv	••			21		20		95		10		1.4		_						
Debil Sudd	lity len deaths	• • •			07	• •	81	• •	$\begin{array}{c} 25 \\ 40 \end{array}$	••	18 186	• •	$\frac{14}{62}$	• •	8 47		25 55	• •	4		7
tai	ned)	(causes	unasce	r-					-			•	·-	••	Ŧ1	• •	υĐ	••	1	• •	35
Absc Tum	ess "	••		••	12	• •	3	• •	$\frac{}{2}$	••		• •		• •	-	• •		• •			
$_{\rm Ham}$	Orrhage	• •		• •	1	• •		• •	- <u>z</u>	• •	2 	• •	3	• •	1	• •	- 	••		• •	1
Othe	r ill-defined	and no			2	• •		• •		••	1			• •	_		_	• •		• •	1
Cat	uses	••	t specifie		2	••		_			1							•		••	
					-	••		••	_	- •	1	• •		• •		• •		٠.	-		_

Table XII.—Causes of Deaths Registered in the Colombo Municipality in the Fourth Quarter of 1908.

Table XII.—Causes of	i Dea	LIIS I	10810		14 V		RD.					ī		Na:	TIONAL	ATY.		-
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others,
ALL CAUSES	1916	`11	25	76	203	270	204	474	344	146	.163	31	125	937	424	294	49	56
I.—Specific, Febrile, or Zymotic Diseases II.—Parasitic Diseases . III.—Dietetic Diseases . IV.—Constitutional Diseases	554 94 19	1 - - 3	6 	19 3 - 8	42 3 —	70 22 6	10	200 28 3	81 16 10	-	52 7 —	12 _ _ 2	44 2 1	- 1	135° 21- 5 38	59 14 6.	10	17 3 2 8
V.—Developmental Diseases VI.—Local Diseases VII.—Violence VIII.—Ill-defined and not specified causes		3 3 1	1	2	13 99 2 22	23 115 2		17 134 14 24	:	8	12 58 1	15	5 55 2	72 348 14	20 171 7 27;	14 143 —	2 24 - 5	- 20 2 4
I. Miasmatic Diseases Diarrhœal do Malarial do Zoogenous do Venereal do Septic do	193 317 15 1 6 22	 - - 	$-\frac{3}{2}$		17 23 1 -	11 53 3 - 1 2	19 16 2 - 1	44 146 2 - - 8	38 33 5 - 1 4	19 17 2 - 1 3	31 18 - - 1 2	8 3	20 23 1 —	110 150 4 - 3 10	28 95 5 - 3 4	19 31 3 1 5	4 3 2	12 - -
II.—Parasitic Diseases III.—Dietetic Diseases IV.—Constitutional Diseases V.—Developmental Diseases	.94 19 218	3	_ _ _ _ _ _ _ _	-3 8 2	3 22 13	22 6 20 23	10 27	28 3 54	16 10 44 26	5 17 ₁ 8	7 - 22 12	2	2 1 14	52 5 117	21. 5 38	14 6 33	2. -6 2	3 2 8
VI. Diseases of Nervous System Do. Organs of Special Sense Do. Circulatory Sys-	30 4 —	1	8 -	21	43	41	54 —	17	58	32	29	4	21	135	66	63	11	4
Do. Respiratory System Do. Digestive System Lem Los	28 291 84	1	- 6 -	8 4	1' 48	51 14	36 ^l	55 27	7 54 23	18	4 14 5	2 2 5	5 15 9	12 127 49	3 80 10	4 48 7	7 2	12 2
tem and Duct- less Glands . Do. Urinary System Do. Reproductive System :— (a) Organs of	32	_	-1	-1	_2	-3	-8 [!]	14	-1	-	_2		1	13	4	11	_ !	_ 1
(b) Parturition (b) Parturition (c) Parturition (c) Parturition (c) Possible (c) Po	3 18 2 14		_	- ₃	- 2 -		- ₃	1 2 9	-3'	- 1 - 2	2 1 -	_ '	-2 1	1 5 —	5 3	-6 ¹	1	_ _ _
VII. Accident or Negligence Homicide Suicide Execution	15 4 7		- ₁		2	_ 		10 3 1			- - -			8 3 3	4 1 2	_ _ _ _	_	1 1
VIII. Ill-defined and not specified Causes	116	1		6	22	12	10	24	16	14	11	1	2	52	27	25	5	4
Smallpox	$\begin{array}{ c c }\hline 51\\\hline 5\\1\\\hline \end{array}$	 	1 - -		7		_2 _2 	·	23 	10	-6 -1	_	3	35 	-6 1	6	1	

Table XII.—Causes of Deaths in the Colombo Municipality, &c.—continued.

Table XII	·-·	Jaus	75,01	Deal	VIII II				,				_		IONAL			
;	j	-	1		1	WA	RD.		<u>}</u> ∵	1	1		Ţ.			1	i.	
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Моогв.	Malays.	Others.
Diptheria* Cerebero-spinal Fever Simple and ill-defined Fever Enteric Fever Influenza Beri-beri	9 123 3			- - 9	_ 9 1	2 7 1	14 -14	44	_ 1 13 _	4 4 -	2 21 1	- 8		6 62 2	- 19 1			_ _ _ _
Diarrhœal Diseases. Cholera Diarrhœa Dysentery	13 194 110	_ 1	_ 1 1	5 3	 10 13	 44 9	4 4 8	7 89 50	1 16 16	$\begin{array}{c}1\\14\\2\end{array}$	 10 8	1 2	- 10 13	8 103 39	55 40	3 18 10		2 5 5
Malarial Diseases.								}					. ;		1			
Remittent Fever Ague Malarial Cachexia	$-\frac{13}{2}$	_	_ _ _	_	=	- -	$\begin{bmatrix} 2 \\ - \end{bmatrix}$		-4 1	_2	=	_	_l	_4	$-\frac{3}{2}$	_3		
Zoogenous Diseases.						4		i			1			}				
Hydrophobia,	1	-	1	-	-	-	-	- !		-		-	-	-	- :	- 1	_	_
Venereal Diseases.	ļ	Ì				1					1		I	Ì	!		į	
Syphilis	6		_	-	1' - !	_	_	-	_	- l	- l	_	-	3	3	-	_	_
Septic Diseases.		Ì	Ì	Ì		1		į			- 1				-	Ì		
Phagedæna Erysipelas Pyæmia, Septicæmia Puerperal Fever	2 4 7 9	<u>-</u>				- - 1	1 1 1	2 1 5	$-\frac{1}{2}$			_1		2 2 3 3	2	1 2 2	_ _ _ _	_ _ _ 1
Parasitic Diseases,								j	ļ									
Thrush Worms (animal) Dochmius Duodenalis	63 31	_	_	_3	3		10		14 2	5	-6 1		_2	44 8	5 16	 8 6	. 1 .	3
Dietetic Diseases.						1						i						
Starvation, want of breast- milk Intemperance, Delirium Tremens	19	_	_	_	_	6	_	3	10	_ _ .	· -	_	1	5	5	6 -	- - .	2
Constitutional Diseases.							į					:						
Rheumatism Rickets Cancer Tabes Mesenterica Tubercular Meningitis (hydrocephalus)	6 10					1		2 4 -		5	2 -	_ -		3 9 -		- - -	- - - -	_ _ _ 1
Other Forms of Tuberculosis Scrofula. Purpura, Hæmorrhagic Dia-	190	3	-	-7 -	18	17	25 	48	43	11	17	2	11	102	34	30	5 -	- 6 -
thesis Anæmia Chlorosis, Leucocy thæmia Diabetes Mellitus Leprosy Other and undefined Con- stitutional Diseases	1 6 3 2	-			1 2 -	1 -		- -	_ - _ - _ -	_ - _ - _ -	 3 	- -	1	1 - 1 -	- - - - - - -	- - 1 1 -	1 -	
Developmental Diseases Premature Birth Other Congenital Defects Old Age	37 1 75		1	2	1 12	10 -	111	17	7 1 18	- 8	1 -	- - - - ·	1 -4	32 1 39	3 -	14	- - - -	-

Table XII.--Causes of Deaths in the Colombo Municipality, &c.--continued.

Table XII.	Cai	uses I	ע זס	eath:	2 III		ARD.	1100		ha		<u></u>			TIONAL	ITY.		
	OWB.	92'8	T			w	ARD.	itals.	xclu- ls.									
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals	Maradana (exclusive of Hospitals.	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
Nervous System.																•	,	
Inflammation of Brain or its Membranes Softening of Brain Apoplexy Paralysis Convulsion Infantile Convulsions Tetanus Paraplegia, diseases of the Spinal Cord Other and undefined diseases of Brain or Nervous System Organs of Special Sense.	12 5 11 27 5 1 180 54		1 -2 - 4 1		2 - 2 - 1 26 12	2 5 1 - 22	_	-6 -2 3 2 1 3	1 -2 8 2 -42 2 -	_	1 - 16	-1 -1 -	3 5 1 - 9 3	8 4 9 1 1 85 17 —	$ \begin{array}{c} 2 \\ 3 \\ 5 \\ 2 \\ 41 \\ 12 \\ - \end{array} $	1 -5 1 -35 20	- - - 9 - 1	
Otitis and other diseases of Ear	_	_	_		•							_		_	_		_	
Circulatory System.																		
Pericarditis Valve disease of Heart Anginapectoris, Syncope Aneurism Phlebitis Other and undefined diseases of Heart of Circulatory System	1 3 1 1 1 21	_ _ _ _		1		2	1	1 3 - 1	7	2		1 1	-1 - - 4	1 2 1 1 1	3	4	2	
Respiratory System.											Ì							
Bronchitis Asthma Pneumonia Pleurisy Other and undefined diseases of Respiratory System	62 1 222 2 4	_ _ _ _	-4 - -	-1 -7 -	23 25 —	9 42 - -	13 - 23 - -	52 1	-7 -43 -4	2 1 14 1	-3 11 - -	_ _ _ _	1 14 -	28 1 94 1	12 -66 1	14 34 —	_5 _5 	
Digestive System.											- {					•	ſ	
Stomatitis Dyspepsia. Enteritis. Ulceration of Intestines Ileus, Obstruction of Intestine Intussusception of Intestine Hernia Appendicitis Peritonitis. Ascites Cirrhosis of Liver Other diseases of Liver Other and undefined diseases of Digestive System	2 1 35 1 3 -2 1 8 1 8 11				1			7 1 1 3 3 -5 8	-1 17 - - - - 1 - 1 1 2				3 	1 26 1 2 -2 -2 -2 -4 4	-1 -2 -3 -1 2 1			
Diseases of Lymphatic System and Ductless Glands.	•						i											
Diseases of Lymphatic System	_		_	_	_	_	_	_	_	_		_		_	_			
Diseases of Urinary System.								:		-								
Nephritis	18 11 1 2	_	 	1 		- - - -	7 1	3 8 1 2			_2 	2 		6 5 1 1	2 2 - - -	9 2 - -		_1 _ _ _

Table XII.—Causes of Deaths in the Colombo Municipality, &c. -continued.

	Ì					WA	RD.							NAT	IONAL	ITY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclu- sive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays	Others.
Diseases of Organs of Genera- tion.					_				-	_					_		_	
Diseases of Uterus and Vagina Pelvic Abscess Diseases of Testes, Penis, Scrotum, &c. Diseases of Parturition.	_2 1		_	_		_	_	1	-	_		 - -		=			_	
Abortion, Miscarriage Puerperal Convulsions Other and undefined acci- dents of Child-birth	1 2 15		_	1 2		1 2	3		3	<u>-</u>	1 	-	-	- ₁	_ _ 5	1 1	1	=
Diseases of Organs of Locomotion. Athritis, Ostitis, Periostitis other and undefined diseases of Organs of Locomotion	1		_	_	_	_ 1		_	1	 - -	 -	 -	1			 - -	_ 1	_
Diseases of Integumentary System. Carbuncle Phlegmon, Cellulitis Ulcer, Bed sore		_	_	<u>-</u>	_		_	 4 5	- 1 1	=_2	_ _1		 - -			_ 1 3	_	<u>-</u>
Accident or Negligence. Fractures, Contusions Burn, scald Poison Drowning Suffocation Snake-bite	3 7 - 2	_ _ _ _						3 5 —			- ₁	_ _ _ _		2 4 - 1				
Otherwise Homicide. Murder, Manslaughter Suicide.	3	_		_	_		_	3	1	_	_	-	_	3	1		_	_
Gunshot wounds Poison Drowning Hanging	4 2 1	- - 1 -	- ₁	<u>-</u>	- - -	_ _ 1	_	_ _ _		=	1 1	1 1 1	<u>_</u> 1				_	<u>-</u>
Ill-defined and not specified Causes. General dropsy Debility Abscess Tumour Hæmorrhage	18 91 4 1 2	- ₁				8 4 —		- 21 2 - 1	-8 -1 -1	$-\frac{2}{10}$	1 9 1 —	_ _ _ _		11 36 2 1 2	25 	21 	1 4 —	-

Table XIII.—Number of Births and Deaths registered during the Fourth Quarter of 1908, and their Proportion per 1,000 Registered Births and the Mean Temperature and Rainfall observed in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

						_											
	Population (inclusive		Total B	Total Births registered.		Total Dev Deaths	Total Deaths, including Deaths in Hospitals		Deaths	Total Deaths, excluding	Per M	Per Mille per Annum.	m.	Deaths	Deaths of Chil-		
Towns.	of the Census of 1901.	the Middle of 1908 by Intercensal Increase.	Males.	Females Persons		Males. F	Females Persons	-	in Hospi- tals and Jails.	Hospitals of Estate Coolies and Non- Residents.	Birth-rate.	Crude Death-rate.	Corrected Death-rate.*	of Children Lnder One Year.		Mean Tem- per- ature.‡	Rainfall in Inches.
All 31 Towns	423,109	476,265	1,906	1,816	3,722	2,843	2,393 5	5,236	1,752§	4,201	32-09	36-23	38-28	1,138	306		•
Western Province.	185 869	180.262	597	554	1,151	1.011	905	916	590	1 794	98.89	98.48				0	
Negombo	-	20,495	95			105			40	1,127	38.26	32.77	33.40	486	422	78.5	17.89
		34,139	140	125	911	102 239	128 52	230	6	230	31.22	27.09	25.58	84	181		14.80
Asiutara Panadure		4,275	\$ 1	10	88	35	22	99	9 50 50	102 72	38.91	34.22 25.40	33.33 26.97	26 x	224		31.75
Central Province.	5	107	7		6	3	i i				,				747		1
		29,437 4,608	20	168	36	214 37	38	366	177	259	29.10	35.39	37.10	80		74.7	24.77
Nawalapitiya		4,043	15	18	1 69	900	32.	67	49	3.5	32.82	05.40 17.90	69.24 21.35	13		1	25.32
Hatton and Dikoya Matale		5,705	2 4	14	38	13.5 13.5	60 68 60 68	255 221	36	ය ග	18.45	9.77	 	- 61 ;		11	29.10
a Eliya		7,997	18	91	34	17	, x	25	13	17	17.10	8.55	68.07	15	395	1	34.78
Northern Province.	3	3								i	•	3	07 11			28.5	27.81
,	33,879	30,295	246	208	455	160	137	297	14	286	51.84	32.59	34.34	123	970	70.1	10.4
Mullaitivu	1,308	1,404	. 4	4	8	27		16		24	57.35	28.91	33.01	9	193	80.5	25.08
Vavuniya	266	595	ಣ	67	າວ	10	000	18	-1	13	33.81	87.91	105.73	ରୋଟ	250	1	13.42
Southern Province.	1	0	;									•	2001	°	000	1	33.47
Galle Matara	37,165	13.242	191	152	313	153	153	306		268	31.45	26.93	26.32	. 65	208	78.1	26.08
Weligama	7,430	9,903	55	219	106	242	30	54	8	97	45.25	29.46	28.52	61	127		16.63
Hambantota Tangalla	2,843 2,333	3,056	2 2	15 8	27	. 24	16	40	15	123	35.53	32.90	34.44	12	222	8.62	9.59
Eastern Province.	3		!	•	2	e t	2	23	•	23	30. 59	35.18	37.17	4	200	2	9.55
•	9,969	10,433	36	36	72	09	27	87	7	84	27.75	32.38	33 - 39	2.6	8. 7.7.	78.0	26.93
North-Western Province	100,11	11,290	5	040	ŝ	ე	4 4	83	∞	46	31.69	28.13	32.62	17	191	0.08 80.08	30.18
la	6,483	8,068	41	38	46	175	116	106	167	006	30.90	00.00	i		,		-,
Puttalam	5,115	5,219	17	27	44	50	325	8 27	25	99	33.90	99.09 50.85	117.45	40	684	79.5	25.37
Chilaw	1,487	1,631	51 <u>0</u>	e1 #	4.0	ဗ္	10 E		1 ;	. 11	98.6	27 · 11	23	3 %	1.22	18.0	17.74
North-Clentral Province	00161	H 0 6	0	3		87	 5	49	91	49	38.31	43.66	44.47	6	209		No
Anuradhapura	3,672	4,856	18	22	40	47	37	84	33	94	99.19	9					records
Province of Uva.			.=			 i		1	3 '	2	71.00	00.40	19.69	ର 	200	78.0	30.97
Badulla Lunugala	5,924	6,686	26 22	45 4	09	60 24	55	115	70	57	36.09	34.28	35.06	14		711-4	27.90
Sabaragamuw	ġ.					l I		2	3	5	(¥0, or	00.80	Ţ	ಣ	200	1	i
Katnapura Kegalla	4,084 2,340	4,548	2 <u>7</u> ∞	22	25 22	49 %	46 33	110	88 £	42	19.45	37.14	38.44	τĊ	227	79.7	26.55
Bry if commented	dostb "sto"			'				5	F	0.7	01.07	97.19	32.61		278		1

2.3. and 6 years, respectively, and 6 infants of 9 days, 1 month, 6 months, 6 months, and 1 year, respectively) occurred in the Infectious Diseases Hospital, and the other 2 the Census of 15 days, and 6 infants of 9 days, 1 month, 6 months, 6 months, 9 months, and 1 year, respectively) occurred in the Infectious Diseases Hospital, and the other 2 the Census of 150 days and 1 month respectively) in the Segregation Camp, both at Kanatta.

| The population of "Hatton and Dikoya," Weligama, Kalpitiya, and Lunugala towns at these cannot be calculated. The death-rate given for "All Towns" is, therefore, independent of the available by age- and sex-constitution, their population.

| The population of Mannar and Trincomale towns at the Census of 1891 less (in the case of Trincomale towns at the case of the rate of growth 1891-1900 or 1901-1908. Their population ostimated for 1908 is the Census of 1901 less (in the case of Trincomale) was not commerciated at the Census of 1901. The figure given is of the * By "corrected death-rate" is here meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the whole Island, and # Blanks indicate also excluding the deaths in hospitals of estate coolies and other non residents. † Infantile death rates omitted where the number of births is less than five. ‡ Blanks indicate that there are no observatories or rain gauges. § Includes 55 deaths of Colombo town residents registered by an extra-urban Registrar, of which 53 (43 adults, 4 children of 1½)

,	, / <u>-</u> =	1621	រច		1 1 62 70	3
, l	Malays.	89 72	26 15	- 8 8	10 3 10 3 10 10 8 10 10 11 11 11 11 11 11 11 11 11 11 11 1	ف ا
Deaths among all Races.	Moors.	633	161	118 123 233 134 14		4
g sill	.slim.sT	1735	363	31 58 31 16 16	- 10	38 8
uow	Sinhalese	2503	596	76 53 53 11 14 11	1 16 2 49 4 35 4 35 11 11 19 8 54 6 78	2 3 3
ths a	Burghers.	169	34		1627-4	5 5
Dee	Europeans.	35	တ	111111	111 11	87
06 MT3-	Kegalla.	57	LO.		1 1111 1	S
Province of Sabara- gamuws.	Ratuapura.	110	ro		" 	55
	Lunugala.	115 40	14 3	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	4 4	101 37
Pro- vince of Uya.	Badulla.	84 11	20		2 21	64
North- Central Pro- vince.	Anuradhanura	•			1	111
	Chilaw.	1149	ත භ			8 40
rth ster	Puttalam. Kalpitiya.	821	2		1- 2 - 2	22
North- Western Province.	Kurunegala.	291	45	41 1 1 1 1 1 1	167	237
Eastern Pro- vince.	Trincomslee.	83	-	1 × 1	1	99
Eas P.	Batticalos.	8	<u> </u>	112	1 8 1 1 1 1 2 1 1 2 1 1 2	18 60
	Tangalla.	40 23	, es	- m	- 1 51	4
3rn .00	Weligama. Hambantota.	544	C1 P	07 25 -	4-11-	42
Southern Province.	Matara.	125	19	-181-111	6	106
ω tr'	Galle.	306	65	11228	29.29	241
Ħ oi	.ByinuveV	8	(N)			14 15
ther	Mannar. Mullaittivu.	24 16	-			60
Northern Province.	.anflat	297 2	123	29 - 20 - 3	22 8 6 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	174 18
· · · ·	Nuvara Eliya.	22	-	8		206 18
	Matale.	221	-	- xc	200001	206
Central Province.	Hatton and Dikoya.	55	2	1111111		53
rad P	Nawalapitiya.	87	Peo	4 3		09
ent	Gampola.	35	80 13	1 9	1-01 1-01	S :: 1 ::
	Kandy.	366 75		16 - 1	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	286 62 10
	Panadure.	60	ట	23	3	55
vince	kalutara	115	5 0	6 1	01 1	8
ι Ριο	могатима.	230	48	8 4		182
Western Province.	Negombo.	194	99	8 1 1	134	25 C
M	Colombo.	*1,916	483	31 41 1 30 1 06	828 838 838 824 1477	1,430 46 5 2 8
	All 31 Towns.	5,236	1,138	1123 1123 113 477 1	256 632 633 644 747	66 66 66 6 6 6 7
,	<u> </u>	:]		ter : : : : : :	:::::::	_ : :::::
/	Causes of Deaths.	All Causes	I.—Infantile Mortality A.—One Week and under.	1. Prematurity 2. Debility 3. Convulsions 4. Diarrhoea 6. Tetanus 6. Bronchitis 7. Pneumonia 8. Other causos 1. Year I Week and under	Prematurity Debility Convulsions Distrhosa Tetanus Bronchitis Preumonia	General Mortality (1 Year and over) Smallpox Chickenpox Massles Influenza Simple Fever
,	· .		l.—Infr 4.—One	1. Pre- 2. Delogo S. Cor. 4. Discourse S. Tet Parce 6. Bre- 7. Parce 8. Oth	1. Pre 3. Con 3. Con 5. Tet 7. Pre 8. Oth	11.—Gea Yea 11. Sme 22. Chic 33. Mea 44. Infl 56. Sim

Table XIV.—Causes of Deaths registered during the Fourth Quarter of 1908 in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

* Includes 55 deaths of Colombo town residents (53 of which occurred in the Infectious Diseases Hospital and the other 2 in the Segregation Camp, both at Kanatta), registered by an extra-urban Registrar, viz., 46 deaths from Smallpox (3 Burghers, 33 Sinhalese, 5 Tamils, and 5 Moors), 3 from Diarrhoan (2 Tamils and 1 Malay), 2 from Debility (1 Sinhalese and 1 Malay), and 1 each from Measles, Enteric Fever, Cholera, and Pneumonia (of Sinhalese).

† Eight deaths from Inantition or Starvation (4 in Colombo, 2 in Vavuniya, and 1 each in Ruttalam and Kalpitiya), and 1 each from Smallpox and Tuberculosis (in Colombo), Hermin (in 4 Those include 24 from Enteritis (19 in Colombo, 3 in Kandy, and 1 each in Kalutara and Galle), 16 from Worms (11 in Colombo, 2 in Negombo, and 1 each in Mutalam), 11 from Dysentery (5 in Colombo, and 1 each in Moratuwa, Mannar, Batticaloa, Puttalam, Kalpitiya, and Anuradhapura), 8 from Smallpox (4 in Colombo, 2 in Negombo, and 1 each in Kandy and Matalo).

	Others.	4-1227-8 1 9 1 1 1 1 1 1 1 1
Deaths among all Races.	Malays.	888 2 441 70 1 1 1 2 2 1 1 1 1 2
	Moors.	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	.slimsT	20 44 145 145 145 145 161 101 101 101 101 101 101 101
	.eaeladnig	. 101 . 102
	Burghers.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Europeans.	8
9 5 ° 6	Kegalla,	
Province of Sabara- gamuwa.	Ratnapura.	8 1 1 1 1 1 1 1 1 1 8 2 8 8 8 8 8 8 8 8
Pro- 1 vince of of Uva.	Lunugala.	
	Badulla.	14 4 700 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
North- Central Pro- vince.	sruqadbarunA	
North- Western Province.	Chilaw.	18 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Kalpitiya.	2 22
₽Ŗ	Kurunegala. Puttalam.	28 82 821 01- 22 82 1 1 1 1 9 1 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
E. o	Trincomalee.	1 2 1 0 1 1 1 1 1 1 2 2 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Eastern Pro- vince.	Batticaloa.	9042 31 32 3
	Tangalla.	Ø 1-Ø 1 01-12 21 2
ë.	.stotnsdmsH	40 15 14 1 10 10 1 1 1 10 10
athe 'vin	Matara. Weligama.	10 00 11 00 02 1 00 02 1 00 02 1 00 02 1 00 02 1 00 02 00 00 00 00 00 00 00 00 00 00 00
Southern Province.	Galle.	40 111 40 40 40 40 40 40 40 40 40 40 40 40 40
	Vavuniya.	120 1 121 1 1 1 1 1 1 1
ern nce.	Mullaittivu.	
Northern Province.	Mannar.	
$^{ m N}_{ m P}$	Jaffna,	12 c 13 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Nuwara Ehya.	
nce.	Matale.	91.0 0 0008 4 2181 1 1 219 4
Central Province	Hatton and Dikoya,	1
tral	Nawalapitiya.	7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Cen	Gampola.	84 2 80 22 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Kandy	
.09.	Panadure.	_
Western Province	Kalutara.	£ 70 9444928
rn P	Moratuwa.	67
Veste	Negombo.	126 1 28 0 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Colombo.	1888 888 888 888 888 888 888 888 888 88
All 31 Towns.		169 124 145 145 169 180 180 180 180 180 180 180 180 180 180
		is Bes. and ns t. s.c. th mce
l	mi.	adis adis adis adis adis adis adis adis
	athi	yer yaria den den den ase sen as sen a
	Ď	ever t Flever Sachexia Duoden Duoden Mellitus B System Disease is Convuls Flever e undefin undefin r Neglij r Childb
1.	Causes of Deaths.	Enteric Fever Ague Malarial Cachexia Cholera Diarrhea Dochmius Duodenalis Cancer Phthisis Other tubercular diseases Anæmia Diabetes Mellitus Convulsions Tetanus Bronchitis Pretanus Bronchitis Pretanus Bronchitis Pretanus Bronchitis Convulsions Tetanus Bronchitis Pretanus Gorvulsions Tetanus Gorvulsions Tetanus Bronchitis Convulsions Tetanus Gorvulsions Tetanus Bronchitis Convulsions Other Disease and Nephritis Puerperal Convulsions Right's Disease and Nephritis Conther and undefined accidents of Childbirth Riscarriage Other and undefined accidents of Childbirth Accidents of Childbirth Starration Accidents or Negligence Homicide Execution All other causes
}	usek	Enteric Fer Remittent Ague Malarial Ca Cholora Diarrhosa Diarrhosa Dysontery Dochmius I Cancer Phthisis Other tuber Phthisis Other tuber Rammia Diabetes McConvulsions Tetanus Bronchitis Phenumona Other Dise Puerperal C Puerperal F Ristarvation other and u cidents of Starvation Accidents of Homicide Suicide Execution All other can
	Ca	Enteric Benieti Ague Malaric Cholore Cholore Cholore Cholore Cholore Cholore Church Dochman Church C
1	!	6. 10 10 10 10 10 10 10 10 10 10 10 10 10
j.		

*Here are included 221 deaths from Old Age (75 in Colombo, 21 in Negombo, 16 in Moratuwa, 13 in Kandy, 12 in Kalutara, 11 in Matara, and 10 in Puttalan); 144 from Debility (25 in Galle, 21 in Colombo, 17 in Kandy, 15 each in Moratuwa and Batnapura, and 12 in Negombo); 50 from Paralysis (27 in Colombo, 5 in Galle, 4 each in Kandy and Jaffna); 34 from Enteritis (16 in Colombo, 5 in Kandy); 29 from Apoplexy (11 in Colombo, 3 each in Jaffna, Matara, and Puttalam); 1 from Appendicitis of an Englishman in the General Hospital, Colombo, whither the patient was removed from Galle Face Hotel, Colombo,