# SUPPLEMENT

TO

# The Ceylon Govennment Gazette,

# PART I.

# No. 6,331 — FRIDAY, OCTOBER 8, 1909.

# VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE SECOND QUARTER OF 1909.

## I .- Population.

The estimated population of the Island on the last day of the quarter was 4,055,002, showing an increase of 18,852 on the previous quarter, due to an excess of 8,673 births over deaths, and an excess of 10,179 arrivals over departures of Indian coolies.

2. Arrivals and departures of Indian coolies.—The number of Indian coolies who arrived in the Island during the quarter amounted to 27,213 and of departures to 17,034, as against 39,216 arrivals and 22,610 departures, the averages for the corresponding quarters of the last eleven years.

#### II.-Marriages.

3. Marriages.—3,165 general marriages (i.e., marriages other than Kandyan or Muhammadan) were registered during the quarter and 1,074 Kandyan marriages. Their distribution by Provinces and districts is given in Table I. in the Appendix

4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c. Table VII. gives similar information in respect of the Kandyan marriages.

# III.—Births and Deaths

5. Births.—The births registered during the quarter numbered 37,386 (30 Europeans, 205 Burghers, 25,336 Sinhalese, 9,345 Tamils, 2,292 Moors, 118 Malays, and 60 Others), and were in the proportion of 39.0 per 1,000 persons living, as against 44.6 in the previous quarter and 37.6 the average of the corresponding quarters in the period 1898–1908. See Table VIII. for each Province and district.

6. Deaths.—The number of deaths registered during the quarter amounted to 28,713 (35 Europeans, 154 Burghers, 18,012 Sinhalese, 8,440 Tamils, 1,876 Moors, 103 Malays, and 93 Others), and was equal to an annual rate of 29.9 per 1,000 persons living, as against the average 27.6 for the second quarters in the period 1898–1908 and 39.4 the rate in the preceding quarter. See Table IX. for each Province and district.

7. The births and deaths and their rates for the whole Island are compared with previous quarter, the corresponding quarter of the previous year, and the average for the second quarters of 1898–1908 in the following Table A. For particulars as to Provinces and district, see Tables I. and II

# TABLE A.

	1.25	DLE A.						
Average for eleven previous	h rosen	Births.		Deaths.	B	Per Mille irth-rate	pe	r Annum. Death-rate.
quarters in 1898–1908	secona	34,117		25,054		37.6	•	27.6
Second quarter, 1908		39,730		26,280		41.9	•	27.7
First quarter, 1909	• • •	42,240	•-•	37,383	<i>:</i> .	$44 \cdot 6$		39 • 4
Second quarter, 1909	• •	37,386	• •	28,713	• •	39.0		29.9

- 8. The birth-rate thus shows an improvement on the average, and the death-rate a deterioration. The improvement in the birth-rate is shared by all the districts of the Island, except Matara, Kurunegala, Trincomalee, Matale, Negombo, Mullaittivu, and Galle. The deterioration in the death-rate is shared by every district, except Mannar, Jaffna, Batticaloa, Negombo, Puttalam, Mullaittivu, and Trincomalee. (See Table II.)
- 9. Infantile mortality.—The deaths of infants under one year of age numbered 6,703, and were in the proportion of 179 to 1,000 registered births. The rate of infantile mortality varied in different districts from 299 (for Tamils) in Trincomalee, 285 (for Sinhalese) in Kurunegala, 271 (for Sinhalese) in Hambantota, 260 (for Tamils) in Mannar, and 256 (for Moors), 255 (for Tamils), and 246 (for Sinhalese) in Puttalam, to 143 (for Tamils) in Jaffna, 136 (for Sinhalese) in Colombo, 136 (for Sinhalese) in Kegalla, 134 (for Sinhalese) in Chilaw, 131 (for Sinhalese) in Galle, 130 (for Sinhalese) in Negombo, and 119 (for Sinhalese) in Kalutara.

#### IV .- State of Public Health,

10. The general health of the population during the quarter was worse than usual, but much better than in the quarter immediately preceding, which was exceptionally unhealthy, and presented a rate higher by nearly 10 per 1,000 than the current quarter. The death-rate for this quarter was 29.9, a slight deterioration on the usual rate (27.6), except in the Northern and Eastern Provinces. Compared with the previous quarter, the Eastern Province alone showed a slight deterioration.

11. The healthiest Province during the quarter was, as usual, the Western, with a death-rate for all races of 23.5, followed by the Northern with 23.9; and the unhealthiest Province was, as usual in the quarter, the North-Central, with a death-rate of 42.5. The healthiest district for all races was

Negombo with a death-rate of 16.6, and the unhealthiest was Hambantota with 51.1.

in the several Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, and the average for the corresponding quarters in the period 1898-1908. The birth-rates and death-rates for all ages and for infants in the several Provinces and districts of the Island are shown for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for the Tamils only where Tamils form the bulk of the population. In the Puttalam and the Batticaloa Districts, which contain a resident population comprised of Sinhalese, Tamils, and Moors, the rates are given for each of these races.

13. Western Province.—The health of the Sinhalese inhabitants of this Province, who on the first day of the quarter were estimated to number 861,015, or a little less than a third of the entire Sinhalese population of the Island, was slightly worse than usual, their death-rate being 20·4 against the average 20·0. The infantile mortality was 130 per 1,000 births registered. Two of the three districts show higher death-rates than usual, the exception being Negombo, which records the lowest mortality in the Island (16·1), Kalutara District following with 20·3, and leading with the lowest infantile mortality (119) in the Island. The birth-rate of the Province (33·7) was a slight deterioration from the average (34·9), every district sharing in the deterioration. The highest birth-rate (36·2) was in Kalutara.

14. Central Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter numbered a little over 327,000, experienced slightly worse health than usual, their death-rate being 27.8 against an average mortality of (27.2). As usual, Ma ale was the unhealthiest district in the Province (40.9, average 31.7), and Nuwara Eliya was the healthiest (22.7, against average 23.4). The birth-rate of the Province also shows a slight deterioration from 47.8 to 45.7, which has been shared by

each of the three districts.

15. Northern Province.—The health of the Tamil inhabitants of the Province, who form the bulk of the population, and were estimated to number a little over 349,600 on the first day of the quarter, was better than usual, their death-rate for the quarter (23·3) declining by 5·0 from the average (28·3). The improvement was shared by all its three districts, and was greatest in Mullaittivu (36·6, average 46·7), and least in Jaffna (21·9, average 26·6). The healthiest district was Jaffna, which contains the bulk of the Tamil population (322,195), and the unhealthiest Mannar (43·0, average 50·9). The birth-rate of the Province (41·6) was also better than the average (39·4). The improvement is noticeable in two of its districts, the exception being Mullaittivu.

16. Southern Province.—The Sinhalese inhabitants of this Province, who numbered 600,800 on the first day of the quarter, fared worse than usual, their death-rate for the quarter rising to 29.2 from the average (23.9). The deterioration was shared by every district in the Province. It was greatest in the Hambantota District, the most unhealthy in the Province (51.3 from average 30.2), and least in the Galle District (23.6 from 22.9). The infantile mortality of the Hambantota District (271 per 1,000 registered births) was the third highest in the Island, and that of Galle District (131) the third lowest in the Island. The birth-rate of the Province (39.4) was also worse than usual (40.4), a deterioration

noticeable in two of its districts, the exception being Matara.

17. Eastern Province.—This Province, which at the beginning of the quarter was estimated to contain a population of 102,838 Tamils (of whom 85,363 were in the Batticaloa District and 17,475 in the Trincomalee District), 70,341 Moors, and 8,942 Sinhalese, presented death-rates of 364, 31·3, and 28·3, respectively, for the Tamils, Moors, and Sinhalese, against their respective averages of 39·1,35·6, and 35·3 for the corresponding quarters in the period 1898–1908. All the three sections enjoyed better health than usual. The greatest improvement was among the Sinhalese, and the least among the Tamils, who constitute the majority of the population. The improvement in the Tamil death-rate is shared by both the districts of the Province. The Sinhalese record the lowest mortality in the Province among all ages, and the Moors among infants. The Tamil infantile mortality in the Trincomalee District (299 per 1,000 births registered) is the highest recorded in the Island. The birth-rate of the Province also showed an improvement for all the three sections of the population.

18. North-Western Province.—The Sinhalese, who form the bulk of the population of the Province and were estimated to number 331,795 persons on the first day of the quarter, experienced worse health than usual, but a great improvement on the previous quarter, which was exceptionally unhealthy, the death-rate rising to 37.6 from the average (30.3) for the corresponding quarters of the last eleven years, but declining from 62.1 of the previous quarter. The deterioration (compared with the average) is noticeable in Kurunegala (from 33.4 to 42.4) and Chilaw (from 18.3 to 22.1), while in the Puttalam District there was an improvement from 35.6 to 30.9. The mortality of Sinhalese infants of the Kurunegala District during the quarter (289) was the second highest in the Island, coming next after that of Tamil infants of Trincomalee District (299). The healthiest district in the Province was Chilaw, with a rate of 22.1. The Tamils of the Province also fared much worse than usual, and than the Sinhalese or the Moors, while the Moors enjoyed better health than usual, the death-rate of the Tamils rising

to 61.0 from the average 37.3 and of the Moors declining to [33.3 from 34.3. The Sinhalese birth-rate of the Province (37.5) was a deterioration from the average (39.9); the Moor rate also shows a

deterioration, but the Tamil rate was much better than usual.

19. North-Central Province.—The North-Central Province, which is the same as the Anuradhapura District, enjoyed greatly improved health compared with the previous quarter, but worse than usual, the Sinhalese death-rate rising from the average 37.9 to 39.2, but declining from 64.8 in the previous quarter. The birth-rate of the Province, on the other hand, showed an improvement from 39.6 to 41.7.

20. Province of Uva.—This Province, which is co-extensive with the Badulla District, enjoyed better health than usual, its death-rate declining to 33 0 from the average (36:1) and still more from the previous quarter (42.6). The birth-rate (48.3) was all of an improvement on the average (47.2).

21. Province of Sabaragamuwa.—The health of the Sinhalese inhabitants of this Province during the quarter was better than in the previous quarter, but slightly worse than usual, the death-rate falling from the previous quarter (43.0) to 29.5, but still higher than the average for the quarter, which was 28.5. In the Ratnapura District the death-rate rose to 34.3 from the average 30.7, while in the Kegalla District it declined from 26.8 to 26.0. The birth-rate of the Province also shows a deterioration shared by both its districts.

For the health of the estate population (mainly Tamil) in the Central, Uva, Sabaragamuwa, and Western Provinces, see infra, Chapter VI., "Estate Population."

#### V.—Causes of Death.

22. The causes of death registered in the Island during the quarter are shown in detail in Table X. in the Appendix, and select causes are shown in the following Table B:—

TABLE	B.—Causes	of Death in	the Districts	of Ceylon,	Second Qua	arter, 1909.
-------	-----------	-------------	---------------	------------	------------	--------------

District.	Fevers.	Diarrhœa and Dysentery.	Bron- chitis and Pneu- monia.	Phthi- sis.	Infan- tile Con- vul- sions.	Rickets.	Prema- ture Birth.	Diseases or Acci- dents of Preg- nancy.	Doch- mius Duode- nalis.	Small- pox.	Cholera.	Homi- cide.	Suicide.	Execu-	Total from all Causes.
CEYLON	5,794	4,848	1,443	994	2,840	902	271	721	362	23	1	35	51	4	28,713
Colombo Negombo Kalutara Kandy Matale Nuwara Eliya Jafina Mannar Mullaittivu Galle Matara Hambantota Batticaloa Trincomalee Kurunegala Puttalam Chilaw Anuradhapura Badulla Ratnapura Kegalla	687 195 229 233 185 577 565 54 373 203 595 571 573 51 80 219 224 224	44 169 728 222 338 114 16 5 460 413 261 115 24 266 22 37, 83 397	320 17 36 231 36 119 209 28 23 49 17 7 56 45 43 14 111 88 27	294 21 82 777 16 13 137 56 13 5 2 83 2 14 13 30 53	354 53 337 122 27 46 199 25 11 364 354 169 45 33 159 31 65 62 208 122 90	96 1 <b>5</b> 0 <b>34</b> 28	27 27 89 3 11 33 11 9 3 3 - - - - 71 8	69 21 38 63 24 18 56 9 67 24 17 18 3 28 35 36 19 72	21 24 83 18 12 2 - 8 3 1 - 9 - 120 25	12 - 4 - 1 5 1 1	1	133 2 — — — — — — — — — — — — — — — — — —	81 377 22 77 - 3 31 11 66 - 12		3,679 715 1,508 2,884 1,006 1,031 1,792 236 1,746 1,448 1,403 1,306 272 2,921 245 500 825 1,656 1,542 1,814

23. Smallpox.—This disease, which was responsible for so many as 144 deaths during the fourth quarter of last year, showed a remarkable fall to 58 in the following quarter and to 23 in the next—the quarter under review. The deaths during the quarter were distributed among the districts as follows:—12 in Colombo, 5 in Nuwara Eliya, 4 in Kalutara, and 1 each in Matale and Batticaloa. Of the deaths in Colombo District, 10 occurred in the Infectious Diseases Hospital, Kanatta, whither the patients were removed from the different parts of the district, including 5 from the Colombo Municipality, and the other 2 at Kalapaluwawa and K nanpella. Three out of the 12 cases of Colombo District were of patients removed from ss. Upada, ss. Baron Androssen, and ss. Ruth, who had contracted the disease at Calcutta. The 5 deaths in Nuwara Eliya occurred during the early part of the fourth quarter of last year, but were registered this quarter, and the source of infection of these cases was traced to Colombo. Two of the 4 deaths in Kalutara took place during the last quarter, but were registered this quarter. The death in Matale occurred on an estate, and the one in Batticaloa was of a patient who, whilst returning from a visit to Mecca, had contracted the disease at Jeddah, where smallpox was prevailing at the time.

24. Cholera.—There was only one death from cholera reported for registration during the quarter, and this was of a Tamil, a recent arrival from Southern India, who died in the Ragama Camp.

of Observation for immigrant coolies.

25. Among the other causes of death were debility (mostly of infants from inability to suck) 1,124, anæmia 813, general dropsy 797, worms 770, old age 643, thrush 256, malarial cachexia 223, rheumatism 195, abscess 154, tetanus 118, paralysis 114, enteritis 111, measles 44, influenza 33, whooping cough 15, and chickenpox 11.

26. Deaths by violence; Accidents.—Of the 446 deaths attributed to accidents, 109 were due to falls from trees (mostly of toddy-drawers), 104 to drowning (of which 16 in wells), 52 to snakebites, 35 to burns and scalds, 19 to injuries at birth, 18 to fall from heights other than trees, 10 to poison, 9 to gunshot wounds, as many as 9 to railway trains, i.e., this one quarter more deaths from this cause than the average for a half-year, 8 to carts, and I each to a motor car, a trolly, and a bicycle. Crocodiles were responsible for 6 deaths, buffaloes for 4, bulls for 2, an elephant and a cow 1 each, and black ants 1; 4 were due to injuries received from machinery, 4 from blasting operations, 3 by sunstroke and lightning, and! by bursting of a soda water bottle.

27. Homicide.—Thirty-six deaths were due to homicides (21 Sinhalese, 14 Tamils, and 1 Other),

of which 13 were in Colombo, 6 in Jaffna, 4 in Kurunegala, 2 each in Negombo, Galle, Badulla, and Ratnapura, and 1 each in Nuwara Eliya, Matara, Batticaloa, Puttalam, and Anuradhapura.

28. Suicides.—Fifty-one deaths were due to suicides (2 Europeans, 28 Sinhalese, 20 Tamils, and 1 Moor), of which 33 were by hanging, 8 by drowning, 4 by poison, 2 by being run over by railway trains, 1 by gunshot wounds, and 3 by other means.

29. Execution.—There were 4 judicial executions registered in the Island during the quarter

(1 Sinhalese and 3 Tamils), 2 in Jaffna, and 1 each in Kandy and Galle.

## VI.—Health of Estate Population.

30. The total number of births reported for registration from the estates\* in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province during the quarter amounted to 3,928 (6 Europeans, 7 Burghers, 127 Sinhalese, 3,742 Tamils, 39 Moors, and 7 Malays), and the deaths numbered 4,027 (6 Europeans, 3 Burghers, 112 Sinhalese, 3,867 Tamils, 31 Moors, 3 Malays, and 5 Others), corresponding to an annual birth-rate of 37.5 and a death-rate of 38.4 per 1 000, as against their respective averages of 24.6 and 28.6 for the period of 1898 to 1908.

Deaths are in marked excess over births in Matale, Colombo, and Ratnapura Districts, and in less

degree in the District of Kegalla. The Ratnapura District leads with the very high death-rate of 103.9, followed by Kegalla (54.5), and Kalutara (51.3); while Nuwara Eliya District shows the lowest death-rate (27.8) followed by Kandy (31.3). The highest birth-rate is noticeable in Kalutara (51.8), and the lowest

in Matale (28.2).

31. The causes of death are shown in detail in Table XI. in the Appendix, and select causes are shown in the following Table C. There was only one case of smallpox, viz., in Matale District. (see paragraph 23 supra:--)

TABLE C.—Causes of Deaths in Estates, Second Quarter, 1909.

Diarrhœa	771	Old age		126	Anæmia		38
Dysentery	676	Premature birth	'	99 '	Smallpox		1
Debility	463	Dropsy		96	Homicide		3
Pneumonia	371	Malariat cachexia		94	Suicide	٠	7
Dochmius duodenalis	280	Bronchitis		87	All other causes		448
Infantile convulsions	214	Parturition	·	5 <b>6</b>			
Fevers	145	Phthisis		52			

32. The following Table D gives the estate population at the Census of 1901, their birth- and death-rates for the second quarter of 1908 and 1909 and the first quarter of 1909, and the averages for the second quarters of 1898-1908. But the rates are calculated on the population as enumerated and distributed at the Census of 1901, and the number and distribution of the population at present may

Table D.—Births, Deaths, and their Rates in Estates, Second Quarter, 1898 to 1909, and First Quarter, 1909.

		Births	Deaths	Birt	h-rate per M	lille per Ans	oum.	Death	ı-rate per M	ille per A	nnum.
District.	Population at the Census of March 1, 1901.		registered during Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter of 1908.	First Quarter of 1909.	Second Quarter of 1909.	Average for Second Quarters, 1898–1908.	1000	First Quarter of 1909.	
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo	103,564 51,788 16,642 41,499 8,302	1,298 184 873 601 195 497 61 219	1,213 281 717 498 431 564 106 217	24·3 25·5 22·7 28·3 27·1 26·8 19·4 21·7	31.5 40.8 29.1 40.5 47.8 32.9 41.7 38.2	34·7 33·8 32·9 40·6 46·5 50·6 38·1 54·3	33·5 28·2 33·8 46·5 47·0 48·0 29·5	27·6 34·8 20·0 26·2 48·8 39·6 48·2	27.8 54.3 24.3 33.5 88.0 51.4 36.8	35.6 68.4 25.1 42.8 108.2 51.9 48.8	31·3 43·1 27·9 38·6 103·9 54·5
Kalutara Total .	420,340	3,928	4,027	24.6	33.9	37.8	37.5	28.6	38.2	41.7	38

# VII.—Health of the City of Colombo.

33. The births registered in the city of Colombo numbered 1,068, and corresponded to an annual rate per mille of 23.4, being 1.0 per 1,000 higher than the average (22.4) for the corresponding quarters in 1898-1908.

34. The deaths registered numbered 1,501. To this have to be added 12 deaths of city residents (of which 7 occurred in the Infectious Diseases Hospital and the other 5 in the Enteric Hospital, both at Kanatta, outside the city limits), which were registered by an extra-urban Registrar, making a total of

<sup>\*</sup> By "estate" is meant any land having ten or more acres in cultivation under coffee, tea, cacao, or cinchona grouped together by Proclamation into a district under the Medical Wants Ordinance, No. 17 of 1880.

1,513, and corresponding to a rate of 33·1 per mille per annum, being 3·1 higher than the average (30·0) for the corresponding quarters in 1898–1908. The rate is, however, an improvement on the previous quarter (36·8) and the corresponding quarter of last year (34·4).

35. As usual in the city, the death-rate exceeded the birth-rate, owing mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Moors), to the presence of hospitals which add to the normal mortality of the city, and to the registration of births being still somewhat defective.

36. The subjoined Table E gives the births and deaths and their rates for each race for the second quarters of 1909 and 1908 and the average for the second quarters in 1898-1908 —

TABLE E.—Births and Deaths and their Rates by Race of the Citý of Colombo for the Second Quarter, 1909, 1908, and 1898-1908.

		clusive of at the 901.		Births.		]	Deaths.			rate pe r Annu		Death- pe	rate per r Annur	
Nationality.		Population (inclus the Military) at Census, 1901	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.*	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter. 1909.
ALL RACES		155,869	899	1,153	1,068	1,322	1,534	1,513	22 · 4	25.8	23 · 4	<b>30</b> · 0	34 · 4	33 · ]
	[	2,657	18		13		24	15	26.4	25 · 4				19.7
	• •	11,861	97	107	108		82	72	32.8	33.6				
	٠٠,	68,772			613		802	744		36·3			42·5 27·0	38 · 8 31 · 4
	••]	34,640		128	129		299	360		18.9				29.4
	• •	28,898	137	153	152		246	243		28.1	29.5		24 • 4	32.3
		4,493		38	41	40	33	45						19.8
Others	• •	4,548	15	24	12	41	48	34	13.6	14.7	7.0	31.9	29.5	19.

<sup>\*</sup>Includes 12 deaths of city residents, of which 7 (5 Sinhalese, 1 Tamil, and 1 Moor) occurred in the Infectious Diseases Hospital and the other 5 (4 Sinhalese and 1 Moor) in the Enteric Hospital, both at Kanatta, registered by an extra-urban Registrar.

37. The rates are calculated on the figures for the quarter estimated upon the basis of the population as enumerated and distributed at the Census of 1901. The rates for Europeans, Malays, and the races classed together as "Others," being calculated upon small populations, are not very reliable. Excluding the rates for these sections, the lowest death-rate was among the Burghers (22·3, against an average of 28·3), and the highest death-rate was among the Sinhalese 38·8 (average 30·7), followed by 31·4 among the Tamils (average 31·6) and 29·4 among the Moors (average 31·9). The Malays, who at the last Census numbered 4,493, show a death-rate of 32·3, against 36·4, the average for the corresponding quarters in 1898–1908.

38. The highest birth-rate in the quarter was among the Burghers, 33.5, a rise of .7 per 1,000 over the average (32.8). The Sinhalese follow with a birth-rate of 32.0, a rise of 2.9 per 1,000 over the average (29.1) for the period 1898–1908. The low birth-rates for Tamils and Others are due to their population being a floating one and composed chiefly of adult males.

39. Table XII. gives in detail the deaths from various causes in each ward of the city of Colombo and according to each nationality. The number of births and deaths in each ward of the city, their rates per mille per annum, and certain selected causes of death during the quarter are shown in the following Table F:—

TABLE F.—Births by Ward and Deaths by Race and Ward of the City of Colombo and selected Causes of Deaths in the Second Quarter of 1909.

	ve of the	H	Births	š.	L	eath	5.		D	eath	s by	Race	٠ţ				Selec	tec	i Car	1805	o e	De	th				
Ward.	Population (inclusive of the Military) at the Census of 1901.	Persons.	Males.	Females.	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Diarrhea.	Dysentery.	Pneumonia.	Bronchitis.	Phthisis.	Enteric Fever.	Other Fevers.	Infantile Convulsions.	Cholera.	Smallpox.	Dochmius Duodenalla.	Birth-rate.	Death-rate.
City of Colombo	155869	1068	586	482	1513	868	645	15	72	744	360	243	45	34	67	60	212	54	189	84	33	118	_	5	20	23.4	33.1
Fort & Galle Face Pettah St. Sebastian St. Paul's Kotahena New Bazaar Maradana:	7561 9349 20260 33355	7 44 95 181	52 106	5 19 43 75 52	$\frac{159}{217}$	112		_		8 15 36 149 59		6 22 25 26 47	1 1 1 1 1	1 1 3 2 3	1 1 5 11	2 8 3 3	1 4 8 30 25		3 4 19 19 20	5 6 8	$\frac{1}{12}$	1 4 16 16 18				18.8	5.2 11.7 18.0 26.4 22.6 24.9
Hospitals Excl. of hospitals Slave Island Kollupitiya	30381 16927 18281	$egin{pmatrix} 210 \ 215 \ 106 \ 94 \end{bmatrix}$	126	89 56	252 126	314 129 65 55	141 123 61 50	1 —	12 21 2 15	257 117 42 61	135 43 19 18	$\frac{55}{28}$	$^{9}_{28}$	6 7	17 10 5 10	36 4 1 3	67 38 19 9	7 6 2 2	61 35 14 14	17 2	5 4 3 4	4 26 22 11	  	1 2 1			27.4 25.0 18.0

<sup>\*</sup>The estimated population on the last day of the quarter was 183,872. Its distribution among the wards cannot be estimated. Hence the Census figures are retained.

† For "Births by Race" see Table G next page.

40. The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population being for the most part a floating male adult one. Excluding these wards, the healthiest division of the city was Kollupitiya, with a death-rate of 18.0, while the unhealthiest was Maradana (exclusive of hospitals), which showed a death-rate of 27.1 per 1,000.

41. The following Table G indicates the comparative healthiness of each ward and race in the

city on the basis of the infantile mortality :-

TABLE G .- Infantile Mortality, by Race and Ward, of the City of Colombo in the Second Quarter, 1909.

						101				4,000		,							_					
				Birth	18.				I	Deatl		Chil			der		Deatl Ag			ren u Birtl				
Wards.	All Races.	Europeans.	Burghers.	Sinhalose.	Tamils.	Moors.	Malays.	Others.	All Races.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	All Races.	Europeans.	Burghers.	Sinhalese.	Temils.	Moors.	Malays.	Others.
City of Colombo	1,068	18	108	613	129	152	41	12	347	2	20	193	49	55	22	6	325	154	185	315	380	362	537	500
Fort and Galle Face Pettah St. Sebastian St. Paul's Kotahena New Bazaar Maradana Hospitals Maradana (exclusive of Hospitals) Slave Island Kollupitiya	95 181 116 210	1 2	14 8	-4 19 35 129 52 178 102 41 53	39 10 12 11	12 37 10 42 14	- 1 2 - 1 13 21 2	1 1 1 5	2 12 33 78 35 44 64 51 28	-	1 3 1 7 1 3	2 6 10 57 17 38 32 15	8 9	15 10 10	1 1 5		431 302 — 298		160 214 219 167 214	327 314 366	410 700 — 348 500		384	400

<sup>&</sup>quot; Infantile death-rates have been omitted where the number of births is less than five

42. The infant mortality was 325 per 1,000 births for the whole city, but rose as high as 481 in Slave Island and 431 in Kotahena, falling to 273 in St. Sebastian. Among the races, the Malays lead with the highest mortality (537), followed by those classed together as "Others" and the Tamils. The Tamil mortality was as high as 700 in Kotahena, 500 in Slave Island, and 410 in St. Paul's. The Sinhalese came next with a rate of 315 rising to 442, in Kotahena. The European rate (154) is the lowest for the city, and the Burgher rate (185) the next lowest.

43. Five deaths were registered from smallpox, against 22 in the previous quarter, all of which occurred in the Infectious Diseases Hospital at Kanatta, whither the patients were removed from the city, namely, 2 from Slave Island, and 1 each from New Bazaar, Maradana (exclusive of hospitals), and Kollupitiya (see paragraph 23 supra). Three deaths were registered from measles (2 in Maradana,

exclusive of hospitals, and 1 in St. Paul's).

44. The highest mortality, as usual, was from pneumonia and phthisis, which were responsible for 212 and 189 deaths respectively, followed by diarrhea and dysentery 127, infantile convulsions 118, enteric fever 84, enteritis 74, debility (mostly of infants from inability to suck) 67, tetanus 57, bronchitis 54, worms 42, and premature birth 21.

## VIII .- Health of the Principal Towns.

45. This chapter deals with the Vital Statistics of the thirty-one towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the Registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased. and no dead body is buried or cremated without registration being effected.

46. Table XIII. in the Appendix shows the population at the last decennial Census of 1901, and the present estimated population and the births and deaths registered during the quarter, their rates, and the infantile mortality in each town, together with the monthly average birth- and death-rates and infantile mortality from July, 1907 (when monthly statistics were first published), to December, 1908, and the mean temperature and rainfall of each town in the quarter.

47. Population.—The estimated population of the thirty-one towns is 484,240, or more than one-ninth of the total population of the Island. The population of the city of Colombo (183,272) is a little

over three-fifths of the population of all the other towns taken together (300,368).

48. Births.—The births registered in the thirty-one towns during the quarter numbered 3,298, of which 1,714 were of males and 1,584 of females, and correspond to an annual birth-rate per 1,000 of 27.32, as against 32.78 during the previous quarter and 30.97 during the corresponding quarter of last year. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate for the quarter was observed in Mannar (46.86), and the lowest in "Hatton and Dikoya" (6.27). In the other towns the birth-rate ranged from 41.81 in Jaffna, 39.94 in Negombo, 37.91 in Panadure, and 36.68 in Batticaloa, to 19.78 in Kurunegala, 18.48 in Kegalla, 15.90 in Anuradhapura, and 12.73 in Nuwara Eliya. The city of Colombo records a rate of 23.30, as against 28.10 in the previous quarter and 25.73 during the corresponding quarter of last year.

49. Deaths.—The number of deaths registered in the thirty-one towns during the quarter was 4,244, of which 2,393 were of males and 1,851 of females, and correspond to an annual death-rate of 29·13 per mille, as against 34·59 during the preceding quarter and 31·52 during the corresponding quarter of last year. 1,400 of the total deaths, or a little less than one-third, occurred in hospitals (and 29 deaths in jails), and exaggerated the normal mortality of the towns.

50. Corrected death-rates as well as crude death-rates are shown in Table XIII. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sexconstitution is the same as for the Island, and also excluding from the total deaths (a: in the crude rate) hospital deaths of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate.

- 51. The death-rate for all towns this quarter (29·13) is lower than in the previous quarter (34·59), and also than in the corresponding quarter of last year (31·52). Corrected death-rates not being available before the middle of 1907, an average cannot be stated for the quarter for the purpose of comparison. Taking, however, the average of the monthly mortality rates up to December, 1908, the death-rate for the quarter shows a decline from the average 32·44. This improvement is noticable in twenty out of the thirty-one towns, the principal exceptions being Tangalla, Batticaloa, Mannar, and Kurunegala. In Tangalla the rate rose suddenly from 15·46 in February to 69·81 in March. There was a slight improvement (62·82) in April, but it was not maintained, the rate leaping up in May to 144·30, from which it has gradually declined. The exceptional unhealthines during the second quarter is attributed to a severe epidemic of fever which prevailed from March, and was due to unusual rainfall following drought. The Batticaloa death-rate has been increasing since April last, when it was 45·42 against average 33·83. The rate rose gradually up to 54·36 in June, and went up suddenly to 80·35 in July, which is the highest rate recorded in any town during that month, and unprecedented for Batticaloa. During the period in question measles prevailed to an alarming extent, its after-effects ending in pneumonia and dysentery, which are complications often supervening when measles is neglected and fatal in most cases, the great drought and heat probably aggravating the epidemic. The death-rate of the Kurunegala own (60·25), though abnormally high, is very much lower than the previous quarter's rate (112·05), and gradually declined since the last quarter, until it reached 43·38 at the close of the quarter under notice, which is 14·11 below the mean. The unhealthiness of the town during the present quarter is the result of the epidemic referred to in my report for the previous quarter.
- 52. Of the towns, excluding Vavuniya and Lunugala, the lowest corrected mortality during the quarter was recorded in Moratuwa (17·51), and the highest in Tangalla (90·38). In the other towns the death-rate ranged from 17·90 in Nuwara Eliya, 19·86 in Negombo, 20·84 in Nawalapitiya, and 21·39 in Kalutara, to 45·27 in Mannar, 48·56 in Anuradhapura, 50·04 in Batticaloa, and 60·25 in Kurunegala. The city of Colombo shows 30·83, as against 35·17 in the previous quarter and 35·26 in the corresponding quarter of last year.

53. In the following Table H the birth- and death-rates for each town for the quarter are compared with the rates for the second quarter of last year and the average birth- and death-rates for the corresponding quarters of the preceding eleven years:—

TABLE H.—Birth- and Death-rates of the Principal Towns in the Second Quarters, 1908, 1909, and 1898-1908.

				Birth-rate	per Mille per	Annum.	Crude Death-	rate per Mille	per Annum
	Towns.			Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.
W	estern Provinc	e.							
Colombo	••	• • • •		22.1	25.7	23 · 3	32.5	34.2	33.0
Negombo				37.4	43.2	39 · 4	29.3	27.9	21.8
Moratuwa	••			34.4	33.3	22.6	20.0	20.6	18.5
Kalutara	••			32.8	34.9	26.6	29.2	32.5	30.6
Panadure	••			34.7	<b>32</b> ·9 ·	37.9	37.8	48.9	45.3
C	entral Provinc	3.		1					}
Kandy	• •			28.0	33 · 1	29.7	37 . 9	32 · 4	36.7
Gampola	• •			33.1	$34 \cdot 0$	36.4	68.0	55.0	52.5
Nawalapitiya				30.6	25.9	25.2	88.9	89.5	52.4
Hatton and D	ikoya*				15.2	6.3		58.6	24 .0
	• •			32.8	40.3	25.4	90.3	110.1	88.9
Nuwara Eliya	• •	• •	• • •	15.8	10.6	12.7	29 3	17.1	16.5
	rthern Provinc	e.							ĺ
Jaffna .				40.4	41.0	41.8	32.8	30.2	29.5
Mannar				24.6	44.6	46.9	$24 \cdot 2$	33.7	39.6
Mullaittivu		• •	• • •	40.6	<b>34</b> · 4	31.1	55.1	48.7	33.9
<b>Va</b> vuniya	••	• •	• • {	28.1	13.2	6.7	86.3	60.9	107.2
	thern Provinc	e.			_		<b>!</b>		
	• • •			28.6	31 8	28.9	26 4	33 · 7	30.5
	• •	• •	1	35.0	45.2	28.6	24.5	24.6	34.6
	• •	• •	· - [			28.0	[ _ [	<del>-</del>	12.5
	• •		• ••{	32.9	18.4	31.2	30.4	35.5	29.9
Tangalla .	•	• •	• • {	34.1	36 · 7	31 .5	28.7	41.3	91.6

<sup>\*</sup> Statistics for this town having been recorded from Second Quarter, 1907, only, the averages are not available. † Statistics for this town being available from Second Quarter, 1908, only, the averages cannot be calculated.

TABLE H. - Birth- and Death-rates of the Principal Towns-continued.

*			Birth-rate	e per Mille per	Annum.	Crude Death	a-rate per Mill	e per Annum
Tow	vns.		Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.	Average of Second Quarters, 1898–1908.	Second Quarter, 1908.	Second Quarter, 1909.
3					<del></del> 7 -			
Eastern Provi	ince.	ļ				<b>!</b>	,	
Batticaloa			35.0	<b>3</b> 0 · 1	36.7	37 · 2	36 6	52.0
Trincomalee	••	••	32 · 3	24 · 9	30.2	41.3	43.1	36.6
North-Western	Province.	i				1		
Kurunegala	••		26.0	29 · 4	19.8	70.5	52.3	80 · 1
Puttalam			37.5	38.5	31.4	44.6	43.2	49.8
Kalpitiya*			15.0	14.8	31.6	48 .5	34 .5	19.4
Chilaw	* *		26.3	35.6	29.9	27.5	15.1	22 · 8
North-Central P	rovince.							
Anuradhapura	••		20 · 4	31.5	15.9	56.2	58· <b>8</b>	50 · 1
Province of	Uva.	i				}		
Badulla	••	۱۱	29.8	$33 \cdot 7$	24.2	51.0	50.5	53 · 7
Lunugala†	•••	••!		48 .3	28.9	- ×	-;	<u>-</u> ‡
Province of Sabare	aaamuwa.	1	į					
Ratnapura			31.9	44.2	33.0	76.0	144 · 2	96.5
Kegalla	• • •		38.6	48.5	18.5	67.0	98 - 5	87.8

<sup>\*</sup> Statistics for this town having been recorded from First Quarter, 1905, only, the averages available are for the four years 1905-1908.

† Statistics for this town being available from the Fourth Quarter, 1907, only, the averages cannot be calculated † Rates omitted as population is small.

54. The death-rates shown in this table are crude rates, inclusive of hospital and jail deaths. For corrected rates, which are available only from July, 1907, see Table XIII.

55. In antile mortality.—The infantile mortality for the thirty-one towns was equal to a rate of 256 per 1,000 births registered, as against 257 in the previous quarter and 233 in the corresponding quarter of last year. In the towns having an estimated population of 5,000 or more, the mortality ranged from 448 in Batticaloa and 414 in Kurunegala to 167 in Matale, 127 in Negombo, and 111 in Weligama. In Colombo the rate was 325, against 294 during the previous quarter and 330 during the corresponding quarter of last year.

56. Causes of deaths.—Table XIV. in the Appendix gives for each town and race the principal causes of deaths registered during the quarter, and shows the infantile mortality separately from the general mortality (one year and over).

57. Injants.—Out of the 4,244 deaths from all causes in the thirty-one towns, 844 or almost one-fifth were among infants under one year. Of these, the chief causes were 271 convulsions (of which 92 in Colombo, 34 in Galle, 22 in Matara, 21 in Kandy, 15 in Negombo, 11 each in Kalutara, Trincomalee, and Kurunegala), 151 debility (of which 45 in Colombo, 32 in Batticaloa, 12 in Kandy, 10 in Jaffna), 69 premature virth (of which 21 in Colombo, 18 in Jaffna, 7 in Galle, 6 in Moratuwa), 67 tetanus (of which 45 in Colombo, 12 in Jaffna, 5 in Moratuwa), 66 pneumonia (of which 36 in Colombo, 7 each in Moratuwa and Kandy), 52 diurrhxa (of which 23 in Colombo, 4 each in Moratuwa and Gampola), and 42 bronchitis (of which 23 in Colombo, 12 in Jaffna).

58. General mortality (one year and over).—Out of the 3,400 deaths of persons one year and over in age, there were 619 due to diarrhea and dysentery, of which 104 were in Colombo, 58 in Kandy, 47 in Matale, 36 in Galle, 35 each in Jaffna and Ratnapura, 33 in Kurunegala, 32 in Badulla, 22 in Lunugala; 480 to pneumonia, of which 176 were in Colombo, 34 in Trincomalee, 31 in Galle, 29 in Kurunegala, 24 in Kandy, 17 in Batticaloa, 15 each in Moratuwa and Anuradhapura; 313 to phthisis, of which 186 were in Colombo, 25 in Galle, 21 in Kandy, 14 each in Jaffna and Kurunegala; 150 to remittent fever, of which 33 in Tangalla, 24 in Galle, 22 in Jaffna, 18 in Colombo, 14 in Batticaloa; 140 to dochmius duodenalis, of which 114 were among Tamils, almost all of whom were coolies; 121 to enteric fever, of which 84 were in Colombo, 17 in Moratuwa; 116 to malarial cachexia, of which 19 each were in Matale and Batticaloa, 14 in Kurunegala, 9 in Puttalam; 65 to bronchitis, of which 31 were in Colombo, 6 each in Jaffna and Matara; 52 to Bright's disease and nephritis, of which 22 were in Colombo, 6 in Badulla; 43 to simple fever, of which 14 were in Jaffna, 13 in Colombo, 9 in Anuradhapura, 4 in Kandy; 5 to smallpox in Colombo.

59. Percentage of principal causes of deaths at all ages.—Of the total number of deaths at all ages in the towns, diarrhœa and dysentery accounted for nearly 16 per cent., bronchitis and pneumonia more than 15 per cent., infantile convulsions nearly 8 per cent., fevers and phthisis more than 7 per cent., and debility more than 6 per cent.

Registrar General's Office, Colombo, September 13, 1909.

#### APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Second Quarter of 1909.

	les.	ation 9.	M	arriages	·		BIRTHS.		D	EATHS.	
Province and District.	Area in Square Miles.	Estimated Population on April 1, 1909.	Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Femalos.
CEYLON	25,3315	3,847,600	4,239	3,165	1,074	37,386	19,030	18,356	23,713	<b>14,69</b> 3	14,015
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	1,432 2,299\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1,906,591 630,478 361,272 631,026 187,866 381,920 77,881 191,199 347,368	1,455 375 470 704 83 439 102 222 389	1,455 117 468 702 69 219 10 38 87	253 2 2 14 220 92 184 302	8,400 6,519 3,795 6,122 2,216 3,470 797 2,248 3,819	4,329 3,277 1,919 3,102 1,163 1,749 394 1,178 1,919	4,071 3,242 1,876 3,020 1,053 1,721 403 1,070 1,900	5,902 4,921 2,172 4,637 1,578 3,666 825 1,655 3,356	3,053 2,485 1,124 2,278 847 1,923 440 838 1,710	2,849 2,436 1,048 2,359 731 1,743 385 818 1,646
Western. Colombo Negombo Kalutara	5603 2473 6233	578, <b>200</b> 172,939 <b>255,45</b> 2	88 <b>3</b> 260 312	883 260 312	<u>-</u>	4,540 1,438 2,422	2,372 735 1,222	2,168 703 1,200	3,679 715 1,509	1,920 384 749	1,759 <b>3</b> 31 759
Central. Kandy Matale Nuwara Eliya	911 925 <b>4</b> 62 <del>7</del>	403,192 95,802 161,484	248 51 76	79 12 26	169 39 50	4,146 976 1, <b>3</b> 97	2,077 483 717	2,069 493 680	2,884 1,006 1,031	1,449 50°) 536	1,435 508 495
Northern. Jaffna Mannar Mullaittivu	1,265 9431 1,154 <del>1</del>	326,416 23,360 14,496	<b>5</b> 8	399 58: ∘ 11		<b>3,36</b> 9 284 1 <b>4</b> 2	1,686 161 72	1,683 123 70	1,792 236 144	919 125 80	873 111 64
Southern. Galle Matara Hambantota	6521 481 1,012	289,617 231,399 110,010	340 272 92	340 270 92	_ 2 _ 2	2,665 2,221 1,236	1,331 1,125 646	1,334 1,096 590	1,746 1,483 1,403	879 722 677	867 766 726
Eastern. Batticaloa Trincomalee	2,871 ½ 1,165	157,541 30,325	55 28	42 27	13 1	1,916 <b>300</b>	1,011 152	905 148	1,306 272	702 145	604 127
North-Western. Kurunegala Puttalam Chilaw	1,8447 8899 2621	268,762 28,420 83,738	56		201 19		146	1,216 112 393	2,921 245 500	1,517 147 259	1,404 98 241
North-Central. Anuradhapura	4,002	77,890	102	10	92	797	394	403	825	440	385
Uva. Badulla	3,154	191,199	222	33	184	2,248	1,178	1,070	- 1,6 <b>5</b> 6	. <b>83</b> 8	818
Sabaragamuwa. Ratnapura Kegalla	1,259 642	133,942 210,24					744 1,175	780 1,120		812 898	

<sup>\*</sup> The estimate of the population in this Table and in Tables III. and V. is based on the Census of March, 1901, and the returns of births and deaths registered.

Table II.—Birth- and Death-rates in the Second Quarter of 1909, the corresponding Quarter of 1908, the First Quarter of 1909, and the Mean Rates for the Second Quarters of 1898-1908.

_		Bi	rth-rate per M	ille per Annun	n.	De	ath-rate per l	fille per Annu	n.
Province and Dista	rict.	Average for Second Quarters, 1898–1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.
<b>3</b>	<del>-,,,</del> -		<del></del>			ļ.———			
CEYLON ,	o ••	37.6	41.9	44.6	39.0	27 · 6	27.7	39.4	29 · 9
Western Central Northern Southern Eastern North-Western North-Central Uva Raharagamuwe		33·1 36·1 39·6 39·6 44·8 38·7 30·2 40:6 40:0	36·7 41·5 40·5 44·4 33·4 47·7 42·9 45·7	43.5 42.9 42.5 44.2 39.2 46.5 49.1 52.7	33.5 39.6 41.8 38.9 47.3 36.5 41.0 47.2 44.1	22·1 27·6 28·9 24·3 37·2 31·4 39·3 33·7 31·8	22·5 28·3 25·4 28·8 29·0 26·6 32·6 39·2 35·3	30·1 33·5 31·4 37·9 30·1 63·0 67·7 42·2 50·7	23·5 29·9 23·9 29·5 33·7 38·6 42·5 34·7 38·7
Western.				,		,	•		
Colombo Negombo Kalutara		31:1 35:9 36:6	35 9 38 4 37 4	41·4 45·4 47·0	31·5 33·4 38·0	23·1 18·9 21·9	24·8 15·2 22·2	31·5 25·2 30·0	25·5 16·6 23·7
Central.			·						
Kandy Matale Nuwara Eliya		37·6 43·5 27·9	42·4 54·3 31·6	54·0 46·6 38·1	41 · 2 40 · 9 34 · 7	28·5 33·3 21·3	27·1 40·3 23·9	44·9 66·8 26·7	28·7 42·1 25·6
Vorthern.	1								
Jaffna Mannar Mullaittivu	•	39·5 39·0 41·1	40·1 43·4 44·3	41·2 53:1 54·1	41 · 4 48 · 8 39 · 3	26.6 50.5 41.8	23 · 6 43 · 2 34 · 9	29·3 51·6 45·4	22·0 40·5 39·8
outhern.	,		ļ			٥			,
Galle Matara Hambantota		37·1 42·4 41·6	40·4 45·2 5 <b>3</b> ·1	44·1 45·3 42·1	36 · 9 38 · 5 45 · 1	23·3 22·7 30·0	24 · 8 27 · 3 42 · 6	30·4 34·9 63·7	24 · 2 25 · 8 51 · 1
lastern.						1 .	1		
Batticaloa Trincomalee		45:5 40:9	38:5 37:8	39·4 37·9	48·8 39·7	37·0 37·6	26·3 42·7	29·9 34·9	33 · 2 36 · 0
Torth-Western.						;			
Kurunegala Puttalam Chilaw		39.2 35.7 32.0	51·3 37·9 39·4	50·0 37·6 39·0	36·1 36·4 38·0	34·2 38·3 18·4	28·5 34·2 17·7	76·3 48·0 25·1	43 · 6 34 · 6 23 · 9
North-Central.							• 1		
Anuradhapura	••	39, 2	42:9	49. 2	41.0	39.3	32.6	67.7	42.5
Jva.							,		
Badulla		40.6	<b>4</b> 5·7	46.1	47.2	33.7	39.2	42.2	34.7
sabaragamuwa,	,	ē.		r	,	<b>,</b>			,
Ratnapura Kegalla		41·2 40·1	50·0 46·3	49·6 54·8	44·6 43·7	34·.0 30·3	44·4 29·2	53.4 48.9	45·2 34·6

Table III.—Sinhalese Births and Deaths, with their Rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Sinhalese Districts in the Second Quarter of 1909.

<u> </u>		а	Rir	ths.		ths.	Birth	-rate	per Mi	llé		1-rate		lle	der nd
Province, District, and Division.	Area in Square Miles.	Estimated Population on April 1, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1909,	Average for Second Quarters, 1898-1998.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First-Quarter,	Second Quarter, 1909.	Deaths of Children under 1 Year to 1,000, Births registered in the Second Quarter of 1909.
CEYLON	25331 §	2,609,193	24151	<b>25<b>33</b>6</b>	15342	18012	<b>4</b> 0·1	44.3	47.1	38.9	25·4	<b>25</b> ·6	39 · 3	27 · 7	168
Western	1,432	861,015			ľ		34 • 9					19.8	İ	1	130
Colombo Colombo Municipality Alutkuru Korale South	560 <del>3</del> 10 72	481,710 64,376 75,263		3,927 613 649	617		33.5	<b>37·</b> 9	43.9	32.7	20.0	22·1 —	28·3	<u></u>	136 —
Hewagam Korale Salpiti Korale Siyane Korale East* Siyane Korale West*	167 75 1161 1201	74,439 105,365 59,228	611 759 <b>4</b> 99	645	310 450 233	328 511					<u>-</u> -	1111		_ _ _	=
Negombo Negombo Local Board Alutkuru Korale	ı		124	125	91	64	36.5	38.3	45·6	— 33·3	<u>-</u>	13.8	24·3 —	16.1	<del>-</del> 130
South Hapitigam Korale	159 81 <del>1</del>	104,122 36,816	311	830 <b>3</b> 39		185	_	=	=	_	_	-	-	-	=
Kalutara Local Board Kalutara Totamune Pasdun Korale East* Pasdun Korale West* Rayigam Korale	6232 18 881 2801 1231 130	<b>27,3</b> 85	73 853 <b>2</b> 31	2,019 66 879 255 232 537	61 477 125	56 508 147 150	37·0 — — —	36·3 — — — —	45.9	36.2	- - - - - - - - - - - -	19.9	26·2 — — — —	20.3	119 = = =
CENTRAL Kandy Kandy Municipality Harispattu Pata Dumbara Pata Hewaheta Tumpane Uda Bulatgama Uda Dumbara Uda Nuwara Uda Palata Yati Nuwara	2,299½ 911 11 507 107¾ 467 230 238½ 34½ 106 29	211,679 14,084 34,408 41,079 14,503 13,392 12,999 21,800	2,312	3,726 2,491 137 458 482 142 155 119 261 203 258 276	1,929 1,274 118 196 243 86 82 63 147 86 138	1,325 112 229 225 75 94 55 152 96 162	47·8 48·5 — — — — —	50.2	51·3 51·3	45·7 47·2 — — — — —	27·2 26·7 — — — — — — —	26.4	41·4 36·2 — — — — — — —	27.8	168 146 ———————————————————————————————————
Matale  Matale Local Board  Matale South  Matale East  Matale North	925 \\ 163 \\ 163 \\ 373 \\ 388 \\ 38	1,784 28,930 15,450	362 174	135	107	35 255 166	51.4	<b>57</b> ·6	5 <b>0</b> ·8	45·6	31·7 = =	32·8 — — —	65·0 — —	10.9	236 
Nuwara Eliya Nuwara Eliya Local	4627	51,542	475	506			40.5	<b>39</b> ·7	52 · 2	<b>3</b> 9·4	23 4	27 · 3	33 · 0	22.7	176
Board and outside Kotmale Uda Hewaheta Walapahe	236 1083 1133			144	89 93	86 109				_	=				
Galle Galle Municipality Four Gravets beyond		273,346 27,983	2,433	2,545	1,433	1,607 216	40·4 39·0	45·2 41·2	44·9 45·1	39·4 37·3	23·9 22·9	28 · 5 24 · 2 —	37·9 30·2 —	29·2 23·6	168 131
Municipal limits and Akmimana Gangaboda Pattuwa Talpe Pattuwa Walallawiti Korale Hinidum Pattuwa	1283 831 97 146 166	35,223	309 631 563 461	332 (28 624 484	170 379 299 275	271 407 275 280									

<sup>\*</sup> Births and Deaths for this division being available from 1901 only, the averages shown are for the eight years, 1901-1908.

	88	n on	Birt	hs.	Dea	ths.	Birth-	rate p	er Mil	le	Deat	h-rate per An	per M	ille	nder ths on d
Province, District; and Division.	Area in Square Miles.	Estimated Population April 1, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1909.	Average for Second Quarters, 1808-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Deaths of Children under 1 Year to 1,000 Births registered in the Second Quarter of 1909.
Matara Matara Local Board	481 <u>1</u>	221,275 10,703		2,162 90	1,1 <b>2</b> 6 63	1,40 <b>6</b> 95		45·8	45 • 4	<b>3</b> 9·2	22.0	27.0	34·5 —	2 <b>5</b> ·5	154
Four Gravets beyond Local Board limits Wellaboda Pattuwa Weligam Korale Morawak Korale Kandaboda Pattuwa Gangaboda Pattuwa	73 513 111 160 70 793	17,720 48,149 60,346 17,388 27,956 39,013	435 536 196 <b>2</b> 94	173 398 581 207 308 405	80 226 255 118 192 192	105 284 302 154 237 229	111111			11111	111111	= = = = = = = = = = = = = = = = = = = =			1111
Hambantota Hambantota Four	1,012	106,186	1,091	1,191	7 <b>9</b> 0	1,357	41.9	5 <b>4</b> ·1	42.3	<b>45</b> ·0	30 · 2	42.5	64.0	<b>51·</b> 3	· <b>2</b> 71
Gravets Magam Pattu, exclu-	14	1,063	10	11	8	10	-	-		-	-	-	_	-	
sive of Four Gravets Giruwa Pattu East Giruwa Pattu West	641 1221 247	6,377 11,417 87,329	74 139 868	96 139 945	70 106 606	119 136 1,092	<b>—</b>	=	=	_	=	=	=	=	<del>-</del>
Eastern	4,036	8,942	86	98	78	63	39.3	38 · 8	33 · 1	44.0	<b>35</b> ·3	332 · 8	30.0	28 · 3	255
Batticaloa *† Batticaloa Local	2,871	7,701	75	88	70	48	38.8	33 · 1	<b>3</b> 6 · 4	45.8	<b>3</b> 6 : <b>4</b>	30.0	29 - 5	25 · 0	227
Board Manmunai Pattu	13	<b>23</b> 0	3	. 1	. 3	2	-	-	-	-	-	-	-	-	
North Manmunai Pattu	148	32	-	` 2	_	. €	-	-	-	-	-	-	-	-	-
South Bintenna Pattu Chammanturai Pattu Eravur and Rukam	74 6771 160	3,311 594	29 11	33 19	34 11		=	=	=	=	=	=	=	=	
Pattus Koralai Pattu	3721 290	179 163		6 1	1		=	=	_	=	=	=	_	=	_
Eruvil and Porativu Pattus	247	781	3	1	4	-	_	-	_	_			-	-	_
Karavaku and Ninta- vur Pattus Akkarai Pattu Panawa Pattu	41 374 486 <u>}</u>	125 1,188 1,080	11	2 12 11	1 10 7	7	i —	=	=	=	=	=	=======================================	=	=
North-Western	2,9967	331,795	3,111	3,100	2,37	3,11	39.9	49.0	47.7	37.5	<b>3</b> 0·3	25.6	62-1	37 · 6	251
Kurunegala	1,8447	248,286	1	1	1	1	1	51.9	50 . 7	36 · 6	33-4	27.8	74 - 1	42-4	289
Kurunegata Local Board Hiriyala Hatpattu Weudawili do. Dambadeni do. Dewamedi do. Katugampola do. Wanni do.	387 177 1643 1803 358	43,434 45,900 33,67 56,81	343 4 497 8 441 1 337 4 450	248 440 415 269 540	25: 36: 35: 26: 31:	36: 52: 0 39: 9 36: 9 47	2 — 4 — 0 — 5 — 7 —								=
Puttalam* Loca	8894	11,55	1 101	114	10	8	9 34.9	35.3	40.8	39 - 6	35.6	29-3	45-2	30.9	246
Board  Demala Hatpattu  Kalpitiya Division  Puttalam Division	. 4411 . 4111	6,50 1,06	4 71 0 5	78 4	6	3 4	9 5	=	=		=======================================	=	==	-	- - -
Chilaw * Chilaw Local Board. Pitigal Korale North Pitigal Korale Con	262 132	2.57	1 19	20	10	3 9	9 —	41.2	38.6	40.2	18.3	16.7	23 · 1	22·1	134 — —
tral Pitigal Korale South;	888	31,173 30,806		274 359				_	_	-	=	=	=	-	_

<sup>\*</sup> For Tamil Statistics see Table IV. and for Moor Statistics see Table V.
† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown are for the eight years, 1901-1908.
‡ Births and Deaths for this division being available from 1899 only, the averages shown are for the ten years, 1899-1908.

Table III.—continued.

	· ·	g	Birt	hs.	Dea	ths.	Birth	1-rate er An	per M	lle	Deat D	h-rate er An	per N num.	(ille	nder riths sond
Province, District, and Division.	Area in Square Miles.	Estimated Population April 1, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Deaths of Children under 1 Year to 1,000 Births registered in the Second Quarter of 1909.
N Comment	4,002}	62,450	616	'6 <b>5</b> 6	590	611	39.6	44.2	49.8	41.7	37.9	<b>30</b> ·9	64.8	39 · 2	2 <b>38</b>
NORTH-CENTRAL	l	62,450		650		611		Ì	49.8		Ì	ł	1	39 · 2	
Anuradhapura Town Nuwaragam Palata Hurulu Palata Kalagam Palata Tamankaduwa Palata	1,040 311	767 26,427 19,966 13,842 1,448	7 257 196 137	6 264 202 160	17 241 179 135	21 223 193 156 18	 - - - -				=			[++1-1	
Uva · · · ·	3,1541	129,371	1,472	1,559	1,1 <b>2</b> 5	1,066	47.2	48.9	49 1	48 · 3	36·1	38 · 8	42.6	33.0	167
Badulla	3,1541	129,371	1 <b>,4</b> 72	1,559	1,125	1,066	47.2	48 · 9	49 · 1	48.3	36.1	38 · 8	42.6	33 · 0	167
Baduila Local Board. Yatikinda Division Bintenna do. Buttala do. Wellawaya do. Udukinda do. Wellassa do. Wiyaluwa do.	$3\frac{1}{2}$ $183\frac{1}{2}$ $359$ $567\frac{1}{2}$ $1,019\frac{1}{2}$ $188\frac{1}{2}$ $645\frac{1}{2}$ $187\frac{2}{3}\frac{7}{2}$	3.577 23,121 9,629 14,095 7,154 32,396 20,988 18,411	267 95 169 78 355 277	29 286 82 156 88 397 290 231	170 91 162 79 244 211	120 141 82 201 200								111111	
Sabaragamuwa	1,901	286,027	<b>2,84</b> 2	3,046	1,860	2,104	45 • 4	49 • 0	52 · 3	42.7	28.5	28 • 7	43 • 0	29 · 5	1 00 160
Rainapura	1,259	122,110	1,242	1,299	89 i	1,043	42.9	48.7	48 • 4	42.7	30 · 7	35.6	42.5	34 · 3	192
Ratnapura Local Board Kuruwiti Korale Nawadun do Atakalan do Kadawata do Kolonna do Kukulu do Meda do	21 211 193 171 130 160 224 156	3,086 32,616 25,663 18,422 10,113 10,233 8,460 13,518	287 263 215 115 101 82 151	34 346 294 190 128 102 81 124	192 189 157 83 84 54 101	219 254 171 75 107 66 108	- - - - - - - - - - - - - - - - - - -		- - - - - - - 55.2				43.3	26:0	136
Kegalla	642	163,917	,	1,747		1,061	43-1	49-2	00-2	*2.	20 0	20 0	100		100
Kegalla Local Board Paranakuru Korale* Beligal do	56 162½ 56¾ 42 125¼ 74¾ 40	17,430 7,160	310 412 246 194 115 154 64	7 321 414 292 205 128 184 90	154 237 148 127 71 100 44	199 221 190 132 75 125	=								

<sup>\*</sup> Births and Deaths for this division being available from 1901 only, the averages shown are for the eight years, 1901–1908.

Table IV.—Tamil Births and Deaths, with their rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the Second Quarter of 1909.

· <u></u>				Secon	u <b>u</b> ua	ror	1 1908								
	Hess.	io io	Bir	ths.	Dea	ths.		rate er An		lle		rate p		ile	under irths econd
Province, District, and Division	Ares in Square Miles.	Estimated Population April 1, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Deaths of Children under 1 Year to 1,000 Births; registered in the Second Quarter of 1909,
Northern	3,363	<b>349,</b> 554	3,268	<b>3,63</b> 0	2,348	2,031	39 · 4	40.5	<b>42·</b> 0	41 6	28 · 3	25 · 1	30 · 8	23 · 3	
Jaffna Jaffna Division Valikamam East Valikamam North Valikamam West Vadamaradchi East Vadamaradchi West Tenmaradchi Pachchilaippallai Karaichchi Punakäri Islands* Delft*	1,265 181 401 361 381 341 55 80 87 1231 2261 597 181	322,195 44,543 27,481 49,734 50,324 3,918 53,457 38,264 5,610 2,696 4,531 36,561 4,475	3,001 434 229 418 449 557 435 416 51 10 58 408 42	3,337 470 252 452 524 53 511 392 51 16 78 474 63	325 111 235 261 61 311 341 67 15 60 200 23	1,757, 297 91 210 231 60 241 290 64 11 37 206	11111111111	40.2	41.3	41.5	26.6	23.7	29.5	21.9	143
Tunukksi	446½ 9431	601	140	1 177	206	·1 164	34.4	428	46.0	46 4	50·9	47.5	51 .8	<b>43</b> ·0	
Mannar Island Division Mantai Division Nanaddan Division	473 6441 251	5,621 5,115 4,572	51 47	60 75 42	72 77 57	71 54 39		=	=	  -  -	=	=	=	=	-
Mullaittivu† Maritime Pattus Vavuniya North Vavuniya South	1,1543 3933 316 445	12,051 5,957 2,336 3,758	127 75 23 35	116 65 15 36	129 67 25 44	110 52 15 43	=	45.9	54 - ?	38.6	46·7	34·5	44·5	36.6	215 — —
Eastern	4,0361	102,838	1,133	1,248	972	933	46	39-9	40 . 8	48.7	39 · 1	33 · 7	33 - 7	36 · 4	237
Batticaloa Local	2,8711	85,363	,	1,101	791	771	l	41.2	42 3	51 . 7	38.5	30.8	33 - 3	36 · 2	229
Board Manmunai Pattu North	148	8,272 13,946	79 158		90 156	125	1		-	_	_	-	_	-	-
Manmunai Pattu South Bintenna Pattu Chammanturai Pattu	74 6771 160	8,950 673 3,226	7	12	7	68 11 24	·	=		=	=	=	=	=	=
Eravur and Rukam Pattus Koralai Pattu	3721 290	8,634 6,150						-	_	-	=	-		<u>ن</u> ــــــــــــــــــــــــــــــــــــ	3
Eruvil and Porative Pattus Karavaku and Ninta	247	14,17	2 158	151	123	9	0 -	-		-	-	-	-	-	-
vur Pattus . Akkarai Pattu . Panawa Pattu .	074	5,58		2 86	3 49	5	3 0 5		=	=	=	-		  -  -	=
Trincomalee Trincomalee Town Kaddukkulam Pattu Koddiyar Pattu Tampalakamam Pattu		4,38	9 79 2 2 4 5	9 75 3 26 1 45	2 100 0 3 3 3	0 8 1 3 4 2	2 39· 7 — 12 — 13 — 14 —	1 33	5 34	33.	41.	9 47.	335	937	2 299
North-Western	2,996	22,22	9 14	1 16	5 25	6 33	8 22	5 30	8 33	5 <b>29</b> ·	8 37.	3 42	7 85	5 61 .	0 321
Puttalam Puttalam Local Board Demala Hatpattu	889 8	§ 81	.0	8	6 1	1	35 28 20 —	5 31	1 29	431	1 40.	1	- 1	251	1
Kalpitiya Division Puttalam Division		1,89	97 1	18	.9 2	5 5	24 — 35 —	-	-   -		=		-   -		

<sup>\*</sup> Births and Deaths for this division being available from 1901 only, the averages shown are for the eight years, 1901-1903.

† Births and Deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the eight years, 1901-1903.

Table V.—Moor Births and Deaths with their rates per 1,000 of the estimated Population and the Proportion of Infantile Deaths to 1,000 registered Births in Batticaloa and Puttalam Districts in the Second Quarter of 1909.

	-	1 1	,			<del></del>						٠.			
•	8	uo q	Bir	ths.	Dea	ths.	Birth	i-rate per An	per Mi num.	ille	Death D	ı-rate er An	per M num.	Ille	rtin cond
Province, District, and Division.	Area in Square Miles.	Estimated Population April 1, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter,	Average for Second Quarters, 1898–1908.	Second Quarter, 1909.	Average for Second Quarters, 1898–1908.	Second Quarter, 1908.	First Quarter,	Second Quarter,	Average for Second Quarters, 1898-1908.	Second Quarter, 1908.	First Quarter, 1909.	Second Quarter, 1909.	Deaths of Children under 1 Year to 1,000 Births registized in the Second Quarter of 1809.
Eastern	4,036 <u>‡</u>	70,341	728	823	573	5 <u>4</u> ,9	45.5	37.5	38-1	46 · 9	35 • 6	23·0	<b>2</b> 5•8	<b>3</b> 1·3	210
Batticaloa*	2,8711	60,887	<b>62</b> 9	710	594	470	43.7	36.5	<b>3</b> 6.•9	16.8	<b>3</b> 5 · 5	20 - 3	24 · 1	31.0	201
Batticaloa Local Board Manmunai Pattu	11	<b>34</b> 0	2	1	2	2	_	_	_		_	<del>-</del>	<u> </u>	<u> </u>	-
North	148	12,176	158	200	187	145	· · ·	-	-	_		_	—	_ i	_
Manmunai Pattu South Bintenna Pattu Chammanturai Pattu	74 677½ 160	47 126 6,078		 	_ 	· <u> </u>	_		_	=			_	_	<u> </u>
Eravur and Rukam Pattus Koralai Pattu	372 <u>1</u> 290	6,632 4,361	62 46	60 81	49 29	4( 46	_	_	_	_	_	_	_		<u>-</u>
Eruvil and Porativu Pattus Karavaku and Nin-	247	176		_	_		-		_	_	-		-		· :
tayur Pattus Akkarai Pattu Panawa Pattu	41 <sup>-1</sup> 374 486½	19,718 9,163 2,020		181 93 28	122 79 12	138 50 10	-	=	<del>-</del>	=	=	=	=	=	- - -
North-Western	2,9963	<b>24</b> ,679	<b>24</b> 5	193	210	205	41.6	48 • 1	<b>4</b> 3 • <b>2</b>	31 · 4	34.3	2 <b>6 · 7</b>	56 · 5.	33·3	<b>30</b> 6
Puttalam Local	8892	9,786	100	86	98	66	42.0	46•4	40 · 1	<b>3</b> 5·3	40 · 7	33 • 2	<b>4</b> 5-1	27 • 0	256
Board Demala Hatpattu Kapitiya Division Puttalam Division	85 4411 315 1247	2,785 443 4,654 1,904	29 4 48 19	25 3 38 20	26 5 53 14	25 1 24 16	=	=	=		=	<del>-</del> -		=	

<sup>\*</sup> Births and deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the eight years, 1901-1908.

d d d d d d d d d d d d d d d d d d d	Programme of the control of the cont	Tor	1455 12 117 1475 12 468 3 702 69 69 69 10 110 110 110 110 110 110 110 110 110	883		ന			1		2 8	
ba ba ba ba bababababababababababababab	baschelore and Bachelore and bachelore and Widows.	<u> </u>	1		-	344 14		_		90 ~	32 0	
ba ba ba ba bababababababababababababab	Widowers and Spinsters.		28 8 20 8 10 10 10 10 10 10 10 10 10 10 10 10 10	1 93 1 10 322	200	# 60 F	- 25 to 25		•			_
ba ba ba ba bababababababababababababab	Widowers and Widows.	65	21 12 21 1	.C & &		- 1-10	0.44	* 000		-	·	
ba ba ba ba bababababababababababababab	Divorced Men and Spinsters.	00	0	7 11	11	- 1 1			<u>-                                </u>	<u> </u>		
da d	Bachelors and ivorced Women.	a   *	0		111	711	711	11	11	<u>'</u> 	<u>'</u>	
d d d d d d d d d d d d d d d d d d d	Divorced Men.  Bud Widows.  Sud Women		1 - 11111111	711	111	<u>' '</u>		<u>'                                   </u>		<u>.                                    </u>		
d Age. 19 Age.	Nivorced Womens, and Widowers, bus nell bestorie			<u> </u>		, <del>, , ,</del>	111	<u>                                   </u>	<u>''</u>	, , , ,	- <u>1</u>	
d Age. 19 Age.	olyoreed Men and Olyoreed Women. Widowers.		1 1111111	111	1 1 1		111	· 	11		·	
b Marinal Age. 10 Age.	Widows.	395, 161	665 2117 22 24 23 3 4 7 7 1 2 2 4 2 1 2 2 4 2 2 4 2 2 4 2 2 4 2 2 2 4 2 2 2 4 2	323 323 1	ය ස හ				Z-10c	<u>y 61</u>	· ·	ıć.
b Marinal Age. 10 Age.	European and Burgher.	<u> </u>	3356	77.	158	122-	101	<u>∞4</u> 	466		41	ا
A A State Age. 19 Age.	higa, gasqotu H.	e fairt		111	.111	111	<u> </u>	] ]	111	·; *		1
A A State Age. 19 Age.	European and Tamil.	1_1_		111	111	111	111	41		. 1	ĺ	I
A A State Age. 19 Age.	Burgher and Similalose.	133	64       21	- 1	- 3	111	711		1.1	•	Ø	1
A Marriage	Burgher and Linnell	C1	<sub>21</sub>	31	111	111	141	11	111	1	I	.
De Age. 19 Age	Stohelese and Linut.	122	<b>8</b>	9	11,1	111	. 111	- 1	69	, j	1	Ì
Age, alle Age, le Age,	Other Mixed Ma	67	-   -	-11	111	111	111	11	-1.	- 1	Ī	Ī
Age, alle Age, le Age,	Eniopesu.	S	4.0 1 1111	7	<b>69</b> 64	111	111	17	111	1	1	1
Age, alle Age, le Age,	Burgher.	50	8 9 4 10 G	8	9	01 01	<b>60</b> 61	, <del>-   -  </del>	[1]	.1.	-1	
Age, alle Age, le Age,	.easlangig	2389	1344 60 1 695 170 170 84	793 244 310	37	11"	335 928 928	7.5	50 11 109	4	56	Ç.
Age, alle Age, le Age,	.llono.T	672	2448 6634 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		<u>600</u>	39.7 58.7	711	25.5	# 12 m	rD.	<u>.</u>	67
ale Age.  lo Age.  ale Age.  ale Age.	"erense	#	2-111-11	1 100 .	-11			<u> </u>	111	<u> </u>	1	1
ale Age. ale Age. ale Age. ale Age.	Males.		8 2 2 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31.	ଷଳଷ	<u>8</u> 64 [	25 11	<sub>ا</sub> ۳	4		ಣ	C1
ie Age. nie Age. ogie Age.	Females.	6091	612 299 387 131 131 68	352 160 100	<b>2</b> 02	8 60 80 80 80 80 80 80 80 80 80 80 80 80 80	152 172 63	81 84 64 44	ଓ ପ୍ରକ୍ର ଓ ପ୍ରକ୍ର	က	17	26
ogle Age.	Highest Male	7526	65222 64226 64226 64226 65226 65226 65226 65226	65.26 75.22 53.27	58 65 46 20 20 20	25.25 25.25 20.25 20.25 20.25	64 60 20 20 20 20 20 20 20 20 20 20 20 20 20	4325	45.22 25.23 25.23	60	52 28	342
oble obse	A elah fisah Lewest Male	26.7	90000000000000000000000000000000000000		27.6 27.6 4.6.4	26.3 26.4 27.0	29.0 26.9 27.1	<u>r4</u>	25 25 35 25 25 38 25 25 38	59.6	<u>r-</u>	26.0
do Age.	Highest Female	1 2	88023821888		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	128	120 180 180	17	18 22 21	55	50	1.9
•	Mean Female	5220	6220 6220 6021 6021 6020 6020 83518 83521 83521	27.2	3621 5023 3519	48 19 35 19 20 17	43 21 · 7 38 22 · 0 50 19 · 7	3318 3517	40 20 35 20 35 10 .	30 23	3521	27 19
1 1 1	elemest reswo.I	1 41	10-10000 co-10	7.97	-1-0	1- <b>69</b> 00		40		- rċ	-	6
lemnize: sters.	meloe segairraM totaiulM vd	1 1		693 10			t			<u>۔</u>	<u>ق</u>	15
	Males.		22 471 8 8	~	-					C)	Σ.	15
Marth Marth	otem	Lowest Fe Marriages 9 by Min	Towest Fe Company of C	7 1898 P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	P. 1838 Marriages 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F. 1999 A. 199	67 theory of the separate of t	67 389001 01 E44 E41 E11 E11 E11 E11 E11 E11 E11 E1	67 4889Vol   C1   E44 E14   E15   E1	67 488401 01 84484181 01 8448418

\* One between a Eurasian and a Chinese, and I between a Japanese and a Sinhalese.

Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the Second Quarter of 1909.

			-	Con	tracte	i betw	veen.				Pers not Year Ag	21 8 of				<u></u>	,		The numl who si Regis wit Marl	ber Igned ster h
Province and District.	Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age	Mean Female Age.	Lowest Female Age.	Males.	Females.
CEYLON	1074	819	36	133	34	20	2	24	3	3	131	799	65	<b>26</b> ·0	18	50	19.2	12	303	983
Central Northern Southern Eastern North-Western Uva Sabaragamuwa	258 2 2 14 220 92 184 302	201 2 1 11 152 62 144 246	5 	23 1 35 18 26 30	9 - - 8 6 7 4	7 - - 5 1 - 7	1	5 1 8		1 - - 1 - 1	31 1 - 21 5 9 64	192 1 9 142 63 134 256	25 35 30 48 50 65	26 · 2 22 · 5 30 · 0 25 · 2 25 · 6 27 · 4 26 · 8 25 · 1	18 20 25 22 19 20 20 . 18	20 25 26 36 40 50	19.6 19.0 20.5 20.5 19.7 20.6 18.9 18.3	18 16 18 16 17	51 23 73	222 2 14 196 92 178 277
Central. Kandy Matale Nuwara Eliya	169 39 50	134 30 37	-3 -2	14 6 3	7 1 1		_ _1	-4 -5	       	-	20 4 7	132 26 34	43	25 · 8 26 · 9 26 · 9	18 18 18	35	19·2 20·0 20·0	15	10	141 37 44
Northern. Mullaittivu	2	2				_	_	_	-		1	. 2	25	<b>22</b> ·5	20	20	19.0	18	2	2
Southern. Galle Matara	2		 	<sub>1</sub>		_	_	_	_	_	_	_ l	: 35	30.0	<b>2</b> 5.	25	20.5	.16	1	2
Eastern. Batticaloa Trincomalee	13 1	10 1	3	_	 	_	_	_	_	-	  -  -	8 1		25·4 23·0			20 · 7 18 :0	18 ! 8		13 1
North-Western. Kurunegala Puttalam	<b>2</b> 01	14 <b>3</b> 9		30 5	5 3		_	4	1		19 2	130 12		25·4 28·2	1 <b>9</b> 19	36 35	19·5 21·5	16 16	45 6	187 9
North-Central. Anuradhapura .	92	62	3	18	6	1	·	1	-	1	. 5	63	5 <b>0</b>	27 · 4	20	40	20 · 6	17	23	92
Uva. Badulla	184	144	ã	26	7		l	)	_	-	9	134	65	26 · 8	20	<b>5</b> 0	18.9	14	73	178
Sabaragamuwa. Ratnapura Kegalla	1 300				2 2	6		4	1	1	26 38	102 154	61 <b>5</b> 0	25·3 25·0	18 18		18·4 18·2	13 14		110

o( elegan)

		-	₹	All Baces.		Eu	Europeans		Burg	Burghers.		ø)	Sinhalese.			Tamils.			Moors.		¥	Malays.	<del>-</del>	0	Others.
Province a	Province and District.		Persons.	.aolaM	Kemales.	.впояза	Males.	Females.	Persons.	Males.	-garpure :r	ъецеопа.	Males.	Females.	Persons.	Males.	Temales.	Persons.	.aslaM	Females.	Persons.	Males.	Females.	Регвола.	.selsM
CHTLON	· ·	:	37,386	19,030	18,356	္စ	-	2	205 1	112	93	25,336	12,854	12,482	9,345	4,742	4,603	2,292	1,210	1,082	118	61	5,7	09	34
	:::	::::	8,400 6,519	4,329 3,277	4,071 3,242 1,876	13	82-	70 <del>4</del>	215 0		65 16	7,240 3,726 19	3,747 1,837 8	3,493 1,889	2, 60	258 1,228 1,837	287 1,168 1,793	396 336 139	201 178 71	195 168 68	742	27	130	177	11 2
hern ern h-Western h-Central			6,122 2,216 3,470 797	3,102 1,163 1,748	3,020 1,053 1,721 403	11	1711		9 I 10 01 0	<u>कळळल</u>		5,898 98 3,100 650	2,986 45 1,570 311	2,912 53 1,530		27 646 79 24	602 802 13	144 823 193 100	27. 8. 9. 52. 52.	966 100 188	9142	, 0000	4 51 52 T	<u>4400</u>	<u> </u>
Uva Sabaragamuwa	::	::	3,819	1,178	1,900	7		<u>,    </u>	9 69	4	N-M	3,046	1,523	1,523	1	337	330	88	ο e3	8 <del>4</del>	တက	m 03	ф-I	<u>ත හැ</u>	<u>- 0</u>
Western. Colombo Negombo Kalutara		4=0	4,540 1,438 2,422	2,372 735 1,222	2,168 703 1,200	133	<u> </u>		127 8 7	07 0 to 4	57	3,927 1,294 2,019	2,048 666 1,033	1,879 628 986	222 113 210	109 56 93	113 67 117	194 20 182	103 9 89	93	# cs cs	129   C1	86.2	4-0	<u> </u>
Central. Kandy Matale Nuwara Eliya		:::	4,146 976 1,397	2,077 483 717	2,069 493 680	·   ·	- <del>  -</del>	81 81	5 8 3	<b>ଦ</b> ବ୍ୟ <b>ଜ</b>	F-0	2,491 729 506	1,232 345 260	1,259 384 246	1,334 194 868	673 105 449	661 88 419	277 50 9	146 30 2	131 20 7	8 9	6 0	0 4	10,	ا ا
Northern. Jaffna Mannar Mullaittivu	:::	·	3,369 284 142	1,686 161 72	1,683 123 70	-	<del>-</del>	{	4==	<del></del> ;		2 1 16		8 1 2	3,337 177 116	1,674 103 60	1, <b>6</b> 63 74 56	255 105 5	10 57	15 84 70		: 11	**		F 1 1
Southern. Galle Matara Hambantota	:::	31 51 <del>-</del>	2,665 2,221 1,236	1,331 1,125 640	1,334 1,096 590	11		= 1 1	10 61 61	<u> </u>		2,545 2,162 1,191	1,268 1,093 625	1,277 1,069 566	221	13 13 13	155	90 % 42	47 19 12	£\$.	<u>- ' ∞</u>	1 10	— <del>    69</del>	্ ম ্	- 1 1
Eastern. Batticaloa Trincomalee		- : :	1,916 300	1,011	· 905		. ,-	i i	10-	9,	44	88 10	4 51 85	<b>4</b> 7	1,101	5.2	529 75	710 113	388	322	8	- 6	11	ဗေထ	<b>63</b> 4
North-Western. Kurunegala Puttalam Chilaw		:::	2,418 258 794	1,202 146 401	1,216 112 393	111	111	111	-6-		1 4 2	2,265 114 721	1,133 61 376	1,132 53 345	711 511	32 32 15	39 19 28	7.9 8.6 2.8	35 49 9	37 19	- 101-		. , 근근		1.1.1
North-Central. Anuradhapura	·		797	394	403	1	<u> </u>	1	81			650	311	339	60	. 54	13	100	22	84	- 63	61		9	4
Uva. Badulla	•		2,248	1,178	1,070	, co		ಣ	•	<del>4</del> 4 -	8	1,559	827	732	009	306	294	63	 	30	<b>∞</b>	es	10	- 6	. 10
Sabaragamuwa. Ratnapura Kegalla		- 63	1,524	744	780	11	 	ŀ	<b></b> c	1	, 0	1,299	635	664	203	95	108	21		- 00	<u> </u> 	<u> </u>		<u> </u>	<del>;</del> -

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the Second Quarter of 1909.

	4.00			•	APR	LL.				1			Ма	Y.				:		JU.	NE.		
Province and Di	strict.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils,	Moors.	Malays.	Others.	Total.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moore.	Malays, Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors,	Malays.
Ск	YLON	9 <b>374</b>	12	52	5 <b>886</b>	2690	669	35	€0	9937	11	55	<b>634</b> 9	2859	599	34 30	9402	12	<b>47</b>	5777	2891	608	34 33
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		1900 1501 794 1521 488 1261 266 502 1141	5	8 4 5	1405 726 3 1438 14 1070 194 327 709	277 673 741 30 271 113 30 159 396	156 75 45 45 191 73 39 13 32		5 2 3	700	3	8 4 1 4	1482 761 12 1595 29 1094 223 364 789	268 871 659 37 294 83 37 205 405	149 75 24 48 155 66 40 8 34	13 12 5 6 2 1 11 1 2 2 - 2 1 6 - 1		5	4	1504 784 10 1337 20 947 194 375 606	816 631 41 368	129 75 31 47 203 64 28 13 18	1 — 5 — 3 .1 1 — 4 1 7
Western. Colombo Negombo Kalutara	,	1188 215 497	5	1	853 190 362	179 22 76	97 2 <b>5</b> 7	16	15	1204 257 504	6	32 2 1	883 226 373	163 22 83	97 1 5 47 -	3 10 - 2	1287 243 507	63	30 2	912 210 382	220 30 80	86 2 41	19 14 1 — 2 —
Central. Kandy Matale Nuwara Eliya	•••	866 331 304	1 2 2		418 217 91	379 95 199	5 16 6	8	2	977 367 385	3	6	440 224 97	466 127 278		4 4 1 — 2	1041 308 342	_ -	3	467 213 104	506 81 229	58 13 4	$\begin{bmatrix} 3 \\ 1 \\ 1 \end{bmatrix}$
Northern. Jaffna Mannar Mullaittivu		651 99 44		2 1 1	- 2	642 62 37	5 30 4	1	_	578 74 48	_	2 1 1	-10	567 56 36	.6 17 1		563 63 52	_ _	2	- 1 - 9	548 46 37	10 17 4	1 -
Southern. Galle Matara Hambantota		574 501 446	_	1	535 473 430	11 16 3	24 11 1	1	2	585 - 537 - 561 -	_  _ -	1	540 510 545	15 19 3	29 8 11	2	587 - 450 - 396 -	_  :	I	532 423 382	24 11 6	15-	2 -
Eastern. Batticaloa Trincomalee		404 84	1	5	9 5	224 47	162 29	3-	3	383 111		3	20	233 61	127 28 11	1	519 77	- 2		19	314 54	181 - 22 -	3
North-Western. Kurunegala Puttalam Chilaw		961 - 93 - 207 -	- - -	2	374 30 166	44 39 30	42 22 9	1		1022 76 150	_ -	-	938 32 124	41 22 20	40 1 21 1 5		938 — 76 — 143 —	- 1		813 27 107	91 24 28	33 23 8	1 1
North-Central. Anuradhapura		266	-	1	194	30	39	!	1	302		-	223	37	40	2	257	-		194	31	28 -	4
Uva. Badulla		502	- -	-  ;	327	159	13	1	2	586	1	1	364	205	8	6	568	_	-	375	172	13	1 7
Sabaragamuwa. Ratnapura Kegalla		499 642	1-			129 26 <b>7</b>	10 22	1	2	609 621	-			208 197	5 29	1	434 - 551 -	- 1			142 217	4-	1

	Others.	93	55	-1 လုံရွှင်	111	11	. ,	်တာ ်တ	6 80 7	1
ES.	Malays.	103	6 41-0	54.05	27 - 60	7		<u>8</u> 0	0.00	1
L RACES	Moors.	1876	73 73 21	670 670 138	468 163 50	18	21	214	192 14 203 293	39
NG ALL	.aliozaT	8440	3649 385 51	CN .	222	138	51	462 332	715 8 63 1074 186 7	100
DNOWY SE	Sinhalese.	18012	6782 922 16	5959 362 1051	3954 2630 142 6	01 04 60 60	16	2409	2320 6 118 1233 247 267 35	107
DEATES	Burghera	154	31	0 7 - 0	891	e0 0	١	81 9	30 6 224 16	
	Ептореала.	60	12	133	110	1		m	, 6   6 - 6   -	1
SABARA- GAMUWA PROVINCE.	Kegalla.	1814	711		238 422 432 1	<b>60</b> 4 €	4	213	109 111 85 17	69
	Retuspura	1542	633		221 391 15			192 36	131	17
UVA	Badulla.	1656	671 43 10	ութ. <del>–</del>	250 397 23	1	9 0	154	217 221 321 19	36
r MC. Prov	.aruqaqbarunA	825	308 18 1	<u> </u>	219 83 5	-			28 11 28 167 167 167	185
ORTH-WESTERN PROVINCE.	Chilaw.	5 500	123	C3	7.65 7.74 4	F	9	1 60 4 11	1. 10	3 27
PROVINCE	Puttalam.	248	98 99		5 25 1 18 18	1			25 1 4 5 5 1 2 6 1 2 6 1 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
Z	Kninnegala.	272292	168		1 566 4 34	=4	63 63 63	2 296 1 11	7.1 44	3 141
EASTERN PROVINCE.	Trincomalee,		2 5 3 104		5 24	- 13	<u> </u>	0 32	22 2 2 2 2 2 3 3 4 5 9	·
PRO	Battlealos.	31306	E   °	e	9 546 1 115 3 37	~~ ~~	_	51 80 17 I	2 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
ERN ICE.	Hambantota.	8 1403 1		<u> </u>	51 659 13 261 10 43	<u> </u>				19 -
SOUTHERN PROVINCE.	Matera	6 1488	E- 1-	<b>⊣</b> <del>4</del>	ಲ. 44 ∣		- I		8   %-1	15.
	Galle.	144 1746	53 697 125	N 10	35 203 5 460 9 25	<u> </u>	5 125	8 225 1 63	113 385 2 25 31 56 3 3 4 4 7 7	
ERN VOE.	Mullaittivu.	- 1	- <del> </del>		10.3	10-	18	13	80 6	
NORTHERN PROVINCE.	Mannar	2 236		,	- ,	j	j 1		11 11	469
annis diamen	.agfat	11792	29 774 24 6 4	5-7-9	73 518 338 114 14 61		4 4	49 105 41 76	63 1 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	10
iger 10g	Nawara Eliya.	6103	46 429 57 24 11 4		183 7 222 33 36 1		2 1	87: 4	39 6 1 1 1 2 1 2 2 2 3 15	23 1
CENTRAL PROVINCE.	Matale.	1006		308; 8 155, 1 588; 28 46, 2 249; 8	248 728 24 24 3		213 13 13	309 8 155 ]	158 322 56 13	583
	Kandy	71515082884		282 277 216 216 22 24 24 24	227 169 28 28		92	282 30	372 1 24 2 25 2 20 2 1 2	3.55
EEN INOE.	Kalutata.	1515	I	23.5 23.4 24.7 25.4 3. 5	191 44 1		1 59	115 2 23 ~	2002 S	⊼ <b>6</b> 1
WESTERN PROVINCE.	Colombo.		1	622 1 195 1 1351 2 82 2	880 1 3322 333	3.0	184	622 1	503 62 62 351 163 34	4.0
***************************************	1	28713 3679		3126 6 917 1 9318 [3 537 1			1388	3126 6 917 I	2283 15 206 2564 3 488 1 99	21 60 <b>5</b>
1.	CEATON.	L			70.44			ଳ. ୯		
		:			• • • •	•	: :		::::::::	: :
	Сатева ор Ввати.	ALL CAUSES	Specific, Febrile, or Zymotic diseases Parasitic diseases Dietetic diseases	Constitutional diseases Developmental diseases Local diseases Yiolence Ill-defined and not smerified diseases	ं : ; •	:::; #	: :	IV. 898 V. V. A.808	vr. nse nd Ductless Glands	e <b>nera</b> tion
	CAUSES		1. Specific, Febrile, ur. Parasitic diseases m. Diefetic diseases		R CE	4 Zoogenous do. 5 Venereal do. 6 Septic do.	Parasitic diseases Dietetic diseases	Constitutional diseases  V.  Developmental diseases	Diseases of—  1 Nervous system  2 Organs of special sense  3 Circulatory system  4 Respiratory do.  5 Digestive do.  6 Lymphatic system and Ductless Glands  7 Urinkry system  8 Reproductive system—	(a) Organs of generation (b) Parturition

Table X.—Causes of Deaths Registered in Ceylon and in each Province and District during the Second Quarter of 1909.

(21)

	. 4• ←	r-	64 <b></b>	· E- 4	<b>-</b> , ,				
1 ↓		10	<u> </u>	4 60	- 1 - 3		11	<u> </u>	- FD
~_	1 1 1		1111111 11		31	1.1	11	1	12 10 10
180	1 1 2	138	1118011	1 126	. •		<u> </u>	2 <del>2</del> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	. 1
E	200 800 800	1 891	- 22 - 23 - 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25	1 1177 0 837	2 105 5 6 4 167	<u> </u>	<u> </u>	∞ <u>67</u> .01 /0	8 4 4 0 331
1527	312 21 28 1	1051	9 11 11 1770 2132 111	2450	92 16 34	- 1		** ***********************************	238 664 20
1	111	00	1.1111111	42	_   60	1;	1.1	00 -	68
1	4 6	1	11111111111	1 20 63	111	11	11	1 - 63	.111
177	3 (3)	187	1333	316 106	31.	٦	- 0	1 - 8	25 88 25 88
87	80	156	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	288 103	10 - O	11	1	3-8	14 60 120
<b>=</b>	9000	131	500	294 103	11.50	1.1	11	1,-1	e. 4 æ
104	0 1 1	58	1143	76	64   69	. 11		1 1 - 1	16
55	9	. 27	252	£. 6.	ස <u> </u>	4		111	23
12	61-	30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	10 - 61	11	-	1111	62.4
200	37	25.	360	245	10	. 11	63	04	101 58 9
03		. 16		13	11	- 11	7	111	111
204	9	136	544	68	. 81	11	-	1120	111
6	8 1 1	103	1055 1655	251 10	86 21 10	11		111	11.
F	61 - w	42	99	388 25	1- 60	11	11	1	00 on 1
14	1809	62	1   1   1   1   1   1   1   1   1   1	120	1 22	11	60	1-60 61	12.8
199	4.111	14	111111188111	. 4	. 2	11	11	111	11,1
1	7111	27	.	1 80 85	11,	11	11	1 1 6	111
139	क्ष कर्	103	1   1   1   12   1   1   1   1   1   1	198	49	11	- 1	82 64	40
1 7	18	176	Sec         Sec of	23.9 129	<b>ଜ</b> ରୀ ଦ		- 1	1 2	27.0
123	25	87	1 	171	33	11		1 2 -	31.18
249	38	74 .249	13 101 121 131	497 231	0 0 E	11	11	0.410	83 83
	86   6		2 7 6 1 140 1 140	138	46 15 1	61	7	😁	67
112	12821	24	1111	<del>4</del>	6   6			6	17
167	13	146	23   8     123 8   1   236 1   4   4   1	230	42 · .	<u> </u>	, ro	8 12 G L	11 152 21
2028 167	36 36 51 4	.2105	23 11 15 15 16 16 17 18 23 23 23 23 23 23 23 23 23 23 23 23 23	3783 1065	23.1 22.3 22.3		19	41 42 42 116	256 770 <b>36</b> 2
::	::::	<u>。</u> :	:::::::::::::::::::::::::::::::::::::::	:::	:::	::	: .:	-::::	<del></del>
							-	•	
						stion			
• :	::::	nses	8 : : : : : : : : : : : : : : : : : : :	ases.	::	Zoogenoue Diseases. Hydrophobis Cowpox and other effects of vaccination	 Tr	~	1868.
<b>-</b> 4	` `@	r. ied ce	)iseas	Disei	Dised	Dise.	sease Uretl	sease	Disec
9 Organs of Locomotion 10 Integumentary system	vn . Accident or Negligence Homicide Swicide Execution	vm. Il-defined and not specified causes	Smallpox Chickenpox Chickenpox Maesles Whooping Cough Mumps Diphtheria Cerebro-spinal Fever Simple and ill-defined Fever Enteric Fever Influenza Beri-beri	Diarrhaal Diseases	Malarial Diseases er xis	Zoogenous Diseases. ther effects of viscein	Yenereal Diseases. Syphilis Gonorrhose, Stricture of Urethra	Septic Diseases	Parasitic Diseases. onalis
ocon	8e%	not s	iasm igh igh Feve defin	Diam	Mala er xis	Zooge her ef	enere	Sept æmis	Para lenali
s of I	ant on side . 3 tion .	and	M 2x 3x 5 Cou 5 Cou 6		t Fev æche	bia id otl	B, St	a eptic Feve	imal Duod
<b>rgan</b> ıtegu	1 Accident or 2 Homicide 3 Suicide	heng	Smallpox Chickenpox Maeales Whooping Cough Mumps Diphtheria Cerebro-spinal Fever Simple and ill-defined Enterior Fever Influenza Bert-beri	Cholera Diarrhea Dysentery	Ma Remittent Fever Ague Malarial Cachexia	Hydrophobia . Cowpox and ot	lis rrhæ	Septi Phagadæna Erysipelas Pyæmia, Septicæmia Puerperal Fever	Paras Thrush Worms (animal) Dochmius Duodenalis
<b>6</b> 01	- 2 c &	111-de	Smallpox Chickenpo Mesales Whooping Mumps Diphtheri Cerebro- Simple ar Enteric F Influenza	Cholera Diarrhœ Dysente	Remit Ague Malar	Hydr Jowp	yphi Ionoi	Phagadæne Erysipelas Pyæmia, S Puerperal I	Thrush Worms Dochmi
•						7	<b>%</b> G	म्ने स्रो द्वी द्वी	HPA )

WESTERN CO PROTINGE. PI	Kendy.  Colombo.  Colombo.  Colombo.  Colombo.	Dieterio Disease.   90   10   10   1   10   1   2   2   2   2   2   2   2   2   2	Rheumatism   Constitutional Diseases   195   26   7   6   26   34	Developmental Diseases 271 27 2 7 89 3 271 27 2 7 89 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Inflammation of Brain or its Membranes   16   1   1   1   1   1   1   2   2     Apoplexy   Paralysis   11   1   2   2   2     Paralysis   11   2   3   3   3   3   3   3   3   3   3
ENTRAL NORTHERN SOUTHERN PROVINCE. PROVINCE.	Nuwata Eliya.  Mannat.  Mullattiivu.	4   1   81   1   1   1   1   1   1   1	282 282 181 182 183 184 185 185 185 185 185 185 185 185	12 33 10 10 10 10 10 10 10 10 10 10 10 10 10	2
SOUTHERN PROVINCE.	Galle. Matara.		16 16 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 - 3 46	364 354 169
医蝉	Battlealoa.	6	20   10   10   10   10   10   10   10		1 1 2   18 2   8   1   1   1   1   1   1   1   1   1
RTH-WESTERN Province.	Kurunegala. Puttalam.	8   1	238 38 3 12 538 3 2 12 72 1 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 - 1 - 1 - 2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	1
NC. UVA PROV PROV	Anwadbapura.	1 10  	100000000000000000000000000000000000000	11   -   -     -   -     1   19	
SABARA- GAMUWA PROVINGE.	Regalla.	6 1 1 1	000 1100 112 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8       82	1   2   3   1   1   1   1   1   1   1   1   1
DEATHS	Europeans.	1111	1	1         2	1 2 2 2 8 1
THE AMONG	Sinhalese.	<u> </u>	159 763 763 18 681 29 19 19	119 1	86 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
ALL RACES	-slimsT srooM	200	201 15 13 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	139 11 1	22222222222222222222222222222222222222
-   s	Malays. Others.			10 8	1 1 1 1 2 2 1 1 2 1 1 2 1 1 2 1 1

		( 23	in the second	
		117171 8		
111		118161		
1, 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	105 105 78	-       %           %         %	
<b>ର</b> ଜ ଦା	53   2	128 1128 108 108 93	9 1 1 1 8 8 8 8 9 7 8 8 8 9 7 8 8 8 9 9 7 8 8 8 9 9 7 8 8 9 9 9 9	
	101	885 266 33 834 834	21.27.04.12.11.2	• •
111	1 1 1 6	114 81 6	111-111-0-11111110-	
111		1111711		
111	1 1 1 1 1 0	4433	1     0 0	
111	18/11/8/11	1122	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
711	111 1111 8	20 20 68 68 68 68 68	1111111 8 1 1 1 1 1 1 1 1 1 8	
111	1111111	177	[	
117	11.111111	1 6 7 5 4	711111111111117	
111	11111111	11 2 1 1 2 8	11   1   1   1   1   1   1   1   1   1	
1-1	1111111	399 399	111111111111111111111111	
111	11111111	3 4 43		
111	111111111	1   55   23		
111		11,000	11181111111111111111	
111	11111111	1   0000   00	7171111111111111	
171	111111 83	01 4 68   .	11 19 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
111	111111111111111111111111111111111111111	11162		
111	11111111	1111881 6		
111	101111114	18 191 191	11122111110011111000	
	-   -	19 19 100 22 24	111111111111111111111111111111111111111	
1 1	1	882.88		
		47. 112 184 1 75	1	. ,
	2   1   1   2	15 15 15 1	111111111111111111111111111111111111111	•
111	1	1   156.22		
4100		8 67 6 67 7 253 9 3 5 10	411118	ĸ
	23 11 12 171	23 8 120 101	01 888 944 11 11 12 12 12 12 13 13 13 14 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	
::::	Circulatory System.  Valve disease of Heart  Valve disease of Heart  Hypertrophy of Heart  Anguapectoris, Syncope  Aneufism  Embolism, Thrombosis  Phlebitis  Varicose veins  Other and undefined diseases of Heart or Circulatory System	Respiratory	Digestive	•
Εχθ	t or (	Resp	of Di	
ee. 98 of ] 8.r Nose	Head		m	
Organs of Special Sense. Conjunctivitis and other diseases of Eye Otitis and other Diseases of Ear Epistaxis and other diseases of Nose	of Heart of Heart is, Syncope rrombosis sefined diseases of H	Keepratory System	Stomatitis Depetition Quinsy Owner Quinsy Soye Throat Dyspeptia Hamatemesis Melana Discusses of Stomach Entertitis Ulceration of Intestine Debility Stricture or Strangulation of Intestine Intussusception of Intestine Gennia Fistula Appendicitis Poritonitis Serios Strangulation Fistula Appendicitis Poritonitis Strings	
<i>pecia</i> ther c eases liseas	atory art art cope osis	grrand 9d dj	esitve mos ation utesti	
e of & und of r Disk	Circulatory Pericarditis Valve disease of Heart Hypertrophy of Heart Anguapectoris, Syncope Aneurism Embolism, Thrombosis Phlebitis Varicose veins Other and undefined disea		Stomatitis Deptition Quinsy Guinsy Sore Throat Dyspeptia Melana Diseases of Stomach Enteritis Uceration of Intestines Uceration of Intestines Gricture or Strangulation intussusception of Intest Stricture Strain Typendicitis Pallstones Sixula Typendicitis Peritonitis Sixula Typendicitis Typendicit	
Prgan vitis s othe and o	c dis		ast tesis to Intruction of Intruction of Intruction of Intruction of Intruction of It is	
unctiv	Pericarditis Valve disease e Hypertrophy c Angripapectoris Angripapectoris Embolism, The Phlebitis Varicose veins Other and unde tory System	Laryngitis Croup Bronchitis Asthma Pheurisy Other and System	Stomatitis Digation County Sore Throat Dyspepsia Hamatemesis Melama Diseases of Stomach Entertitis Closeation of Intesti form thussusception of Intesti formia Stricture or Stranguli intussusception of Iteria stricture or Stranguli stricture or Strangul	•
Conji Otitii Epist	Pericardii Valve diss Hypertro Angurape Aneurism Embolism Phlebitis Varicose Other and	Laryngitis Croup Bronchitis Asthma Pneumonia Pleurisy Other and System	Stomatitis Digestive System. Deptition Quinsy Sore Throat Dyspeptia Hematenesis Melana Discusses of Stomach Enteritis Molecularitis Molecularitis Molecularitis Interitis Interitis Stricture or Strangulation of Intestine Intussusception of Intestine Fistula Appendicitis Peritonitis Ascites Guilstones Grandsons of Liver Other discusses of Liver Other and undefined diseases of	
	•			, .

NORTHERN SOUTHERN EASTERN NORTH-WESTERN NC. UFA PROVINCE DEATHS AKONG ALL RACES. PROVINCE. PROVINCE. PROVINCE. PROVINCE.	Jafine. Mainatrivu. Galle. Matere. Hambantote. Trincomalce. Trincomalce. Trincomalce. Trincomalce. Marticalos. Trincomalce. Trincomalce. Trincomalce. Marticalos. Trincomalce. Trincomalce. Trincomalce. Trincomalce. Materiam. Trincomalce. Badulla. Badulla. Tregalla. Trincopeans.		2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 2 - 1 - 1		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
	Nuwata Ellya.		- 1 - 8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		1 9 1 2	111.	-   ~
CENTRAL PROVINCE.	Kendy:	11	1 1 1	171111	7 20 - 1		1 6
WESTERN CENTRAL PROVINCE. PROVINCE		35	28.80 10.00 11	242 8	335 1 1 1 7 20 2466 30 7 1 8 37	1	18 7 - 1 30 10 3 2 2

X.—Causes of Deaths, &c.—continued.

		67   1   1   1   1	-	.111111		7911111
	11	71777111	1	11111	·	
٠	176	8				10 10
	292	82 15248	14	1112	ಣ	246 609 25 6 4 8
	1505	137 18 66 66 11 35 44	21	22.2		440 111 111 141
	11	11111_111	1	11111		
				116,111	1	1   1   1   1
	174	113		7       %		74 104 9
	11 &	132 7 2 1 18	63	111111		30
	1   9	87 67 11 68	<b>C</b> 1		1	108
	104		-	1111	-	14 6 1
	55	4	1		1	1   2   6
	112	1 111111		11111		11 6 6 7
	497	91 - 1 - 2 - 1 - 4 - 7	,4	111146	1	169 67 111
	62	1111111			1	001-1-100
-	204		-		1	322
	%	r     0   0   0	1	11117		88 4 5 1 1
		51   61   64	- '-i	".	-	1 18 15
	11 =	4     0   0   1   1   1   1   1   1   1	C)		<del>,</del>	13 13
	11 9	111111	1			& <del>©</del>
		11111111	I	11111		111 4 1 1 1
	137	9	, '9	60 4	Ċ1	420 6 0 1 1 1 1
	12	79 19 19				146 111 111 13
	123	EL 4-1-4	ì	-   -	}	49
	246	4.0000100	1	1 1 4 3	p=4	83 154 1 2 2 1
	15	11     4 C/ 00   62 4		·         "   ·	, i	23 36 14 11
	1   60	1 4 1 1	61	111111		25   120
	1 1 147	109 119	13	%	1	93
	1 1 1977	35 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	35	1 488	4	797 1124 1154 154 20
	umentary		:	::::::	:	:::::::
	deum	!	·	•		
•	Integ					Caus ned)
	Eczema Pemphigus Other and undefined diseases of Integumentary System	Accident or Negligence. Contusions nunds I	: .e.	::::::::	: :	III-defined and not specified Causes. General Dropsy Debility Sudden deaths (causes unascertained) Abscess Tunnour Hæmorrhage Other ill-defined and not specified causes
	1368.56	Negh	Homicide. .or	Swicide	Execution.	ot spe
	p pet	nt or	$H_0$		Ä	and no nd no
	 idefir 	ocide ontus nds	slaug	:::::	:	psy. is (ca
	z nd un n	as, Cc wou wh cald cald ion ite	Man	t wou th ng ng	An	Urde, Droj deati deati
	Eczema Pemphigus Other and System	Accident or Fractures, Contusions Gunshot wounds Cut, Stab Burn, Scald Poison Drowning Suffocation Snake-bite Snake-bite Otherwise	$H_{ m C}$ Murder, Manslaughter	Gunshot wounds Cut, stab Poison Drowning Hanging Otherwise	Hanging	III-defines General Dropsy. Debility. Sudden deaths (C Abscess. Tumour. Hæmorrhage
	P P P P P P P P P P P P P P P P P P P	Sa Politica Property Communication of the Communica	Mu	9989499	Ha	Sa Para Su O G

Table XI.—Causes of Deaths Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces and in the Colombo and Kalutara Districts of the Western Province, during the Second Quarter of 1909.

	Carrage of De-11			-			al Pro			Pro	vince of		Provin abaraga	1 <b>0</b> 0 Ó:	ſ		estern	Prov	vince.
•	Causes of Death.		Cevion.	- F	andy.		atale.	N	uwara	U	va. lulla.	_	napura			_			
ALL CAUSI	es		4,027		апцу. 1,213			F	diya. 717	.Dav	498		napura 431		-	Con		K.a.	
_						٠٠-		••-		٠٠-		••-				··-			
I.—S]	pecific, Febrile, or Zym				40.4		• 40												
₹ II.—P:	diseases arasitic diseases	٠.	$1,767 \\ 302$	• •	494 83	• •	140 17	• •	$\begin{array}{c} 307 \\ 17 \end{array}$	• •	213 34	• •	181 111	:	278 28	••	56	• •	$\begin{array}{c} 98 \\ 12 \end{array}$
III.—D	ietetic diseases	:	25	•••	10	• • •	'n	• •	2	• •	5	• •		• •	7	••	_	••	
1V.—C	onstitutional diseases	• •	106		27	••	15		14		5		6	• •	16		14		9
VI.—L	evelopmental diseases ocal diseases	• •	225 968	••	$\frac{128}{329}$	• •	7 55	• •	$\begin{array}{c} 27 \\ 195 \end{array}$	• •	17 138	• •	12 56	••	16	••	2	• •	16
VII.—V	iolence		63	••	14	• •	11	• •	14	• •	7	. <b>: :</b>	50 5	• •	119 6	••	$\frac{27}{2}$	• •	49 4
VIII.—II	l-defined and not speci	ified								• •		••		••		••	-	••	•
	diseases	• •	571	••	128	• •	35	• •	141	••	79	• •	60	• •	94	• •	5	• •	29
Miasmatic	I.		155		60						۰.				•				_
Diarrhoal		••	1.447	••	60 <b>4</b> 13	••	1 <b>5</b> 9 <b>4</b>	••	$\begin{array}{c} 21 \\ 269 \end{array}$	••	$\frac{24}{171}$	• •	4 16 <b>0</b>	••	$\begin{array}{c} 15 \\ 222 \end{array}$	••	$\frac{9}{42}$ .	• •	$\frac{7}{76}$
Malarial	do.		135	•••	14	• • •	28	••	13	••	17	::	12	•••	34		3	• •	14
Zoogenous Venereal		• •	. —	••	_	• •	_						_	••			$\overline{}$		
Septic	do. do.	• •	7 23	• `•	7	••	$rac{1}{2}$	• •	1	• •	_	• •	· —	• •	3	• •	1	• •	1
	II.	••	40	••	1	••	2	••	3	••	1	••	5	• •	4	• •	1	••	
Parasitic d	iseases		302		83		17		17		34		111		28.		-		12
	III.			- •	- •	••		••	~!	••	- T	••		••	<u>"</u> .	••		•••	
Dietetic di			25		10		1		2		5		_	٠.	7		_		
	IV.	•										•	•			•		•	
Constitutio	nal diseases	••	106	٠.	<b>27</b>	••	15		14		5		6		16		14		9
Decert	Υ				_														
Developme	ental diseases	• •	225	••	128	••	7	••	27	••	17	••	12		16	••	2		16
Diagram -	VI.																		
Diseases of																			
	system	••	273	• 1	83	••	18	• •	41	• •	26		23	• •	43		9		30
	of special sense ory system	• •	6 29	• •	$\frac{2}{16}$	• •	լ 2	••	1 4	••	1 3	• •		••	$\frac{}{2}$	• •		••	1
Respirat	ory system	• •	485		174	• •	$2\overset{2}{2}$	• •	116	• •	79	• •	20	• •	47	• •	16	••	1 11
	e system		73		25		6		19	•	10	••	3		8	• •	_	• •	2
	tic system and duct																		
glands Urinary	system	• •	20	••	6	•••	_	••	5	• •	6	, ••	<u> </u>	••	$\frac{-}{2}$	••		••	_
	ctory system:	••	20	••	U	••	_	•:	J	••	U	••	ı	••	Z	• •		••	_
(a)	Organs of generation	••	4		. 2				_		2			::	_				
	Parturition of Locomotion	• •	56 3	• •	18	••	5	••	6	••	6	• •	2	••	16	••		• •	3
	entary system	• •	3 19	••	1 2	••		• •	3	• •	1 4	••	1 5	••	1	• •	2	• •	
	VII.	•	~0	• •	-	••	•	••	J	••		••	9	••	4	• •	_	••	١.
	r negligence		53		12		10		11	٠.	5		5		5		2		3
Homicide	•••	• •	3	••	_	••	_	• •	1	••	2		_	• •			_	••	
Suicide Execution	••	••	7	••	2	• •	1	••	2	••	_	• •	_	••	1	• •	_	• •	1
A COMMITTE	VIII.	•••	_	••	-	••	_	••		••		••	_	••	_	••		••	
Ill-defined	and not specified cause	s	571	٠.	128		35		141		79		60		94		5		29
	Liasmatic Diseases.											•	-	•		•	•	••	-0
Smallpox	••		. 1		_		1		_		_	_			_		_		
Chickenpo		••	. 6				_		5	• • •	_	• •	_	• •	<u>_</u>	• •	_	• •	_
Measles Wheepine	Cough	• •			13	••	_	٠.	5		8		_	••				••	
Mumps	Cough	• • •		• •		• •	_	• •	_	• •	_	••	_	• •		• •		• •	
Cerebro-s	pinal Fever	• • • • • • • • • • • • • • • • • • • •	. 1	• • •		••	_	• • •	_	• •	1	• •	_	• •	_	••	_	••	_
	d ill-defined Fever	• •		٠.	35	••	14	••	5		$1\tilde{3}$		4	• •	12	::	7	• •	6
Enteric F Influenza	ever	• •	10	• •	2 10	••		••	i	• •		• •		• •	1		2		ĭ
	Diarrhœal Diseases,	• •	. 10	• •	10	• •	_	• •	5	• •	2	• •	_	• •	ì	••		• •	_
Cholera	··				_		_												
Diarrhœa	••		. 771			• •	58	• •	146	• • •	87	• • •	67	• •	125	• •	31	•	<del>5</del> 0
Dysenter		• •	676		206	••	36	٠.			84	• •	93		97	• •	11		<b>2</b> 6
	Malarial Diseases.						~												-
Ague	t Fever	• •		• •	4	••	2	٠.	3	••	10	.:	2	• •	10		1		3
	Cachexia	• •		• •	9	• •	<b>2</b> 6	• •	1	• •	1 6	• •	1	• •	$\frac{2}{22}$	• •	-	••	
	oogenous Diseases.			- •		••		• •	·	••	J	••	ð		24	••	2	••	11
Hydropho	obia		. —		_			٠.				٠.							_
Cowpox a	nd other effects of Vac											. •		. •		- •		••	_
MOII	••`	• •	<del>-</del>	• •	_	••		••	_	• •	_	• •	_	••	_	••			
	Venereal Diseases.																		
Syphilis	ea, stricture of Urethra	•	_		· , —	• •	1	••	1		_		_		1		1		1
Gonorrae	ou, suicoure of Urethra	•	. 2	• •	· —	••		• •		• •		••		••	2	••	_		_
															_				

Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

			-	- 000		ntral :	Provi	nce.		Prov	ince	s		ince (		₩e	stern	Provi	ince.
Causes of Death.		Ceylon	١.	Kand		Mata		Nuw			va.					Colomi	bo. 1	Caluta	ra.
. Septic Diseaess.		COJIO		IL COLL	.J.	21.000	40.	Eliy	ya.										
Phagedæna						_											٠.,	~	
Erysipelas		. <u>5</u>	• •	1	• •	2	• •		• •	_	• •	. 2.	• •	_	• •		••		
Pyæmia, Septicæmia		. 7	• •	2 4	••	_	• •	1 2		1	• •	$rac{1}{2}$	• •	1 3	• •	_1	• •		
Puerperal Fever	• •	11	• •	4	••	_	• •	2	• •	_	• •	4	••	9	••		• •		æ
Parasitic Diseases.		0.0		1.9				E				1		3					
Worms (animal)	• •	22 280	• •	13 70	• •	17	• •	12	• •	34	• •	110	• •	25	• •	_	• •	12	
Dochmius Duodenalis	• •	200	• •	10	••	1,	• •	12	••	01	••	***	••	~.	••		• • •		
Dietetic Diseases.		24		β		1		2		5				7		·			
Starvation, want of breast-milk Intemperance, Chronic Alcholisi	m · ·	l	• •	1	• •		• •		• •	_	• •	_	• •		• •		• •		
Intemperance, Delirium Tremer			••		••		• • •		••		•		• • •		•		•••		
Constitutional Diseases.			• •		• •		• •												
Rheumatism		1		1						_		_	_						
Rickets	•••	. 7	••	3	•••		• •	1	••			_		1	• •	·		2	
Cancer		<b>2</b>		2				_				_			• •				
Tabes Mesenterica		2	• •	1	• •	_	• •				• •		• •	1	• •		• • .		
Tubercular Meningitis (acute h	ydro-																		
cephalus)	• •	<b>5</b> 2	• •	11	• •	<u>-</u>	••	8	• •	3	• •	_	• •	76	• •	R	• •	77	
Phthisis Other forms of Tuberco	oieofu	OE	••	11	••	Ð	••	0	••	ð	• •	_	••	12	••	U	• •	r	
Scrofula	~ OSIS	2		1				1.								-			
Anæmia, Chlorosis, Leucocyth	æmia		••	7	• •	10	::	· 4		2	• •	5		2	• •	8	• •		
Diabetes Mellitus		2		ì		_						1	• •	_	• •	_	• •		
Leprosy					• •		• •	-	• •		• •		• •	_	• •		• •		
Parangi	• •	_	• •	<del></del>	••	-	• •		• •	_	• •		• •	_	• •		• •		
Developmental Diseases.													_				•		
Premature Birth		99	••	81	• •	2	• •	4		4	• •	3	••	2	• •	*	• •	3	
Imperforate Anus			••		• •		• •		••	1.0	••	_	••		••.		••	10	
Old age	• •	126	• •	47	• •	5	••	23	• •	13	••	9	••	14	••	2	••	13	
Nervous System.	_																		
Inflammation of Brain or its	Mem-			•															•
branes	• •	4	• •	_	••	1 2	• •	<b>i</b> 2	• •	2	• •	3	• •		• •		• •		
Apoplexy	• •	10 10	••	1 5	• •	2	• •	$\overset{z}{2}$	• •	_	• •		• •	1	• •	1	• •	1	•
Paralysis Epilepsy	• •	8	••	ĭ	••		••	· <u>-</u>	••	2	••		••	.3	••	_2	••		
Convulsions	• • •	13	••	2	::	2	•••	3	•••	2	•••		•••	3	• • • • • • • • • • • • • • • • • • • •	_	• • •	1	
Infantile Convulsions	• • • • • • • • • • • • • • • • • • • •	214	••	69	••	10		30	••	$1\overline{9}$	•	20	••	35	·	4	• •	27	•
Collapse				_						_			• •		• •	_		_	
Tetanus		8		2	• •	ľ		3	• •	_				1	• •	_	• •	1	
Mania	. ::	1	• •	1	• •	_	• •		• •		• •		••		• •		• •		
Paraplegia, diseases of the Sp	pinal "	•										_							
Cord Other and undefined disease	s of	-	• •	_	••	_	••		••		••	_	•••		••,	-	••		7
Brain or Nervous System	• ••	5		2						1	••					2	• •		٠.
Organs of Special Sense.												•							•
Conjunctivitis and other disease	es of																		•
Eve		3				_		1		1			٠.			_		1	
Otitis and other diseases of Ear		1		-		1		_	••	_	• •		• •	-	• •	-			
Epistaxis and other diseases of I	Nose	<b>2</b>	• •	2	••		• •		• •		• •	-	• •		• •		• •		
Circulatory System.												ŧ		*9	i			4	
Pericarditis		_	••		`••	_			• •		• •	-	• •	_	• •	_	• •	_	
Valve disease of heart		1	••	_				-			••		••	1	• •		• •	_	
Hypertrophy of heart	• •		• •	_	• •		• •		• •	_	• •		• •		• •		•• .	_	
Anginapectoris, Syncope	• •	1	• •	_	• •		• •	_	• •	1	••	-	• •		• •	.—	• •	$\overline{\cdot}$	
Embolism, Thrombosis Other and undefined diseases of I	Tourt	1	••		••	<del></del>	••		• •		• •	1	••	_	• •	<del></del>	•		
or Circulatory System	Tear	26		16		2		4		2		_		1			٠.	1	
Respiratory System.	• •	20	••	-~	• •	_		-		_				•	••		-1-	•	
Laryngitis				_					• •									_	
Croup	• •	7	• •	2				1	••				• •	4				<u> </u>	
Bronchitis		87		40		2		17		13		5	• •	6	• •	1	• •	3	
Asthma		14		7				1	••	5		-	• •	1		<u>~</u>	•		
Pneumonia		371	• •	125	••	20	• •	92	••	60		15	• •	<b>3</b> 6	• •	15 ·	1 ·	8	ن
Pleurisy		2	• •		• •			2	••		• •	_	• •	_	• •		٠.		
Other and undefined disease		4						3		1			•					•	
Respiratory System	••	4	• •		••		••	J	••	1	••		••		•:•	_	-		٠.
Digestive System.		0	•								•			_					
Stomatitis	• •	2	• •	_	• •	_	• •	_	• •		••	1	•.•	1	• •		• •		
Quinsy Sore Throat	• •	_	• •		• •	_			• •	_	• •	_	• •	_	••		• •	-	
Dyspepsia	• • •	3		2		_	• •		• •		• •		• •	1	• • •	_	• •		
Hæmatemesis	••	_				_		_		_	• •		• • •		••		••		٠.
Melæna		_					••	_		_			••	_	• •		• •		
Diseases of Stomach		_	• •	_	• •	<del></del> .	••	_	••	-					• •				
Enteritis	• •	9	• •	4	• •		• •		• •	4	• •	1	••	-	• •	<u> </u>	4 4		٠.
Ulceration of Intestines	• •	1	••		• •	1	••	<del></del>	• •	1	••		• •		• •		■.●		
Ileus. Obstruction of Intestine	• •	9	• •	1	••		••	_	••	1	• •	_	••	_	• •	_	• •		ı
Debility Stricture or Strangulation of	In-		••		• •		••		••		••	_	• •		• •	<del></del>		<del></del>	-
testine	111-	2						1										•	
Intussusception of Intestine	• • • • • • • • • • • • • • • • • • • •	2		1		_		—				1	• •		• •		/* ·	1	
Hernia .		0		1	• •		• •		• •	_	••		• •	1	•		970		
•															. ,	سند.			

# Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

					ď	entra	l Pro	rince.		Pro	ovince		Pro Sabai	ovino	e of nuwa.	,	Wester	n Pr	ovince.	
, Causes of Dea		c	eylon.	- K	andy.		[atale.	N	ıwara		Uva.					 a. (	olomi	00.	Kalutare	-
Appendicitis	†¢		,		<del></del>			. 1	lliya. l .				—							-
Peritonitis		••	5.		2	••	1	••	l.	•	l	••		••	<del>-</del>	• •	_	••	<u>.                                    </u>	
Ascites Cirrhosis of Liver		••	6.	•	2 5	••		••	2 . — .		<u>.</u> .	••	_	• •	l 1	• •	_	• •		
Other diseases of Liver	•		8.		2	••	_	• •	3	•	1	• •		••	ī		_	••	l	
Other and undefined Digestive System	diseases	of	17		5	••	4		5.		1		_	••	2	• •	۸	٠		
Diseases of Lymphat and Ductless Glo											,									
Diseases of the Lym Diseases of Spleen		tem			_	••	_	••	_ ;		= `	••	_	• •	_		_		<u>.</u>	
Diseases of Urinar	y System.		•																	
Nephritis			7		1					• •	ō		1							
Bright's Disease Uræmia		••	11	• •	3	••	_	•••	5	••	1	• •	_	••	2	••	_	••	_	
Suppression of Urine		• ::	2	••	2	••		••	_	••	_	••		••		••	_	•••	_	
Other and undefine Urinary System	d diseases	of								·										
Diseases of Organs of	t Generatio	n.		••	_	••	_	••		••	_	••		••	-	••	_	••.	_	
Diseases of Uterus and	l Vagina	•••	4		2		_		_	••.	2		_				_		_	
Disorders of Menstrua			_	••	-	••	_	••		••		••		••		••		••		
Diseases of Testes, tum, &c.	rems, S	oru-	_				_		_								<del></del>		_	
			•			-		-				-				- •		- •		
Diseases of Part Abortion, Miscarriage	uruion.	· .	o		1		_				,									
Puerperal Mania		•••	2	• •	1.	• •	_	• •		••	1	••		••		••	_	••		
Puerperal Convulsions		• •	12	••	7	••		••	2	••	-	••	1		2	••	_			
Placenta prævia, flood Other and undefined	iing Laccidente	 s of	_	• •	_	••	_	••		• •		••		••		••	_	••		
Childbirth		•	42	••.	10		5		4		5		1		14		_		3	
Diseases of Organs o	† Locomotio	n.																		
Arthritis, Ostitis, Per		•:	2	• •	1	••			_		l					• •	_	• •		
Other and undefine Organs of Locomoti		of	1		_	••			_		_		1		_	••	_			
Diseases of Integume	entary Syste	em.	•																	
Carbuncle	• •		_								_		_				_		_	
Phlegmon, Cellulitis		••	3	••	1	••		• •	2	••	_	• •		••	_	• •	_	••	_	
Ulcer, Bed sore Eczema	r	• • •	9	• •	1	••	_	••	_	• •	3	••	4	••	_	• •	_	••		r
Other and undefine			7				1	,	1				,				0			
Integumentary Syst	, em	••	7	••	_	••	1	••	1	••	1	• •	1	••	I	••	2	••	_	
Accident or Neg	_				•						_		_	-			•		_	
Fractures, Contusions Gunshot wounds		••	17 2	••	3. 1	••	- 3 1	••	3	••	2	••	3	••	_	••	2	••	1	
Burn, scald		•••	12	• • •	3	••	2	••	3	••	2		2	••		•••	_	•		
Poison Drowning		••	$\frac{2}{10}$	• •	1 <b>3</b>	• •	1	••	2	• •	_	• •	_	••	4	••	_	• •	<u></u>	
Suffocation			l		1	••			_			•••	_	••		• • • • • • • • • • • • • • • • • • • •	_	• •		
Snake-bite Otherwise	-	• •	3 6	• •	_	••	3	• •	3	••	<u> </u>	••	_	••	1	• •		• •	.1	
	· · · · · ·	•••		••		••		••	J	••	•	••	_	••	•	••	_	••	. 1	
Homicid Murder, Manslaughte			3	_					I		2		_							
Santalda		••	•	••		•		••	•	••		•,•		••	_	••	_	••	-	
Gunshot wounds	•						-				_									
Poison			1	• • •	_	••	1	•	_	••	_	• • •	_	••		••	_	• •		
Drowning Hanging		• •	5	• •	2		_	••	<u>_</u>	••		••	_	• •		• •	-	٠.		
Otherwise		• • •	ì	••	_	• •	_	• • •	ì	••	_	• • •	_	• •	1	••	_	••	1 —	
Head	ution.										•									
Hanging			. —				_													
Ill-defined and not s		uses.												••		••		••	·- <u>-</u>	
General Dropsy	•		96		28	• •	10		9		3		11		31				4	
Debility .	•		463	••	98	• •	25	••	125		76	• • • • • • • • • • • • • • • • • • • •	49	•••	62	• •	4	•	24	
Sudden deaths (c		ascor-	_									_	•				_			
Abscess .	•	•••	5	•	<u> </u>	•••		• •	4	••	_	• • •	_	••	. 1	••	_	••		
Tumour . Hæmorrhage .		• •	2 4	• •	1 1	••		••	-3	••		• •	_	• •	_	٠.		• •	1	
Other ill-defined an	d not spe	cified		••	•	••		••	J	••	_	••		• •		••		••	-	
causes .	•.	••	. 1	••	_	••	-	• •	-	••		••	_	• •		••	1	٠.		

Table XII.—Causes of Deaths Registered in the Colombo Municipality in the Second Quarter of 1909.

				-		WAI	RD.							NAT	IONAL	ITY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
ALL CAUSES	1513	3	22	48	159	217	126	455	<b>25</b> 2	126	105	15	72	744	360	243	45	34
I.—Specific, Febrile, or Zymotic Diseases II.—Parasitic Diseases . III.—Dietetic Diseases IV.—Constitutional	295 64 8	<u>津</u> 1	_4	9 2 —			3	112 24 1	45 5 1	15 6 2	4		11 -		19	. 2	5 2 2	
Diseases V.—Developmental Diseases	95	  -  -	. 4 	1	10	27	8	66 8 212	. 26	11	   4	3 - 4	10 4 44	<b>5</b> 6	16	12	6 4 21	1
VI.—Local Diseases VII.—Violence III.—Ill-defined and not the specified diseases	730 32 79				<u> </u> —	4	1	14	4	2	3	1	1	14	11	4	 5	
I.  Iiasmatic Diseases  Diarrheal do.  Ialarial do.  oogenous do.  enereal do.  eptic do.	127 27 1 3	  -  -				8 10		53 -	14 5 -	- 6 2 -	4	_4   _   _	6 4 - - 1	64 16 —	33	18 3 1	2	
II.—Parasitic Diseases II.—Dietetic Diseases IV.—Constitutional Diseases V.—Developmental Diseases	64 8 210	  -  -		<b>1</b>	6 1	1	3 — 0 21	6	1 3	2 18		-	10	98	55	35	6	-
VI. Diseases of Nervous System Do. Organs of Special Sense Do. Circulatory System Do. Respiratory System Do. Digestive Sys	37 283		-	2 1:	-	3 4	4 -	1'	2 — 7 ·8 0 44	- 3 - 1 25	3 18	3 - I	13	17	9 87	 6 48	  4	
Do. Digestive System  Do. Lymphatic System and Duet less Glands  Do. Urinary System  Do. Reproductive  System:—	128	-  -		1	2	3 -	-   -	3 1	1 _	1 -	1	1		68	<u> </u>	_	_	_
	. 17		  -	1 -	2	1 -			2 -	4 -	-		-		1 4	1 8	3	1 -
Do. Integumentary System .	. 20	-   -	.   -	-   -	-   -	-	2	2 1	- 16	-   -		.		1	9	6	4 —	-
VII. Accident or Negligence . Homicide Suicide Execution	24 6 2	· I —	1	1 -	1 -	-   -   - -   -	3 -	1 -	3 1 -	4 -	2	2 -		-		8 -	3 -	
VIII. III-defined and not specific Causes	od 79		-   -	-	1	11	13	7 1	18	5 1	7	7 -	-	1 4	11 ]	16 1	4	5
Miasmatic Diseases.	. 5	.   _	_	_   _	_	-	- !	1 -	-		2	1 -	-	-	3	1	1 _	_
Smallpox Chickenpox Measles Whooping Cough	3	· I —				1 -			_	2 -			-		2 -	- - - -	i -	-

Table XII.—Causes of Deaths in the Colombo Municipality, &c.—continued.

	1	١		<del></del>		· · · · · ·	WA			111111					NAT	IONALI	TY.		
CAUSES OF DEATH.	,	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals	Maradans (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
Enteric Fever	ed	13 84 2					- 8 8			17	1 2	_ _ _ _ _			644				_ _ _ 1
Cholera Diarrhœa		67 60	- -	- - -	2	 5 8	 11 3	7	17 36	10 4		- 10 3		- 3 1				-       	
Remittent Fever Ague Malarial Cachexia		20	_	-	_			- - - 1	- 5 - 3			4	1 1	  -  -	11 	-	-		_1
Zoogenous Diseases.  Hydrophobia  Venereal Diseases.	••	1					1		_	· —	-   -	-			_	_	1 1	-	_
Syphilis Gonorrhœa, Stricture Urethra  Septic Diseases.	of	3 	_	_						1  -	_	_	-	-		_	! 1 :	_	_
Phagedæna Erysipelas Pyæmia, Septicæmia Puerperal Fever  Parasitic Diseases.		3 5 20 2	<u>-</u> -	=		<u> </u>			15		  -     		_ 1 2 _	  -  -	2 2 8	1 1	1	1	
Thrush Worms (animal) Dochmius Duodenalis Dieteric Diseases.		2 42 20	<del>-</del>		2	5 	 15 	. — . —	20	2 5	-   -   -	-4	- - -	- 2 -	2 2	1		1	
Starvation, want of breamilk Scurvy Intemperance, Chronic coholism Intemperance, Delirium Tremens	Al	-8 	_ _ _			  -  -	-   -   -	-	 					  -  -		  -  -  -	3 - 2	- 1   - 1   - 1	-   -
Constitutional Diseases. Rheumatism Cancer Tabes Mesenterica Tubercular Meningitis (ac hydrocephalus) Phthisis Other Forms of Tubercul	ute	8 1 1 189	-  -	=	3	4 1	-	-			3 -	4 -	I — — — — — — — — — — — — — — — — — — —	3	8 8	1 - 8 4	3 - 3	  -  -	-   -   -   -
Scrofula Purpura, Hæmorrhagic I thesis Anæmia Chlorosis. Leuce thæmia Diabetes Mellitus Leprosy Pur mgi	Dia-	,	2 2 21		1 -					1 -	2 -		2 -		-  -   1	1 3	1 -	-   -   -   -	
Other and undefined of stitutional Diseases  Developmental Diseases  Premature Birth Ateleutasis Spina Bifida Old Age	• •		1			1	:   _	1 -	- 8	-   -   -   -	3 -		1	_	٠	]	2 - 1 - 1	1 -	-  -  -  -  -  -

Table XII.--Causes of Deaths in the Colombo Municipality, &c.--continued.

Table XII		<del></del>				WAR			_	<u> </u>					IONAL	ITY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals.	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others,
Nervous System.														1	· ·			
Inflammation of Brain or its Membranes Softening of Brain Apoplexy Paralysis Epilepsy Infantile Convulsions Tetanus Paraplegia, diseases of the Spinal Cord Other and undefined diseases of Brain or Nervous System.	118			1 - 4 8				3 2 1 4 1 2	1 3 2 26 1	2 - 1 - 22 3	- 1 2 1 - 7 - 1	wood	- 1 1 - 9 3	71 31	1 14 6		8 2	
Organs of Special Sense.  Conjunctivitis and othe	, ,		ı					:					a				ŧ	
diseases of Eye  Otitis and other diseases of Ear		—   —	: _		,	_	-	]	<u>-</u>	-	_ _	<b>-</b>	<b>-</b>	1 -		_	; ; —	
Circulatory System.	1		1		1		Í							-				
Valve disease of Heart Anginapectoris, Syncope Aneurism Embolism, Thrombosis Phlebitis Other and undefined disease of Heart of Circulatory System	8	2 —	1	_ 1   _ =   _ = 	-    -     -     1	1 1 -			-		1	1 		-8   -1   2   1	-  -  -			-
Respiratory System. Bronchitis Asthma Pneumonia Pleurisy Other and undefined diseases of Respiratory System	212	— i	_2   _4     _	-2   -8   -	30	5	-7   -11   -	67	38	2 1 19 -	$-rac{2}{9}$	= = = = = = = = = = = = = = = = = = = =	$-\frac{2}{10}$	5	17 2 66 1	-9 -39 - -	-3 -	
Digestive System.	;			ì		1		1	`				ŀ	:				
Stomatitis Dentition Quinsy Sore Throat Dyspepsia Diseases of Stomach Enteritis Ulceration of Intestines Ileus, Obstruction of In testine Hernia Appendicitis Peritonitis Ascites Cirrhosis of Liver Other diseases of Liver Other and undefined disease of Digestive System	7	4 — 11 — 44 — 44 — 49 — 11 — 99 — 66 —				· .			1 20 - 1 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5					3 3 3	2 1 22 1 -			
Diseases of Lymphatic System and Ductless. Glands.										ŀ						'	3 -	i —
Diseases of Lymphati System	c	1 _	_	<u> </u> –	-	-	-		-	-	<u> </u>		_		l _	_	_	   <del></del>
Diseases of Urinary System Nephritis Bright's Disease Uræmia Diseases of Bladder Other and undefined disease of Urinary System	. 1	4 — 9 — 2 — 2 —				3 - 2 1 - 1 - 1			1		-     -     -	=	  -  -  -	5	-			

# Table XII.—Causes of Deaths in the Colombo Municipality, &c. -continued.

						WAI	RD.							NAT	IONAL	ITY.		
CAUSES OF DEATH.	Colombo Town.	Fort and Galle, Face.	Pettan.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays:	Others
Diseases of Organs of Generation.  Ovarian diseases Diseases of Uterus and Vagina	l —		_	_	). 	_					-				-		  -  -	
Diseases of Testes, Penis, Scrotum, &c	2 5 1		_ _ _ 1			_ 		1 1	2 - 2			- - - -		1   2 	1	-		
Diseases of Organs of Locomotion.  Arthritis, Ostitis, Periostitis Other and undefined diseases of Organs of Locomotion	_	· 	_	_ <u>:</u> 			   —   —			-		  -  -	-	: ! — : —		-		-
Diseases of Integumentary System.								·						!	!			
Phlegmon, Cellulitis Ulcer, Bed sore Eczema Pemphigus Other and undefined diseases of Integumentary System	7 9 1 1 1						-		5 — 8 — 1 — 2 —					=	2 -	1 —	1 - 2	
Accident or Negligence.																	1	
Fractures, Contusions Cut, Stab Burn, scald Poison Drowning Suffocation Otherwise									2 - 1 - 2 - 2	3	1 -	1 -			4 — 2 — 2 — — — — — — — — — — — — — — —	3 - 2 - 2 -	1 -	
Homicide.								1	-				;			:		
Murder, Manslaughter .	-	6 -		1 -	-	•	1 -	-	3 -	-	-	1 -	-   -	-	4	2 _	-   -	-   -
	-	1 -		-			-   -	1 -	1 -		-   -	-   -		-   -	-   - -   -	1 -	1 -	
Abscess		7 — 57 — 4 — 1 —		-   -	- 1 - - -	3 -	13	6 -	- 15 3 -	3 -	2 - 14 1 -	- 7 - - 7 - - 7 -		1	33 3 -	2 14 -	1 - 12 1 -	5

Table XIII. - Number of Births and Deaths registered during the Second Quarter of 1909, and their Proportion per 1,000 of the Population per Annum, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births and the Mean Temperature and Rainfall observed in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

Population Population Total Births. (inclusive estimated to of the the Middle of Military at 1900 hy		Total Births.	al Births.		1	Tota	Total Deaths.		Deaths in Hospi-	Deaths of J	Birth-rate.	ste.	Crude	Death-rate. Corre	Corrected.*	-	Deaths of Children under One Year of Age to 1,000 Births.	Children a Year of 00 Births.	1	Rainfall
	Intercensal Increase.		Males. F	Females Persons		Males. Fe	Females Pe	Persons.				Quarter, 1909.	Quarter, 1909.	July, 180. Loc. 1908.	Quarter, 1909.	under One Year.	July, 1907 to Dec. 1908.	Second Quarter, 1909.†	++	in Inches.
423,109 484,240	484,240		1,714	1,584	3,2,8	2,393 1	1,851 4	4,244	1,4293 3	3,329	30-53	27.32	27.58	32.44	29-13	844	254	256		
	601	ł	9		000	090	648	6			6	9	07.70	08.71	90.09	į	966		0	1
	20,589		100		205	80° 65	47	2112	18 18	1,270	20.73 43.92	23 · 30 39 · 94	19.48	28.66	19.86	26	164	325 127	9.18	12:90 5:25
29,600 34,809	34,809		90	တ က	196	ლ <u>დ</u>	က က ထ	161	18	191	33.89	22.58	18.55	21.59	17.51	41	152	209	1	18
4,338			202	32	8.4	61	e e	4 6 <del>2</del> 6 <del>4</del>	) 61 63 63	27	35.97	37 · 9.1	24.97	28.31	26.52	* 1-	209	171		24.92
								,					6	6			į			
26,511 29,860 111 3,791 4,732 22		= %		110	221 43	165 34	108 8 %	273 69	66	222	30.20	29.69	38 - 15	28.58 48.83	31 · 27 40 · 34	56	210	253 256	77.1	19.05
4,131		12		14	96	8	3 4.	2 70	0 00 00 00	<u>2</u> %	26.24	25.24	17.48	24.37	20.84	6	311	346		22.10
3,840		ಲು ಪ		ကင်	9 8	19	40	82.5	1.9	£ }	17.69	6.27	7.31	11.61	T a	200	411	833	1	44.28
8,509		14		3 22	27.0	- 06	ç <u>12</u>	35.	70e	23 82	21.39	25.41 12.73	13.67	15.14	06.71	<u> </u>	334	222	60.5	16·10 20·70
:					- · · · · · · · · · · · · · · · · · · ·	-		<u> </u>												
33,879 35,493 178		178 26		132	370 30	23.23	- 120 10	261	22.	. 250	42.58	41.81	28.25	33.78	29.77	67	246 201	181	84.5	4.40
1,418		9 -		, c	ii	13.02	P F 60	321 5	~ <del>41</del> ::	800	29.40	31.11	33.94 67.00	49.91	37·16 80·56	- 10 c	163	182	# 1	0.00 0.38 0.00
					,		•		=	3	5		3	5	3	4	3		i	97.0
37,165 40,433 137 11 848 13 445 55		137		154 41	2 <b>91</b>	159	149	308	62	265	30.28	28.87	26.29	28.44	25.70	54	204	185	80.7	20.34
10,303		တ္တ		, eo	25.	525	3 7 3	32		8 8	10.99	28.03	12.46	19.50	3 =	5, 00	155	111	11	2.7
2,843 3,087 13 2,333 2,672 11		22		201	224	29	32		<b>10</b> 0.	27.2	35.82 33.81	$\overset{31\cdot19}{\overset{31\cdot52}{\cdot}}$	23·39 85·56	31·92 37·96	90.38	ت ت	338 208	208 524	82.1	18.59
9,969 10,493 48		48		48	96	99	70	136	15	197	31.76	36.68	48.52	33.83	50.04	43	330	448	0.50	64.4
11,295		44		41	85	26	47	103	4	105	28.47	30.18	36.22	33.96	42.01	123	268	271	85.0	1.62
6 483 8 319 93		6		. 81	41	113	7.C	168	901	901	20.54	01.01		77.40	80.08	9	E			
5,234		ន្ត		361	41	40	25	65	31	100 49	38.16	31.40	37.55	42.55	38.44	6T	347	414	00 C	18.55
		16 16		. s	13 24 24	4.[	4 7	8 8 8 8	1 2	ဆမ္	22.93 35.52	31.76 20.88	19.42	31.56	] [86:86	es «	428	231	3	1   5
2)		1		·				 } I		3	}	3	3	3	07	<b>5</b>	¥0 <b>7</b>	01.7	1	No record
3,672 5,045 10		10		01	20	44	19	<b>3</b>	31	. 53	26.42	15.90	42.13	56.16	48.56	5	395	250	82.0	10.52
5,924 6,797 25		ଶ		16	41	45	46		63	4	24.03	24.19	24.19	22.36	24.74	=	086	896		13.9
**917	ì			343	ಣ	52		92	23	4	46.35	28.03	38.57	50.16	: : T	-	125	<u> </u>	2 1	; >
4,084 4,615 17	· 	12		21	38		43 25	111	86	£3.	31.60	33 · 03	37.37	37.96	98·63	010	244	263	81.2	52.81
#00°5		-   {	_1 '	-   T	-	•	* Info	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	#  	707	1 RO RZ	10 40	23.10	01.77	20.42	2	1.01	QZZ	1	1

\* For meaning of "corrected" rate see pare 50 of report.

† Infantile death-rates omitted where the number of births is less than five.

† Infantile death-rates omitted where the number of which 7 (all adults) occurred in the Infectious are no observatories or rain gauges.

§ Includes 12 deaths of Colombo town residents, registered by an extra-urban Registrar, of which 7 (all adults) occurred in the Infectious of Sanatta.

| Corrected death-rates for "Hatton and Dikoya," Weligama, Kalpitiya, and Lunugals towns not available, as they were created registration districts after the Census of 1901 viz.: January, 1905, July, 1904, and October, 1907, respectively.

| Annar and Trincomalee towns not having been separately enumerated at the Census of 1891, no estimate can be made of the rate of growth, 1891–1909 or 1901–1909. The population of 1909 is the Census of 1901, less (in the case of Trincomalee) the Military, who are no longer stationed there.

\*\* The population of Lunugala town (as now constituted) was not enumerated at the Census of 1901; the estimate is of the population at the beginning of October. 1907.

Province. Of Sabara. Deaths among all Race of Samuwa.	Weitgama. Hambantota. Tangalla. Batticaloa. Trincomalee. Kurunegala.	32 23 61 138 103 166 65	8 511 43 23 1910	1 - 4	3   10   3   10   3   10   3   10   3   10   10	24 18 50 93 80 147 55
Northern Southern Province. Province.	Manner, Mullartriyu. Vavuniya. Vavuniya.	261 33 12 16 308 118	67 5 2 1 54 29	17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		194 28 10 15 254 87
Contral Province.	Kandy.  Gampola.  Nawalapitiya.  Hatton and Dikoya.  Matale.  Matale.	273 52 54 23 126 35 2	5811 9 5 6 6	4 3 0 1   1   1   1   1   1   1   1   1	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21751 45 18 120 25
Western Province.	Colombo.  Negombo.  Megombara.  Kalutara.  Panadure.	1,513* 112 161 92 49	347 26 41 14 7	23 23 23 33 1	27 2 69 8 10 2 23 23 24 10 2 23 23 24 10 2 25 23 24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1,166 86 120 78 42 -5
Western Province.	Causes of Deaths. All 31 (owns.	All Causes 4,244 1,	infantile Mortality 844	4.—One Week and under.  1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 6. Tetanus 6. Bronchitis 7. Pneurnonia 7. Pneurnonia 8. Other causes	1 Year   1 Yeek and under   1 Year   1 Year   1 Year   1 Year   2 Debility   10   2 Onvulsions   187   4   1   1   1   1   1   1   1   1   1	1. Smallpox 2. Chickenpox 3. Messles 4. Influence 4. Influence

Wordstram   Word		٠.	•	
Monthern   Property   Monthern	, ,		( 35 )	
Monthern Province   Mont	ng all Races.	Others.	1-    4    -c1-8   -   1   1   2	:
Common		Malays	6-10, 6-11, 6, 1	5
Columbo   Colu		Moors.	200-13 201 4 4 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	100
Courtes   Cour		·	25 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	200
Courtes   Cour	s semic		427	102
Columbo   Colu	eath		33	,
Comment   Comm	<b>4</b>	Europeans,	111118818111111111111111111111111111111	5
Coanses of Deaths.   All 31   Countrel   Province.   Coanses of Deaths.   All 31   Coanses of Deaths.   All 32   Colombo.   Coanses of Deaths.   All 32   Colombo.   Coanses of Deaths.   Coan	168 18.	Kegaila.		7.7
Courses of Deaths.   All 31   All 32   All 33   All 34	Provin (Saba gamuv	Ratnapura.	1 1 1 2 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	•
Causes of Deaths.   All 91   All 92   All 93   All 94   All 94   All 94   All 94   All 95	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Lunugala.		
Causes of Deaths.   All 91   All 92   All 93   All 94   All 94   All 94   All 94   All 95	AF P	Badulla.		$\vdash$
Causes of Deaths.   All 91   All 92   All 93   All 94   All 94   All 94   All 94   All 95	North Centre Pro- vince	Anutadhanua.		
Causes of Deaths.   Countrel		Chilaw.	- 1 3 - 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ì
Province	orth ster vin	Kalpitiya.		
Causes of Deaths.   All 31				;
Causes of Deaths.   All 3				
Causes of Deaths.   All 3    All 3    Causes of Deaths.   Towns.			4 6 1 6 6 7 7 9 6 6 7 7 9 6 7 7 7 9 9 7 7 7 9 9 7 7 7 9 9 9 7 7 7 9	;
Causes of Deaths		Tangalla.		
Exercises of Deaths.   Alii 31   Causes of Deaths.   Towns.   To	E &			1
Enterior Fever   Province   Causes of Deaths.   All 31   Towns   Province   Causes of Deaths.   Towns   Town	ıthe vin		94 9 44 14 14 00 14 14 15	<u></u>
Particle	So. Pre		4.4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Causes of Deaths.   All 3    Causes of Deaths.   Towns.	Northern Province,		<u> </u>	
Causes of Deaths.   All 3    Colombo.   Co				]
Causes of Deaths.   All 3    Causes of Deaths.   Towns.		1		- 4
Causes of Deaths.   All 3    Colombo.   Co				-
Causes of Deaths.   All 31   Towns.   Towns.   Towns.   Towns.   Towns.   Colombo.   C	Central Province.	· · · · · · · · · · · · · · · · · · ·		-
Causes of Deaths.   All 31   Towns.   Towns.   Towns.   Towns.   Towns.   Colombo.   C		Hatton and Dikoya.	[	7
Causes of Deaths.   All 31   Towns.   Towns.   Towns.   Towns.   Towns.   Colombo.   C			11121245111111112	
Causes of Deaths. Towns. Towns		Gampola,		- 1
Causes of Deaths.   All 31   Towns.   Causes of Deaths.   Towns.   Towns.   Towns.   Colon between the colon between t		Kandy.	4-1- 2    3	
Causes of Deaths. Towns.  Enteric Fever 150 1  Malarial Cachexia 292 4  Cholora Dochmius Duodenalis 292 4  Dochmius Duodenalis 24 1  Entanus 24 1  Bright's Disaase and 65 3  Puerperal Convulsions 28  Puerperal Convulsions 28  Riscarriage 0ther aid undefined accidents of Childbirth 28  Starvastion 28  Starvastion 28  Accidents of Childbirth 28  Starvastion 28  Starvastion 38  Accidents of Childbirth 38  Starvastion 38  Execution 4 4  Execution 38  Execution 38  Accidents of Salaryastica 38  Hother aid undefined accidents of Childbirth 38  Starvastion 38  Execution 38  Execution 38  Execution 38  Execution 38  Execution 38	era Province.	Panadure.		i
Causes of Deaths. Towns.  Enteric Fever 150 1  Malarial Cachexia 292 4  Cholora Dochmius Duodenalis 292 4  Dochmius Duodenalis 24 1  Entanus 24 1  Bright's Disaase and 65 3  Puerperal Convulsions 28  Puerperal Convulsions 28  Riscarriage 0ther aid undefined accidents of Childbirth 28  Starvastion 28  Starvastion 28  Accidents of Childbirth 28  Starvastion 28  Starvastion 38  Accidents of Childbirth 38  Starvastion 38  Execution 4 4  Execution 38  Execution 38  Accidents of Salaryastica 38  Hother aid undefined accidents of Childbirth 38  Starvastion 38  Execution 38  Execution 38  Execution 38  Execution 38  Execution 38		Kalutara.		. [
Causes of Deaths. Towns.  Enteric Fever 150 1  Malarial Cachexia 293 4  Dochmius Duodenalis 24 1  Estans 24 1  Bright's Disasse and 65 3  Puerperal Convulsions 28 11  Bright's Disasse and 52  Niscarriage Other aid undefined accidents of Childbirth 28  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Execution 88  Execution 78		<del> </del>		ì
Causes of Deaths. Towns.  Enteric Fever 150 1  Malarial Cachexia 293 4  Dochmius Duodenalis 24 1  Estans 24 1  Bright's Disasse and 65 3  Puerperal Convulsions 28 11  Bright's Disasse and 52  Niscarriage Other aid undefined accidents of Childbirth 28  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Starvastion 72  Execution 88  Execution 78	Weste			
Causes of Deaths. Too  Enteric Fever Ague Malarial Cachexia Cholera Disarthea Disbetes Mellitus Convulsions Tetanus Bronchitis Phenus Bronchitis Phenus Bronchitis Phenus Bronchitis Phenus Bronchitis Phenus Bronchitis Phenus Bronchitis Onvulsions Tetanus Bronchitis Phenusonia Other Disasses of Respiratory System Nephritis Other Disasses and Nephritis Other diadudinath. Starvation Accidents of Childbirth. Starvation Accidents or Negligence Homicide Swicide Swicide Execution All other causes		<u> </u>		}
SCHOOL SCHOOL		All 3 Town		1
SCHOOL STANFACTURE THE SO WALLSEL	•		Res- in ns	
MAMAGO CAMANA		ths.	r r r r r r r r r r r r r r r r r r r	
SCHOOL SCHOOL		Deat	er eve eve eve eve eve eve eve ever	r.
SCHOOL SCHOOL		I jo	The constant of the constant o	Š
Service installed in the Control of		808	rice litter in the street litter litt	
Service industrial in the Manager		Cau	integration of the control of the co	ž 2
6 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			AHAO MAHMA	•
	!	e	24 25 25 25 25 25 25 25 25 25 25 25 25 25	÷