

SUPPLEMENT
TO
The Ceylon Government Gazette,
PART I.

No. 6,351 - FRIDAY, JANUARY 21, 1910.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF DECEMBER, 1909.**

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,238 (654 males and 584 females), and were equal to an annual rate of 30·10 per 1,000, against 33·09 during the preceding month, 30·43 in the corresponding month of last year, and 30·37 the monthly average for the 24 months, July, 1907, to June, 1909. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Chilaw (61·92, average 36·04), and the lowest in Hatton and Dikoya (6·13, average 16·28).

3. In the city of Colombo the births numbered 420 (231 males and 189 females), and were equal to an annual rate of 26·89 per 1,000, against 32·03 in the preceding month, 23·71 in the corresponding month of last year, and 25·18 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a population mainly adult and floating), the highest birth-rate was in Kotahena (31·97, average 22·10), and the lowest in San Sebastian (17·59, average 21·94).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 1,528 (859 males and 669 females), and were equal to an annual rate of 29·93 per 1,000, against 28·14 during the preceding month, 41·89 in the corresponding month of last year, and 32·29 the monthly average. The health of the towns was thus better than usual, but slightly worse than in the previous month. Excluding Vavuniya and Lunugala, the highest death-rate was in Mullaittivu (72·71, average 52·29), followed by Ratnapura (60·73, average 38·29), and the lowest in Nuwara Eliya (5·44, average 14·32).

5. In the city of Colombo the deaths registered numbered 572 (317 males and 255 females), and were equal to an annual rate of 33·28 per 1,000, against 27·17 during the preceding month, 45·56 in the corresponding month of last year, and 35·04 the monthly average. The city was thus healthier than usual, but not so healthy as in the previous month. Omitting the Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was in Kollupitiya (14·46, average 21·67), and the highest in New Bazaar (39·82, average 31·62).

Infantile Mortality.

6. The infantile mortality of the 31 towns was equal to a rate of 287 per 1,000 births registered, against 222 in the previous month, 354 in the corresponding month of last year, and 254 the monthly average. In the towns having an estimated population of 5,000 or more, the infant mortality ranged from a rate of 555 in Anuradhapura (average 405) to 36 in Weligama (average 128).

7. The infantile mortality in the city of Colombo was 374 per 1,000 births registered, against 238 in the previous month, 469 in the corresponding month of last year, and 329 the monthly average, and ranged from 627 in New Bazaar (average 420) to 146 in Kollupitiya (average 314).

Causes of Death.

8. Infants.—Out of the 1,528 deaths from all causes at all ages in the 31 towns, 355 were among infants under one year. Of these, the chief causes were 113 *Convulsions* (including 44 in Colombo, 20 in Galle, 6 in Matale); 70 *Debility* (32 in Colombo, 7 each in Kandy and Jaffna, 5 in Moratuwa); 42 *Premature Birth* (12 in Colombo, 6 each in Moratuwa and Kandy, 5 in Kalutara); 22 *Pneumonia* (8 in Colombo, 2 each in Galle and Badulla).

9. Out of the 572 deaths from all causes at all ages in the city of Colombo, 157 were among infants under one year. Of these, the chief causes were 44 *Convulsions* (14 in Maradana exclusive of hospitals, 9 in Kotahena, 8 in New Bazaar, 5 in Kollupitiya); 32 *Debility* (9 in New Bazaar, 8 in Slave Island); 14 *Tetanus* (4 in Kotahena, 3 in San Sebastian).

10. General Mortality (One year and over).—Out of the 1,173 deaths of persons one year and over in age in the 31 towns, there were 178 from *Diarrhaea*, 121 from *Pneumonia* (57 in Colombo, 10 in Galle, 7 in Trincomalee, 6 in Jaffna); 106 from *Phthisis* (45 in Colombo, 16 in Galle, 6 each in Kandy and Kurunegala, 5 each in Moratuwa and Matara); 97 from *Dysentery*; 54 from *Dochmias Duodenalis*; 32 from *Enteric Fever* (15 in Colombo, 4 in Moratuwa, 3 in Kandy).

11. The highest mortality in the town of Colombo was from *Pneumonia* (14 per cent. of all deaths one year and over), followed by *Phthisis* (11 per cent.), *Diarrhaea* (7 per cent.), *Dysentery* (6 per cent.), *Bronchitis* and *Enteric Fever* (each 4 per cent.). Out of 109 deaths from *Phthisis* in all towns, 48 occurred in Colombo. This and *Pneumonia* were responsible for 113 deaths at all ages in the city, or 20 per cent. of the deaths from all causes in it.

12. Taking all the towns together, *Diarrhaea* and *Dysentery* contributed the highest mortality (19 per cent.), followed by *Bronchitis* and *Pneumonia* (12 per cent.), *Infantile Convulsions* (8 per cent.), and *Phthisis* (7 per cent.).

13. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, January 17, 1910.

P. ARUNACHALAM,
Registrar-General.

Table I.—Number of Births and Deaths registered during December, 1909, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1909, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of Ord. No. 1 of 1895.

Town.	Population (Inclusive of the Military at the Census of 1901.)	Population estimated to the Middle of 1909 by Intercensal Increase.		Total Births.		Total Deaths.		Deaths in Hos- pitals and Jails of Non-re- sidents.		Birth-rate.		Death-rate.		Deaths of Chil- dren under One Year of Age to 1,000 Births.		Mean Tem- per- ature. ¹	Mean Rain- fall Index. ²			
		Males.	Females	Persons.	Males.	Females	Persons.	July, 1907, to June, 1909.	Deaths of Re- sidents.	July, 1907, to June, 1909.	Crude Decem- ber, 1909.	Corrected. ³	July, 1907, to June, 1909.	Decem- ber, 1909.	July, 1907, to June, 1909.	Dec. July, 1909. ⁴				
All 31 Towns ..	423,109	654	584	1,238	859	689	1,528	363	1,165	80·87	80·10	28·88	32·29	29·98	355	254	287			
Western Province.																				
Colombo ..	155,869	183,872	231	189	420	317	255	672	105	467	25·18	26·89	29·90	35·04	33·28	167	329	77·6	1·14	
Negombo ..	19,819	20,589	30	36	66	43	19	62	10	52	44·23	37·74	29·74	28·49	30·31	16	106	242	—	
Moratuwa ..	29,600	34,809	53	64	117	36	35	71	—	71	33·11	39·67	24·01	21·41	22·67	18	167	164	3·78	
Kalutara ..	11,500	12,068	22	28	50	23	26	49	13	36	34·18	48·82	35·15	30·46	34·25	173	180	—	—	
Panadura ..	3,845	4,338	8	7	15	13	8	21	9	12	36·60	40·72	32·57	28·45	34·59	3	195	200	—	
Central Province.																				
Kandy ..	26,511	29,860	28	25	53	54	42	96	31	65	30·44	20·90	25·63	30·12	26·88	24	213	453	74·5	
Gampola ..	4,732	10	6	16	9	9	18	8	10	36·69	39·82	24·88	51·47	26·32	6	272	375	—	4·57	
Awalapitiya ..	4,131	7	3	10	22	12	34	27	7	25·22	28·60	19·95	23·49	23·70	2	295	200	—	4·59	
Hatton and Dikroga ..	2,858	3,840	2	—	2	1	1	—	1	16·28	6·13	3·07	10·64	—§	—	522	0	—	2·96	
Matale ..	4,951	6,682	6	5	11	19	12	31	20	11	30·83	22·79	22·79	44·57	25·98	2	241	182	—	3·84
Nuwara Eliya ..	5,072	8,909	6	4	10	4	8	5	3	15·16	13·84	4·15	14·32	5·4	1	313	100	57·8	4·49	
Northern Province.																				
Jaffna ..	33,879	35,493	59	56	115	55	51	106	—	106	42·38	38·15	35·16	33·69	37·04	27	246	236	78·6	10·34
Mannar ..	3,338	3,338	6	7	13	5	3	8	—	8	30·47	45·85	28·22	36·16	32·22	4	186	308	79·8	5·16
Mullaitivu ..	1,308	1,418	3	2	—	—	4	4	8	31·67	41·61	66·42	62·29	72·71	3	209	600	—	2·70	
Vavuniya ..	666	599	—	—	—	—	3	—	3	2	21·85	0·0	39·33	82·67	47·30	—	368	0	—	2·04
Southern Province.																				
Galle ..	37,165	40,433	52	49	101	64	46	110	15	95	30·19	29·41	27·66	28·33	27·04	29	204	287	78·1	2·02
Matara ..	11,848	13,445	22	22	44	16	16	22	38	—	38	39·01	38·53	33·28	24·89	32·22	8	174	182	5·72
Waligama ..	7,430	10,303	17	11	28	5	2	7	7	33·05	32·00	8·00	16·96	—§	1	128	36	—	—	
Hambantota ..	2,843	3,087	9	3	12	6	5	11	7	4	35·54	45·78	15·26	30·98	15·98	4	294	333	78·8	9·46
Tangalla ..	2,333	2,672	3	3	6	2	1	3	3	34·58	26·44	13·22	44·93	13·96	—	247	0	—	1·13	
Eastern Province.																				
Batticaloa ..	9,969	10,498	17	10	27	13	8	21	1	20	32·42	30·28	22·43	36·16	23·13	10	343	370	78·7	7·10
Trincomalee ..	11,887	11,295	4	14	18	7	10	17	—	17	28·13	18·76	17·72	34·57	20·55	5	269	278	78·4	7·33
North-Western Province.																				
Kurunegala ..	6,483	8,312	3	4	7	24	15	39	16	* 23	28·85	9·92	32·58	64·54	38·38	2	416	286	78·8	2·85
Puttalam ..	5,115	6,234	7	6	13	14	5	19	3	16	36·65	29·25	35·99	41·70	36·85	2	276	154	78·9	0·71
Kapitiya ..	1,487	1,652	3	2	5	2	—	2	—	2	23·48	35·63	14·25	29·70	—§	1	383	200	—	No Records
Chilaw ..	4,168	4,664	12	12	24	13	7	20	—	20	36·04	61·92	61·60	31·47	52·56	4	163	167	—	—
North-Central Province.																				
Anuradhapura ..	3,672	5,045	6	3	9	12	5	17	3	14	25·28	21·00	32·67	59·82	37·65	5	405	555	77·9	2·63
Province of Uva.																				
Badulla ..	5,924	6,797	14	5	19	18	21	39	21	18	30·09	32·91	31·18	27·38	31·88	7	239	368	70·5	6·77
Lunugala ..	—	4,167	1	2	3	10	6	16	16	—	45·21	84·91	0·0	46·74	—§	1	179	—	—	—
Province of Sabaragamuwa.																				
Ratnapura ..	4,084	4,615	8	5	13	36	29	65	42	23	31·60	33·17	58·68	38·29	60·73	4	238	308	79·6	11·06
Kegalla ..	2,340	2,604	5	1	6	10	6	16	10	6	27·77	27·13	27·13	23·48	28·28	0	208	—	—	—

* I.e., rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. [†] Biases indicate that there are no observatories or rain-gauges. [‡] Corrected death-rates for "Hatten and Dilkoys," Weligama and Trincomalee towns not having been separately enumerated at the Census of 1901. [§] Population estimated for 1901–1909. The population of Mannar and Trincomalee estimated for 1901 less (in the case of Trincomalee) the estimate of the town (as now constituted) was not enumerated at the Census of 1901; the Military who are no longer stationed there. ^{||} The population of Trincomalee at the beginning of October, 1907.

Table II.—Causes of Deaths registered during December, 1909, in each Town of the Island proclaimed under Sections 31–36 of
Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	Eastern Province.	North-Western Province.	North-Central Province.	Province of Uva.	Province of Sabaragamuwa.	Deaths among all Races.			
											Malays.	Moors.	Others.	
All Causes	1,528	572*	62	71	49	21	98	18	34	1	31	8106	8	3
A.—One Week and under.														
1. Prematurity	38	10	3	6	4	—	5	1	2	—	3	—	—	—
2. Debilis	29	16	1	1	—	—	—	—	—	—	1	—	—	—
3. Convulsions	33	8	4	—	—	2	—	6	4	1	1	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	8	6	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	1	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	2†	1	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.														
1. Prematurity	4	2	—	—	—	1	—	—	—	—	1	—	—	—
2. Debility	41	18	3	4	—	—	7	1	—	—	2	—	—	—
3. Convulsions	80	36	1	2	—	—	3	2	—	—	2	—	—	—
4. Diarrhoea	13	3	2	1	—	—	1	1	—	—	47	16	15	1
5. Tetanus	10	8	—	—	—	—	1	2	—	—	6	5	—	—
6. Bronchitis	19	10	—	—	—	—	3	1	—	—	6	2	2	—
7. Pneumonia	21	8	1	1	—	—	1	1	—	—	3	4	3	2
8. Other causes	56‡	33	1	3	1	—	1	2	1	—	1	2	9	6
C.—General Mortality (1 Year and over)	1,178	415	46	53	40	18	72	12	32	1	29	116	12	16
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Simple Fever	16	4	—	—	—	—	—	—	—	—	—	—	—	—

* Includes death of a city resident which occurred in the Enteric Hospital, Kandy. *vide* Table IV.. Icomono (*).

† One each from Erysipelas (in Colombo) and Starvation (in Puttalam).

This contains, besides the 33 deaths described in Table IV., footnote (†), 8 deaths from Dysentery (4 in Jaffna and 1 each in Negombo, Trincomalee, Anuradhapura, and Badulla); 3 from Fever (in Jaffna), 2 each from Thrush (in Moratuwa) and Enteritis (in Galle), and 1 each from Skonatitis (in Moratuwa), Peritonitis (in Kandy), Erysipelas and Nephritis (in Jaffna), Acute Burns (in Matara). Rupture Fever (in Colombo), Rupture (in Matara), and Strangulation of Bowels (in Lunugala).

Table II.—Causes of Deaths registered during December, 1909, in each Town of the Island proclaimed under Sections 31–36 of
Ordinance No. 1 of 1895—continued.

Causes of Deaths. All 31 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	Eastern Province.	North- Western Province.	North- Central Province.	(5)	Deaths among all Races.	
									Other Malaya.	Moors.
II.—General Mortality—contd.										
6. Enteric Fever	32	16	1	4	—	—	3	—	—	—
7. Remittent Fever	25	4	—	—	—	—	—	—	—	—
8. Aque "	—	—	—	—	—	—	—	—	—	—
9. Malaria! Cachexia	27	1	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	178	31	10	4	5	—	—	—	—	—
12. Diphthery	97	24	5	3	—	2	10	4	—	—
13. Dochnimus Duodenalis	54	5	—	—	6	1	9	2	3	—
14. Cancer	4	2	—	—	1	—	—	—	—	—
15. Phthisis	106	45	—	1	5	3	2	6	1	—
16. Other tubercular diseases	7	2	—	—	1	—	—	—	—	—
17. Anæmia	10	3	—	5	2	—	—	—	—	—
18. Diabetes Mellitus	3	—	—	—	—	—	—	—	—	—
19. Convulsions	17	8	—	—	1	—	—	—	—	—
20. Tetanus	11	6	—	1	—	—	—	—	—	—
21. Bronchitis	22	16	—	1	1	—	—	—	—	—
22. Pneumonia	121	57	3	3	1	—	4	1	2	—
23. Other Diseases of Respiratory System	8	5	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	14	5	2	—	1	—	—	—	—	—
25. Puerperal Convulsions	4	2	1	—	—	—	—	—	—	—
26. Puerperal Fever	12	—	1	4	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—
28. Other and undefined Accidents of Childbirth	6	4	—	—	—	—	—	—	—	—
29. Starvation	4	3	—	—	—	—	—	—	—	—
30. Accidents or Negligence	24	7	—	1	2	—	—	—	—	—
31. Homicide	2	1	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—
34. All other causes	367*	164	13	27	15	5	16	1	5	2
						33	11	1	2	3
									4	2
									6	4
									5	6
									5	10
									196	103
									44	6
									3	8

* Here are included 89 deaths from Old Age (38 in Colombo, 9 in Moratuwa, 8 each in Jaffna and Galle, 5 in Gallo, 5 in Kallata, 5 each in Kalutara and Matara), 37 from Enteritis (28 in Colombo, 5 in Galle), 18 from Paralysis (14 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of December, 1909, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1909, in each Ward of the City of Colombo.

Wards.	Population estimated to the Middle of 1909 by Intercensal Increase. (inclusive of the Military at the Census of 1901.)	Total Births registered.			Total Deaths including Deaths in Hospitals and Jails.			Per Mille per Annum.			Deaths of Children under One Year of Age to 1,000 Births registered.		
		Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Non-Residents.	Deaths of Non-Residents.	Birth-rate.	Crude Death-rate.	Corrected Death-rate.*	Average January, December, 1908, to June, 1909.
													Average January, December, 1908, to June, 1909.
City of Colombo ..	155,869	231	189	420	317	255	572	105	467	25·37	26·89	32·27	29·90
Fort and Galle Face	2,285	2,285	2	—	2	2	—	2	—	5·26	10·31	7·06	—
Pettah ..	7,561	7,561	—	2	2	4	4	8	—	8	5·90	3·11	12·46
San Sebastian ..	9,349	10,709	9	7	16	11	15	26	—	26	21·94	17·69	23·78
St. Paul's ..	20,280	24,285	24	19	43	30	18	48	—	48	18·31	20·87	25·31
Kotahena ..	33,355	38,666	58	47	105	39	47	86	—	86	22·10	31·97	25·92
New Bazaar ..	17,470	20,404	27	24	51	34	35	69	—	69	28·13	29·43	31·62
Maradana Hospitals ..	30,381	37,649	29	21	50	101	65	166	103	63	—	—	—
Maradana (exclusive of Hospitals) ..	38	30	68	57	45	102	—	102	22·61	21·32	30·80	31·98	—
Slave Island ..	16,927	20,286	21	14	36	25	21	46	—	46	25·30	20·31	28·42
Kollupitiya ..	18,261	23,610	23	25	48	14	15	29	—	29	15·72	23·94	21·87

* For explanation of "corrected death-rate," see note, * Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates omitted where number of births is less than five.

‡ The population of these two wards being a fluctuating one, their estimated population cannot be calculated. Hence the Census figures are retained.

Table IV.—Causes of Deaths registered during the Month of December, 1909, in each Ward and Race of the City of Colombo.

Causes of Deaths.	Ward.	Deaths among all Races.																
		All Causes	Port and Galle Race	Pottah.	Buri Bebedtiyan.	St. Paul's.	Kotahena	New Bazaar.	Maradana Hospital of Hosptials.	Slave Island.	Kollupitiya.	Burghers.	Burmese.	Moor's.	Malays.	Others.		
City of Colombo.	572*	8	26	48	86	69	158	102	46	29	6	38	288	189	83	15	8	
I.—Infantile Mortality	157	1	5	12	32	32	20	30	18	7	—	18	89	24	25	6	—	
A.—One Week and under.																		
1. Prematurity	10	—	—	—	—	3	1	4	1	1	—	—	—	1	9	—	—	
2. Debility	16	—	—	—	—	1	8	1	1	3	—	—	—	5	2	—	1	
3. Convulsions	8	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	6	—	—	—	—	2	2	—	—	1	—	—	2	—	—	4	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	1†	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																		
1. Prematurity	2	—	—	—	—	—	2	—	1	5	—	—	—	2	—	—	2	
2. Debility	16	—	—	—	—	1	4	8	8	1	5	—	8	2	—	4	—	
3. Convulsions	36	—	—	—	—	1	2	—	—	10	2	3	—	20	6	9	—	
4. Diarrhoea	3	—	—	—	—	1	1	2	1	3	—	—	—	1	—	1	—	
5. Tetanus	8	—	—	—	—	1	2	1	4	—	—	2	—	5	—	—	—	
6. Bronchitis	8	—	—	—	—	1	2	4	1	1	1	—	2	4	1	2	—	
7. Pneumonia	10	—	—	—	—	—	—	—	—	1	1	—	2	3	1	2	—	
8. Other Causes	8	—	—	—	—	—	—	—	7	7	4	—	4	23	4	1	—	
II.—General Mortality (1 Year and over)	334	—	—	—	—	—	—	—	54	37	136	72	28	22	6	20	199	58
I.	415	2	7	21	36	—	—	—	—	—	—	—	—	—	—	—	1	
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Includes 1 death of a city resident (a Burgher) who died in the Enteric Hospital at Kanatta (removed from Maradana, exclusive of hospitals).

† Represents 1 death from Phthisis of a Burgher from Kollupitiya.

† Includes 12 deaths from Enteritis (6 in Maradana, exclusive of hospitals), 3 each in Kotahena and Maradana hospitals, 6 from Syphilis, (4 in Maradana hospitals, 2 from Phthisis (in New Bazaar), 2 Dysentery (in New Bazaar), 1 in Slave Island; 4 from Starvation (3 in Kotahena, 1 in Maradana hospitals), 3 from Mesenteric (in Maradana, exclusive of hospitals), Fever (in Slave Island), Thrush (in Slave Island), Measles and Tubercular Meningitis (in New Bazaar).

Table IV.—Causes of Deaths registered during the Month of December, 1909, in each Ward and Race of the City of Colombo—*contd.*