

**SUPPLEMENT**  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,386 — FRIDAY, JUNE 17, 1910.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF MAY, 1910.**

**REPORT OF THE REGISTRAR-GENERAL.**

This report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895.

**Births.**

2. The births registered in the 31 towns during the month numbered 1,146 (584 males and 562 females), and were equal to an annual rate of 27·40 per 1,000, against 26·64 during the preceding month, 28·18 in the corresponding month of last year, and 29·94 the monthly average for the thirty months, July, 1907, to December, 1909. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Mannar (45· average 40·56), and the lowest in " Hatton and Dikoya " town (8·87, average 15·80).

3. In the city of Colombo the births numbered 389 (207 males and 182 females), and were equal to an annual rate of 24·42 per 1,000, against 18·88 in the preceding month, 22·22 in the corresponding month of last year, and 25·12 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contains a population mainly adult and floating), the highest birth-rate was in Slave Island (30·10, average 24·57), and the lowest in Kotahena (17·0, average 22·70).

**Deaths.**

4. The deaths registered in the 31 towns during the month numbered 1,265 (702 males and 563 females), and were equal to an annual rate of 25·08 per 1,000, against 22·11 during the preceding month, 28·51 in the corresponding month of last year, and 31·58 the monthly average. The health of the towns was thus better than usual, but slightly worse than in the previous month. Excluding Vavuniya and Lunugala, the highest death-rate was in Mullaittivu as in the previous month (63·01, average 48·83), followed by Puttalam (41·34, average 42·86), and the lowest in Matara (12·5, average 25·12).

5. In the city of Colombo the deaths registered numbered 438 (245 males and 193 females), and were equal to an annual rate of 25·15 per 1,000, against 19·06 during the preceding month, 28·00 in the corresponding month of last year, and 34·03 the monthly average. The city was thus healthier than usual, but much worse than in the previous month. Omitting the Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was in Kollupitiya (9·19, average 20·20), and the highest in St. Paul's Ward (26·60, average 24·31).

**Infantile Mortality.**

6. The infantile mortality of the 31 towns was equal to a rate of 214 per 1,000 births registered, against 283 in the previous month, 240 in the corresponding month of last year, and 319 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from 384 in Matale (average 314) to 56 in Weligama.

7. The infantile mortality in the city of Colombo was 257 per 1,000 births registered, against 221 in the previous month, 308 in the corresponding month of last year, and 407 the monthly average, and ranged from 228 in St. Paul's Ward to 168 in Kollupitiya.

**Causes of Death.**

8. *Infants.*—Out of the 1,265 deaths from all causes at all ages in the 31 towns, 245 were among infants under one year. Of these, the chief causes were 76 *Convulsions* (including 32 in Colombo, 8 in Galle); 39 *Diarrhoea* (7 in Puttalam, 6 in Colombo); 24 *Pneumonia* (16 in Colombo); 20 *Premature Birth* (4 in Galle); 18 *Tetanus* (14 in Colombo); 11 *Bronchitis* (10 in Colombo); 13 *Diarrhoea* (7 in Colombo).

9. Out of the 438 deaths from all causes at all ages in the city of Colombo, 100 were among infants under one year. Of these, the chief causes were 32 *Convulsions* (8 in Maradana, exclusive of hospitals); 16 *Pneumonia* (5 in Kotahena); 11 *Tetanus* (4 in St. Paul's); 10 *Bronchitis* (4 in St. Paul's).

10. *General Mortality (One Year and over).*—Out of the 1,020 deaths of persons one year and over in the 31 towns, there were 134 from *Pneumonia* (50 in Colombo, 10 in Batticaloa); 119 from *Diarrhoea* (19 in Colombo, 10 in Negombo); 108 from *Phthisis* (47 in Colombo, 23 in Galle); 56 from *Dysentery* (11 in Colombo, 11 in Trincomalee); 51 from *Dochmias Duodenalis* (13 in Matale, 9 in Hatton and Dikoya); 32 from *Convulsions* (11 in Colombo); 26 from *Remittent Fever* (5 in Colombo); 25 from *Malarial Cachexia* (6 in Kurunegala). One death was registered from *Cholera* at Hatton of a Tamil cooly from India on his way from the Raggama Camp to an estate in Bogawantalawa.

11. The highest mortality in the town of Colombo was from *Pneumonia* (15 per cent. of all deaths one year and over), followed by *Phthisis* (14 per cent.), *Enteric Fever* (8 per cent.). Out of the 108 deaths from *Phthisis* in all towns, 47 occurred in Colombo. This and *Pneumonia* were responsible for 113 deaths at all ages in the city, or 26 per cent. of the deaths from all causes in it.

12. Taking all the towns together, *Bronchitis* and *Pneumonia* contributed the highest mortality (15 per cent.) followed by *Diarrhoea* and *Dysentery* (15 per cent.), *Phthisis* (9 per cent.); *Infantile Convulsions* (8 per cent.).

13. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo in the Appendix.

Table I.—Number of Births and Deaths registered during May, 1910, their Proportion per 1,000 of the Population per Annun, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to December, 1909, and the Mean Temperature and Rainfall in each Town in the Island, produced in the Table given under Section 31, 36 of Ordinance No. 1 of 1895.

Town.	Population estimated of the Middle of 1910 by the Census of 1901.	Total Births.		Total Deaths.		Deaths in Hos- pitals and Jails of Non-re- sidents.	Deaths of Per- sons in July, 1907, to Dec., 1908.	Crude, May, 1910.	Birth-rate.	Death-rate.	Deaths of Children under One Year.	Deaths of Children under One Year to July, 1907, to Dec., 1908.	Mean Tem- per- ature. <sup>1</sup>	Mean Rain- fall In Inches. <sup>2</sup>			
		Males.	Females	Persons.	Males.	Females											
All 31 Towns	492,393	584	562	1,146	702	563	1,265	272	993	29.94	27.40	28.74	31.58	245	214		
<i>Western Province.</i>																	
Colombo	165,869	187,554	207	182	389	245	193	438	78	360	25.12	24.42	22.60	34.03	25.15	100	
Negombo	19,819	20,688	20	27	47	21	16	37	7	30	42.77	26.75	17.08	28.40	17.40	11	
Moratuwa	29,600	35,493	52	47	99	29	22	51	—	61	32.53	32.84	16.92	20.91	15.97	13	
Kalutara	12,127	11	14	25	13	11	24	3	21	34.02	24.27	20.39	29.79	19.87	3		
Panadure	3,845	4,401	3	4	7	6	5	11	6	5	35.37	18.73	13.38	30.77	14.20	1	
<i>Central Province.</i>																	
Kandy	26,511	30,289	37	43	80	32	40	72	9	63	29.02	31.10	24.49	29.77	25.68	17	
Dambulla	3,791	4,859	4	6	10	13	9	22	8	14	35.91	24.23	33.92	46.98	35.87	6	
Nawalapitiya	3,454	4,220	4	2	6	12	7	19	8	11	24.85	16.74	30.69	22.78	36.59	3	
Hatton and Dikoya	3,979	—	3	3	3	12	10	22	19	3	15.80	8.87	8.87	9.54	—	2	
Matale	5,776	5	8	13	11	23	34	22	12	12	30.15	26.50	24.46	42.86	27.85	5	
Nuwara Eliya	9,054	2	7	9	8	2	10	2	8	15.43	11.70	10.40	14.30	13.62	1		
<i>Northern Province.</i>																	
Jaffna	33,879	35,691	62	50	112	43	40	83	—	83	42.16	36.95	27.38	34.20	28.85	23	
Mannar	3,338	3,338	5	8	13	7	4	11	—	11	40.56	45.85	38.80	36.48	35.18	2	
Mullaitivu	1,308	1,332	3	2	5	7	1	5	—	7	32.00	41.11	57.56	48.83	63.01	—	
Vavuniya	566	603	1	—	1	4	1	5	2	3	23.45	19.53	58.60	14.85	70.46	1	
<i>Southern Province.</i>																	
Galle	37,165	40,844	62	45	107	58	48	106	16	90	29.79	30.84	25.94	27.53	25.36	21	
Makarai	11,848	13,651	28	18	46	9	6	15	—	15	38.48	39.68	12.94	25.12	12.52	5	
Welligama	7,430	10,720	9	9	18	5	7	12	—	12	18.31	19.77	—	10.93	5.66	—	
Hambantota	3,117	3,117	4	3	3	7	4	3	7	7	37.00	26.44	13.18	30.69	27.68	1	
Tangalla	2,333	2,716	1	1	5	6	5	4	9	9	32.86	26.01	39.02	40.15	41.21	3	
<i>Eastern Province.</i>																	
Batticaloa	9,969	10,564	6	7	13	17	16	33	7	26	33.79	14.49	28.98	37.03	29.88	2	
Trincomalee	11,887	11,295	8	16	24	14	15	29	—	29	27.75	25.02	30.22	34.32	35.05	—	
<i>North-Western Province.</i>																	
Kurunegala	6,483	8,564	12	13	25	32	19	51	27	24	25.55	34.37	33.00	59.06	38.8	2	
Puttalam	5,115	5,248	6	13	19	13	6	19	1	18	35.35	42.62	40.38	42.86	41.34	7	
Kalpitiya	1,487	1,673	—	—	4	1	5	—	5	5	25.23	—	35.18	28.79	—	1	
Chilaw	4,168	4,614	3	5	8	10	5	15	2	13	35.66	20.41	33.18	31.06	33.79	3	
<i>North-Central Province.</i>																	
Anuradhapura	3,672	5,241	9	10	19	7	3	10	—	10	23.54	42.68	22.46	56.32	25.89	3	
Badulla	5,924	6,910	12	10	22	18	11	29	11	18	30.58	37.49	30.67	27.66	31.36	4	
Lunugala	—	4,167	1	—	1	10	7	17	17	17	41.08	28.30	—	40.27	—	—	
<i>Province of Sabaragamuwa.</i>																	
Ratnapura	4,084	4,683	4	4	8	21	21	42	27	15	30.59	20.11	37.71	38.94	39.02	3	
Kegalla	2,340	2,638	3	1	4	4	12	8	20	17	3	26.79	17.85	13.39	22.43	13.95	1

\* I.e., rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. <sup>†</sup> Infantile death-rate. <sup>‡</sup> Blanks indicate that there are no observations or ratios given. <sup>§</sup> Corrected death-rates for Wellawaya, Kaptiyawa, and Lunugala, towns not having been separately enumerated at the Census of 1911, but is therefore independent of these towns, but is scarcely affected by their rates. <sup>||</sup> Population of Mannar and Trincomalee towns not having been separately estimated at the Census of 1891, the estimate can be made of the rate of growth, 1891-1906 or 1907-1910. The population estimated for 1910 is the Census population of 1901. <sup>¶</sup> The population of Lunugala town (as now constituted) was not enumerated at the Census of 1901; the estimate is of the population at the beginning of October, 1907.

Table II.—Causes of Deaths registered during May, 1910, in each Town of the Island proclaimed under Sections 31–36 of  
Ordinance No. 1 of 1895.

Causes of Deaths.		Western Province.		Central Province.		Northern Province.		Southern Province.		North-Western Province.		North-Central Province.		Province of Sabaragamwawa.		Deaths among all Races.		
All 31	Towns.	Colombo.	Negombo.	Moratuwa.	Kaduwela.	Gampola.	Hatton and Dikoya.	Matara.	Tangalle.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Sinhalese.	Moors.	Malays.	
All Causes	..	1,265	438*	37	51	24	11	72	22	19	22	34	10	51	19	5	33	29
I.—Infantile Mortality	..	245	100	11	13	3	1	17	6	3	2	5	1	23	2	1	21	5
A.—One Week and under.																		
1. Prematurity	..	18	1	1	2	—	—	3	2	2	—	—	—	—	—	—	—	—
2. Debility	..	21	3	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	28	9	5	—	2	—	1	2	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	..	—	4†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																		
1. Prematurity	..	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	..	18	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	48	23	1	2	—	—	5	1	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	13	7	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	11	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	17	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	23	16	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	..	34‡	14	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and over)	..	1,020	338	26	38	21	10	55	16	16	20	29	9	60	9	7	4	85
1. Smallpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Simple Fever	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* Includes 2 deaths of town residents which occurred in the Enteric Hospital at Kandy.

† One each from Erysipelas and prolonged Labour (in Jaffna), Acanthosis (in Colombo), and Inanition (in Vavuniya).

‡ This contains besides the 14 deaths described in Table IV, 6 deaths from Enteritis (4 in Galle, 1 in Kandy, 1 in Gampola), 3 from Fever (1 each in Gampola, Jaffna, and Hambantota), 2 each from Malaria (in Chilaw), and Worms (in Galle), and 1 each from Nephritis and Abscess (in Jaffna), Thrush (in Negombo), Rickets (in Moratuwa), Hæmorrhage from Umbilicus (in Galle), Stomatitis (in Chilaw), and Whooping Cough in Kurunegala.

Table II.—Causes of Deaths registered during May 1910, in each Town of the Island proclaimed under Sections 31–36 of  
Ordinance No. 1 of 1895—continued.

Cause of Death	All 31 Towns	Western Province.			Central Province.			Northern Province.			Southern Province.			Eastern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.			Deaths among all Races.				
		Colombo.	Negombo.	Mortuwawa.	Kalutara.	Panadura.	Gampola.	Nawalaipitiya.	Hatton and Dikoya.	Matale.	Welligama.	Hambantota.	Tangalle.	Kurunegala.	Puttalam.	Chilaw.	Badulla.	Lunugalgala.	Ratnapura.	Kegalle.	Burghers.	Sinhalese.	Tamils.	Mooris.	Malays.	Others.				
II.—General Mortality—contd.																														
6. Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Remittent Fever	26	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Ague	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Malaria	25	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Diarrhoea	119	19	10	5	—	4	1	9	6	8	6	5	5	2	3	1	3	2	1	2	6	5	11	8	2	3	1	—	—	
12. Dysentery	56	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	6	1	15	35	4	1	—	—
13. Doctenius Duodenalis	61	5	—	—	—	—	—	—	2	7	1	1	9	13	1	3	—	—	—	—	1	2	6	1	—	—	—	—	—	—
14. Cancer	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	108	47	1	1	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16. Other tubercular diseases	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	6	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	9	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions	32	11	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Tetanus	7	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis	16	10	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Pneumonia	134	50	4	3	—	3	—	8	1	—	1	2	3	2	3	8	2	3	10	6	6	4	2	1	2	2	3	—	—	—
23. Other Diseases of Respiratory System	10	3	—	1	—	—	—	1	1	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and undefined Accidents of Childhood	12	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Convulsions	7	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Fever	14	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childhood	13	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	21	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All other causes	318*	136	6	18	12	4	—	19	1	4	1	6	2	14	2	33	3	7	1	5	3	15	1	3	2	8	14	2	3	4

\* Here are included 44 deaths from Old Age (17 in Colombo), 41 from Debility (7 in Colombo), 26 from Worms (11 in Galle), 16 from Enteritis (18 in Colombo), 11 from Apoplexy (5 in Colombo) and 11 from Paralysis (4 in Colombo).

† Colombo, 11 From Apoplexy (5 in Colombo) and 11 From Paralysis (4 in Colombo).

‡ Galle, 16 from General Dropsy (4 in Galle), 16 from General Dropsy (4 in Galle).

**Table III.—Number of Births and Deaths registered during the Month of May, 1910, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1909, in each Ward of the City of Colombo.**

Wards.	Population (inclusive of the Military) at the beginning of 1910 by Intercensal Increase.	Population estimated to the beginning of 1910 by Intercensal Increase.	Total Births registered.				Total Deaths including Deaths in Hospitals and Jails.				Per Mille per Annum.				Deaths of Children under One Year of Age to 1,000 Births registered.						
			Males.		Females.		Persons.		Males.		Females.		Persons.		Birth-rate.		Crude Death-rate.				
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Average January, 1908, to Dec., 1909.	May, 1910.	Average January, 1908, to Dec., 1909.	May, 1910.			
<b>City of Colombo</b>	<b>155,869</b>	<b>185,704</b>	207	182	389	245	193	438	78	360	78	25	25	24	24·42	30·94	22·60	25·15	100	333	257
Fort and Galle Face	2,285	2,285†	—	1	1	7	1	8	6	2	6	5·25	5·15	6·82	10·31	—	—	1	139	—	
Pettah	7,561	7,561†	2	3	5	6	1	7	—	7	6·90	7·79	12·30	10·90	—	—	1	386	200		
San Sebastian	9,349	10,796	15	6	21	11	8	19	—	19	21·59	22·72	23·81	20·55	—	—	6	329	286		
St. Paul's	20,280	24,622	20	16	36	25	31	56	—	56	18·02	17·10	24·31	26·60	—	—	19	390	528		
Kotahena	33,365	39,011	26	31	57	28	39	67	—	67	22·70	17·05	25·70	20·04	—	—	15	356	263		
New Bazaar	17,470	20,595	15	18	33	21	16	37	—	37	23·20	18·69	30·80	20·96	—	—	12	415	364		
Maradana Hospitals	30,381	38,029	45	46	90	84	42	126	72	54	—	—	—	—	—	—	16	—	—		
Maradana (exclusive of Hospitals)	36	20	56	33	31	64	—	—	64	22·50	17·12	29·17	19·56	—	—	15	371	268			
Slave Island	16,927	20,504	27	26	53	21	14	35	—	35	24·57	30·10	28·01	19·88	—	—	9	368	170		
Kollupitiya	18,281	23,975	21	16	37	9	10	19	19	16·19	17·89	20·20	9·19	—	—	6	300	168			

\* For explanation of "corrected death-rate" see note \*.

† The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

‡ Infantile death-rates omitted where number of births is less than five.

\* The population of these two wards being a fluctuating one, their estimated population cannot be calculated.

Hence the Census figures are retained.

Table IV.—Causes of Deaths registered during the Month of May, 1910, in each Ward and Race of the City of Colombo.

Causes of Deaths.	Ward.	Deaths among all Races.																	
		City of Colombo.	Fort and Galile Face.	Pettah.	San Sebastian.	Kotahena.	New Bazaar.	Maradana Hospitals (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Burghers.	Sinhalese.	Tamils.	Mosrs.	Melays.	Others.			
All Causes	..	438*	8	7	19	56	67	37	126	64	35	19	9	199	107	78	8	18	
I.—Infantile Mortality.	..	100	1	1	6	19	15	12	16	15	9	6	1	51	19	21	1	6	
A.—One Week and under.																			
1. Prematurity			1																
2. Debility			3																
3. Convulsions			9																
4. Diarrhoea			4																
5. Tetanus			—																
6. Bronchitis			—																
7. Pneumonia			—																
8. Other Causes			1†																
B.—Over 1 Week and under 1 Year.																			
1. Prematurity			2																
2. Debility			3																
3. Convulsions			23																
4. Diarrhoea			7																
5. Tetanus			7																
6. Bronchitis			10																
7. Pneumonia			16																
8. Other Causes			14†																
II.—General Mortality (1 Year and over)	..	338	7	6	13	37	52	25	110	49	26	13	8	18	148	88	57	7	12
1. Smallpox			—																
2. Chickenpox			—																
3. Measles			—																
4. Influenza			—																

\* Includes 2 deaths of town residents who died in the Enteric Hospital at Kandy (of a Sinhalese removed from Pettah, and another from Slave Island).

† Represents the death of a Moor from Atelectasis (in Maradana, exclusive of hospitals).

‡ Five from Enteritis (4 in Maradana Hospitals and 1 in Slave Island), 14 from Starvation (3 in Kotahena and 1 in Maradana hospitals), 1 from Stomatitis (1 each in San Sebastian and Maradana, exclusive of hospitals), and 1 each from Worms (in Kotahena), from Inflammation of the Brain (in Maradana hospitals), and Tubercular Peritonitis (in Fort and Galle Face Ward).

Table IV.—Causes of Deaths registered during the Month of May, 1911,<sup>16</sup> in each Ward and Race of the City of Colombo—contd.

Ward	City of Colombo.	Causes of Deaths.	Deaths among all Races.											
			Burghers.	Europeans.	Termites.	Sinhalese.	Moors.	Malays.	Others.					
Maradana Hospitals	Maradana (exclusive of Hospitals).													
New Bazaar.			1	2	3	4	5	2	1					
Kotahena.			1	1	2	1	1	1	1					
St. Paul's.			5	3	2	1	5	2	1					
San Sebastian.			1	1	1	1	1	1	1					
Pettah.			2	1	1	1	1	1	1					
Port and Galle Face.			2	1	1	1	1	1	1					
Maradana Hospitals	Maradana (exclusive of Hospitals).		3	27	5	1	1	1	1					
Kotahena.			2	5	1	1	1	1	1					
St. Paul's.			1	3	2	1	5	5	2					
New Bazaar.			1	1	1	1	1	1	1					
Kotahena.			1	1	1	1	1	1	1					
Maradana Hospitals	Maradana (exclusive of Hospitals).		5	1	1	1	1	1	1					
Slave Island.			2	1	1	1	1	1	1					
Kollupitiya.			1	1	1	1	1	1	1					
Burmese.			1	3	1	1	1	1	1					
Europeans.			1	1	1	1	1	1	1					
Sinhalese.			7	2	7	4	1	1	1					
Termites.			2	2	1	4	1	1	1					
Moors.			1	1	1	1	1	1	1					
Malays.			2	4	1	1	1	1	1					
Others.			1	1	1	1	1	1	1					

\* Here are included 18 deaths from Enteritis (13 in Maradana hospitals, 4 in Maradana, exclusive of hospitals), 17 from Old Age (6 in Maradana, exclusive of hospitals, 2 in Maradana, exclusive of hospitals), 7 Debitability (4 in Kotahena, 2 in Maradana, exclusive of hospitals), 4 from Dropsey, 2 in Maradana, exclusive of hospitals).