# SUPPLEMENT

TO THE

# Ceylon Government Gazette

#### PART I.

## No. 6,463.—FRIDAY, SEPTEMBER 22, 1911.

#### VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE FIRST QUARTER OF 1911.

THE Fifth Decennial Census of Ceylon was held on March 10, 1911, and some of the results have been published provisionally by the Census Superintendent, Mr. E. B. Denham. The publication of this Report has been delayed in the endeavour to utilize those results as far as possible (in revising on that basis the estimates of population, the rates, &c., for the period with which the Report deals), and owing to the introduction this quarter of a new system of classification of causes of death based on the International or Bertillon system and displacing the classification that had been in use since 1887.

#### I.- Population.

The Island population as ascertained at the Census of March 10, 1911, was 4,109,470.

2. Arrivals and departures of Indian coolies.—The number of Indian coolies who arrived in the Island during the quarter amounted to 14,146 and of departures to 19,735, as against 15,255 arrivals and 21,079 departures, the averages for the first quarter of the last thirteen years.

#### II.-Marriages.

- 3. Marriages.—4,189 general marriages (i.e., marriages other than Kandyan or Muhammadan) were registered during the quarter and 1,500 Kandyan marriages. Their distribution by Provinces and districts is given in Table I. in the Appendix.
- 4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c. Table VII. gives similar information in respect of Kandyan marriages.

## III.—Births and Deaths.

- 5. Births.—The births registered during the quarter numbered 47,994 (33 Europeans, 225 Burghers, 36,105 Sinhalese, 8,765 Tamils, 2,625 Moors, 148 Malays, and 93 Others), and were in the proportion of 49.7 per 1,000 persons living, as against 44.8 in the previous quarter and 41.9 the average for the first quarter in the period 1898–1910. See Table VIII. for each Province and district.
- 6. Deaths.—The number of deaths registered during the quarter amounted to 32,397 (26 Europeans, 106 Burghers, 21,540 Sinhalese, 8,633 Tamils, 1,861 Moors, 116 Malays, and 115 Others), and was equal to an annual rate of 33.5 per 1,000 persons living, as against the average 31.9 for the first quarters of 1898–1910 and 29.6 the rate in the preceding quarter. See Table IX. for each Province and district.
- 7. The births and deaths and their rates for the whole Island are compared with the previous quarter, the corresponding quarter of the previous year, and the average for the first quarters of 1898-1910 in the following Table A. For the particulars as to each Province and district see Tables I. and II. The rate for this quarter is based on the Census population of March 10, 1911, but the rates of previous quarters are based on the population as estimated on the basis of the Census population of 1901, and will be revised when the figures for last Census are fully available:—

TABLE A. Per Mille per Annum. Births. Deaths. Birth-rate. Death-rate. Average for thirteen first quarters in 37,702 1898-1910 29,104 41.939,729 27,058First quarter, 1910 41.6 28.4 . . Fourth quarter, 1910 44,080 29,142 . . 44.8 29.6 First quarter, 1911 47,994 32,397 49.7 33.5

- 8. The Island's death-rate (33.5) for the quarter is a slight deterioration from the average for the quarter and from the previous quarter, and still more from the first quarter of last year, and ranged from as much as 85.7 in Hambantota to 22.2 in Jaffna. The birth-rate (49.7) was better than usual (41.9), and varied from 63.8 in Anuradhapura to 32.9 in Nuwara Eliya.
- 9. In/antile Mortality.—The deaths of infants under one year of age numbered 9,241, and were in the proportion of 193 to 1,000 registered births. The rate of infantile mortality varied from 495 (for Sinhalese) in Hambantota, 425 (for Tamils) in Puttalam, 333 (for Sinhalese) in Puttalam, 317 (for Tamils) in Mannar, 297

(for Tamils) in Mullaittivu, 295 (for Sinhalese) in Batticaloa, to 152 (for Sinhalese) in Nuwara Eliya, 143 (re-Sinhalese) in Matara, 135 (for Sinhalese) in Galle, 132 (for Sinhalese) in Negombo, 118 (for Sinhalese) in Colombo, and 107 (for Sinhalese) in Kalutara.

#### IV.—State of Public Health.

- 10. The general health of the population during the quarter was slightly worse than usual, the death-rate being 33·5, as against the average 31·9 for the first quarters in the period 1898–1910, and against 28·4 during the corresponding quarter of 1910. Four out of the nine Provinces show an improvement on the average, viz., the Central, Northern, Eastern, and North-Central, two (North-Western and Western) are normal, while the others showed a deterioration, Sabaragamuwa (from the average 35·8 to 46·8), the Southern (from 31·3 to 40·2), and Uva (from 38·3 to 42·3).
- 11. The healthiest Province during the quarter was the Northern, with a death-rate for all races of 24·3, followed by the Western with 27·9. The unhealthiest of the Provinces was Sabaragamuwa, with a death-rate of 46·8, the North-Central following with 43·4. The healthiest district for all races was Jaffna, with a death-rate of 22·2, followed by Nuwara Eliya (22·5); and the unhealthiest Hambantota, with the very high rate of 85·7, followed by Ratnapura with 61·3. The unhealthiness of Hambantota was due mainly to an epidemic of fever, which was responsible for nearly 36·6 of the total number of deaths. The highest infantile mortality was in this district (495 per 1,000 births registered), and the lowest in Kalutara (107).
- Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, and the average for the corresponding quarters in the period 1898–1910. The birth-rates and death-rates for all ages and for infants in the several Provinces and districts of the Island are shown for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for the Tamils only where they form the bulk of the population. In the Puttalam and Batticaloa Districts, which contain a resident population comprised of Sinhalese, Tamils, and Moors, the rates are given for each of the races. The rates in these Tables are calculated, as hitherto, on the population as estimated on the basis of the Census of 1901 and will be revised when the results of the last Census are fully available.
- 13. Western Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter were estimated to number 882,695, or nearly one-third of the entire Sinhalese population of the Island, fared worse than usual (their death-rate being 24.8, against the average 22.4 for the period 1898-1910), but better than the inhabitants of any other Province, except the Northern. All the three districts in the Province showed enhanced rates, viz., Colombo 25.7, Negombo 21.8, Kalutara 24.9, against their respective averages 22.7, 19.8, and 23.9. Negombo was the healthiest district in the Province and in the Island, but judged by the infantile mortality this honour falls to Kalutara, which records the lowest in the Island (107 per 1,000 births registered). The birth-rate of the Province (51.2, average 43.5) showed a great improvement, which was shared by two out of the three districts, viz., Colombo and Kalutara.
- 14. Central Province.—The Sinhalese inhabitants of this Province, who on the first day of the quarter numbered 337,114, enjoyed better health than usual, their death-rate for the quarter falling to 26.2 from the average 30.8. The improvement was shared by the three districts in the Province, and was greatest in Matale (32.7, average 40.9), which is usually the least healthy district. The healthiest district in the Province was Nuwara Eliya (22.3, average 26.5). The birth-rate of the Province (58.8) was also an improvement on the average (50.8), an improvement shared by all the three districts.
- 15. Northern Province.—The health of the Tamil inhabitants of the Province, who form the bulk of the population, and were estimated to number a little over 357,000 on the first day of the quarter, showed a great improvement, the death-rate declining to 23.8 from the average 38.5. The improvement was shared by every district in the Province, and was greatest in Mannar (42.5, average 56.8), and least in Mullaittivu (46.1, average 55.1). The healthiest district was Jaffna, which recorded the lowest mortality in the Province, and the second lowest in the Island (22.1). The birth-rate of the Province 35.4, average 36.0) showed a decline, although Mannar and Mullaittivu showed an improvement on the average from 37.5 to 38.3 and 44.0 to 49.1, respectively.
- 16. Southern Province.—The Sinhalese inhabitants of this Province, who numbered 615,531 on the first day of the quarter, fared much worse than usual, the death-rate for the quarter rising to 40·2 from the average 31·4. This was mainly due to the extraordinary unhealthiness of Hambantota District, which, though containing less than half the population of Galle or Matara, showed a larger roll of deaths, the rate of mortality rising to 87·0, or nearly double its usual rate (46·4), and an infantile mortality of 495 per 1,000 births registered. Matara showed a deterioration less serious (from 27·9 to 33·4), and Galle was almost normal (27·7, average 27·3; infantile mortality 135). The birth-rate of the Province (54·1) was an improvement on the average, which was shared by all the three districts.
- 17. Eastern Province.—This Province, which at the beginning of the quarter was estimated to contain a population of 104,113 Tamils (of whom 86,507 were in the Batticaloa District and 17,606 in the Trincomalee District), 72,277 Moors, and 9,047 Sinhalese, presented death-rates 31·7, 21·2, and 36·3, respectively, for the Tamils, Moors, and Sinhalese, against their respective averages 34·2, 28·5, and 39·5 for the corresponding quarters in the period 1898–1910. Thus, all the communities enjoyed better health than usual, and especially the Moors. The improvement in the Tamil death-rate is shared by both the districts in the Province, Batticaloa from 32·7 to 30·9 and Trincomalee from 40·6 to 35·5. The Moor rate was the lowest in the Province, and the Sinhalese the highest. The birth-rate in the Province showed a slight improvement for the Sinhalese and Tamil sections of the population, and a deterioration for the Moors.
- 18. North-Western Province.—The Sinhalese, who form the bulk of the population of the Province, and were estimated to number 337,996 on the first day of the quarter, fared worse than usual, their death-rate for the quarter rising to 38.0 from the average 35.9. Of the three districts, Chilaw alone showed a deterioration from the average 21.1 to 30.0, but was, however, the healthiest in the Province. The unhealthiest was Puttalam (49.7, average 43.8). Kurunegala (which has about thrice the population of Chilaw and Puttalam combined) was almost normal, with a death-rate of 39.8. The Tamils of the Province fared much worse than usual (69.8, average 42.0), and the Moors slightly better (41.9, average 43.1). The Sinhalese, Tamil, and Moor birth-rates showed a great improvement on the average from 46.5 to 58.4, 26.9 to 48.6, and 43.4 to 57.1, respectively.

- 19. North-Central Province.—In the North-Central Province, which is the same as the Anuradhapura District, the Sinhalese death-rate declined to 42.8 from the average 54.8, while the birth-rate rose to 67.3 from 47.2. The Sinhalese infantile mortality was 265 per 1,000 births registered.
- 20. Province of Uva.—This Province, which is co-extensive with the Badulla District, showed no improvement in the death-rate (40.8, average 40.6), but an appreciable improvement in the birth-rate (53.5, average 46.7). The infant mortality among the Sinhalese was 210 per 1,000 births registered.
- 21. Province of Sabaragamuwa.—The health of the Sinhalese inhabitants of the Province during the quarter was worse than usual, the death-rate having risen to 36·2 from the average 32·3. The deterioration was shared by both its districts, and especially by Ratnapura, where the death-rate was 44·9, against the average 37·6. The birth-rate of the Province, on the other hand, was a great improvement on the average (from 51·4 to 56·6), an improvement shared by both the districts.
- 22. For the health of the estate population (mainly Tamil) in the Central, Uva, Sabaragamuwa, and Western Provinces, and in the Galle, Matara, and Kurunegala Districts, see *infra*, Chapter VI., "Estate Population."

# V.—Causes of Death.

23. The Causes of Death registered in the Island during the quarter are shown in detail in Table X. in the Appendix, and select causes of death are shown in the following Table B. From this quarter I have introduced a new system of classification of causes of death, based on the International or Bertillon system of classification of causes of death now adopted in England, but with certain modifications approved by the Principal Civil Medical Officer, Ceylon. The classification which it replaces had been in use since I introduced it in 1887.

•	$\mathbf{T}$	AB	LE B.—	-Causes	of De	eath ir	tne L	ASULICE	S OI CE	y1011, .	C II BU V	guar oc.	.,			
District.	Fever	ra.	Diarrhœa and Dysentery.	Bron- chitis and Pneu- monia.	Phthi-	Convul- sions of Infan	Rickets.	Prema- ture Birth.	Diseases and Acci- dents of Preg- nancy.	Anchy- losto- miasis.	Small- pox.	Cholera.	Homi- cide.	Suicide.	Execu- tion.	Total from all Causes.
CEYLON .	6,8	59	4,753	1,126	1,135	3 753	1,000	381	880	406	1	<u>·</u>	46	66	5	<b>3</b> 2, <b>3</b> 96
Matara Hambantota Batticaloa Trincomalee Kurunegala Puttalam Chilaw Anuradhapura Badulla Ratnapura	2 3 1 1 1 1 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1	15 64 11 99 64 35 579 69 54 177 62 82 120 143 207 2290 342 360	22 74 48 447 660	14 50 197 45 111 98 11 14 20 21 20 21 21 20 21 32 21 32 21 32 32 32 32 32 33 32 33 32 33 33 33 33	138 76 30 10 4 62 — 10 8 41 63	68 408 157 157 157 121 134 494 495 441 144 15 217 68 723 303 3003	42 127 119 429 18 24 12 10 	4 11 96 23 3 4 20 6 — — — 15 15 15 15 15 15 15 15 15 15 15 15 15	33 48 62 12 16 16 53 10 38 22 13 10 17 14 12 45 62 40	37 893 24 2 — — — — — — — 13 32 40			99 26 11 11 1 2 2 2 2 3 3 4 2 2 2 3 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3 8 10 — 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	=	4,223 990 1,852 2,865 919 910 1,832 227 172 2,065 2,349 1,066 232 2,763 846 2,017 2,065 1,972

Table B.—Causes of Death in the Districts of Ceylon, First Quarter, 1911.

- 24. Smallpox.—One death was registered from smallpox in the Jaffna District of a Tamil girl, as against 14 in the previous quarter. The victim had arrived from Penang in the Federated Malay States, and probably contracted the disease on board ship.
- 25. Among the other causes of deaths were 6,498 pyrexia or simple fever, 137 enteric fever, 214 malaria, 3,817 diarrhœa, 936 dysentery, 3,753 infantile convulsions, 1,135 phthisis, debility (mostly of infants from inability to suck) 1,571, rickets 1,000, anæmia 919, old age 823, intestinal parasites 700, dropsy 643, puerperal septicæmia 579, anchylostomiasis 406, premature birth 381, bronchitis 213, malarial cachexia 203, tetanus 185, starvation and want of breast milk 146, paralysis 146, cancer 82, whooping cough 17, measles 17, and chickenpox 4.
- 26. Death by Violence: Accident.—Of the 470 deaths attributed to accidents, 87 were due to fall from trees (mostly of toddy drawers), 95 to drowning (of which 22 from falling into wells and 3 into pits), 45 to snake-bites, 50 to burns, 7 to fall from heights other than trees, 6 to taking poisonous substances, 21 to fall of heavy substances, 8 to being run over by railway trains, 7 by motor cars, and 5 by carts; elephants were responsible for 7 deaths, crocodiles for 3, a bull, fox, fish, dog, and a centipede for 1 each. 35 deaths were due to injury at birth and 2 to lightning.
- 27. Homicide.—Forty-six deaths were due to homicide (1 European, 39 Sinhalese, 5 Tamils, and 1 Moor), of which 9 in Colombo, 6 each in Kalutara and Ratnapura, 5 in Kurunegala, 4 each in Matara and Kegalla, 2 each in Negombo, Hambantota, and Badulla, 1 each in Kandy, Matale, and Jaffna.
- 28. Suicides.—Sixty-six deaths resulted from suicide (1 European, 1 Burgher, 32 Sinhalese, 30 Tamils, 1 Moor, and 1 other), of which 34 were by hanging, 12 by drowning, 7 by poison, 4 by firearms, 3 each by cut and by other means, 2 by crushing, and 1 by asphyxia.
  - 29. Executions.—There were 5 judicial executions (all Sinhalese) registered in the Island during the quarter.

#### VI.—Health of the Estate Population.

- 30. This Chapter deals with the births and deaths of the population of the estates scheduled under "The Medical Wants Ordinance, 1880," situated in the Central, Uva, Sabaragamuwa, and Western Provinces, and in Galle and Matara Districts in the Southern Province, and Kurunegala District in the North-Western Province. A revised list of the estates was published in the Ceylon Governmant Gazette of February 24 last. The total number of births registered during the quarter amounted to 3,943 (6 Europeans, 6 Burghers, 138 Sinhalese, 3,750 Tamils, 24 Moors, 9 Malays, and 10 others), and the deaths numbered 4,232 (2 Burghers, 126 Sinhalese, 4,056 Tamils, 30 Moors, 2 Malays, and 16 others), corresponding to an annual birth-rate of 36.8 and a death-rate of 39.5 per 1,000, as against the respective averages of 25.3 and 29.6 for the period of 1898 to 1910.
- 31. The deaths are in marked excess over births in Ratnapura, Kegalla, Matale, Colombo, and Kurunegala Districts. Ratnapura District leads with the high death-rate of 79·1, which is an improvement on 124·9 of the previous quarter, but a deterioration from 60·8 the average for the first quarters of 1898–1910. The next highest rates in the quarter were in Kurunegala, Colombo (i.e., Avisawella), and Matale, with 56·9, 51·7, and 39·5, respectively. Nuwara Eliya shows the lowest death-rate (24·6), and Matara the next lowest (28·4).
- 32. The causes of deaths are shown in detail in Table XI. in the Appendix, and select causes are shown in the following Table C. To anchylostomiasis are attributed 290 deaths, but the mortality is probably understated owing to the difficulty of diagnosis without microscopic examination of the fœces. Many of the deaths attributed to diarrhœa, dropsy, malarial cachexia, and anæmia are probably due to anchylostomiasis:—

#### TABLE C .- Causes of Deaths in Estates, First Quarter, 1911.

Debility .	 722	Fevers	 149	Starvation and war	tof	
Diamboo	 647	Dropsy	 103	breast milk		34
Dysentery .	 572	Premature birth	 101	Intestinal parasite	в	24
Dramonia	 384	Bronchitis	 96	Puerperal septican	nia	19
Anchylostomiasis	 <b>29</b> 0	Malarial cachexia	 86	Suicide		15
Infantile convulsions.	 282	Phthisis	 51	Homi <b>cid</b> e		1
Old age .	153	Anæmia	 40	All other causes		463

33. The following Table D gives the estate population at the Census of March 10, 1911, their birth- and death-rates for the first quarters of 1910 and 1911 and the fourth quarter of 1910, and the averages for the first quarters of 1898-1910. The rates for the first quarter of 1911 are calculated on the population at the Census of 1911, but the rates for the previous quarters are calculated on the population at the Census of 1901, and will in future reports be revised, as to the latter half of the last decade, on the basis of the Census of 1911. The death-rates of Ratnapura, Kurunegala, and Colombo (i.e., Avisawella), are far too high:—

TABLE D.—Births, Deaths, and their Rates in Estates, First Quarter, 1911, and the Average Rate 1898-1910.

			Births	Deaths		h-rate per l	dille per An	num.	Death	-rate per M	lille pe <b>r A</b> r	num.
District	•	Population at the Census of March 10, 1911.		registered during First Quarter, 1911.	Average for First	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911.†	Average for First Quarters, 1898–1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911. †
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo Kalutara Galle Matara Kurunegale	::	6,287 3,0.)2	1,430 233 650 473 245 402 76 303 45 20 66	1,108 307 609 504 590 522 142 277 45 21	24·1 25·9 22·0 29·5 31·0 29·1 22·4 27·4	27·0 35·2 22·4 40·7 54·8 42·6 44·0 56·4	33 · 5 39 · 0 34 · 8 51 · 9 42 · 2 43 · 3 30 · 6 40 · 4 28 · 6 32 · 7	39·1 30·0 26·2 26·2 26·2 27·2 27·2 27·7 40·1 29·0 27·0 35·1	25·4 37·7 20·7 29·7 60·8 37·9 52·7 46·1	25·2 41·7 20·2 47·8 129·6 47·8 44·8 56·9	27·7 39·5 25·9 54·9 124·9 46·5 59·3 49·3 17·9 20·0 51·6	30·3 39·5 24·6 28·5 79·1 35·3 51·7 36·7 28·4 56·9
	Total		3,943	4,232	25.3	32 1	37.8	31.9	29.6	35 · 6	38 · 4	34.3

\* Not available before First Quarter, 1910, estate statistics of these districts not having been separately tabulated.
† These rates are calculated on the population as ascertained at the Census of 1911, and the figures for previous quarters on the population as estimated on the basis of the Census population of 1901. A comparison cannot, therefore, safely be made.

#### VII.—Health of the City of Colombo.

- 34. Consequent on the extension of the limits of the Colombo Municipality in February, 1910, by additions made to the Kotahena, Maradana, and Kollupitiya Wards, it became necessary to alter the limits of these registration divisions to make them co-terminous with the Municipal divisions. This was done with effect from the beginning of the fourth quarter, 1910, by Proclamation of September 13, 1910. The Kollupitiya Ward, as thus enlarged, being too extensive for one registrar, was converted into two registration divisions, and a new registrar appointed to Kollupitiya South on 1st October last.
- 35. The births registered in the city of Colombo numbered 1,583, and corresponded to an annual rate of 30.2, being 4.8 per 1,000 higher than the average (25.4) for the corresponding quarters in 1898-1910.
- 36. The deaths registered numbered 1,596, and corresponded to a rate of 30.5, being 4.0 lower than the average 34.5 for the corresponding quarters in 1898-1910.

- 37. As usual in the city, the death-rate exceeded the birth-rate, owing mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Moors), to the presence of hospitals and jails, which add to the normal mortality of the city, and to the registration of births being still somewhat defective.
- 38. The subjoined Table E gives the births and deaths and their rates for each race for the first quarters of 1911 and 1910, and the average for the first quarters in 1898-1910:-

TABLE E.—Births and Deaths and their Rates by Race of the City of Colombo for the First Quarters, 1911, 1910, and 1898-1910.

			•	usive ) at f II.	1	Births.		]	Deaths.		Birth- pe	rate per r Annu	r Mille m.	Death- pe	rate per r Annu	Mille m.
Ne -	ationality.			Population (inclusive of the Military) at the Census of March 10, 1911.	Average of First Quarters, 1898-1910.	First Quarter, 1910.	First Quarter, 1911.	Average of First Quarters, 1898-1910.	First Quarter, 1910.	First Quarter, 1911.	Average of First Quarters, 1898–1910.	First Quarter, 1910.	First Quarter, 1911.*	Average of First Quarters, 1898–1910.	First Quarter, 1910.	First Quarter, 1911.*
ALL RACE	s			212,305	1,131	1,268	1,583	1,521	1,393	1,596	25.4	27.7	30.2	34.5	30 · 4	30.2
Furopeans lurghers linhalese Tamils Moors Malays Others	•••	•	•••	2,989 13,529 94,021 52,183 38,207 5,408 5,968	636 129 186 37	19 119 714 162 181 51 22	12 128 935 174 258 59	89 705 <b>3</b> 56 <b>262</b> 45	20 93 652 336 2 <b>23</b> 34 35	20 61 772 383 252 64 44	28.1	24·9 37·1 37·3 13·9 21·9 36·3 6·8	16·3 38·5 40·3 13·5 27·4 44·2 11·5	27·2 36·7 34·8 32·3 34·7	26·2 29·0 34·1 28·8 27·0 24·2 19·8	27·1 18·3 33·3 29·8 26·7 48·0 29·9

<sup>\*</sup> These rates are calculated on the population as ascertained at the Census of March 10, 1911, but the figures for previous quarters on the population as estimated on the basis of the Census population of 1901.

- 39. The rates for the quarter under review are calculated on the population at the Census of 1911. Those for the previous quarters are calculated on the population as estimated on the basis of the Census population of 1901, and will be revised as to the latter half of the last decade on the basis of the Census of 1911. The rates for Europeans and the races classed together as "Others," being calculated upon small floating populations, are not very reliable. Excluding the rates for these sections, the lowest death-rate was among the Burghers (18.3, against an average of 27.2), and the highest death-rate was among the Malays (48.0, average 34.7), followed by the Sinhalese (33.3, average 36.7), and the Tamils (29.8, average 34.8), and 26.7 among the Moors (average 32.3).
- 40. The highest birth-rate in the quarter was among the Malays (44·2), followed by Sinhalese (40·3), a rise of 7·3 per 1,000 over the average 33·0. The Burghers follow with a rate of 38·5, a rise of 6·2 per 1,000 upon their average 32.3. The low birth-rates for Tamils and "Others" are due to their population being mainly a floating adult one.
- 41. Table XII. gives in detail the deaths from various causes in each ward of the city of Colombo and according to each nationality. The number of births and deaths in each ward of the city, their rates per mille per annum, and certain selected causes of deaths during the quarter are shown in the following Table F:

TABLE F.—Births by Ward and Deaths by Race and Ward of the City of Colombo and Selected Causes of Deaths in the First Quarter of 1911.

	sive at 1.	E	irths	•	D	eaths	3.		D	eaths	by I	Race	.*			i	Sele	cte	d Ca	use	3 01	f De	ath	8.			
Ward.	Population (inclusive of the Military) at the Census of March 10, 1911.	Persons.	Males.	Females.	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Diarrhea.	Dysentery.	Pneumonia.	Bronchitis.	Phthisis.	Enteric Fever.	Other Fevers,	Infantile Convulsions.	Cholera.	Smallpox.	Dochmius Duodenalis.	Birth-rate.†	Death-rate.†
City of Colombo	212305	1583	815	768	1596	<b>91</b> 6	680	20	61	772	383	2 <b>5</b> 2	64	44	58	52	207	61	179	84	24	132	_	$\exists$	31	30·2 ‡	30·5
Fort & Galle Face Pettah San Sebastian St. Paul's Kotahena New Bazaar Maradana: Hospitals Excl.of Hospitals Slave Island Kollupitiye	7974 11546 24735 40771 22309	82 113 318 193 /277 \309 120	62 153 95 140 175 61	98 137 134 59	161 402 263 119	65	5 33 80 116 86 133 114 54	1 1	3 5 2 5 6 9 20 3 8	1 6 17 36 157 54 236 132 42 91	3 12 10 90 55 21 111 33 24 24	2 33 38 19 68 16 51 12	4 1 4 3 18	1 2 2 8 16 7 6 2	1 2 7 16 7 7 9 5 4	1 2 6 4 9 17 3 4 6	4 6 10 32 33 22 51 32 8 9	13 9 9 - 4 11		3 - 18 5	2	3 5 18 9 22 3 44 8 20	_  _		30	34·6 9·1 28·8 18·5 31·6 35·1 - 25·5 22·1 20·1	10 4 12 2 24 9 27 7 23 7 29 3

For "Births by Race," see Table G, next page.

The rates for this quarter are calculated on the population as ascertained at the Census of March 10, 1911.

The city-rate is worked out independently of the ward-rates, and takes into account hospital deaths, &c., not assignable to wards.

- 42. The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population being for the most part a floating, male, adult one. Excluding these wards, the healthiest division in the city was Kollupitiya, with a death-rate of 18.7; while the unhealthiest was New Bazaar, with a death-rate of 29.3 per annum. Judged also by the infantile mortality, Kollupitiya was the healthiest. See next paragraph.
- 43. The following Table G indicates the comparative healthiness of each ward and race in the city on the basis of the infantile mortality:—

Manager Cl. Toute while Manker likes	has Doos and Word	of the City of Colomba	in the First Overton 1011
TABLE G.—Infantile Mortality.	by Race and Ward.	, of the City of Colombo	in the Pirst Quarter, 1911.

				Birth	s.				D	eath		Chile ne Y			der					ren u Birtl				
Ward.	All Races.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	All Races.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	All Races.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
City of Colombo	1,583	12	128	935	174	258	59	17	862	5	21	181	62	78	12	3	229	417	184	194	856	802	<b>20</b> 3	176
Fort and Galle Face Pettah San Sebastian St. Paul's Kotahena New Bazaar Maradana Hospitals Maradana (exclusive of Hospitals) Slave Island Kollupitiya	3 18 82 113 318 193 277 309 120	3	2 4 5 28 13 21 32 9	9 28 37 230 84 229 181 39 98	6 4 40 31 10 17 21 25 20	44 28 25 81 9 51 13	1 3 4 1 20 28 2	1 1 3 1 4 5	3 19 42 71 56 31 81 30 29	- - 1 - 1 1	3 1 2 3 2 6 3 1	3 12 46 22 26 44 8 20		- 11 11 6 26 - 18 4 2	1 - 1 - 5 5	1	167 232 372 223 290 	-	200 71 231 187 333 71	107 324 200 262 243 205 204	333 425 516 300 - 333 320 250	240 321 — 353 303	250	

Infantile death-rates have been omitted where the number of births is less than five.

- 44. The infant mortality was 229 per 1,000 births for the whole city, but rose as high as 372 in St. Paul's, 290 in New Bazaar, falling to 193 in Kollupitiya and 167 in Pettah. Among the races, the Europeans lead with the highest mortality (417), followed by the Tamils (356) and Moors (302) and Malays (203). The Tamil mortality rose to 516 in Kotahena and 425 in St. Paul's. The Moors come next with a rate of 393 in St. Paul's and 353 in Maradana (exclusive of hospitals). The Burgher mortality was the lowest for the city (164).
- 45. The highest mortality was due to pneumonia and phthisis, which were responsible for 207 and 179, respectively, followed by infantile convulsions 132, enteritis 113, debility (mostly of infants from inability to suck) 85, enteric fever 84, old age 68, bronchitis 61, tetanus 54, and worms 34.

#### VIII.—Health of the Principal Towns.

- 46. This Chapter deals with the vital statistics of the thirty-one towns of the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895. The Registrars of these towns are qualified medical men. No death occurring there is registered unless the cause is ascertained by the registrar's personal inspection of the deceased, or certified by a qualified medical man in attendance on the deceased, and no dead body is buried or cremated without registration being effected.
- 47. Table XIII. in the Appendix shows the population at the Census of 1911, and the births and deaths registered during the quarter, their rates, and the infantile mortality in each town, together with the monthly average birth- and death-rates and infantile mortality from July, 1907 (when monthly statistics were first published), to December, 1910, and the mean temperature and rainfall of each town in the quarter.
- 48. Population.—The population of the thirty-one towns at the Census was 503,208, or little more than one-eighth of the total estimated population of the Island. The population of the city of Colombo 212,305, inclusive of the extension of the town limits (see paragraph 34 supra), was a little less than three-fourths of the population of all the other towns taken together.
- 49. Births.—The births registered in the thirty-one towns during the quarter numbered 4,507, of which 2.361 were of males and 2,146 of females, and correspond to an annual birth-rate per 1,000 of 36·32, as against 30·10 during the previous quarter and 30·90 during the corresponding quarter of the previous year. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate for the quarter was observed in Mullaittivu (61·18), and the lowest in Nuwara Eliya (18·40), followed by Batticaloa (23·56). In other towns the birth-rate ranged from 59·82 in Moratuwa, 51·83 in Matara, and 49·84 in Hambantota, to 31·26 in Panadure, 30·38 in Kegalla, 28·75 in Anuradhapura, and 25·47 in "Hatton and Dikoya." The city of Colombo records a rate of 30·24, as against 28·96 in the previous quarter and 27·42 during the corresponding quarter of the previous year.
- 50. Deaths.—The number of deaths registered in the thirty-one towns during the quarter was 4,410, of which 2,443 were of males and 1,967 of females, and correspond to an annual death-rate of 29·15 per mills, as against 28·25 during the preceding quarter and 27·65 during the corresponding quarter of the previous year.
- 51. Corrected death-rates as well as crude death-rates are shown in Table XIII. By a corrected rate is meant the rate calculated for the population of each town on the basis that its age- and sex-constitution is the same as for the Island, and also excluding from the total deaths (as in the crude rate) hospital deaths of estate coolies and other persons who are not town residents. The corrected rate should thus furnish a more satisfactory test of the comparative health of the towns than the crude rate.

- 52. The death-rate for all towns this quarter (29·15) is slightly higher than in the previous quarter (28·25) and the corresponding quarter of the previous year (27·65). Corrected death-rates not being available before the middle of 1907, the average cannot be stated for the quarter for the purpose of comparison. Taking, however, the average of the monthly mortality rates up to December, 1910, the death-rate for the quarter shows an improvement on the average (30.64). The improvement is noticeable in seventeen out of the thirty-one towns, the principal exceptions being Mullaittivu and Hambantota. The mortality in Mullaittivu began to increase in January last, namely, to 44.57 from 27.00 in the previous month and 49.11 the monthly average. It rose to 198.69 in February and 115.80 in March. 98.69 in February and 115.89 in March. In Hambantota the mortality began to increase in January last, namely, to 46.99, from 19.77 in the previous month and the monthly average 31.79, and rose abruptly to 65.03 in February, falling to 46.99 in March.
- 53. Of the towns, excluding Vavuniya and Lunugala, the lowest corrected mortality during the quarter was recorded in Kegalla (13·34), and the highest in Mullaittivu (89·31). In the other towns the death-rate ranged from 16·30 in Nuwara Eliya, 16·60 in Panadure, 19·26 in Nawalapitiya, and 21·49 in Puttalam, to 53·56 in Hambantota, 47:35 in Trincomalee, 46:79 in Chilaw, and 44:13 in Mannar.
- 54. In the following Table H the birth- and death-rates for each town for the quarter are compared with the rates for the first quarter of last year, and the average birth- and death-rates for the corresponding quarters of the preceding thirteen years :-

TABLE H.—Birth- and Death-rates of the Principal Towns in the First Quarters, 1910, 1911, and 1898-1910.

•				Birth-rate	per Mille per	Annum.	Death-rate	per Mille per	r Annum.
	Towns.			Average of First Quarters, 1898–1910.	First Quarter, 1910.	First Quarter, 1911.*	Average of First Quarters, 1898–1910.	First Quarter, 1910.	First Quarter 1911.*
	Western Province	2 <b>.</b>							
Colombo	• •			25 4	27.4	30.2	34.5	30 · 1	30.4
Negombo	• •	••		46.3	22 · 9	43.8	33.4	17.1	31.4
Moratuwa		• •		40.2	36.9	59.8	23 · 7	22.2	32.3
Kalutara				39.9	35 · 1	48 3	32.6	40:1	34.9
Panadure	••	• •		39.8	40.9	31 - 3	46 · 5	<b>39</b> ·6	27 . 7
	Central Province	t.	j				1		
Kandy		• • •		29.4	26.0	34.2	34.3	28.0	33.0
Gampola	•••	••		30.8	30.0	36.0	63.5	48.4	44.1
Nawalapitiya		••		30 · 1	18.3	39.8	75.8	60.5	73.2
Hatton and Dikey		••		20·i	16.3	25.5	80.3	81.5	87 · I
Matale		••		30.8	35 · 8	40.6	90.7	60.4	86.1
Nuwara Eliya	••	••		78.0	17.9	18 •4	22.8	14.3	21.6
	Northern Provi	nce.	ļ				<b>5</b> }		
Jaffna		• •		36.7	38 · 4	36 · 5	41.6	32.5	28 · 8
Mannar	•••	••		27.2	36.4	45·1	31.3	<b>49</b> ·8	38.7
Mullaittivu		••		33.9	17.0	61.2	59.3	45.3	81.6
Vavuniya	••	••		29.8	33 · 6	25 · 1	92.5	60.5	• 90.3
•	Southern Provi	nce	ł				ļ		
Galle	**	• •	:	35.1	35 · 9	40.7	31 . 5	38 · 4	29 · 8
Matara	••			42.3	46.9	51.8	29 · 7	25 · 6	31.9
Weligama‡	••	••		38-2	37.8	49.6	17.4	18.2	22-4
Hambantota	• •	•••	••;	37.6	31 · 2	49.8	36.3	32.5	55 · 1
<b>Fangalla</b>	••	• •		39 · 2	43 · 3	45 ·1	28.9	23 · 9	35 · 9
	Eastern Province.		i	-	i	-	1		
Batticaloa		2		25 · 4	24 · 6	23.6	32 6	31 · 1	28.9
Trincomalee	••	••		25.5	31.9	42.2	. 36.4	34 · 1	40.8
No	rth-Western Provi	nce.			 				
Kurunegala	••	••		27.8	27.5	35 · 7	71.5	54.5	<b>5</b> 7 · 6
uttalam	••	••		40.7	41.7	39 · 9	56.8	<b>35</b> ·5	28.4
Kalpitiyaş	• • •	••		25 · 1	33 · 9	<b>30</b> · 6	51.6	50.9	63 · 7
Chilaw	••	••	• •	37 3	43.1	37.9	37.2	43 · 1	50.0
No	orth-Central Provi	nce.	1	1				ļ	
Anuradhapura	•	••	•-	25.5	18.6	28 · 7	62 · 7	43 · 3	42 · 4
	Province of Uva.		1			4.5			
Badulla	••	••		31.9	28 · 4	<b>46</b> ·3	53.7	<b>54</b> ·0	75 • 6
Lunugala	• •	• •		51 .7	87 7		¶	-1	<b>-</b> ¶
Pro	vince of Sabaraga	nuwa.	į	ĺ					
Ratnapura	••			37.0	41.2	46.7	77.9	121 · 2	125 · 9
Kegalla	• •	••		34.5	46 · 1	· 30 · 3	67.0	76.9	76.8

<sup>\*</sup> The birth- and death-rates for this quarter are calculated on the population as enumerated at the Census of March

<sup>†</sup> Statistics for this town being available only from Second Quarter, 1907, the average is for 1908-1910.

‡ Statistics for this town being available from Third Quarter, 1908, the average is for the two years 1909-1910.

§ Statistics for this town being available only from First Quarter, 1905, the average is for the six years 1905-1910.

§ Statistics for this town being available from the First Quarter, 1905, the average is for the six years 1905-1910.

Statistics for this town being available from the Fourth Quarter, 1907, the average is for the three years 1908-1910.

Rates are omitted as population is small.

- 55. The death-rates shown in the table are crude rates, inclusive of hospital and jail deaths. For corrected rates, which are available only from July, 1907, see Table XIII.
- 56. Infantile Mortality.—The infantile mortality of the thirty-one towns was equal to a rate of 212 per 1,000 births registered, as against 257 in the previous quarter and 225 in the corresponding quarter of the previous year. In the towns having an estimated population of 5,000 or more, the mortality ranged from 355 in Batticaloa, 297 in Jaffna, 294 in Nuwara Eliya, to 168 in Kalutara, 138 in Matale, 136 each in Matara and Panadure, 134 in Moratuwa, and 75 in Weligama. In Colombo the rate was 229, against 281 in the previous quarter and 286 during the corresponding quarter of last year.
- 57. Causes of Deaths.—Table XIV. in the Appendix gives for each town and race the principal causes of deaths registered during the quarter, and shows the infantile mortality separately from the general mortality (one year and over).
- 58. Infants.—Out of the 4,410 deaths from all causes at all ages in the thirty-one towns, 955 or more than one-fifth were among infants under one year. Of these, the chief causes were 266 convulsions (of which 109 in Colombo, 20 in Moratuwa, 15 in Kandy, 14 in Kalutara, 12 each in Hambantota and Batticaloa); 182 debility (of which 52 in Colombo, 37 in Jaffna, 20 in Kandy); 137 premature birth (of which 24 in Colombo, 20 in Galle, 18 in Jaffna; 87 tetanus (of which 40 in Colombo, 23 in Galle, 12 in Jaffna); 52 pneumonia (of which 30 in Colombo, 7 in Galle); 43 diarrhæa (of which 19 in Colombo; 41 bronchitis (of which 21 in Colombo, 11 in Jaffna); 29 enteritis (of which 23 in Colombo).
- 59. General Mortality (One Year and over).—Out of the 3,455 deaths of persons one year and over in age, there were 610 due to diarrhæa and dysentery (of which 114 were in Ratnapura, 87 in Colombo, 43 in Kandy, 31 each in Matale and Galle, 29 in Lunugala, 27 in Nawalapitiya); 427 to pneumonia (of which 177 in Colombo, 25 in Moratuwa, 20 in Kurunegala, 17 in Jaffna, 15 each in Kalutara and Batticaloa); 323 to phthisis (of which 179 in Colombo, 34 in Galle, 22 in Kandy, 18 in Moratuwa, 10 each in Kalutara and Kurunegala); 162 to anchylostomiasis or dochmius duodenalis (of which 33 in Matale, 31 in Colombo, 15 each in Kandy and "Hatton and Dikoya," 13 in Kegalla); 132 to enteritis (of which 90 in Colombo, 25 in Badulla); 125 to enteric fever (of which 84 in Colombo, 20 in Moratuwa); 115 to malarial cachexia (of which 16 in Ratnapura, 12 in Batticaloa, 11 in Badulla); 112 to malaria (of which 18 each in Colombo and Jaffna, 13 in Chilaw, 10 in Matara); 70 to Bright's disease and nephritis (of which 28 in Colombo, 8 in Galle); 68 to convulsions (of which 24 in Colombo, 9 in Batticaloa); 49 to puerperal septicæmia (of which 22 in Colombo).
- 60. Percentage of Principal Causes of Deaths at all Ages.—Of the total number of deaths at all ages in the towns, diarrhoea and dysentery accounted for nearly 15 per cent., bronchitis and pneumonia 13 per cent., phthisis, infantile convulsions, and debility each 7 per cent., and fevers 6 per cent.

Registrar-General's Office, Colombo, August 15, 1911. P. ARUNACHALAM, Registrar-General.

## APPENDIX.

Table I.—Area, Population, and the Number of Marriages, Births, and Deaths registered, in the First Quarter of 1911.

	-	88	ting d nsus 1.	ı.	ARRIAGE	s.		BIRTHS.		1	DEATHS.	
Province and District.		Ares in Square Miles	Population (excluding the Military and Shipping, at the Census of March 10, 1911.	Total	General.	Kandyan.	Total	Males.	Females.	Total.	Males.	Females.
CEYLON	• •	25,3315	4,105,535	5,689	4,189	1,500	47,994	24,340	23,645	32,397	16,253	16,144
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		1;432 2,299± 3,363± 2,141± 4,036± 2,996± 4,002± 3,154± 1,901	1,106,458 671,806, 369,654 628,491 183,720 433,958 86,269 216,655 408,524	1,878 709 497 1,054 58 742 90 206 455	1,878 195 497 1,051 44 352 13 42	514 	12,698 7,794 3,296 8,499 1,759 5,502 1,244 2,328 4,874	6,420 3,977 1,669 4,298 933 2,776 652 1,154 2,470	6,478 3,817 1,627 4,201 826 2,726 592 1,174 2,404	7,065 4,694 2,231 6,398 1,298 3,810 846 2,017 4,038	3,611 2,346 1,162 3,043 688 1,931 411 1,002 2,059	3,454 2,348 1,069 3,355 610 1,879 435 1,015 1,979
Western. Colombo Negombo Kalutara	• •	560 <del>2</del> 247 <u>1</u> 623 <u>2</u>	657,777 169,163 279,518	996 322 560	996 322 560	=	7,220 1,982 3,496	3,631 1,003 1,786	3,589 979 1,710	4,223 990 1,852	2,209 514 888	2,014 476 964
Central. Kandy Matale Nuwara Eliya		911 925§ 4627	408,123 108,290 155,393	509 115 85	119 25 51	390 90 <b>34</b>	5,962 1,403 1,329	2,648 675 654	2,414 728 675	2,865 919 910	1,433 473 440	1,432 446 470
Northern. Jaffna Mannar Mullaittivu		1,265 943 <u>1</u> 1,154 <u>2</u>	326,715 25,603 17,336	38 <b>3</b> 109 5	383 109 5	_	2,868 235 193	1,446 121 102	1,422 114 91	1,832 227 172	945 129 88	887 98 84
Southern. Galle Matara Hambantota	• •	652 <u>1</u> 481 <u>1</u> 1,012 <u>1</u>	290,675 227,278 110,5 <b>3</b> 8	652 295 107	649 295 107	_ 3 	3,680 3,277 1,5 <b>4</b> 2	1,842 1,660 796	1,838 1,617 746	2,064 1,985 2,349	1,008 959 1,076	1,056 1,026 1,273
Eastern. Batticaloa Trincomalee	••	2,871½ 1,165	153,957 29,763	46 12	32 12	14 	1,412 347	720 213	692 134	1,066 232	580 108	486 124
North-Western. Kurunegala Puttalam Chilaw		1,844 <del>7</del> 889 <del>1</del> 2621	306,703 39,642 87,613	511 30 201	132 19 201	379 11	4,214 346 942	2,106 198 472	2,108 148 470	2,763 365 682	1,381 196 354	1,382 169 328
North-Central. Anuradhapura		4,0021	86,269	90	13	77	1,244	652	<b>5</b> 9 <b>2</b>	846	411	435
Uva. Badulla		3,15 <del>4§</del>	216,655	206	42	164	2,328	1,154	1,174	2,017	1,002	1,015
Sabaragamuwa. Ratnapura Kegalla	•	1,259 642	166,047 242,477	208 247	69 48	1 <b>39</b> 199	2,105 2,769	1,080 1,390	1,025 1,379	2,066 1,972	1,054 1,005	1,012 967

Table II.—Birth- and Death-rates in the First Quarter of 1911, the corresponding Quarter of 1910, the Fourth Quarter of 1910, and the Mean Rates for the First Quarters of 1898-1910.

			Bi	rth-rate per M	ille per Annum	<b>.</b>	De	ath-rate per l	fille per Annu	m.
Province .	and District <sub>i</sub>		Average for First Quarters, 1898–1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911. *	Average for First Quarters, 1803-1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911. *
CEYLOX		• •	41.9	41.6	44.8	49.71	31.9	28.4	29.6	33 · 5
,	*****					*	1		, v	
Vestern Jentral Vorthern	• •		41·4 37·8 36·4	42·3 36·5 34·5	41·2 43·3 39·3	50·27 47·1 35·9	24·9 29 0 39·1	23:9 26:0 26:1	24·4 28·9 26·0	27 · 9 28 · 4 24 · 3
outhern lastern Jorth-Western	••	•	46·4 36·4 44·9	45·6 35·1 42·5	45·6 46·1 48·8	53·4 37·3 57·7	31·3 31·4 37·2	28 5 28 2 27 6	28·2 29·1 31·5	40 · 2 27 · 1 39 · 9
forth-Central Iva abaragamuwa	••	• •	45.5 40.8 47.8	43·3 44·1 50·7	52·9 54·2 50·8	03·8 48·8 56·4	55.6 38.3 35.8	40 · 6 39 · 6 39 · 9	31·3 44·8 42·3	43 · 4 42 · 3 46 · 8
	٠ ينو					<del></del>				
Western.										
Colombo Negombo Kalutara	· •	••	38·9 46·5 43·8	40·8 40·9 46·7	39·5 46 0 41·4	49·9 45·2 54·2	25·4 21·6 26·5	24·3 16·7 27·9	25·4 22·1 23·7	29 · 1 22 · 6 28 · 7
lentral.	!		,				1			
Kandy Matale Nuwara Eliya	••	•••	39·8 45·7 29·8	37·4 46·0 28·0	42·9 54·0 37·8	59·0 58·5 32·9	29·2 41·6 22·6	$26 \cdot 3$ $34 \cdot 1$ $20 \cdot 5$	28 · 5 36 · 4 25 · 5	28 · 4 38 · 5 22 · 6
Torthern.										
Jaffna Mannar Mullaittivu	••	••	35·6 41·3 45·0	33·5 42·0 44·2	38·9 37·5 59·5	34 · 8 40 · 4 53 · 3	37·0 58·2 54·9	24·5 45·3 32 6	24 8 36·0 41 9	22 · 5 39 · 6 47 · 8
outhern.										
Galle Matara Hambantota	••	••	45·7 47·3 46·8	46·4 46·6 41·4	44 0 45 2 50 9	50·3 55·9 56·0	29·0 28·4 46·1	27·8 26·4 34·7	27·3 24·1 39·6	28 · 9 33 · 9 85 · 9
Castern.										} 
Batticalos Trincomales	••	••	36·4 35·8	33 · 4 44 · 0	46·1 45·9	35 · 8 45 · 6	30·8 38·5	27·1 33·6	28·3 33·1	27·0 30·8
North-Western.										
Kurunegala Puttalam Chilaw	••	••	40.1	43 · 1 45 · 6 39 · 1	51 · 6 37 · 4 43 · 8	62·7 49·3 44·6	40·3 48·5 21·6	29·0 44·3 17·7	34·1 28·6 24·3	41 · 52 · 6 32 · 3
North-Central.										
Anuradhapura		• •	45.5	43.3	52.9	63.8	<b>55∙</b> 6	40.6	31 · 3	43.4
Uva.	ı	•								
Badulla	• •	٠.	40.8	44.1	54.2	48.8	38.3	39.6	44.8	42.
Sabaragamuwa,								* *		
Ratnapura Kegalla	••	• •	1 4	51·2 50·5	52·2 49·9	62·5 52·7	26·4 31·2	51·7 32·4	49·0 37·9	61 · 37 ·

<sup>\*</sup> The rates are calculated on the population as estimated on the basis of the Census population of 1901, and will be revised for the latter half of the last decade when the final Census results are available.

Table III.—Sinhalese Births and Deaths, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births, in Sinhalese Districts in the First Quarter of 1911.

,				1	rths.	1	aths.	, Birtl		per M		Deat	h-rate er An	per M	lille	oder st
Province, District, and Division.	. O of oom A	Area in Square Miles.	Betimated Population on January 1, 1911 (on the basis of the Census Population, 1901).	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910,	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911.	Deaths of Children under 1 Year to 1,000 Births registered in the First Quarter of 1911.
CEYLON	253	331§	2,671,503	28298 	47994 ———	18247	21540	46.8	45 1	46.8	72.8	30 · 2	26 · 0	2 <b>7 · 2</b>	32 · 7	135
Western	1,4	132	8 <b>82,695</b>	8 <b>,64</b> 9	11142	4,190	5 <b>,3</b> 92	<b>43</b> ·5	43 0	41 · 5 5	1.2	22.4	21 · 2	21.5	24 · 8	117
Colombo	6	560 <del>≩</del>	493,062	4,748	6,362	2,531	3,123	42.7	42 · 6	40.7	<b>2</b> ⋅ <b>3</b>	22 · 7	21 - 1 2	21.8	25 • 7	118
Colombo Municipality Alutkuru Korale South Hewagam Korale Salpiti Korale Siyane Korale East* Siyane Korale West*	1	10 72 167 75 1161 1201	64,049 76,879 76,876 107,571 61,402 106,285	604 1,050	926 992 1,269 841 1,399	379 320 528 240 439	489 399 612 296 555									
Negombo	2	247 <u>₹</u>	160,338	1,640				47 · 2	<b>4</b> 0·8	45 94	5.4	19.8	5.6	21 · 0	21.8	132
Negombo Local Board Alukkuru Korale North Hapitigam Korale		7 <del>1</del> 59 81 <u>1</u>	14,955 107,474 37,909	151 1,092 397	58 1,329 405	413	611	_		=	$\equiv$	=	=	=	=	=
Kalutara	6	233	229,295	<b>ു.2</b> 61	2,988	1 <b>,2</b> 20	1,410	44.3	45.5	40·2	2·8	23.9	25 • 4	21 • 1	24 · 9	107
Kalutara Local Board Kalutara Totamune Pasdun Korale East* Pasdun Korale West* Rayigam Korale	2	1	9,136 105,049 28,058 27,343 59,709	274 302	1,354 376 387	581 146 158	679 1 <b>61</b> 16 <b>3</b>				=				-	
CENTRAL	2,2	2991	337,114	3,781	4,886	2,297	2,176	50 · 8	45 · 1	51 • 2	8 · 8	30.8	24 · 5	27 · 2	26 · 2	177
Kandy	9	)11	218,141	<b>2,44</b> 0	3,157	1,376	1,353	51.0	44.7	5 <b>0</b> · 3 5	8 • 7	28.7	23 · 6	25 • 9	25 · 1	173
Kandy Municipality Harispattu Pata Dumbara Pata Hewaheta Tumpane Uda Bulatgama Uda Dumbara Uda Nuwara Uda Nuwara Yati Nuwara	1 2 2	11 507 078 571 467 30 381 345 06	14,118 35,550 42,676 15,105 13,830 13,197 22,392 16,054 24,605 20,614	129 442 488 176 179 112 236 194 245 289	583 574 200 250 143	236 244 77										
Matale	9:	258	65,819	807	1,074	609	<b>5</b> 31	<b>54 · 3</b>	18·5	8 · 2 6	6·2	40 . 9 2	9 · 6 3	2 · 3 3	2:7	205
Matale East Matale North	3	63 1 73 1 88 1	1,732 29,942 15,707 18,438	18 372 190 227	32 515 246 281	23 231 142 213	36 212 130 153	=			_ _ _ _		_	_	=	
<b>X</b>		623	53,154	534	655	312	292	45.5	12 · 9	16 · 3 5	0 · 2	26.52	2.0	26 • 2	22 · 3	152
outside Kotmale Uda Hewaheta	10	47 361 082 131	2,121 16,158 20,683 14,192	14 143 227 150	25 190 247 193	11 87 123 91	14 72 121 85	=			_ _ _ _		-		-	=======================================
Southern	2,1	46 <del>1</del>	615,531	6,590	8,207	4,368	6 <b>,</b> 09 <b>9</b>	47 · 4	16.5	46·0 5	4.1	31 · 4	27 - 9	27.9	40.2	204
Galle	6	521	280,455	2,935	3,525	1,726	1,919	48.2	47.5	44.7	1.0	27.3	ì	1	•	135
\$37 . Î 11	1	6½ 24¾ 83¼ 97 46 66	28,003 22,791 36,348 75,917 60,588 49,642 7,166	271 255 379 777 667 516 70	322 304 498 933 806 577 85	212 126 213 456 385 288 46	209 145 222 503 486 319 35				-	_		1.		

<sup>\*</sup> Births and deaths for this division being available from 1901 only, the averages shown are for the ten years 1901-1910.

# Table III .- continued.

	les.	on on a the us 1).	Birtl	ns.	Deat	ths.		rate per An	er Mi	lle _		th-rate per Ar	per Mi	lle	under irths irst
Province, District, and Division.	Area in Square Miles.	Estimated Population on January 1, 1811 (on the basis of the Census Population, 1901).	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898–1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter, 1911.	Deaths of Children under 1 Year to 1,000 Births registered in the First Quarter of 1911.
Matara	4811	227,792	2,4 <b>3</b> 5	3,190	1,427	1,877	48.1	47 · 4	45 • 4	56 · 8	27 · 9	25 · 5	23 · 4	33 · 4	143
Matera Local Board	11	10,909	112	157	75	90	_	-		-		-			
Four Gravets beyond Local Board limits  Wellaboda Pattuwa Weligam Korale Morawak Korale Kandaboda Pattuwa Gangaboda Pattuwa	77 511 111 160 70 798	18,389 49,615 62,369 17,757 28,652 40,101	542 613 206 343	285		345 401 243 319						1 + 1 1 ,			111111
Hambantota	1,0123	107,284	1,220	1,492	1,215	2,303	47.2	41.8	51 · 2	56.8	46.4	34.5	<b>3</b> 9·6	87.0	495
Hambantota Four Gravets Magam Pattu, exclusive of Four	1	1,044	1	į	Í	ĺ	-	-	-	-	-	-	-	_	
Gravets Giruwa Pattu East Giruwa Pattu West	641 1221 2471	6,1 <b>5</b> 2 11, <b>6</b> 24 88, <b>4</b> 64	138	147	108 188 907		-	=	=	=	_ 	_			-
Eastern	4,036½	9,047	86	96	88	80	38.9	44 · 2	39.6	43 · 0	<b>3</b> 9·5	51.8	2 <b>2</b> ·9	36.3	281
Batticaloa *†	2,8711	7,792	77	88	78	76	40・4	46.0	39.9	45.8	40.7	55.9	<b>2</b> 3·0	40 • 1	295
Batticaloa Local Board Manmunai Pattu South Manmunai Pattu North Bintenna Pattu Chammanturai Pattu Eravur and Rukam Pattus Koralai Pattu Eruvil and Porativu Pattus Karavaku and Nintavur Pattus Akkarai Pattu Panawa Pattu	148 74 677½ 160 372½ 290 247 41 374	223 31 19 3,388 583 193 163 784 1,187 1,087	34 10 2 1 2 1 15	1 45 10 1 1 1 -		23 15 1 1 -									J
NORTH-WESTERN	2,9967	337,996	3,621	4,871	2,794	3,164	46.5	42.9	49.5	58·4	<b>3</b> 5·9	26.1	30.5	<b>38</b> ·0	237
Kurunegala	1,8447	252,181	2,831	3,913	<b>2</b> ,322	2,473	48.2	43.5	51.4	62 · 9	39.5	28 · 2	33 · 2	39 · 8	244
Kurunegala Local Board Hiriyala Hatpattu Weudawili do. Dambadeni do. Dewamedi do. Katugampola do. Wanni do.	1641 186 <del>2</del> 3581	44,277 46,755 34,069 58,071	360 578 536 383 521	793 711 508 791	338 433 359 321 360	284 416 432 339 499									- - - - -
Puttalam*	889	11,678	112	132	126	143	<b>3</b> 9·0	49.3	40.3	45.8	43.8	45.8	24.9	<b>4</b> 9·7	333
Puttalam Local Board Demala Hatpattu Kalpitiya Division Puttalam Division	441 <u>1</u> 315	6,631 1,041	76 5	84	81 7	82 12	=	=======================================	=	<del>-</del>	=			_	
Chilaw -, .	2621	74,140	678	826	346	548	41.6	40 · 0	43.7	45 · 2	21·1	15.8	2 <b>2·4</b>	30 · 0	185
Chilaw Local Board Pitigal Korale North Pitigal Korale Central† Pitigal Korale South†	132		77 296	77 387	65 1 <b>48</b>	80 259	_	=			=			<del>-</del>	
NORTH-CENTRAL	4,0021	63,654	729	1,056	846	672	47 · 2	44 · 3	55 · 1	67 · 3	54.8	38 · 5	29.4	42.8	265
Anuradhapura	4,0021	63,654	729	1,056	846	672	47.2	44 · 3	55·1	67 · 3	54.8	<b>3</b> 8 • 5	29 • 4	<b>42</b> ·8	265
Anuradhapura Town Nuwaragam Palata Hurulu Palata Kalagam Palata Tamankaduwa Palata	53 1,4907 1,040 311 1,155	688 26,963 20,442 14,117 1,447	306 227 167	450 298 264	265 193	307 183 142	=	=	-				=	1111	

<sup>\*</sup> For Tamil Statistics see Table IV. and for Moor Statistics see Table V.
† Births and deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown are for the ten years, 1901-1910.

## Table III.—continued.

	-4-4-11	iles.	n can a the us	Bir	ths.	Des	ths.		ı-rate er An	per M num.	ille		h-rate er An		[ille	nder rthe rst
Province, District, and Division	n.	Area in Square Miles.	Estimated Population or January 1, 1911 (on the basis of the Census Population, 1901).	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter, 1911.	Deaths of Children under 1 Year to 1,000 Births registered in the First Quarter of 1911,
U∀A Badulla	• •	3,154½ 3,154½	[131,724 [131,724		`	1				55•6 55•6	- 1		36·9	- 1		210 210
Badulla Local Board Yatikinda Division Bintenna do. Buttala do. Wellawaya do. Udukinda do. Wellassa do. Wiyaluwa do.		3312 18312 359 56712 1,01912 18812 64512 18737	3,552 23,924 9,606 13,897 7,177 33,558 21,157 18,853	34 237 110 172 79 347 280	51 331 121 184 97 409 307	37 165 105 196 101 224 287	38 183 75 218 142 219 272									
Sabaragamuwa Rutnapura	••	1,901 1,259	292,269 124,028			,	Í			50·6 50·9		32·3 37·6	-			195 209
Ratnapura Local Board Kuruwiti Korale Nawadun do. Atakalan do. Kadawata do. Kolonna do. Kukulu do. Meda do.	•••	21 211 193 171 130 160 224 156	3,017 33,486 25,882 18,592 10,407 10,365 8,595 13,684	357 318 235 127 101 96	59 518 377 297 129 156 81 206	34 200 215 188 121 113 67 148	47 261 243 237 139 206 77 164								-	
Kegalla		642	168,241	1,939	<b>2,26</b> 3	1,038	1,238	<b>5</b> 2 • 8	51 · 5	50 · 4	54.5	27 · 7	24 · 2	31 · 1	29 · 8	183
Kegalla Local Board* Paranakuru Korale* Beligal do. Galboda do. Kinigoda do. Dehigampal do. Atulugam do. Panawal do. Lower Bulatgama		56 1621 563 42 1251 743 40 841	1,727 30,182 45,508 23,701 18,922 12,905 17,863 7,346 10,087	506 319 240 176 138 73	14 425 528 387 325 164 236 100 84	19 202 247 168 140 105 70 38 55	12 210 319 199 170 50 172 156 50									

<sup>\*</sup> Births and deaths for this division being available from 1901 only, the averages shown are for the ten years 1901-1910.

Table V.—Tamil Births and Deaths, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the First Quarter of 1911.

					er of										
	iles.	on on a the sus	Birt	hs.	Dea	ths.	Birth P	-rate er An	per Mi num.	lle	Death D	-rate p er Ann	or Mi	lle	under Births First 1.
Province, District, and Division.	Area in Square Miles.	Estimated Population on January 1, 1911 (on the basis of the Census Population, 1901).	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter,	Fourth Quarter, 1910.	First Quarter,	Deaths of Children under I Year to 1,000 Births registered in the First Quarter of 1911.
Northern Jaffna	3,363	<b>35</b> 7,548	1				1	i	39·2 38·6		38·5 35·5	25·7 24·5	1	23 · 8 22 · 1	20 <b>0</b> 189
Jaffna Division Valikamam East Valikamam North Valikamam West Vadamaradchi East Vadamaradchi West Tenmaradchi Pachchilaippellai Karaichchi Punakari* Islands* Delft* Tunukkai	18½ 401 36¾ 34½ 55 80 87 1234 2264 597 1446	28,248 51,365 51,728 3,985 54,744 38,863 5,618 2,674 4,559 37,690 4,651	217 369 401 42 389 358 51 10 45 405	420 41 414 367 55  37 364 47	428 193 345 380 65 405 479 78 22 67 305 28	263 42 286 253 43 					,				
Mannar  Mannar Island Division  Mantai Division  Nanaddan Division	943] 473 644] 251	5,600	44 57	53 45	70 95	68 <b>4</b> 2	 	36.8	35 7	38 · 3	56·8	45 · 2	36.5	42.3	317 
Mullaittivu  Maritime Pattus  Vavuniya North  Vavuniya South	1,154; 393; 316 445		68 6 26	63 29	79 34	67 25	_	41.6	59 · 7	49·1 — —	55·1	32.2	42.4	46 · 1	29 <b>7</b> 
Eastern  Batticaloa†	4,036		1	1,001	1	} .	1	1	45·4	1	34·2 32·7			31 · 7 30 · 9	
Batticaloa Local Board Manmunai Pattu North Manmunai Pattu South Bintenna Pattu Chammanturai Pattu Eravur and Rukam Pattus Korelai Pattu Eruvil and Porativu Pattus Karavaku and Nintavur Pattus Akkarai Pattu Panawa Pattu	1 148 74 677 160 372 290 247 374 486	14,13 9,19 67: 3,27 1 8,80 6,26 14,43 15,15 5,69	1 105 3 95 2 7 8 27 5 66 8 92 8 122 3 127 8 51	102 97 41 3 83 2 106 2 106 7 150	103 77 8 8 20 8 68 76 92	108 66 8 21 8 64 7 88 8 108 9 48									
Trincomalee Trincomalee Town Kaddukkulam Pattu Koddiyar Pattu Tampalakamam Pattu	1,165 1 490 223	9,24 1,86 4,47	6 65 0 18 9 46	2 83 8 50 5 <b>2</b> 3	3 . 89 0 29 3 3	8 8 9 1	B -	8 41 · 1	43.3	438	40.6	35:	3 37 - 1	35.5	237   
North-Western  Puttalam  Puttalam Local Board  Demala Hatpattu  Kalpitiya Division  Puttalam Division	2,996 889 44 31	6,38 6,38 11 20 5 1,88	58 5 02 99 31 2	7 7 8 3 0 1	3 9 6 <b>2</b> 4 3	5 10 4 1 5 4	2 31· 1 — 2 —	- 1	241·8 829·9		l	ļ	1	3 69 · 8	1

<sup>\*</sup> Births and deaths for this division being available from 1901 only, the averages shown are for the ten years, 1901-1910.

† Births and deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the ten years, 1901-1910.

Table V.—Moor Births and Deaths, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births, in Batticalca and Puttalam Districts in the First Quarter of 1911.

	5	ŧ	ao ao	Birti	hs.	Deat	hs.	Birth-	rate p er An	er Mi num.	lle	Death P	-rate p	per Mi num.	lle	irst
Province, District, and Division.		Area in Square much.	Estimated Population Janary 1, 1911.	Average for First Quarters, 1898–1910.	First Quarter, 1911.	Average for First Quarters, 1898–1910.	First Quarter, 1911.	Average for First Quarters, 1898-1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter, 1911.	Average for First Quarters, 1898–1910.	First Quarter, 1910.	Fourth Quarter, 1910.	First Quarter,	Deaths of Children under 1 Year to 1,000 Births registered in the First Quarter of 1911.
Eastern	4,0	)36 <u>1</u>	72,277	595	621	464	<b>3</b> 78	36.9	3 <b>2 · 2</b>	48.6	34 · 8	28.5	21 · 2	27 · 1	$21 \cdot 2$	204
Batticaloa* Batticaloa Local Board Manmunai Pattu North Manmunai Pattu South Bintenna Pattu Chemmanturai Pattu Eravur and Rukam Pattus Koralai Pattu Eruvil and Porativu Pattus Karavaku and Nintavur Pattus Akkarai Pattu Panawa Pattu		3711 148 74 3772 160 3721 290 247 41 371 4861	62,489 381 12,460 47 124 6,282 6,861 4,545 177 20,140 9,454 2,068	1114 	145 87	2 102 - 1 38 27 21 - 107 91	3 71 - 1 30 27 23 - 107 37		29 · 3	48.6	32.4	27·6	19.7	26 6	20·3	206
NORTH-WESTERN	2,	9963	24,940	262	351	253	258	43.4	42.	1 47 - 1	1 57 · 1	43.	31.6	34 · 1	41.9	211
Puttalam Puttalam Local Board Demala Hatpattu Kalpitiya Division Puttalam Division		889 <del>1</del> 8 <del>5</del> 4411 315 124 <del>7</del>	9,934 2,838 456 4,670 1,970	34 6 6 7 54	48	31 8 68	23 65		3 42 -	38 - 1	8 56·3 — —	51 · 8	33.0	20 · 0	46.5	246 — — —

<sup>\*</sup> Births and deaths for the divisions as at present constituted of this district being available from 1901 only, the averages shown for them are for the ten years, 1901-1910.

•		<u> </u>										_				MARRIAGE	LAGES.	.86							barrana'	-	-	-		-	-	-	-	-
	·			Cont	Contracted between	betwe	en	1			5		Con	Contracted	d between	reen		arriage	Sog	aracter of	Barne.	Contracted between Persons of same Race.	етвопа		not 21 Years of Age.			<b></b>	<del></del> -	•09-			.68	.68
Province and District.	ह्न Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and saids.	Midowers and Widows.	Divorced Men and Spinsters.	Bachelors and Divorced Women.	Divorced Men and Widows.	.Widows, Divorced Womens. and Widowers.	and Widowere.	-Widows.	European and Burgher.	European and Sinhalese.	European and Tamil.	Burgher and Ginhalese.	Bargher and Tamil.	Sinhalese and LimaT.	M bexiM rediO	Елкореви.	Burgher.	Sinhalese.	.lione.T	втобфО.	Males.	Females	A slaM tasdgiH	A Sale Male Age.	Lowest Male Ag	A signest Female A			Mean Female Ag	A elame'l seswo.	A elameit femala A Martieges solemini A Ministers.
CEYLON	4189	9 3593	101	425		57 1		69	1 1	<u>-  </u>	482 158		69	1	9	70	5 14	*4	27		40.3363	3 724	3	97	2045		7027	.3	81	65 20 · 6	1 : 1	6	12	1
Western Central Northern Southern Eastern North-Western Uva Sobaraganuwa	1878 1956 1051 352 352 13	166 166 166 166 166 166 166 166	44 32 47 11 12 16 26 26 27 26 18 18 19 18 19 18	204 171 174 173 103 111 111 113 144 113 144 144 144 144 14		25 10 10 11 10 10	<u> </u>	11111111	4	8	229 200 301 113 200 200 200 200 200 200 200 200 200 20	53 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111111	11111111	1 1 1 2	1   1   767	,0, 10, 4, 100	c <sub>1</sub>	11 11 11	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 1749 8 107 1 1046 1 319 3 3 2 108	F 0 0 4 61	42	2 4.8 4.8 1.0 1.1 8		74 905 905 905 106 106 106 106 106 106 106 106 106 106	66527.0 6527.0 757267.9 7728.7 7727.1 74728.4 7528.9 6528.9		2000 2000 2000 2000 2000 2000	4020.6 4019.2 4019.2 6521.6 3019.2 3621.2 4021.7 4219.3		<u> </u>	440646466	
n. nbo mbo tara	996 322 560	871 287 456	1 15 3 13	93 31 80	ļ '	1 4 1 =	1 60			) ~ · · · ·	107 2 31 2	0.44	111	111	711	111	1,,1	84	17	25	289 289 1 550	28 0 8 8	117	120.00		407 156 181	6526·2 5525·4 6528·7	6141	618	5520·3 4019·8 5021·5		1 00 00 10	15	
Central. Kandy Matale Nuwara Eliya	119	102	%   ~		,	<u> </u>	111	111	111	1 1 1	287	111	111	111	5	-11	111	111		9 6	6 75 1 17 1 15	29 29 30	1   67	es , 70		255 264 4	6528.5 5828.2 4526.1		0226	4021 · 3019 · 3020 ·	21.2 19.5 20.1		41 41 51	
Northern. Jaffna Mannar Mullaittivu	383 109	343 80 4	804 707	29		<u>4 ∞ ′ ′ </u>	<del>-      </del>	<u> </u>	111	1 1 1	883	<u> </u>	111	111	111		111	111	1.11		111	383 107 5	111	122		229 75 4	5726 4025 3627		25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4019 3017 3218	777		5, 12, 23	13 89 12 108 15 4
Galle Matara Hambantota	849 295	262 262 7	71 4 6	70 42 9			87.	111	1 1 1	1	75 28 10	<u> </u>	111	111	111	111	%	111	111	1 1	646 1 293 107	1	111	512.7		324 200 37	7029·2 6522·5 7032·2		18 18 20	6521 50 19 57 24	လဲ လဲ လဲ		647	13 14 15 -
Batticaloa Trincomalee	32	10	.		্ব     কুম	<u>                                     </u>	<u> </u>		1 1	1 1	681	11	11	11			11	11	11			282		<u> </u>	W.	22.8	4728 3827	တတ	21	30 19 28 19			14	14 12 15 2
Kurunegala Puttalam Chilaw	132 19	109	080			<del>ه , ده</del>	<u> </u>	111	111	1 1 2	16 19 1	<u> </u>	111	1;1	111	111		111	111		126 5 188		8 12 8 12 1 6	4~4		68 13 4 115 4	45 25 4 45 25 4 1 25 2 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	କ ଚାରା	608	30 19 25 19 30 19	19.8 19.3 19.2		81 91 4	13 16 16 14 95
North-Central. Anuradhapura	13	10	<u>.</u>	<del></del>	<del></del>			<del>-</del> -		<u></u>	- 63	1	1	1	-			ক্য		1		- <del>6</del>	<u> </u>			F-	4726	₹.	-: 02	3621	.23		14	
Badulla	42	39			61	<u> </u>	<u> </u>	<del>-</del>	<del>-</del>	<del></del>	ÇI		1	1	63	C/3	<u> </u>	1	1		58		1	,(		17.	55 28	6	50	40 21	<u>.</u>		13	
Sabaragamuwa Ratnapura Kegalia	69	9 62	-13		0.10		11	<u>    </u>	11	· , ,	en eo	4~	11	11	11	11	- 23		11		49 44		11	61 ~		36.5	5927 4024	20 0	0.8	4219 3019	4 60	-460	4 8 5 4	

Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the First Quarter of 1911.

					Con	tracted	1 betw	70en.				not Yea	sons 21 rs of ge.			-			-	ber sign Reg W	num- who ed the dister ith
Province and District.		Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
CEYLON	•••	1500	1155	65	1 <b>4</b> 3	5 <b>5</b>	36	6	27	5	8	200	1123	65	26 · 0	18	48	20 · 2	13	463	1402
Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	• • • • • • • • • • • • • • • • • • • •	514, -3 14 390 77 164 338	— 3 11	17 - - 24 4 12 8	41 - 1 43 15 12 31	9  2 22 1 18 3	17 — — 5 2 5 7	_     _   1	_ _ 5	1 - 4 -	6	57 — 1 49 3 37 53	381 -3 11 279 53 119 277	26 35 65 45	26·6 23·7 26·9 26·0 27·3 24·4 25·7	18 22 19 18 20 18	19 26 48 36 48	19·7 	13 17 15 14 16 14 13	161 -2 14 99 21 77 89	462 
Central. Kandy Matale Nuwara Eliya		390 90 34	311 69 29	10 7	34 4 3	6 3	15 2	1 2	. 8 1 . 2	1 	4 2	• 42 9 6	289 67 25	56	26 · 7 26 · 7 25 · 0	18 18 19	36	19·8 19·5 19·1	13 13 15	123 26 12	345 83 34
Northern. Mullaittivu	••;	-	_	_	_	_	_	_	-	_	_	_		_	_		•	_	_	_	<del>_</del>
Southern. Galle Matara		_3	_3	_		_	_		_	=		_	_3	_26 	23 · 7	22 —	19	18.0	17	_2	3
Eastern. Batticaloa Trincomalee		14 —	<u>11</u>	_	_1	_2	_	_	_	  -	_	1 —	11	35 —	26·9	19	26	18.9	15 —	14	14 —
North-Western. Kurunegala Puttalam		379 11	277 9	23 1	<b>43</b>	21	5 	_1	5	<b>4</b>		45 .4	270 9	65 35	26 · 1 23 · 7	18 19		22·1 20·5	14 18	97 2	365 11•
North-Central. Anuradhapura:		77	54	4	15	1	2	1		_	_	3	53	45	27 · 3	20	36	20 · 7	16	21	76
Uva. Badulla		164	115	12	12	18	б		2	_	:	37	119	60	24 · 4	18	48	19 · 3	14	77	159
Sabaragamuwa. Ratnapura Kegalla	••	139 199	113 164	5 <b>3</b>	13 18	· 2	1 6	_1	4 5	_		18 <b>3</b> 5			26·0 25·5	1 <b>9</b> 18		18·5 19·4	13 14	45 <b>44</b>	130 182

				All Baces.		Bur	Europeans.	1	Burghers		{ 1.	80	Sinhalese.			Tamile.			Moors.		H	Malays.		80	Others.
Provin .	Province and District.		Persons.	.89laM	Fema!es.	Регволв.	Males.	Females.	Persons.	Females.	· sortman c	Persons.	Males.	Females.	Persons.	Males.	Females	Persons.	.selaM	Females	. Ветволв.	.eelaM	Females.	Persons.	Males.
CEXTON		:	47,994	24,349	23,645	<b>89</b>	91	27	225	110	601	36,105	18,242	17,863	8,755	4,456	4,309	2,625	1,378	1,247	148	98	62	93	55
		·	10.202		6.278		- 6		AC.		_	1 149	6.3	5 520		3,65	348	575	304	0.71		1 8	6		-
Western Central	; :	: :	7,794		3,817	প্র	10,		8		•	4,886	2,499	2,387	2,400	1,211	1,189	423	218	202	80	17	<u> </u>	101	
Northern	:	: :	3,296		1,627		7	7	ල ග	4 3	ର ଜ	8.207	4,153	12		1,585	1,538	134	9 6	102	22	76	- 1C	ল ল	
Soutnern Eastern	::	: :	1,759		826	1	<u>.</u> 1	1	G 1			96	46	50	-	526	475	621	337	286	12	01	·ω	17.	
North-Western	•	: :	1,502		2,726 592	<del>-</del>	<u>.</u>   1	<del>-                                    </del>		1	οN ,	1,056	2,452	2,419		124	134	351	184	167	21	<del>o</del> -	60	C1 C	34
Uva Sabaragamuwa	· · · ·		2,328	1,154	1,174	60 N	<del>6</del> →	<del>, -</del>	0.00	<del>-</del> 87	L 4	1,738	886	852 2,054	490 647	353	270 294	132	8 %	8. 8. 8.	27	15-	10	18.0	\$ 01
Western. Colombo	:	<del>' :</del>	7,220	}	3,589	13	. 19	-9		١	73	6,362	3,175	3.187		149	137	323	176	147	20	34	8	27.	191
Negombo Kalutara	::	::	1,982 3,496	1,003	979 1,710	, –	11	<del></del>	<del>64</del>	<b>63</b> 63	401	1,792 2,988	896	896 1,446	149 278	131	64 147	220	108 108	112	<b></b> €	101	<del></del>	રા ભ	1
Central. Kandy	:	:	5,062	2,648	2,414	- o	4	70.	4,0	- E		3,157	1,661	1,496	⊣.	766	742	332	182	150	22	<u> </u>	<b>න</b> ද	<del></del>	<b>.</b>
Matale Nuwera Eliya	78 ::	::	1,329		67.6		1 ~		1 (2)	<del>-</del> 1		655	306	340 340	645	332	313	9 62	3=	8	ဂ က	<del></del>	N 64	4 m	
Northern. Jeffna Mannar	::	::	2,868 235	1,446	1,422	7		1 1	22	<del>-4</del>		<del>\</del> 8		<del></del> ;	2,830	1,424	1,406	22 88 52	40,	13	<del>ار</del>	<del>-</del> i	<del>'</del>	<del>- ~ '</del>	67
Mullaittivu	:	:	183	•	16		1	<u>'</u> }	<u></u> 1	 		92	2		148	<b>5</b> 0	67	61	9	13	1	<u> </u>	<u>                                     </u>	<u>'</u>	1
Southern. Galle Matara Hambantota	:::	:::	3,680 3,277 1,542	1,842 1,660 796	1,838 1,617 746	117	111	-11	ठा २० च्य	014	, es ,	3,525 3,190 1,492	1,760 1,625 768	1,765 1,565 724	24.2 8	24 [1] 6	<b>8</b> 4 5	109 55 55	22	35 35 44	11=	118	1126	- <del>\\</del> -	1
Eastern. Batticaloa Trincomalee	::	::	1,412	720	692 134	11	<u>:</u> -	1 }	∞ ~	<u>.4</u> = (	4 1	<b>8</b> 80	6	48	811 190	410	401	500 121	264	236	1 22	٦٩	<del>ي</del> ا	22	210
North-Western. Kurunegala Puttalam		:	4,214	2,106	2,108			1	~~	 		3,913	1,968	1,945	114	64.6	6 5 5	178	200	96	တင	70 -			
Chilaw	: :	::	942	472	470	1			4 1Q	। <del>।</del> क	cv.	826	416	410			, es		17	81	N 44	4 eo		<del>,</del>	1
North-Central. Anuradhapura	7.8	<del>:</del>	1,244	652	592	1	<u> </u>	<u>_</u>	<u> </u> -			1,056	550	506	28	31	27	127	70	57				61	j
Uva. Badulla	:	:	2,328	1,164	1,174	<u> </u>	<del>.</del>	1	Ć1			1,738	886	852	490	220	270	69	30	30	10	70	ਪਰ	92	6
Sabaragamuwa. Ratnapura	:	:	2,105	1,080	1,025		1				ঝ	1,818	126	897	252	143	109	23	5	14	١	1		<u>8</u>	1

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the First Quarter of 1911.

					JANUA	ARY.					- 111		Fabru	ARY.				1			MA	ROH.		_	
Province and	District.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malaya.	Others.
	CEYLON	11321	11	417	549	3024	620	43	33	10738	6	32	7105	2911	€98	42	44	10338	9	33	<b>688</b> 6	2698	643	31	38
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		2481 1714 850 2112 469 1260 294 738 1403	<u> </u>	3 3 3 1	865 832 11 024 25 069 231 512 980	380 789 804 32 : 01 106 25 194 393	159 78 34 49 133 81 37 24 25		2 1 5	2365 1669 663 2166 397 1294 93 670 1251	5 - 1	3 2 1 2	1832 742 9 2031 39 1051 9 35 415 751	303 839 622 36 236 151 25 228 471	156 71 29 64 112 86 31 24 25	3 3 3	23 8 1 5 2 1 3	2219 1311 718 2150 432 12:6 259 609 1384	2	4 3 1	1695 600 2 2044 16 1044 206 398 881	288 624 674 38 277 114 21 187 475	168 73 37 61 134 91 32 20 27		21° 7 1 3 1
Western. Colombo Negombo Kalutara	• •	1464 333 684	10 2	:	289	210 42 128	97 2 60	24	5	1444 343 578	4	19	1077 302 453	206 £6 71	96 9 51	_	8 4 1	1315 314 590	6 2	20	965 268 462	182 35 71	103 10 ° 55	_	20 1
Central. Kandy Matale Nuwara Eliya		1022 345 347		1 2	217	451 110 2:8	60 14 4	7 2 1 -	l	259 287 423		3	477 169 96	416 102 321	52 15 4	1 -	6	884 287 140	2 -	4	372 145 83	445 125 54	56 17	1	6
Northern. Jaffna Mannar Mullaittivu	::	720 67 63	1	-  -  -	1 10	706 -19 49	!4- 16- 4-		-	550 - 64 - 49 -		1	_ 3 6	542 44 36	6 17 6			562 - 96 - 60 -		3	- 1	553 67 54	27 5	1	1
Southern. Galle Matara Hambantota		680 - 579 - 853 -	_	1 4	633 556 335	13 13 6	31 - 9 -	3 -	1	670 - 680 - 786 -	-	_   - 	628 632 771	11 19 6	30 29 5	3 -	1	714 726 710	_ -	1	658 689 697	18 15 5	35 22 4	1 4-	1
Eastern. Batticaloa Trincomalee		581 - 88 -	_ _	3 -	25	241 60	107 2€	2 -	5	320 - 77 -	_	2	35 4	187 49	94 18	3	2	365 - 67 -	_	1	16	233 44	112 22	1	3
North-Western. Kurunegala Puttalam Chilaw	•	. 886 118 256		1	314 46 209	39 35 32	32 36 13	1 -	- - - -	939 - 120 - 235 -	_	1	815 50 186	79 33 39	41 36 9		1	938 - 127 - 191 -			844 47 153	54 34 26	37 42 12	1 2-	1
North-Central. Anuradhapura	••	294		_ 2	231	25	37	1 -		293	_	1	235	25	31	-	1	<b>25</b> 9 -	-	-	206	21	32	_	
Uva. Badulla	••	738 -	_ -	_   4	512	194	24	1	7	670	1	1	415	228	24	1 -	<u> </u>	609	_	1	398	187	-03	_	3
Sabaragamuwa. Ratnapura Kegalla	•••	<b>82</b> 2 <b>5</b> 81	_ -			254 1 <b>39</b>	9 16		2	582 - 669 -	_	1	391 360	182 289	8 17	- -	3	662 - 722 -		_		229 246	6 21	_ .	1

4 | | | 6 | | | |

115

окрета.

84 3 | e F-08 1122 116 ... <del>-</del> Melays. DEATHS AMONG ALL BACES. 368 833 84 9 28 184 9 481 201 8 142 214 189 53 38 200 1 2 4 28 861 Moors. 21540 8633 128 3 1 1 2 8 1 1 2 8 1 1 2 8 1 1 2 8 736 36 876 703 884 242 30. .elloraT 63 2523 56 623 302 **4** | | | | | | | | | 106 11 4 6 11 26 1111111 писоровия. Table X.—Causes of Deaths Registered in Ceylon and in each Province and District during the First Quarter of 1911 3 166 136 136 777 777 7449 1 | 22 | | | | SABARA-GAMUWA PROVINCE. 846|2017|2065|1972 5.0 88 Kegalla. 4537 226 33 65 1 138 166 11128111: 168 <u>8</u> Katnapura. 268 389 NORTH-WESTERN N.-C. UVA PROVINCE. PROV PROV 235 11 88 Badulla. 74 57 126 55 **4** 86 187 1111 awqadbawa. 11111111 682 99 2 | 30 45 Chilaw. 1 | 57 00 365 11100111 14.8 12 77 Puttalam. 18 49 89 209 43 91 3 69 | | | 2763 238 33 55 247 24. 758 1 1 1622 w 0 EASTERN PROVINGE. 232 33 1111 111 Trincomalee. 1 2 2 2 1066 8 | 2 2 122 74 [11] 90 172 2064 1985 2349 48 1111 SOUTHERN PROVINCE. 504 803 898 128 2 8 12 1 2 2 Matara. 185 529 49 31. 14 38 23 111 11 Galle. 1 22 1111 Mullattivu. NORTHERN PROTINGE. 27 27 614 15 227 111 256 1114 68 68 71 37 214 5 4 1832 201 3 123 92 53 11 .sanat. 65 5 147 180 53 17 910 5 16 111 Navara Eliya. CENTRAL PROVINCE. 1 8 8 1 96 | | | | 67 627.29 919 1 191 Matale. 18522865 188 188 177 190 190 194 14 289 581 1114 7.1 Kandy. 2<del>6</del>522 - N 8 8 48 1111. Kalutara. WESTERN PROVINCE. 33 91 28 135 185 10 990 111 1:11 119 621 63 337 647 306 135/ 203/ 32397 4223 21 1111 Colombo. 3130 119 119 1897 5795 1771 CEATON' III.—Diseases of the Respiratory system
IV.—Diseases of the Respiratory system
V.—Diseases of the Digestive system
VI.—Non-veneral diseases of the GenitoUrinary system and Annexa
VII.—The Puerperal State
VIII.—Diseases of the skin and of the Cellular Insue IX.—Diseases of the Bones and of the Organs ::::::::::: External ner General diseases
II.—Diseases of the Nervous system and ALL CAUSES X.—Malformations XI.—Diseases of the Early Infancy XII.—Old age Judicial Hanging or Execution . . Accident and other External Violence XIV.—III defined diseases gans of special sense ... CAUGES OF DEATH. XIII.—Affections produced Vaccinated
Not Vaccinated
Doubtful Venoreal diseases Cancer or Malignant diseases Other General diseases I.—General Diseases :of Locomotion Tuberculous diseases Epidemic diseases— Enteric Fever.. Typhus Fever Relapsing Fever Malria Malarial Cachexia Epidemic diseases Septic diseases Tissue Smallpox < Homicide Measles

	8	8	8	2 32 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
11111112	1 1 2	20 20 1 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1	[
2.6 2.8 3.14 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	1   1   1   1   1   1   1   1   1   1	76 30 10 10 10 10 10 10 10 10 10 10 10 10 10 10 1	- 1   1	13	$ \top $
18	33 1	3 138		1 1127	
2   1   2   2   1   2   3   1   3   3   3   3   3   3   3   3	6	19 66 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 1 1 2 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1 1 1 9 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2   2   2   2   2   2   2   2   2   2	87 75 16 1 — — — — — — — — — — — — — — — — — — —	2 6	110 3 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	    
936 938 123 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 19 5 - 16 8 - 185 60 2	23 320 37 7 7 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23 - 1 - 2	3 2 40 3 7 7 11 8 4	8
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<del> </del>	11 01	of the of the of the of the		
Whooping Cough Diphtheria Membranous Laryngitis Croup Influenza Ameebra Dysentery Dysentery Cype not distinguished) Leprosy Erystpelas Mumps Waricella (Chickenpox) Other Epidemic Diseases	:::::	Acute Pulmonary Tuberculosis Chronic Pulmonary Tuberculosis Tuberculous Meningitis Abdominal Tuberculosis Tuberculosis of Joints Tuberculosis of other Organs (Lymphatism excepted) Elsekes Syphilis Parangi (Frambossia Tropicum, Yaws) Gonococcus Infection	Cancer or Malignant Diseases— Cancer and other malignant Tumoura Buces Cavity Cancer and other malignant Tumours Stomach, Liver Cancer and other malignant Tumours Female Genital Organs Cancer and other malignant Tumours	Breast Cancer and other malignant Tumours of other Organs or of Organs not specified Other Tumours (Tumours of the Female Genital organs excepted) Acute. Rheumatic Fever Rheumatoid Arthritis Osteo-Arthritis Chronic Rheumatism Guot Diabetes (Mellitus) Anamia Chlorosis Diabetes Lisipidus Furpura Furpura Chronic Baseses	Alcoholism (acute or chronic)
Whooping Cough Diphtheria Membranous Laryngitis Croup Influenza Amcebra Dysentery Basillary Dysentery Dysentery (type not dis Leprosy Warriella (Chickenpox) Other Epidemio Disease	Pygnic Dispesse— Pygnia Spticaemia Vaccinia Rabies Hydrophobia Tobenus	Acute Pulmonary T Chronic Pulmonary T Chronic Pulmonary T Tuberculous Mening Abdominal Tuberculous of Join Tuberculous of Join Tuberculous of o excepted) Rickets Syphilis Syphilis Parangi (Frambossia J Gonococcus Infection		Breast Cancer and other m Organs or of Organ Other Tumours (Tum organs excepted) Acute Rheumatic Feve Rheumatoid Arthritis Osteo-Arthritis Chronic Rheumatism Guot Anamia Chorois Diabetes (Mellitus) Anamia Chlorosis	'ਨ 🖠

	DBA	
	SABARA- GAMUWA PROVINCE.	•1
	46	
	NC. UV. Prov Pro	.am
	EASTERN NORTH-WESTERN PROVINCE.	
nued.	KASTERN N PROVINCE.	*8
s, &e.—conti	SOUTHERN PROVINCE.	ta.
ises of Death	NORTHERN PROVINCE.	
Table X.—Causes of Deaths, &c.—conti	CHNTRAL PROVINCE.	iya.
	WESTERN PROVINGE.	-
		rou.

		WES	Western Province.		CENTRAL PROVINCE.		Northern Province.	TROE.	J.~4	Province.		Kastern Province.	10B.	NORTH-WESTERN NC. PROVINCE. PROV	VESTEL INOE.	PBO	PROV		GAMUWA PROVINCE.		DRAT	DRATHS AMONG ALL BAUES.	NG AI	CE BA	OBS.	5 4	
CAUBES OF DEAFER.	CEATON'	Colombo.	Negombo.	Kandy.	Matale.	Nuwara Eliya.	annat.	Manner.	Galle.	Matara.	Hambantota.	Batticalos.	.99facroonitT'	Kurunegala.	Puttalam.	-studadbatunA	Bequile.	Ratnapurs.	Кедайа.	Europeans.	Burghers.	Sinhalese.	-slimaT	жтооМ	Malays.	Others.	
II.—Diseases of the Nervous System and of the Organs of Special Sense.													<u>                                      </u>	<u> </u>										-			
Encephalitis Simple Meningitis Carlon-Spinal Fever Carbon-Spinal Fever	& <mark>6</mark> 3 − 01	67   1	1 1 1 1	<u>                                     </u>	6	-111	1711	1 1 1		-			1111	1111	111	1 1 1	1       1   1   1	1   1	1 11		"		· · · · · · · · · · · · · · · · · · ·			1111	
Septial-menting the Spinal Cord Carbinar Diseases of the Spinal Cord Carbinar Hamorrhage Softening of the Brain Paralysis without specified cause	156 56 146	24	<del>  4</del> -	1 1	1 1	1411	7 9	1 1 1 1 1	1   2	1	1   1		1111	9   1	1 1 1 1	<del>                                  </del>	<del>                                     </del>			4 0		109	24   82 _	1 1			
	35 157 3753 39	10 487 - 18	3 - 1 68 408 - 1 408	157 18 157 9	1 16	67   69	32	7 2 1	13 494	1 495	11411	514		30218			36   36   1	1 12 1	69 00	11111	8 9 7	12 67 2994 1 26	- 8 Z	12.	1 <sub>2</sub>	্ব	( 22
Other Diseases of the Eyes and their Annexa Other Diseases of the Ears	<u>г</u> ез	( )			٦ ا	11	11	11	11	11	11	11	11	<u>' '</u> 	1 1	1 1	11	<del>!</del>	<u> </u>	11		1	-	 		1	2)
III.—Diseases of the Circulatory System. Pericarditis Myocarditis Valvular Disease	4 22	9 11	111	11,00	1   1	<del> </del>	111 00		1111	1118	111	1111			1111	1111	111	1   8	111	111		111	t	1 6 8		1111	
Other Organic Diseases of the Beart Aneurism Atherona, Arteriosclerosis Atherona, Arteriosclerosis Atherona, Arteriosclerosis		3 1				111	1 1 1	 	111	111	111	111	111	111		7 7	111		1111	11,11		1111	111		1111	1111	
Cerebral Embolism and Thrombosis Embolism and Thrombosis other than Cerebral Lymphatism, Status Lymphaticus Elephantiasis Arabum (Filariasis)		1	<u>                                     </u>	<u>17   1   1</u>		1111	] ] ] ] ]	1111	1111	1111	11111	1111	1111	<u> </u>	1	1111				1111	1111	<b> </b>		1111	1111	1111	
Uther Diseases of the Lymphan System Chher Diseases of the Circulatory System	2.7				.	11	11	11	11	- 1	11	11	11	<del></del>	1 1	<u> </u>	1 1	<del>. 4</del> 1	<u> </u> 				9-	<u> 4</u>	1	11	
Diseases of the Respiratory System. Diseases of the Nose Laryngismus Stridulus All forms of Laryngitis (Diphtheritic excepted) Other Diseases of the Larynx Acute Bronchitis	177	2 1 2 1	i   i	1 1 1 2 36	9 6	7       8	1 6 4	11111	11171	$\frac{1}{10}$	1111	111111	111167	1111	1111	1   1   1   1	1111	11104		1111 1	111111	·	1 3 40 1111 8 24	64 *			
Bronchiectasis Broncho-Pneumonia Pneumonia	#85 913	63	113	- - 5 44 157	7 36	67 08	1 1 26	4, 2       _	1   2	22 14	4	%	122	4.62	<del>                                     </del>	1 1	1 6	2 2	24 50		, 1,	37	5 614		<u>83 33</u>	6 4 1	16

• •	( 23 )	
11111	111111111111111111111111111111111111111	11111 1 1
11117 1	111111111111111111111111111111111111111	1 11111111
1 8 8	0	1 1 1 8
8 8 1 8 8	0   1   1   0   0   0   0   0   0   0	1 2 2 1 1 1 1 2 1 2 1 1 2 1 1 2 1 1 1 1
254	212 	13 13 13 13 13 13 13 13 13 13 13 13 13 1
11111		18
	1	711111111
1       2 4	11 2 1 1 2 2 3 3 3 1 1 1 2 2 3 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 1	1.6
1111		7,7111111
3	33,1 1 3,0 1 1 8,0 8,0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	re sa
111111:		1 1 1 1 1 1 1
1111 24	1,23	84   8   1   1
25	1, 1   1   1   1   2, 1   1   1   1   1   1   1   1   1   1	11111111
16	88	1111 111
11111		101-11111
	11   1   1   1   1   1   1   1   1   1	11111111
		111 11111
1 1 2		1 1 1 1 1 1 1
1   2 %	3 2 2 2 1 1 3 8 9 1 1 1 2 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2	& M   41
TITLE .	111111111 111 2	101111111
1111	.	41711111
11114 6		9
11.11	1 = 1 - 1 - 1 - 2 - 1 - 1 - 2 - 2 - 2 - 2 -	87
23 8		1 - 11111
67 10 10 10	12               4   2	26 1 27
1 1 4	2 - 1 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 -	2402 68
12 21	9, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	
1 1 1 4	25 6 6 9 6 7 7 1 53 8 3 3 3 3 3 5 5 6	81 4 1 62
6772	228 20 02 02 02 02 02 02 02 02 02 02 02 02 0	24 4 8 1 8 2 1 4 4 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8
:::: <b></b>	:::::::::::::::::::::::::::::::::::::::	\$ :::: <u>@</u> ::::
System	(Cancer (Cance	Jrina , &c. nere
Apopl ory	Oral Sepsis)  Annexa  ic)  mach (Cancer e to food  uth)  System (Cancer	vito-l
Empyoma Other Pleurisy Pulmonary Congestion, Pulmonary Apoplexy Gangrene of the Lungs Asthma Other Diseases of the Respiratory Sys (Tuberculosis excepted)  V.—Diseases of the Digestive System.		VI.—Non-Venered Diseases of the Genito-Urinary System and Annexa.  Acute Nephritis.  Bright's Disease. Other Diseases of the Kidneys and Annexa. Diseases of the Bladder Diseases of the Wrethra, Urinary Abscess, &c Diseases of the Male Genital Organs (non-venereal) Uterine Hæmorrhage (non-puerperal) Uterine Tumour (non-cancerous) Other Diseases of the Uterus
ılmor Re: <i>Diges</i>	Gum hh an hh an hh an hh an hh an ho noe c	ereal Diseases of the System and Annexa.  S.  of the Kidneys and Bladder Urehrea, Urinary Male Genital Organs rhage (non-puerpere (non-cancerous) of the Uterus
a, Pus the ted)	and G Mouth Dipht Dipth Diarry arrh the the Colitii Colitii Colitii Intesti	sease and .  idne idne nital non-p ancer Iteru
estior Lungi s of.	i the than the control of the contro	stem stem the K helpe K helpe K helpe K helpe Ge
na leurisy leurisy Diseases Diseases rculosis ex	the 1 other	Sy S
Empyema Other Pleurisy Pulmonary Congestion, P Gangrene of the Lungs Asthma Other Diseases of the (Tuberculosis excepted)	Diseases of the Teeth and Gums (O) Thrush Parchtis Other diseases of the Mouth and Ar Tonsilitis (other than Diphtheritic) Gunso Gustric Ulcar Gastritis, Gastric Catarrh Other Diseases of the Stom excepted) Epidemic Districa Disarbasa of the Stom excepted) Diarrhoea Infantile, Diarrhoea due Diarrhoea Infantile, Diarrhoea colic Intertitis Colic Intestinal Ulceration, Colitis Duodenal Anchylostmiasis. Intestinal Destruction Hernia Intestinal Obstruction Fisical Sprue or Ceylon Sore-mout Other Diseases of the Liver Cirrhosis of the Liver (Toxic) Other Diseases of the Liver Diseases of the Liver Peritonitis (cause unknown) Diseases of the Diseases Sprinciples and Tubertine Bydatid Tumour of the Liver Cirrhosis of the Liver (Toxic) Other Diseases of the Liver Peritonitis (cause unknown) Diseases of the Spleen Peritonitis (cause unknown) Other Diseases of the Digestive S and Tuberculosis excepted)	VI.—Non-Veneral Diseases of the Ge System and Annexa. Acute Nephritis. Bright's Disease. Other Diseases of the Kidneys and Al Diseases of the Bladder Diseases of the Urethra, Urinary Al Diseases of the Male Genital Origans (I Uterine Hæmorrhage (non-puerperal) Uterine Tumour (non-cancerous) Other Diseases of the Uterus .
Empyema Other Pleu Pulmonary Gangrene ( Asthma Other D (Tuberery	Diseases Thrush Parctitis Other dis Counsilitis Other Diseases Gastricis Chartis Diseases District Dis	ute N ght's eases eases eases rine rine ren D
Q A Q A Q	CRUCHOUGO BUUDA SATATATATA OCCOOR	A British Diss

-continued.
ŝ.
Deaths.
of
Causes
×

	· · · · · · · · · · · · · · · · · · ·	PA	Western Province.	FR	CENTRAL PROVINGE.	RAL INOB.		PROVINOR.	38	PA.	PROVINCE.		PROVINCE.		PROV	north-western Province.	10g	PROV PROV	OF SABARA- GARUWA.	BARA-		DRAT	DEATHS AMONG	NG AL	ALL RACES.	<b>3</b>	
Слоян ор Драти	CETLOR	Colombo.	Regombo.	Kalutara,	Kandy.	Nuwara Eliya.	.agftal	MannaM	Mullalttivu,	Galle.	Maters.	.atotnadmaH	Batticalos.	Trincomales.	Kurunegala.	Chilaw.	Anwadbawa.	Badulla.	Batnapura.	Кеgalla.	Europeans.	Burghere.	Sinlialese.	.alimaT	Moore.	Malays.	Others,
Cysis and other Tumours of the Ovary Salpingitis and other Diseases of the Female Genital Organs		1 8		!!	1 1		1 -	1 1	1 1	<del></del> -	1 1	<u> </u>	<u></u>	·	1 1			1 1	1 1	1 1	1 1	11		6	1 1	11	1 1
VII.—The Puerperal State. Abortion, Miscariage Ante-partum Hæmorrhage	9		- 1	11		11	11		11	7	1.1	11	[ ]		11	<u>                                     </u>	11	11	11	7	11		69 <del></del>	67	71	11	, ,
Ectopic Gestation Other Accidents of Pregnancy Puerperal Hæmorrbage Other Accidents of Child-birth	460	m 01 90	1   ~ 0	   <del>     </del>	 		11 1			6.9	1 67				111		22     8   4	~ ~ ~	1 8	1 - 4		11	a <b>4</b> €		- 01 <b>9</b>	1111	, , , ,
Puerperal Septicamia Puerperal Albuminuria, Nephritis, &c. Puerperal Edampsia	579 81	∞   <del></del>	98	<u> </u>	1   2   3	<u> </u>	£	6	α   m	16	3 1 =	<u>e                                     </u>	=	<del>2</del> 1 -	151	∞ <u>, −</u>	Ø 61	4   2	42   8	4 67	111	11	411	131	8 2 2	1	3 1 1
Child-birth (not otherwi	:: 92 :: 32	1 2 1	1 60	<del>                                     </del>	<u> </u>	=	"		1 11	-	1 11		<del>                                     </del>	<u>  89  </u>	<del>                                     </del>	.   a	7 - 24 -	=	1 11	0	1111	11,11	1   28	112	67   .	1111	1 1 1
VIII.—Diseases of the Skin and of the Celluler Tissue.												<del></del>				<del></del> .								•			
Abscoss unqulified		10011	11 - 20, 1	111=11	-   om	<u> </u>	20.00.01	11 - 111	111111	1 0 4	-11-111	1   60   10   1	111 111		11111	11 1111	11111	11 4 111	111 4.62	601	1 1111		306 22	01 61 F 22 00	- 60 67	111111	1111111
Other Diseases of the integrmentary system (Elephantiasis Arabum excepted)	2963	262	170	22	381 18	<u> </u>	8 199	-	χĢ	10	4	13 1	173	11 78	752 2	24 90	0 186	00	137	314	-		2403	376	183	1	
IX.—Disease of the Bones and of the Organs of Locomotion.  Diseases of the Joints (Tuberculosis sa Rheumatism excepted)	and 1			<del></del>	<u> </u>		1	1	1	1	·i	<del>-</del>	<u> </u>	·		<del></del> .		1	l	١	1	I	1	1	1		}.
X.—Melformation. Conjenital Hydrocephalus Conjenital Diseases of the Heart Other Conjenital Malformations (Still-births excluded)	55 55	11	111		111	1 1		. 11:1	ļ l <sup>°</sup> l	111	11 1	] [ . ]	111	111	111		11-1		11 !	11 1	11 1		5		11	11 1	111
XI.—Diseases of Early Infancy. Premature Birth Debility Want of Breast Milk	381 1197 120	16	4.0	<u> </u>	96 272 14	1 15	20 4 8 4 9	e 1 22	400	891	6 23	100		<u>8, 22 </u>	- 12	् कल	8 8   52	2 118 100 16	12 117 12	8 47	711	447	201 492 35	154 638 66	55 16	400	f

Atelectasis	:	Affections produced by External Causes. Poison Asphyxia Hanging or Strangulation Frowning	Suicide by Cutting or Piercing Instruments Suicide by Crushing Suicide by other means Poisoning by Food	d) (dases (Conflagration	Accidental Drowning Traumatism by Firearms Traumatism by Cutting or Piercing Instruments Traumatism by Ralling from trees	other	(Vehicles,	Lightning Homicide by Firearms Homicide by Cutting or Piercing Instruments Homicide by Other means Fractures (cause not specified) Judicial Hanging or Execution Other External Violence	Dropsy Ascites Other III-defined Disease Other IIII-defined Organic Disease Syncope Syncope Bart-failure Atrophy, Debility, &c., three months and over Teething Pyrexis Marsamus and Asthenia Other III-defined Causes Diseases not specified
38 36 10	823	<u> </u>		' '	8 89 89 80 E	19	200	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	643 21 10 10 74 374 6498 48 20 20 20
<u>61   61</u>	203	<u>81485</u>	1 1 1.	<u>,                                    </u>	0 1 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	<u> </u>	<u>∞∞-</u>		36 11 7 14 14 18 18 18 18 18 18 18 18 18 18 18 18 18
• 1111	22 100	1 3	<u> </u>	1	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16711			11 31 3 3 4 4 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
111	711	6   6	1 11	1118	1 2 6 1 8		F 4 0 1	11 1141	60 1 26 40 1 187
1171	18		1111	<del>  4.</del> 	1 00 100	1 1 1	<del></del>		167
161	3,	11111	1111	1 l	10111	<del>                                      </del>		1	31 71
1111	37 3	္     ြ			11111		9-1-	<u> </u>	1112
2	1	1117	1111		1 1	1111	1!!!!	111111	9
1 11	75 1	69 69	11:11	4     <del>4</del>			°	11811	23 33
-1-11	121	.	1111	<u> </u>	1 00 00	1 11	9 11 1		8 87 2
1 1 1	£ 61	<u>.                                     </u>	1 1 1	<u> </u>	<u>  लग                                   </u>	<u> </u>	1 111		87 61 1 1 7
	8	11111	1111	11	11111	1111	77	111111	60
1.11	18	0   6	1 - 01 0	°     ¬	19-19	1111	<del>ब</del> क	24	90 8 8 91 1
1111	Ø		1111	<u> </u>	1111	1111	1   0   1		118 11 118 11 118 11 118 11 118 11 118 11 11
	<u> </u>		·       ·	9       	1 11	[ ] [ ]		11111	
	1 29	.	<u>- 111°</u>	111	2 6	-	1 2 3		1
12	88	60	°	11	1 - 1 %		8 - 1		33       4   18     1
1   2001		1 9 1 1	%	118	1 2 2 0	<del></del>	ත් <sub>ස</sub>	67   18	331 36 11 1 28
1111	• 1				1 111		1111	1	
	4 53	· · · · · · · · · · · · · · · · · · ·		-   "	 <del></del>	1	1		2 38 4847 99
1002	525 242	į į	- 		8 2 8 8 8 2 8 8	4 65 70 	I .	<u>හත්ගත්වෙන</u> 	359 231 13 5 1 7 2 38 26 99 234 847 1227 21 4
10 11 18	38	1 1 1	1111	3   1 <del>4</del>	7   2	1111	<u> </u>	<del>                                </del>	11 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
1111	12	11111	1111	11.	-1111	1111		111111	
					1 1 1 1	7111	1 1		

Table XI.—Causes of Deaths Registered on Estates in the Gentral, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the First Quarter of 1911.

		Centr	al Prov	ince.	Province of Uva.	Provin Saba gamu	ıra-	West Provi		South Provi		North- Western Province
Causes of Death.	Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	Galle.	Matara.	Kurunegala.
ALL CAUSES	4,232	1,108	307	609	504	590	522	142	277	45	21	107
I.—General diseases—	837	166	67	99	114	2:4	124	27	<u>-</u>	7		32
l Epidemic diseases	766 <b>5</b>	141	52			208	107	16	30	4	2	24
2 Septic do 3 Tuborculous do	52	12	2	7	5	4	- 8	,	8	_		6
4 Venereal do 5 Cancer or Malignant diseases	7 2	1 1	1	_	²	_ '	1	1	- I	_	_	_
6 Other general diseases II.—Diseases of the Nervous system	<b>7</b> 5	10	12	8	7	9	8	10	5	3	1	2
and organs of special sense	370	117	22	46	21	34	5 <b>5</b>	11	35	9	4	16
III.— Diseases of the circulatory system	14	2	1	3	4	-		. 3	_	_ '		1
IV.—Diseases of the respiratory system	51 <b>6</b>	169	41	106		21	50		27		3	. 18
V.—Disease of digestive system VI.—Non-venereal diseases of the Genito-urinary system and	1 <b>,0</b> 40	- 234	76	113	115	194	158	60	54	13	4	19
Annexa	18 69	8 26	1 2	10	3	1 3	17	-	1	_ <sub>5</sub>	-	— <u> </u>
VII.—The Puerperal State VIII.—Disease of the skin and of the c llular tissue	16		2	1	_	3	1	1	.1	2	· —	_
IX.—Disease of the Bones and of Organs of Locomotion	_	-	_	_	l - <sub>-</sub>	_			-			_
X.—Malformations XI.—Disease of Early Infancy	657	261	42	141	84	- 42	38	- 20	18	- 2	9	6
XII.—Old Ag) XIII.—Effections produced by Eter-	153	44	13	17	17	. 14	23	3	18	-	1	3
nal Causes—	51 <b>15</b>		3	_12	4	2	9	_	9	2	_	_
1 Suicide 2 Homicide	1	-	_	_	- '	-	i			- ^	_	-
3 Judicial Hanging or Execution	_	_			<b> </b>		_	l		_	<i>:</i> —	
4 Accident and other Eternal Violence XIV.—Ill-defined Diseases	35 <b>4</b> 20		3 37	12 58			6 <b>56</b>	- <sub>10</sub>	6 62	1 5		- 0
•									02			ľ
I.—General Diseases.  Epidemic diseases—	ا	,					•					
Entenic Fever	2	i	1		= .			_	_	_	_	_ 2
Malaria Malarial Cachexia	<b>57</b> 83	6 7	5 13	4	11	9 27	27 9	4	3 1			10
Méasles Whooping Cough	15 5	14	_	1 2	_		-,	· <u> </u>	-	<b>–</b> ,	_	-
Diphtheria	_ ~		-	-		_	1		_	— `	_	_
Membranous Laryngitis Croup	2	— լ	_	1	! =	_	_	_	_	_	-	=
Influenza Am abic Dysentery	22	6	- 3	- 12	1 _ 1	_	_	_				
Bacillary Dysentery Dysentery (type not distinguished)	<b>—</b> <b>57</b> 2	 104	<b>3</b> 0	60	85	<u>-</u>	<sub>70</sub>		<sub>2<b>6</b></sub>	_ 3	- ,	- 8
Mumps Varicella (Chickenpox)		-	_	- ;	<u> </u>	-	<b>—</b> .					
Other Epidemic diseases		= :	=	<b> </b>	<del>-</del>	-	_	_	_	_	_	_
Septic diseases— Pyæmia	1			1	i —	_	_			_	_	_
Septicemia Vaccinia	4	_ 1		_	1	_ 2	_	_	_	_		_
Rabies, Hydrophobia Tetanus	13	. 1	_			9	- ,	_		<b>—</b> ,		_
Tuberculosis diseases — Acute Pulmonary Tuberculosis	1		2	- ا		3			أ	•	_	-
Chronic Pulmonary Tubercu-		1	2		*	3	8	_	8	_	. —	.6
losis Tuberculosis of other Organs			_	1	_	1	-	-	-	-	_	. —
(Lymphatism excepted) Rickets	1 7			_ ,	1 2	] <u>-</u>	_	_	,	_	-	
Syphilis Gonococcus Infection		_ 1		_ · ·	1	1,			_ '	_	_	
Cancer or Malignant Diseases—	•	_			1	-	1	3		-		<del>-</del> .
Tumours of the Buccal Cavity	1	<b>-</b>	<u>`</u>			_	_		,			
Cancer and other malignant Tumours of other Organs or	i i				49	,			1		. –	
Organs not specified	1	1		-		<u> </u>	` <b>-</b> -			_		
	1										.	

# Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

	:	Centi	al Prov	rince.	Province of Uva.	Provin Saba gamı	ara-		itern ince.		thern vince.	North- Western Province
Causes of Death.	Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	Galle.	Matara.	Kurunegala.
I.—General Diseases—contd. Chronic Rheumatism Diabetes (Mellitus)	6 3 40 1 4	- 1 - 1 - 1	- 10 - 1	_ _ _ 1	2 2 2	- 2 4 - 1	   	_   	- - 1	_ _ _ _	_ _ _ _	- 1 - 1
II.—Disess of the Nervous System and of the Organs of Special Sense.  Encephalitis Simple Meningitis Cerebro-Spinal Fever Septic Meningitis from various causes Cerebral Hæmorrhage, Apoplexy Paralysis without specified cause Other forms of mental alienation Epilepsy Convulsions (non-puerperal) Convulsions of Infants Neuralgia and Neuritis Diseases of the Eyes and their Annexa Other Diseases of the Ears	1 6 1 1 1 1 1 3 2 8 2 2 1 2 2	  3 4  2 4 103  1	- 2 - 1 1 1 3 13 - 13 - 1 - 1	1 - 4 - 1 2 - 38		1 - 1 - 1 - 1 - 2 30	- 1 - 3 - 3 - 1 21 24 1 - 1	- 1 - 1 - 1 - 2 - 6 6	- 1 1 - - - 2 1 30 - -	1 1 7 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
III.—Diseases of Circulatory System. Valvular Diseases Other Organic Diseases of the Heart	1 9 1 3	- 1 - 1 -	- 1 	_ 3 	- 1 - 3	_	111	3	1111		  	- 1 
IV.—Diseases of the Respiratory System.  All forms of Laryngitis (Diphtheritic excepted) Acute Bronchitis Chronic Bronchitis Broncho-Pneumonia Pneumonia Other Pleursy Pulmonary Congestion, Pulmonary Apoplexy Asthma Other Diseases of the Respiratory System (Tuberculosis excepted)	1 77 19 12 384 3 2 15	3 5 12] 1 2 7	29 —	 228 82 73 	- 7 3 1 60 1	_	 6 1 1 42  1		3 1 21 1 -		3	1 15 2 
V.—Diseases of the Disgestive System.  Thrush, Stomatitis	2 11 5 2 14 633 31 1 290 24 11 22 22 24 5 6	76 9 1 1 1 1 3	38	_ 1 	- 21 - 1	156 7 —	- 1 - 3 1 - 85 1 62 2 1 1 - 1 - 1 - 1	-59 -1 -1 	33 18	=		- 9 - 10 

Table XI.—Causes of Deaths Registered on Estates, &c.—continued.

Table XI:-			al Prov		Province of Uva.	Provin Saba gamu	ce of ra-	West Provi	ern		hern ince.	North- Western Province,
Causes of Death.	   Ceylon. 	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutars.	СаПе.	Matara.	Kurunegala.
VI.—Non-Veneral Diseases of the Genito-Urinary System and Annexa. Acute Nephritis Bright's Bisease Diseases of the Male Genital Organs (non-venereal) Salpingitis and other Diseases of the Female Genital Organs	2	2 4	1	1 1 -	- 1 	1 - - -	_ 1  		- '	-	-	
VII.—The Puerperal State.  Abortion, Miscarriage Other Accidents o Pregnancy Puerperal Harmorrhage Other Accidents of Child-birth Puerperal Septicamia Puorperal Eclampsia. Consequences of Child-birth (not otherwise defined).	19	3								1 — 11 — 12 — 33 1	=   =   =   =   =   =   =   =   =   =	2 - 1 -
VIII.—Diseases of the Skin and of the Cellular Tissue.  Gangrene Acute Abscess, Abscess unqualified Ulcer, Bedsore Pemphigus Other Diseases of the Integumentar System (Elephantiasis Arabur excepted)	· y	2 8 3 1 —	1 3 1 —			- 2   - 1   - 1		-   -   -   -		-   -	1 -	=======================================
X.—Malformations.  Other Congenital Malforations (Still births excluded)	-	1 _	_	_		1	·	_	_	-	_	-
XI.—Diseases of Early Infancy. Premature Birth Debility Want of Breast Milk. Injuries at Birth Other Diseases peculiar to earl Infancy Lack of care  XII.—Old Age. Senility	51 2	9 17 6 1 2 — 1 —	0 4 3 - 4 - 4	-   -   -	0 9 2 2 —	7 39 36 36 7 — 1 — — — — — — — — — — — — — — — — —		2 - 1 4 - 1 - 2	5 1 3 - 2 - 3 1	4 — 3 1 — — — 8 —	1 -	1 2 4 4
Poisoning by Food Snake-bite Other Ac. te Poisonings Burns (Conflagration excepted) Accidental Drowning Traumatism by Cutting or Piercin Instruments Traumatism by Fall from heigh other than trees Traumatism by other Accidental Fal Traumatism by Other Crushing (Veh cles, Railroad, Landslides, &c.) Injuries by Animals Starvation Homicide by other means Other External Violence	gg	1		2 -	1 - 4	1 - 1 - 1 - 1 - 1 - 1 - 1		2			1 -	
	hs 2	2 — 18 —	8	1 -	4 _	13 16 — 19 38 — 31 —	-	2 -	2 -1 1 -4 7 -	0 — 1 4 — 4 3 — —	1 — 1 — 2 — 1 —	2 1 2 1 2 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1

Table XII.—Causes of Deaths Registered in the City of Colombo in the First Quarter of 1911.

·						WAE	D.							NA	TIONA	LITY.		<del></del> ,
CAUSES OF DEATH.	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastlan.	St. Paul's.	Kotahena.	New Basaar.	Maradana Hospitala	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
ALL CAUSES	1596	9	24	71	169	238	161	402		119	140	20	61	772			64	44
I.—General Diseases:—  1.—Epidemic Diseases 2.—Septic Diseases 3.—Tuberculous Diseases 4.—Veneral Diseases 5.—Cancer or Malignant Disease 6.—Other General Diseases II.—Diseases of the Nervous System and Organs of Special Sense III.—Diseases of the Circulatory System IV.—Diseases of the Respiratory System V.—Diseases of the Digestive System VI.—Non-Veneral Diseases of the Genito-Urinary System and Annexa VII.—The Puerperal State VIII.—Diseases of the Skin and of the Cellular Tissue IX.—Diseases of the Bones and of the Organs of Locomotion X.—Malformations XI.—Old Age XIII.—Affections produced by External Causes:— 1.—Suicije 2.—Homicide 3.—Judicial Hanging or Execution 4.—Accident and other Ex- ternal Violence	3 77 210 30 276 279 36 37 15 -1 81 68 51 5 6		772 - 3 - 111 1 3 3 1 1 7 3 1 1 1 1	2	13 27 2 45 16 9 2 1 1 22 9 9 2 26 6	1 20	32 13 8 2 1 12 5 5	1111 43 3,54 2 2 11,88 20 9 53 125 8 15 9 	9 55 10 36 58 5 5		3 1 - 7 6 2 - 2	1 3 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	144 66 - 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88 3 102 2 1 33 105 16 109 135 17 22 8 ———————————————————————————————	1 1 16 43 8 83 81 7 3 	78 17 2 322 11	2 - 4 6	15 5 7 7 2 18 4 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
XI. V. Ill-defined Diseases  I.—General Diseases.  Epidemic Diseases.—	65			1	•	19	4	7	4	16	8	1	3	33	13	11	2 3	
Enteric Fever Malaria Malarial Cachexia Malarial Cachexia Whooping Cough Diphtheria Influenza Dysentery (type not distinguished Erysipelas Septic Diseases. Pyæmia Septicæmia Tetanus Tuberculous diseases— Acute Pulmonary Tuberculosis Chronic Pulmonary Tuberculosis Tuberculous Meningitis Tuberculous Meningitis Tuberculosis of other Organs (Lymphatism excepted) Rickets Syphilis Cancer or Malignant Diseases— Cancer and other malignant tumour of the Breast Cancer and other Organs or of Organs not specified Other Tumours (Tumours of the Female Genital organs excepted) Chronic Rheumatism Diabetes (Mellitus) Anæmia Chronic Lead Poisoning Other Chronic Poisonings (occupational)	7 1 5		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 - - 2 - - - 3	9 1	19 18 1 1	9	18 2 2 2 1 1 77 3 3 3 5 5 3 3 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 - 3 - 4	477	24 5 1 1	1	3 - 1 1 1 - 1 4 - 1 1 - 1 1 - 1 1 - 1 1 - 1 1 - 1	59 6 3 -1 1 17 2 3 -22 91 6 - - - - - - - - - - - - - - - - - -	18 11 22 13 30 1 1 1 1	31 - - 1	1 6	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

# Table XII.—Causes of Deaths in the City of Colombo, &c.—continued.

*						WAF	D.							Nat	IONAL	TY.		
CAUSES OF DEATH.	City of Colombo.	Fort and Galle Face.	Pettab.	San Sebastian.	St. Paul's.	Kotahens.	New Bazaar.	Maradana Hospitals	Maradans (exclusive of Hospitals)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
II.—Diseases of the Nervous System and of the Organs of Special Sense.															•			1 1
Encephalitis Simple Meningitis Cerebro-Spinal Fever Septic Meningitis from various causes Locomotor Ataxia Other Diseases of the Spinal Cord Cerebral Hæmorrhage, Apoplexy Softening of the Brain Paralysis without specified cause General Paralysis of the Insane Other forms of mental alienation Epilepsy Convulsions (non-puerperal) Convulsions of Infants Chorea Neuralgia and Neuritis Other Diseases of the Nervous System Diseases of the Eyes and their Anne xa Mastoid Disease				-1 -3 -2 -1 -5	1 - 6 - 1 - 1 - 18	-1 -4 -4 -1 9	1 22	- 3   - 1   - 3   - 1   - 3   - 1   - 8   - 1	3 					-4  -6 5 10  -71 -1 7	-3 -6 -2 -1 -24 -7	-3 -4 -4 -1 -31 -1		
Mastoid Disease Other Diseases of the Ears  III.—Diseases of the Oirculatory System.	1 1	_	_	_	-	1 1	_	_		_	-	_	-	_	-	_	-	=
Pericarditis Simple Acute Endocarditis Infective Endocarditis Valvular Disease Other Organic Diseases of the Heart Aneurism	13 13 15 1		_ _ _ _	_ _ _ _	- - 1	- - - 1		- - 6 2			  4 			-1 -8 -7 -	- - 4 3 1	1 2	_ _ _ _ _	=======================================
IV.—Diseases of the Respiratory System.  All forms of Laryngitis (Diphtheritic excepted) Acute Bronchitis Chronic Bronchitis Broncho-Pneumonia Pneumonia Other Pleurisy Asthma Other Diseases of the Respiratory System (Tuberculosis excepted)	50 11 63 144 1	- - 4 -		- 8 - 1 9 	13 -4 28 	1 4 5 27 6 —	6 16	49 1 	1 3 19 13	9 2 2 6 - 2	-5 1 2 7 -		- - 6 - -	1 17 6 33 48 1 2	15 3 11 54	12 2 12 18 -1	-2 -2 -2 -1	-3 - 14 -
Thrush, Stomatitis Gastric Ulcer Gastric Ulcer Gastricis, Gastric Catarrh Other Diseases of the Stomach (Cancer excepted) Diarrhosa Infantile, Diarrhosa due to food Diarrhosa undefined Enteritis Gastro-enteritis Anchylostomiasis Intestinal Parasites Psilosis (Sprue or Ceylon Sore-mouth) Other Diseases of the Intestine Hydatid Tumour of the Liver Appendicitis and Typhlitis Hernia Intestinal Obstruction Cirrhosis of the Liver Other Diseases of the Liver Peritonitis (cause unknown) Other Diseases of the Digestive System (Cancer and Tuberculosis excepted)	2 25 33 106 7 31 34		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 4 3 1 1 - 1 - 1 - 1 5	1	4 3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	30 4	5 4 28 4 1 9 — — — — — — — — — — — — — — — — — —	3 1 - 6 1	22 21 3	2 	1 1 1 5 2 1	11 22 11 16 422 20 222 — 1 1 2 3 3 2 2 5 5 2	9 7 - - - - - 5 1	1 2 4 6 77 3 1 4 2 2 1 1 - 1	2 2 8 - 1	- - - 1 - 1 - - - - - - - - - - - - - -

# Table XII.—Causes of Deaths in the City of Colombo, &c.—continued.

	<u> </u>					WAR	 D.							NAT	IONAL	ITY.		
CAUSES OF DEATH.	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitlya.	Europeans.	Burghers.	Sinhalese.	Tamile	Moore	Malays	Others
VI.—Non-Veneral Diseases of the Genito-Urinary System and Annexa.																		
Acute Nephritis Bright's Disease Other Diseases of the Kidneys and Annexa Diseases of the Male Genital Organs (non-veneral) Uterine Tumour (non-cancerous) Other Diseases of the Uterus Salpingitis and other Diseases of the	17 12 1 2	11 1.111	  -  -  -	—     —     —     — 1	6 2 - - 1	- - - -	4 3 - - 1	1 	1 =		1 - 1	_1 		7 7 1 —	5 .2 1 1	1		
Female Genital Organs  VII.—The Puerperal State.  Other Accidents of Pregnancy Puerperal Septicamia Puerperal Eclampsia	3 22 5	111		_  _		_ _ _ 5	_    -  -	363	4	1 2	1	11		2 12 2	5 1			<u>-</u>
Consequences of Child-birth (not otherwise defined)  VIII.—Diseases of the Skin and of the Cellular Tissue.  Carbuncle	7	_		1	_	_		3		2		1	_	6	1	<b>-</b>		_
Acute Abscess, Abscess unqualified Ulcer, Bedsore Eczema Other Diseases of the Integumentary System (Elephantiasis Arabum ex- cepted)	2 7 3				=		=       	2	1			111 1	-  -  -	2 6 -	1 	_ 	_	
IX.—Diseases of the Bones and of the Organs of Locomotion.  Other Diseases of the Organs of Loco- motion		_	-	_			_					_		_		-		
X.—Malformations.  Other Congenital Malformations (Stillbirths excluded)	1		_		1	-	-		_					1		-	-	
Premature Birth Debility Want of Breast Milk Atelectasis	25 45 10			3 -	_ _ _	6 10 3		9 7 3	3 2 1 1	3 6 2	3 3 1	_	3 3 1	19 19 7	1 10 2 1	10 -	1 3 —	1 _ _
XII.—Old Age. Senility	68	_	2	4	9	18	5	2	14	8	6		2	29	19	12	6	. <del>-</del>
XIII.—Affections produced by External Causes.  Suicide by Poison Suicide by Drowning Suicide by Firearms Poisoning by Food Burns (Conflagration excepted) Absorption of Deleterious Gases (Conflagration excepted) Accidental Drowning Traumatism by Fall from trees Traumatism by Fall from heights other than trees Traumatism by other Accidental Fall	2 2 1 2 9 2 2 1 1	2 1 -						2 7 - 1			1 - 1			-1 -2 4 -1 1 -3			1 1	

# Table XII.—Causes of Deaths in the City of Colombo, &c.—continued.

			1			WAI	BD.							NA:	PIONA	lity.		
CAUSES OF DEATH.	City of Colombo	Fort and Galle Face.	Pettah.	San Sebastisn.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals,	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiys.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
XIII.—Affections produced by External Causes—continued.	·							-										
Traumatism by other Crushing (Vehicles, Railroads, Landslides, &c.) Injuries by Animals Starvation Lightning Homicide by Cutting or Piercing Instruments Homicide by other means Fractures (cause not specified) Judicial Hanging or Execution  XIV.—Ill-defined Diseases.	4 1 3 1 4 2 10 1							2 1 - 3 1 3	2 					2 1 1 2 2 5 1	2 1 1 - 2 - 2	1 	1111 1111	
Dropsy Ascites Heart-failure Atrophy, Debility, &c., three months and over Pyrexia	8 5 7 40 5	- - -	1.11	_ _ _ _	1 2 - 3 -		=	5	3    -    -	2 10 4	,	= 1 =	-   1	4 1 3 22 3	]	3 -7	_ _ _ _ _	t.

Table XIII.—Number of Births and Deaths registered during the First Quarter of 1911, and their Proportion per 1,000 of the Population per Annum, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births and the Mean Temperature and Rainfall, in each Town of the Island proclaimed under Sections 31-36 of Ordinance No. 1 of 1895.

rovince.	Millitary at the Census of the Census of March 10, 1911.  503,208 2 12,305 13,045 13,005 5,709 5,709 5,709 5,709 6,521 3,705 5,709 6,521 3,705 5,709 6,441 3,777 1,392 808		1,5	Sons Males, 507 2,448 51448 916 95 95 156 63 63 156 63	Females		Hospi- tals and Jails of Non- cesi- dents.	Deaths of Tu	fuly, 1907, to Dec., 1910.	First Quarter,	Orude First Quarter,	Corrected.† July,1907, Fu	St	Children Junder John Year.	Age to 1,000 Births. fuly,1907, First to Dec., Quarter,	First Quarter,	Mean Tem-	Rainfall in
rovince.			males Person 1,46 4,56 67 1,56 1,56 1,56 1,56 1,6 1,6 1,6 1,6 1,6 1,6 1,6 1,6 1,6 1,	Males 2,444	Females					First Quarter,	Crude First Quarter,	July, 1907,	st		fuly, 1907, to Dec.,	First Quarter,	Tem- per-	in + seder
rovince.			<u> </u>	010	<del>!</del> -			_	-		1911.	to Dec.		_	1910.			HOMOB.+
rovince.	30, 305 305 313, 045 313, 045 313, 005 31, 256 31, 005 30, 149 31, 025		7, 1 2, -4, 1	G .	-	4,410	888	3,422	29.77	36.32	27.58	30.64	29.15	955	252	212		
rovince.	3045 13,045 13,045 13,005 5,709 30,149 6,521 3,025 5,792 7,493 40,441 1,392 808		r. 4 1 2	G						<u> </u>							0	
rovince.	213.045 13.045 13.005 5.709 30.149 5.521 3.025 5.792 7,493 40.441 3.777 1,392 808				_	1,596	_	,350	25.09	30.24	25 · 79	32.67	28.70	363	319	229	78.4	8.31
rovince.	27,250 13,005 6,709 30,149 6,521 3,025 5,792 7,493 40,441 1,392 808		4 - 61			101		-87	37.00	43.84	27.05	56.06	27.57	56	164	184	1	4.95
rovince.	5,709 30,149 5,521 3,767 3,025 5,792 7,493 40,441 3,777 1,392 808		- 01 			217		217	32.85	59.82	32.29	20.26	30.48	400	103	134	1	؛ ا ج
Province.	30,149 6,521 3,025 5,792 7,493 40,441 3,777 1,392 808			44 19	200	2 6	2 1	22	34.57	21.26	15.62	28.82	16.60	9 9	173	136	11	21.47
; : 7	30,149 6,521 3,767 3,025 5,792 7,493 40,441 3,777 1,392 808					}			5	1	3	}		·	1	201		
: 7	6,521 3,767 3,025 5,792 7,493 40,441 1,392 1,392 808	23 16 15 24 13 195 20		254 138	_	245	47	198	28.73	34.17	98.83	28.96	27.93	65	. 7997 ·	944	0.94	$9 \cdot 14$
•	3,767 3,025 5,792 7,493 40,441 1,392 1,392	15 12 13 195 195 195				99	16	44	36.03	35.99	32.32	43.73	34.18	121	248	303	<u>.</u>	96.9
	5,020 5,782 7,493 40,441 1,392 1,392	25 13 195 195 195 195 195 195 195 195 195 195				89	53	15	24.29	39.83	16.15	21.63	19.26	<b>∞</b>	285	216	Ί	
Matele	2, 192 7,493 40,441 3,777 1,392 808	13 195 20				99	49	91	15.31	25.47	21.45	8.79	7	en .	119	158		7.31
Nuwara Eliya	40,441 3,777 1,392 808	195	16	34 78	900	123	22	4. c.	30.89	40.61	31.51	14.98	35.91	∞ <u>ς</u>	238	138	١٥	5.20
vern Province.	40,441 3,777 1,392 808	195				<del></del>	7	·	20.01	O# OT	C# . Z1	97	2	3	110	¥.0.7	# 000	9
Jaffina	3,777 1,392 808	50	169	364 149		796	1	080	41.99	98.50	00.00	22.64	00.50	108	S A	500	70.7	86.98
•	1,392				9 0	98	- 1	36	40.39	45.10	38-65	37.49	44.13	4	191	167	- c:	3.54
Mullaittivu	808	01		21 14		88	1	88	32.27	61.18	81.58	49.11	89.31	9	196	476	1	1.81
Vavuniya	•	67				18	9	13	25.70	25.10	60.23	135.21	72.43	67	365	400	1	5.48
Southern Province.					_						-							
Western	30,936	203	192	401 145	_	293	87	265	30.26	40.72	26.91	28.04	26.31	99	202	165	78.7	16.50
d c	8.672	0 0				601	2	26	39.58	51.83	28.40	24.64	27 - 49	47.0	691	35	1	86.c
Hambantota	3,092	17	3 63		07 6	64		0 60	36.50	49.07	22.40 ×1.15	31.79	53.56	20	335	316	10,	3.87
Tangalla	3,505	35		39 18		31	• 1	3 2	34.75	45.13	35.87	39.57	37.89	9	220	256	2	7.31
Eastern Province.									-									
Batticaloa	10,671	31	33	62	35	26	ı¢	71	31.66	23.56	26.98	36.15	27.83	22	337	355	79.1	4.42
Trincomalee	0,040	000				68	1		28.02	42.21	40.83	34.90	47.35	23	612	272	80.4	3-72
North-Western Province.	167	1.6				;	-			. 1		1		. ;	-			-
ile.	0,107	7 %	3 8	27	2.5	917	7 :	4.	25:86	35.75	26.81	55.73	31.59	20 5	878	250	80.3	3.51
Kalnitiva	1,591	3 9		200		24.0		180	36.07	30.30	20.99	20.70	21.49	13	281	220	9.82	5.96
Chilaw	5,033	46		47 30	35.0	62	5	572	36.22	37.87	45.93	32.01	46.79	·II	176	934		2.5
North Contral Province							,				!							1
Anuradhapura	5,361	24	14 3	38 31	25	92	9	20	23.28	28.75	37.82	53.39	43.59	10	399	263	78.2	4.37
Province of Uva.		1																
Badulla Lunuosla	6,487	ا چ ا	20	74 06	25	121	46	47	29.96	46.26	29.38	37.53	30.02	15	239	203	7.07	9.24
	· ·						?	•			•	5	=	1	nor	>		ļ
Frownce of Sabaragamuwa.	5,476	35	28	63 110	99	170	129	41	31.48	46.66	30.36	37.43	31 - 42	L	520	111	9.08	14.67
КедаЛа	2,536	- 01	_	.	81	48	40	 	28.24	30.38	12.79	21.79	13.34	-	196	0	1	ì

\*\* The rates for this quarter are calculated on the population as ascertained at the Census of March 10, 1911, but for previous quarters on the population as estimated on the basis of the Census of 1901.

\*\* The rates for this quarter are calculated on the population as ascertained at the Census of March 10, 1911, but for rain gauges.

\*\* This includes the population as added on the extension of the town limits. See paragraph 34 of report.

| Corrected death-rates for "Hatton and Dikoys," Weligama, Kalpitiya, and Lunugala towns not available, as they were created registration districts after the Census of 1901, viz., January, 1905, July, 1904, and October, 1907, respectively.

rovince.	Hetton and Dikoya.   Matale.	65 1234(	. 80	ο <sub>γ</sub>	600	20
No Pr	Nuvera Eliya.	2	. 9	-07-11111	1 - 03       (10)	8 1117111
Northern Province.	Mannar. Mullaittivu.	287 86 28	108 4 10	81	11 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	179 32 18 1
	Увуппіче. Свіде.	18 293	2 66	113	1,04   1,1   1,0	1816
Southern Province.	Matere.	10948	22	800 10	1 0 4 1 1 1 1	8
	Weligama. Hambantota. Tangalla.	484231	8 12 10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0   1   0   0   0   0   0   0   0   0	40 80 21
Eastern Pro- vince.	Batticaloa.	76	22	182-1111		12
E . 8	Trincomalee.	68	22	4	000	<u>8</u>
North- Western Province	Kurunegala.	116	18 13	440	03 80       03	8
North- Western Province.	Puttalam.   Kalpitiya.   Chillaw.	4225 62	13 711	4		8
rovince. Northern Southern Eastern Western Frontier Frontier Province. Provi	-amqadbamaA	2 56	. 10	4.0		<b>4</b>
Pro-	Badulla.	121	0 15	6 6		108
Pro of 8	Lunugala.	74	<b>8</b>		11-1111	
Province of Sabara- gamuwa.	Kegalla.	170 49		1	11111	163
	Europeans.	48 23		11111111		48
eaths a	Burghers.	91	81	4.6	1	1111111
Deaths among all Races.	Sinhalese.	1975	447	694     9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15281 1 1 8 91 91 133
all Re	Tamila.	1591 569	275 16626	20 13 16 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	288 14 36 35 16 10 1 3 10 7 10 7 10 16	316 403 711  1

	1	Othera.	<b>⊶</b> ⇔	-	<b>∞</b>	<b> </b> -	( 1	- 03	18	~-	1 1	١	<b>i</b> [	-		~	, –	[#]
contd.	. 98	Malays.	10 m		<u>်</u>	<u> </u>	, <u>,</u>	<del></del>	01 IO	-		<u> </u>	4		1 1	c)		22
- 1 1	Deaths among all Races.	Moore.	∞ <del>4</del>	4	- <del>8</del>	<u> </u>	- m	<u> </u>	21 20 20 20 20 20 20 20 20 20 20 20 20 20	-61	18	चार	<u>-</u> -	4	• • • •	10	 I 1	122
895	ig al	•	69	8	57.03	<u> </u>	10	0 10	61	=	21	20 6	<u>'</u>	0	<del>-</del>	01 01 01	9 60	227
1 of 1895	8mor	-alimaT	47 59		بى <del>دە</del>	010	900	36			88		1	ě		38	41	426 2
No. 1	aths	Sinhalese.	- 69		- <del></del>	_	1 1				<u></u>	_	1 1			01		23
nee	Õ	Europeans.	- 67		, 1		1 ) 	 	<u>।</u>	<u> </u> 		_	1 		  - 	1		اَمَدَ
dina	9 % 4	Kegalla.	<u>_</u> &	- 2	1	<u> </u>	1 1	1 7	<del> </del> 6	1		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u> </u>		<u> </u>	က	<u> </u>	10
of Or	Province of Sabara- gamuwa.	Ratnapura.	188	50	1 1	 	<u> </u>	65 ~·	1 10	,	. <u></u>	- <u>'</u> 1	<del>-</del> -		 	<b>(3)</b> =	2 0	-=
36	1 8 4 1	Lunugala.	<del></del>	-	<del>, ,</del>	1	' <u>.</u>	7 ~	<del>'</del> -	<del></del>	·	+	1 1		1 1	Т	1 1	60
31-	Pro- vince of Uva.	Badulla.	22.27	-63	<u>~ ო</u>	Ì		1-	410		4	t	Ħ			Ĺ		22
Sections 31-36 of Ordinance No.	North- Central Fro- vince.	-sruqadbarunA	1	1	4	1			1			1			11	1		5
ır Se		Chilaw.	1 ∞	ļ	i 1	1	1	<i>⇔</i> ~	100		4	ī	1			=		<del>ज</del>
in each Town of the Island proclaimed under	North- Western Province.	Kalpitiya.	2	Ţ	ŢŢ	Ļ	ļΙ	40	4 6			Ţ,	ا کا		ĻŢ	+		1
пp	A ₹ ₹	Kurunegala.	4	-01	101	1	11	+-	18		<u> </u>	+	7-1		7	1,	<u> </u>	4
me	E . =	Trincomalee, Kurunegala.	<u>ن</u> 1	Ŧ	- 27	+	+	- 61	- 4		6	+	<del> </del>		7	$\overline{T}$	1.1	51321
ılai	Esstern Pro- vince.			;. I	<del>                                     </del>	<u>ا۔</u> ا	<del>}                                    </del>	6 <del>-</del>	- 19			1			<del>- 1</del>	- <u>'</u> -	<u></u> } _!	120
roc	8 F	Batticaloa.	<u> </u>		ا 	1	<u>, , , </u>			!	<del> </del>	1	, j		<u> </u>	<u> </u>	; tl	<u> _ </u>
d p		Tangalla,	- 15	<del>-</del>	T 69	1	<u>    '</u>	<del>-  </del>	1 6	1		+	-		<u> </u>	C7 -	-	14
anc	3rn 360.	Weligama.	<del>-                                     </del>		1 1	-	<u>                                     </u>	1 1	1=			<u>61</u> -	<del>!  </del>		+	-	1 1	21,
Isl	Southern Province.	Matara.	14		100	10	<del> </del>	F- 1	100			T	$T^{\prime}$		7 7	67 6	1	122
he	Sou		00 00	-	- 7	<b>ന</b>	- 4	ল †	6	, 87	. 00	<u> </u>	<u></u>		<del>, a</del>	4.		8
f t		Galle.						1				1	ا <u>ا</u>		<u>ا</u> 			
g	ជខ្	Vavuniya.		‡	<u></u>	<u> </u>	1-1-	- -	1 Z	1	<u>6</u>	<u>m</u>	<u>                                     </u>		<del>   </del>	一.		13
M .	her	Mannar. Mullaittivu.			+	+-		++	00	1		=			<u> </u>	뉴	1 1	1 00
T	Northern Province		<u> </u>	<u>, 67</u>	7 6	4:	-4	- 65			- 60	-	<del>,</del>	- :	<del>~</del>	က		<del>+</del>
ac	ZH	.saffag.													<u> </u>		<u> </u>	!
e		Nuwara Eliya.	1 24		IJ	T	П	7 6		1		1	IJ		2	60.	11	T9
1 ii	G	Matale.		33	1 20	1	~ ~	1	٦٤	۱ ۱	1	1	_ (				_ [	19
1911	ovince.	Dikoya.	. 63	15	7	!	11	<del></del> -	1	,			 		11	C3	11	7=
r of	Central Pr	Nawalapitiya.	63.10	-	<del>-</del> -			<del>-</del>	6	<u> </u>		1	1 1		<del>-</del> 1	_	<u>.</u> 	, œ
ırte	ntr	Gampola,	1 4	₹	1 60	1	· ·	212	· · · · · ·	,		Ť	-		TT	613	1=	00
gn	రి	1	=	15				₩-	· 07 6	1 10	4	<del>-                                    </del>	<del></del>		4-	1	<del></del>	4 00
st (		.ybns2I	, n	-	~~~									· ,	- I		- 61	
e Fin	60	Panadure.		~	<u>"</u>	_								<u> </u>	<u> </u>	<del>च</del> (	1 ,	1 =
ig th	rovin	Kalutara.	10.	~		'	~	1	- 10			67	1 1		<u> </u>	_	1	3 29
lurin	Western Province.	Moratuwa.	, 87		] <sup>22</sup>	•			- 26	· - 21		-			1		1 [	89
red (	Neste	Negombo.	l		010	80.	<u>4 F-</u>	1	===		ا	1	1			100	0 10	7 23
iste		Colombo.	90	31	179	w ·	,	24	-	:	o,	i	55	Ι ΄	50 CV	ಣೆ	ر.د. بـــــــــــــــــــــــــــــــــــ	$\begin{array}{c} 1 \\ 337 \end{array}$
Table XIV.—Causes of Deaths registered during the First Quarter of		All 31 Towns,	132	162	323	17	3. 16	89 68	96	80	7.0	12	49		₩ 9	200	<u> </u>	844
Deat		<u> </u>	::	Doch-	: :	:	. :	:	: :	Respira-	Bnd	: :	:	acci-	: :	: :	::	::
of	1	• •				808				]			ez,			8		
6S	ł		] 	ė "		868					96	ia	nii	inec.	£	žeŭ.		
ms	l	9&t]	i	sis alis		rdi	. 85			6	Disease	sda	cae	paugapun	pir	glig		
స్త	l	Causes of Deaths.	ļ	ichylostomiasis mius Duodenalis		ula	lite			1898	Ä	3lar	pti	Ĕ,	ild	Ne		868
7.		s of	.8 5	ator Vuo		berc	Me	guc	. <u>8</u>	isee	į.	Ħ	ž	,	ž "	OF		r cau
XI	[	nse	erit.	사 18 I	eis	펺.	ola ites	ilsi	hit	Ρά	t'8	era	era	a ia	58 O	nts	ide 9	tior ler
g		Ca	Enteritis Dysentery	Anchylostomiasis mius Duodenali	Cancer Phthisis	Other tubercular diseases	Anæmia Diabetes Mellitus	Convulsions Petanus	Bronchitis Premmonie	Other Diseases of tory System	Bright's	Puerperal Eclampsia	Puerperal Septicaemia	Other and	dents of Childbirth Starvation	Accidents or Negligence	Homicide Suicide	Execution All other causes
ľab			-	-		_	117				岡	Pu	Pa ₹	O.	Sta	Ac	S.E	All
			10a.	<u>.</u>	14.	15.	17.5	8 0 0	8.2	22.	23.	24.	25. 9.6.		8		30. 31.	
=	· · · · · · · · · · · · · · · · · · ·															- 44		دره وره