

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,464.—FRIDAY, SEPTEMBER 29, 1911.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF AUGUST, 1911:**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,230 (641 males and 589 females), and were equal to an annual rate of 28·78 per 1,000, against 26·56 during the preceding month, 26·83 in the corresponding month of last year, and 29·89 the monthly average for the forty-eight months, July, 1907, to June, 1911. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Mullaittivu (59·21, average 36·48), and the lowest in Hatton and Dikoya (15·57, average 14·88).

3. In the city of Colombo* the births numbered 394 (197 males and 197 females), and were equal to an annual rate† of 21·85 per 1,000, against 22·63 in the preceding month, 21·91 in the corresponding month of last year, and 25·61 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a population mainly floating), the highest birth-rate was in New Bazaar (22·17, average 24·17), and the lowest in San Sebastian (13·26, average 22·18).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 1,972 (1,067 males and 905 females), and were equal to an annual rate of 35·87 per 1,000, against 36·93 during the preceding month, 29·94 in the corresponding month of last year, and 30·06 the monthly average. Of the towns (excluding Vavuniya and Lunugala), the highest death-rate was in Kurunegala (95·11, average 50·08), and the lowest in Nawalapitiya (18·64, average 24·47), followed by Nuwara Eliya (22·64, average 13·44).

5. In the city of Colombo* the deaths registered numbered 689 (397 males and 292 females), and were equal to an annual rate† of 35·98 per 1,000, against 37·34 during the preceding month, 32·49 in the corresponding month of last year, and 32·18 the monthly average. Omitting Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was in San Sebastian (23·45, average 24·32), and the highest in St. Paul's (43·32, average 23·76).

Infantile Mortality.

6. The infantile mortality of the 31 towns was equal to a rate of 300 per 1,000 births registered, against 325 in the preceding month, 291 in the corresponding month of last year, and 251 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from 1,222 in Gampola (average 256), 789 in Kurunegala (average 347), 500 in Ratnapura (average 236), to 200 in Badulla (average 235), 198 in Moratuwa (average 155), 195 in Batticaloa (average 346), 118 in Weligama (average 101).

7. The infantile mortality in the city of Colombo was 378 per 1,000 births registered, against 426 in the previous month, 338 in the corresponding month of last year, and 311 the monthly average, and ranged from 538 in St. Sebastian (average 343) to 264 in Kotahena (average 323).

Causes of Death.

8. *Infants.*—Out of the 1,972 deaths from all causes at all ages in the 31 towns, 369 were among infants under one year. Of these, the chief causes were 107 *Convulsions* (including 38 in Colombo, 7 in Nuwara Eliya); 49 *Debility* (15 in Colombo, 7 in Jaffna); 41 *Premature Birth* (13 in Colombo, 7 in Kandy); 27 *Pneumonia* (15 in Colombo, 5 in Moratuwa); 24 *Bronchitis* (14 in Colombo, 5 in Jaffna); 20 *Enteritis* (11 in Colombo, 5 in Moratuwa); 19 *Tetanus* (9 in Colombo). One death was registered from *Smallpox* of a Moor infant in Jaffna.

* Consequent on the extension of the limits of the Colombo Municipality in February, 1910, by adding about 49 acres to Kotahena Ward, 531 to Maradana Ward, and 1,013 to Kollupitiya Ward, it became necessary to alter the limits of these registration divisions to make them co-terminous with the Municipal divisions, and this was done with effect from October 1, 1910, by Proclamation of September 13, 1910. The population of the town was increased but slightly, as the added parts are not populous. An additional Registrar has from October 1 been appointed to Kollupitiya Ward, owing to the large area of the ward as enlarged, the ward being divided into two registration divisions, north and south.

† The city-rate is worked out independently of the ward-rates and on a different basis of population, and takes into account hospital events, &c., not assignable to wards.

9. In the city of Colombo, out of the 689 deaths from all causes at all ages, 149 were among infants under one year. Of these, the chief causes were 38 *Convulsions* (16 in Maradana, exclusive of hospitals, 8 in Kollupitiya); 15 *Debility* (5 in Slave Island); 15 *Pneumonia* (4 each in St. Paul's and Maradana, exclusive of hospitals); 14 *Bronchitis* (3 each in Kotahena, Maradana, exclusive of hospitals, and Slave Island); 13 *Premature Birth* (3 each in Kotahena and Maradana, exclusive of hospitals); 11 *Enteritis* (8 in Maradana, exclusive of hospitals); 9 *Tetanus* (4 in Kotahena).

10. General Mortality (One Year and over).—Out of the 1,603 deaths of persons one year and over in age in the 31 towns, there were 238 from *Diarrhoea* (47 in Ratnapura, 34 in Matale, 26 in Kandy); 160 from *Pneumonia* (69 in Colombo, 16 in Kandy); 143 from *Dysentery* (45 in Colombo, 17 in Matale, 15 in Ratnapura); 118 from *Phthisis* (54 in Colombo, 13 in Galle); 77 from *Enteric Fever* (60 in Colombo); 75 from *Malaria* (14 in Kurunegala, 10 in Jaffna); 75 from *Anchylostomiasis* or *Dochmias Duodenalis* (21 in Matale, 13 in Gampola, 11 in Kegalla); 55 from *Malarial Cachexia* (8 in Kegalla); 52 from *Enteritis* (37 in Colombo); 40 from *Pyrexia* or *Fever* (25 in Kandy); 28 from *Bright's Disease* and *Nephritis* (14 in Colombo); 27 from *Bronchitis* (17 in Colombo); 22 from *Puerperal Septicaemia* (5 in Colombo); 17 from *Convulsions* (5 in Colombo). There were 7 deaths from *Smallpox* (4 in Jaffna, 2 in Kandy, and 1 in Colombo); and 1 from *Cholera* (in Ratnapura), a continuation of the epidemic which broke out in Ragama Cooly Camp in May last.

11. The highest mortality in the city of Colombo was from *Pneumonia* (13 per cent. of all deaths one year and over), followed by *Enteric Fever* (11 per cent.), *Phthisis* (10 per cent.), *Dysentery* (8 per cent.). Out of the 118 deaths from *Phthisis* in all towns at all ages, 54 occurred in Colombo. *Phthisis* and *Pneumonia* were together responsible for 138 deaths at all ages in the city, or 20 per cent. of the deaths from all causes.

12. Taking all the towns together, *Diarrhoea* and *Dysentery* contributed the highest mortality (21 per cent.), followed by *Bronchitis* and *Pneumonia* (12 per cent.), *Infantile Convulsions* (6 per cent.), *Phthisis* (nearly 6 per cent.).

Meteorology.

13. Rainfall.—“ Hatton and Dikoya ” records, as in the previous month, the highest rainfall (12·45 inches), followed by Gampola (7·06 inches). The next highest, 5·91 inches and 4·91 inches, were in Nuwara Eliya and Ratnapura, respectively. In Negombo, Matale, Jaffna, Mullaithivu, Vavuniya, Galle, Hambantota, Tangalla, Batticaloa, Kurunegala, Chilaw, and Anuradhapura the rainfall was less than one inch, while in Mannar and Puttalam there was no rainfall at all.

14. Temperature.—The mean temperature varied from 59·7° in Nuwara Eliya to 85·8° in Batticaloa, 85·3° in Trincomalee, 84·4° in Anuradhapura, and was 81·1° in Colombo and 75·6° in Kandy.

15. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, September 20, 1911.

P. ARUNACHALAM,
Registrar-General.

Table I.—Number of Births and Deaths registered during August, 1911, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1911, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of Ordinance No. 1 of 1895.

Towns.	Total Births.			Total Deaths.			Birth-rate. July, 1907, to August, 1911.*	Death-rate. Corrected.† July, 1907, to June, 1911.**	Deaths of Children under One Year. July, 1907, to June, 1911.***	Deaths of Children under One Year. July, 1907, to June, 1911.****	Mean Rainfall in Inches; §
	Males.	Females.	Persons.	Males.	Females.	Persons.					
Population (inclusive of the Military) at the Census of March 10, 1911.	503,208†	641	589	1,230	1,067	905	1,972	29.89	23.78	33.95	30.06
All 31 Towns										35.87	369
<i>Western Province.</i>											251
Colombo	212,305†	197	197	374	397	202	689	105	583	25.61	21.85
Negombo	13,045	18	17	35	23	14	37	8	29.	35.78	31.50
Moratuwa	27,256	46	50	96	39	40	79	—	79	33.34	41.47
Kalutara	13,065	20	15	35	23	13	36	9	27	34.48	31.09
Panadure	6,709	6	3	9	17	8	25	12	13	33.26	18.56
Kandy	30,149	47	38	85	68	94	162	42	120	28.75	33.19
Gampola	5,521	4	5	9	26	43	69	31	38	35.87	19.19
Navalapitiya	3,707	3	4	7	11	19	30	25	5	25.34	21.88
Hatton and Dikoya	3,025	1	3	4	10	7	17	11	6	14.83	15.57
Matale	5,792	6	9	15	53	48	101	71	30	31.76	30.49
Nuwara Eliya	7,493	6	12	18	7	7	14	3	11	15.30	28.28
<i>Northern Province.</i>											200
Jaffna	40,441	73	69	132	64	61	125	8	117	40.60	38.43
Mannar	3,777	7	6	13	7	3	10	—	10	41.48	40.52
Mullaitivu	1,392	5	2	7	2	3	5	—	4	36.48	59.21
Vavuniya	808	2	2	4	1	2	3	—	2	25.81	58.29
<i>Southern Province.</i>											201
Galle	39,936	59	51	110	52	48	100	10	90	30.41	32.43
Matara	13,851	30	16	46	21	12	33	5	28	38.62	39.10
Welligama	8,672	11	6	17	7	5	12	—	12	23.95	23.08
Hambantota	3,092	7	7	14	6	8	13	2	11	37.92	63.31
Tangalla	3,505	5	4	9	6	4	10	2	8	37.54	30.23
<i>Eastern Province.</i>											202
Batticaloa	10,671	23	18	41	20	9	29	6	23	30.98	45.24
Trincomalee	8,840	11	19	30	10	11	21	—	21	28.41	39.96
<i>North-Western Province.</i>											203
Kurunegala	6,167	9	10	19	49	22	71	15	56	27.01	27.39
Puttalam	5,990	6	4	10	12	10	22	1	20	38.12	19.66
Kalpitiya	1,591	—	5	5	6	2	8	—	8	24.85	37.00
Chilaw	5,033	8	5	13	17	12	29	7	22	35.40	30.41
<i>North-Central Province.</i>											204
Anuradhapura	5,361	9	2	11	9	10	19	5	14	23.93	24.16
<i>Province of Uva.</i>											205
Badulla	6,487	10	16	25	21	12	33	17	16	31.44	45.38
Lunugala	515	—	—	—	12	6	18	18	—	44.32	—
<i>Province of Sabaragamuwa.</i>											206
Ratnapura	5,476	6	2	8	45	41	86	63	33	33.49	17.20
Kegalla	2,536	6	3	9	27	39	66	51	15	28.44	41.78

* The rates from July, 1911, are calculated on the population enumerated at the Census of March 10, 1911, but for previous months on the basis of the population estimated on the basis of the Census of 1901. The rates calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. † Infantile death-rate omitted where the number of births is less than five. § Blanks indicate that there are no observatories or rain-gauges. || This includes the population as added on the extension of the town limits. See note * P. I. Corrected death-rates for Hatton and Dikoya, " Welligama, Kalpitiya, and Lunugala towns not available, as they were created registration districts after the Census of 1901. The death-rate given for " All Towns " is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during August, 1911, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.			Central Province.			Northern Province.			Southern Province.			Eastern Province.			North-Western Province.			North-Central Provinces.			Province of Sabaragamuwa.			Deaths among all Races.													
		Colombo.	Negombo.	Kandy.	Gampaha.	Katunayake.	Matale.	Galle.	Hambantota.	Tangalle.	Kurunegala.	Batticaloa.	Vavuniya.	Mullaitivu.	Nuwara Eliya.	Jaffna.	Puttalam.	Chilaw.	Kelpliyawa.	Anuradhapura.	Lunugalgoda.	Badulla.	Regalle.	Europeans.	Sinhalese.	Tamils.	Moors.	Malays.	Others.										
All Causes	1,972	689	37	79	36	25	162	69	30	17	101	14	125	10	5	3100	33	12	13	10	29	21	71	22	8	29	19	33	18	86	66	7	885	727	231	42	28		
I.—Infantile Mortality	..	369	149	7	19	8	2	23	11	2	2	7	7	38	3	2	1	47	10	2	5	3	8	15	3	1	5	3	4	4	—	23	183	91	58	10	4		
A.—One Week and under.																																							
1. Prematurity	..	34	11	—	3	—	—	4	—	—	3	1	—	—	3	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	..	25	7	—	2	—	1	2	—	—	3	1	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3. Convulsions	..	37	13	3	2	—	—	—	—	—	5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus	..	15	6	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	..	6*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B.—Over 1 Week and under 1 Year.																																							
1. Prematurity	..	7	2	—	1	—	2	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Deletus	..	24	8	1	—	2	—	2	1	—	3	2	—	3	5	—	3	5	—	2	1	4	2	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	..	70	25	1	3	1	2	—	1	1	—	1	—	7	—	1	—	1	—	1	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
4. Diarrhoea	..	19	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis	..	20	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus	..	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis	..	23	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	..	27	15	—	5	—	1	—	—	3	2	—	1	—	4	2	—	1	—	—	—	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	..	57†	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and over)	..	1,863	540	30	60	28	23	139	58	28	15	94	7	92	7	3	2	83	23	10	8	7	24	13	56	19	724	16	28	18	82	62	7	34	702	636	173	32	19
1. Smallpox	..	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Pyrexia or Fever	..	40	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Three from prolonged labour (in Jaffna), 2 from Inanition (in Colombo), and 1 from Atelectasis (in Gampola).

† This includes, besides the 29 deaths mentioned in Table IV., foot-note 1, 6 deaths from Malaria (2 in Kurunegala, 1 each in Kandy, Jaffna, and Kurunegala), 2 from Abscess (1 each in Marasmus (3 in Kandy and 1 in Matare). Three each from Dysentery (1 each in Jaffna, Anuradhapura, Puttalam, and Kurunegala), Fever (1 each in Jaffna, Matare, and Chilaw), and Thrush (in Negombo), Peritonitis (in Kandy), Measles (in Kandy), and Smallpox (in Gampola), Worms (in Kurunegala), Nephritis (in Galle), Obstruction of Bowels (in Galle), and Smallpox (in Jaffna).

‡ This includes, besides the 29 deaths mentioned in Table IV., foot-note 1, 6 deaths from Malaria (2 in Kurunegala, 1 each in Kandy, Jaffna, and Kurunegala), 2 from Abscess (1 each in Marasmus (3 in Kandy and 1 in Matare). Three each from Dysentery (1 each in Jaffna, Anuradhapura, Puttalam, and Kurunegala), Fever (1 each in Jaffna, Matare, and Chilaw), and Thrush (in Negombo), Peritonitis (in Kandy), Measles (in Kandy), and Smallpox (in Gampola), Worms (in Kurunegala), Nephritis (in Galle), Obstruction of Bowels (in Galle), and Smallpox (in Jaffna).

Table II.—Causes of Deaths registered during July, 1911, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued*.

* Here are included 80 deaths from Old Age (34 in Colombo), 48 from Debility (11 in Colombo), 47 from Intestinal Parasites (25 in Colombo), 40 from Pyrexia (25 in Kandy).

Table III.—Number of Births and Deaths registered during the Month of August, 1911, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1910, in each Ward of the City of Colombo.

Wards	Population (inclusive of the Military) at the Census of 1911.	Total Births registered				Total Deaths including Deaths in Hospitals and Jails.				Deaths of Residents.				Deaths of Non-residents.				Deaths of Children under One Year of Age to 1,000 Births registered.				
		Males.		Females.		Persons.		Males.		Females.		Persons.		Average January, 1908, to June, 1911.		Average August, 1911.		Crude Death-rate.		Corrected Death-rate.*		
City of Colombo	..	212,305	197	394	397	292	639	106	583	25-84	21-85	28-88	22-33	35-98	14-9	31-8	37-8	—	—	—	—	
Fort and Galle Face	..	3,512	—	—	—	2	—	1	1	5-64	—	7-37	3-35	—	—	—	—	—	—	—	—	—
Pettah	..	7,974	4	3	7	7	2	9	—	9	6-84	10-34	12-39	13-29	—	—	2	31-1	28-0	—	—	
San Sebastian	..	11,546	5	8	13	14	9	23	—	23	22-18	13-26	24-32	23-45	—	—	7	34-3	53-8	6	40-2	
St. Paul's	..	24,735	21	18	39	50	41	91	—	91	17-04	18-56	23-76	43-32	—	—	18	41-2	40-2	—	—	
Kotahena	..	40,771	37	35	72	44	48	92	—	92	23-18	20-79	24-43	26-57	—	—	19	32-3	26-4	—	—	
New Bazaar	..	22,309	20	22	42	31	23	54	—	54	24-17	22-17	28-42	28-50	—	—	18	38-1	42-9	—	—	
Maradana Hospitals	..	32	26	53	134	67	201	105	96	—	—	—	—	—	—	—	15	—	—	—	—	
Maradana (exclusive of Hos- pitals)	..	49,154	39	42	81	51	102	—	102	23-03	19-40	27-31	24-43	—	—	40	35-2	49-4	—	—		
Slave Island	..	21,984	11	19	30	23	21	44	—	44	24-08	16-07	25-44	23-57	—	—	14	36-8	46-7	—	—	
Kollupitiya	..	30,320	28	24	52	41	30	71	—	71	17-44	20-19	19-53	27-57	—	—	16	26-8	30-8	—	—	

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates omitted where number of births is less than five.

Table IV.—Causes of Deaths registered during the Month of August, 1911, in each Ward and Race of the City of Colombo.

Ward.	Causes of Deaths.	Deaths among all Races.																			
		City of Colombo.	All Causes	Port and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals	Slave Island.	Kollupitiye.	Burghers.	Sinhalese.	Morays.	Malays.	Others.				
<i>I.—Infantile Mortality</i>		..	149	—	2	7	18	19	18	15	40	14	16	—	18	72	26	27	5	1	
<i>A.—One Week and under.</i>		..	11	—	—	—	—	2	—	—	6	—	—	1	—	3	5	1	1	1	
1. Prematurity	7	—	—	—	—	—	1	—	1	—	—	—	—	2	1	1	—	—	
2. Debility	13	—	—	—	—	—	—	—	7	1	—	—	—	3	—	—	—	—	
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a Enteritis	6	—	—	—	—	2	—	—	1	—	—	—	—	4	—	2	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>B.—Over 1 Week and under 1 Year.</i>		..	2	—	—	—	—	1	—	—	—	—	—	—	—	—	1	5	—	1	2
1. Prematurity	8	—	—	—	—	1	—	—	—	—	—	—	—	—	14	—	4	—	—
2. Debility	25	—	—	—	—	2	—	—	—	—	—	—	—	3	2	2	—	—	
3. Convulsions	4	—	—	—	—	—	1	—	—	—	—	—	—	1	7	1	1	1	
4. Diarrhoea	11	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	
4a Enteritis	3	—	—	—	—	—	—	—	—	—	—	—	—	3	5	4	2	1	
5. Tetanus	14	—	—	—	—	1	—	—	3	—	—	—	—	1	6	2	5	1	
6. Bronchitis	15	—	—	—	—	1	—	—	2	—	—	—	—	1	17	4	7	—	
7. Pneumonia	29†	—	—	—	—	2	—	—	6	3	—	—	—	1	—	—	—	—	
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>II.—General Mortality (1 Year and over)</i>		..	540	2	7	16	73	73	86	186	62	30	55	6	24	272	147	65	14	12	
1. Smallpox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Represents the death of a Moor from Atelectasis (in Maradana, exclusive of Hospitals).

† Includes 6 deaths from Marasmus (3 in Maradana Hospitals, 2 in Maradana Hospitals, and 1 in Kotahena), 3 from Worms (2 in Slave Island and 1 in Kotahena), 2 each from Syphilis (1 each in San Sebastian and Maradana Hospitals), Septicemia (1 each in St. Paul's and Maradana Hospitals), Dysentery (1 each in Kotahena and Kollupitiya North), Ward of Breastmilk (1 each in Kotahena and Kollupitiya), Thrush (1 each in Slave Island and New Bazaar), and Pyrexia or Fever (1 each in Slave Island and New Bazaar), and Intestinal Obstruction (in San Sebastian), Gastritis (in St. Paul's), Malaria and Pyemia (in Kotahena), Meningitis (in Maradana Hospitals), Abscess (in Maradana), exclusive of Hospitals, and Tubercular Meningitis (in Kollupitiya).

Table IV.—Causes of Deaths registered during the Month of August, 1911, in each Ward and Race of the City of Colombo—*contd.*

City of Colombo.	Ward.	Deaths among all Races.	Others.					
			Malays.	Moors.	Tamils.	Sinhalese.	Burghers.	Europeans.
II.—General Mortality (1 Year and over)— <i>contd.</i>								
5. Pyrexia or Fever		3						
6. Enteric Fever		60						
7. Malaria		9						
8. Malarial Cachexia		4						
9. Cholera		—						
10. Diarrhoea		13						
10a. Enteritis		37						
11. Dysentery		45						
12. Anchylostomiasis or Dothmius Duodenalis		3						
13. Cancers		7						
14. Phthisis		54						
15. Other Tubercular Diseases		4						
16. Anermia		—						
17. Diabetes Mellitus		5						
18. Convulsions		5						
19. Tetanus		2						
20. Bronchitis		17						
21. Pneumonia		69						
22. Other Diseases of Respiratory System		7						
23. Bright's Disease and Nephritis		14						
24. Puerperal Eclampsia		1						
25. Puerperal Septicaemia		6						
26. Miscarriage		1						
27. Other and undefined Accidents of Child- birth		—						
28. Starvation		13						
29. Accidents or Negligence		7						
30. Homicide		1						
31. Suicide		1						
32. Execution		1						
33. All other causes		151*	2					

* Here are included 34 deaths from Old Age (7 each in Kotahena, Maradana Hospitals, and Maradana, exclusive of hospitals), 25 from Worms (13 in (Kotahena), 11 from Debitility (4 in Kollupitiya and 3 in Maradana hospitals).