

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 6,476 — FRIDAY, NOVEMBER 24, 1911.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF OCTOBER, 1911.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,199 (630 males and 569 females), and were equal to an annual rate of 28·05 per 1,000, against 28·70 during the preceding month, 28·47 in the corresponding month of last year, and 29·89 the monthly average for the forty-eight months, July, 1907, to June, 1911. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was, as in the previous month, in Mannar (65·46, average 41·48), and the lowest in Hatton and Dikoya (7·78, average 14·88).

3. In the city of Colombo* the births numbered 420 (220 males and 200 females), and were equal to an annual rate of 23·29 per 1,000, against 23·15 in the preceding month, 27·94 in the corresponding month of last year, and 25·61 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a mainly floating population), the highest birth-rate was, as in the previous month, in Slave Island (24·64, average 24·08), and the lowest was in St. Paul's (14·76, average 17·04).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 1,669 (880 males and 789 females), and were equal to an annual rate of 31·47 per 1,000, against 31·98 during the preceding month, 26·67 in the corresponding month of last year, and 30·06 the monthly average. Of the towns (excluding Vavuniya and Lunugala), the highest death-rate was in Badulla (92·81, average 27·26), and the lowest was, as in the previous month, in Nuwara Eliya (8·23, average 13·44), followed by Hambantota (11·96, average 34·08).

5. In the city of Colombo* the deaths registered numbered 609 (318 males and 291 females), and were equal to an annual rate of 32·40 per 1,000, against 31·83 during the preceding month, 25·34 in the corresponding month of last year, and 32·18 the monthly average. Omitting Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was in Maradana exclusive of hospitals (19·88, average 27·31), and the highest in San Sebastian (28·55, average 24·32).

Infantile Mortality.

6. The infantile mortality of the 31 towns was equal to a rate of 266 per 1,000 births registered, against 244 in the preceding month, 247 in the corresponding month of last year, and 251 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from as high as 857 in Ratnapura (average 236), and 591 in Badulla (average 235), 333 in Negombo (average 175), 323 in Batticaloa (average 346), to 143 in Matale (average 252), 100 in Chilaw (average 188), 91 in Panadure (average 190), 29 in Kalutara (average 162).

7. The infantile mortality in the city of Colombo was 319 per 1,000 births registered, against 262 in the previous month, 249 in the corresponding month of last year, and 311 the monthly average, and ranged from 583 in New Bazaar (average 381) to 196 in Slave Island (average 368).

Causes of Death.

8. *Infants.*—Out of the 1,669 deaths from all causes at all ages in the 31 towns, 319 were among infants under one year. Of these, the chief causes were 87 *Convulsions* (including 42 in Colombo, 7 in Negombo); 51 *Debility* (15 in Colombo, 7 each in Jaffna and Galle); 39 *Premature Birth* (11 in Colombo, 4 in Galle); 30 *Tetanus* (12 in Colombo); 23 *Pneumonia* (14 in Colombo); 18 *Diarrhoea* (6 in Colombo); 15 *Bronchitis* (7 each in Colombo and Jaffna); 14 *Enteritis* (10 in Colombo).

* Consequent on the extension of the limits of the Colombo Municipality in February, 1910, by adding about 49 acres to Kotahena Ward, 531 to Maradana Ward, and 1,013 to Kollupitiya Ward, it became necessary to alter the limits of these registration divisions to make them co-terminous with the Municipal divisions, and this was done with effect from October 1, 1910, by Proclamation of September 13, 1910. The population of the town was increased but slightly, as the added parts are not populous. An additional Registrar has from October 1 been appointed to Kollupitiya Ward, owing to the large area of the ward as enlarged, the ward being divided into two registration divisions, north and south.

† The city-rate is worked out independently of the ward-rates and on a different basis of population, and takes into account hospital events, &c., not assignable to wards.

9. In the city of Colombo, out of the 609 deaths from all causes at all ages, 134 were among infants under one year. Of these, the chief causes were 42 *Convulsions* (12 in New Bazaar, 10 in Maradana exclusive of hospitals, 9 in Kollupitiya); 15 *Debility* (3 in San Sebastian); 14 *Pneumonia* (5 in Kotahena, 4 in Maradana exclusive of hospitals); 12 *Tetanus* (6 in Kotahena, 4 in St. Paul's); 11 *Premature Birth* (4 in Maradana hospitals); 10 *Enteritis* (3 in Maradana exclusive of hospitals); 7 *Bronchitis* (3 in New Bazaar); 6 *Diarrhoea* (3 in Maradana exclusive of hospitals).

10. **General Mortality (One Year and over).**—Out of the 1,350 deaths of persons one year and over in age in the 31 towns, there were 183 from *Diarrhoea* (39 in Ratnapura, 20 in Matale, 17 in Kandy); 142 from *Pneumonia* (69 in Colombo, 7 each in Kandy, Batticaloa, and Badulla); 110 from *Phthisis* (56 in Colombo, 13 in Moratuwa), 100 from *Dysentery* (19 in Colombo, 13 in Ratnapura); 88 from *Malarial Cachexia* (23 in Ratnapura, 16 in Badulla, 9 in Kurunegala); 63 from *Enteritis* (47 in Colombo, 7 in Badulla); 62 from *Enteric Fever* (48 in Colombo); 59 from *Anchylostomiasis* or *Dochmias Duodenalis* (15 in Matale, 12 in Colombo, 10 in Kandy); 56 from *Malaria* (9 in Jaffna, 7 in Colombo, 6 in Badulla); 27 from *Convulsions* (5 in Batticaloa, 4 in Badulla); 25 from *Bright's Disease* and *Nephritis* (12 in Colombo); 22 from *Bronchitis* (18 in Colombo); 21 from *Accidents* or *Negligence* (6 in Colombo); 18 from *Puerperal Septicaemia* (9 in Colombo); 13 from *Anæmia* (5 in Colombo); 9 from *Pyrexia* or *Fever* (3 in Anuradhapura). There were 3 deaths from *Smallpox* (1 each in Colombo, Kandy, and Gampola); and 1 from *Cholera* (in Colombo). The deaths from *Smallpox* were due to infection from India; and the case of *Cholera* was a passenger by steamer from Batavia.

11. The highest mortality in the city of Colombo was from *Pneumonia* (14 per cent. of all deaths one year and over), followed by *Phthisis* (12 per cent.), *Enteric Fever* (10 per cent.); *Enteritis* (9 per cent.), *Dysentery* (4 per cent.), *Bronchitis* (3 per cent.). Out of the 110 deaths from *Phthisis* in all towns at all ages, 56 occurred in Colombo. *Phthisis* and *Pneumonia* were together responsible for 139 deaths at all ages in the city, or 23 per cent. of the deaths from all causes.

12. Taking all the towns together, *Diarrhoea* and *Dysentery* contributed the highest mortality (18 per cent.), followed by *Bronchitis* and *Pneumonia* (12 per cent.), *Infantile Convulsions* (6 per cent.), and *Phthisis* (6 per cent.).

Meteorology.

13. *Rainfall.*—Ratnapura records the highest rainfall (20·07 inches), followed by "Hatton and Dikoya" (17·06 inches). The next highest 15·09 inches and 14·22 inches were in Badulla and Gampola, while in the other towns the rainfall ranged from 13·92 inches in Galle to 4·91 inches in Tangalla.

14. *Temperature.*—The mean temperature varied from 59·9° in Nuwara Eliya to 82·6° in Batticaloa, 82·5° in Mannar, 80·9° in Anuradhapura, 80·8° in Jaffna, 80·7° in Trincomalee, and was 79·4° in Colombo and 75·5° in Kandy.

15. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo in the Appendix.

Registrar-General's Office,
Colombo, November 14, 1911.

P. ARUNACHALAM,
Registrar-General.

Table I.—Number of Births and Deaths registered during October, 1911, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1911, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Town.	Total Births.		Total Deaths.		Birth-rate.		Death-rate.		Deaths of Children under One Year.	Deaths of Children under One Age to 1,000 Births.	Mean Temperature.	Rainfall in Inches.				
	Males.	Females.	Males.	Females.	Deaths in Hospitals and Jails of Non-residents.	Deaths of Residents.	Crude, October, 1911.*	Corrected,† July, 1907, to June, 1911.								
All 31 Towns	503,208	630	569	1,199	830	789	1,669	395	1,278	29-89	23-05	29-79	30-06			
Western Province.										31-47	31-47	31-47	31-47			
Colombo	..	220	200	420	318	291	609	84	525	25-61	23-29	29-12	32-40			
Negombo	..	20	16	36	23	20	43	4	39	35-78	32-49	35-20	33-19			
Moratuwa	..	50	42	92	30	32	62	—	62	33-34	39-74	26-78	35-88			
Kalutara	..	19	15	34	17	14	31	6	25	34-48	30-78	22-63	25-28			
Panaduro	..	7	4	11	17	7	24	11	13	33-26	22-69	26-67	22-05			
Kandy	..	30,149	28	55	48	53	101	21	80	28-75	21-48	31-24	29-10			
Gampola	..	9	13	22	18	11	29	11	18	35-87	46-92	38-39	41-26			
Nawalapitiya	..	2	3	5	27	12	39	30	9	25-34	15-63	28-13	24-47			
Hatton and Dikoya	..	1	1	2	6	8	14	10	4	14-83	7-78	15-57	11-86			
Matale	..	4	3	7	31	29	60	43	17	31-76	14-23	34-66	39-38			
Nuwara Eliya	..	10	6	16	3	5	8	4	4	15-30	25-14	13-44	8-23			
Jaffna	..	85	65	150	62	50	112	3	109	40-60	43-67	31-73	33-21			
Mannar	..	7	14	21	10	3	13	2	11	41-48	65-46	34-29	39-15			
Mullaitivu	..	3	3	2	3	5	1	1	4	36-48	25-38	33-83	50-39			
Vavuniya	..	—	—	—	3	1	4	3	25-81	—	43-72	118-97	52-57			
Southern Province.										1	354	—	—			
Galle	..	39,636	45	83	38	47	85	5	80	30-41	24-47	23-59	27-67			
Matara	..	13,851	26	16	42	17	14	31	4	27	38-62	35-70	22-15			
Welligama	..	8,072	14	11	25	4	9	13	—	13	23-55	33-94	17-65			
Hambantota	..	3,092	5	6	11	1	6	7	3	3	37-62	41-89	11-42			
Tangalle	..	3,805	2	5	7	2	7	9	1	8	37-54	23-51	26-87			
Eastern Province.										1	206	143	—			
Batticaloa	..	10,071	9	22	31	18	16	34	2	32	30-98	34-20	35-31			
Trincomalee	..	8,840	16	12	28	17	6	23	—	23	28-41	37-29	30-63			
* North-Western Province.										10	346	323	82-6			
Kurunegala	..	8,167	12	12	24	34	18	52	22	30	27-01	34-60	43-25			
Puttalam	..	5,390	3	7	10	5	7	12	—	12	38-12	19-66	23-59			
Kalpitiya	..	1,591	1	1	2	3	6	—	6	24-83	14-80	44-40	24-15			
Chilaw	..	5,033	6	4	10	8	5	13	—	13	35-40	23-39	33-20			
North-Central Province.										1	188	100	—			
Anuradhapura	..	5,361	6	8	14	7	21	4	17	23-93	30-75	37-34	53-04			
Province of Uva.										3	403	214	80-9			
Badulla	..	6,487	13	9	22	29	42	71	21	50	31-44	39-93	90-75			
Lunugala	..	515	—	1	1	7	8	15	14	1	44-82	22-86	22-86			
Province of Sabaragamuwa.										4	158	591	73-4			
Ratnapura	..	5,476	4	3	7	37	94	68	26	33-49	16-05	55-90	57-85			
Kegalla	..	2,536	6	2	8	11	18	29	20	9	28-44	37-14	41-79			

* The rates from July, 1911, are calculated on the population enumerated at the Census of March 10, 1911, but for previous months on the basis of the population estimated on the basis of the Census of 1901. † I.e., rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also as in crude rate, excepting non-residents. § Corrected death-rates for "All Towns" given after the Census of 1911. The death-rate omitted where the number of births is less than five. ¶ Blanks indicate that there are no observatories or rain-gauges.

Table II.—Causes of Deaths registered during October, 1911, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.			Central Province.			Northern Province.			Eastern Province.			North-Western Provinces.			Province of Sabaragamuwa.			Deaths among all Races.			
		All Causes	
I.—Infantile Mortality																							
1. Prematurity	34	9	—	3	—	1	2	1	—	—	3	4	3	1	10	5	7	2	1	1	—	—	—
2. Debility	25	5	—	2	—	1	—	1	—	—	7	1	1	—	—	—	—	1	—	—	—	—	—
3. Convulsions	25	7	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	22	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	—	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																							
1. Prematurity	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	26	10	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	62	35	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	18	6	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	14	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	15	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	23	14	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	40†	17	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and over)																							
1. Smallpox	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* One each from Atelactasis (in Moratuwa) and Prolonged Labour (in Galle).

† This includes, besides the 17 deaths mentioned in Table IV., footnote †, 5 deaths from Malaria Cachexia (2 each in Badulla and Ratnapura and 1 in Galle), and 5 from Malaria (2 each in Negombo and Moratuwa), 2 from Thrush (1 each in Jaffna, and Kegalla), 3 from Erysipelas (in Jaffna), 2 from Congenital Syphilis (1 each in Anuradhapura, Marasmus (in Padulla), Adenitis (in Kandy), and Worms (in Galle), Tangalla), and 1 each from Abscess and Asthma (in Jaffna).

Table II.—Causes of Deaths registered during October, 1911, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 31 Towns.	Western Province.			Central Province.			Northern Province.			Southern Province.			North-Western Province.			Province of Sabaragamuwa.			Deaths among all Races.											
		Colombo.	Negombo.	Moratuwa.	Kandy.	Galle.	Savunige.	Menant.	Daffna.	Nuwara Eliya.	Matara.	Welligama.	Hambantota.	Tangalle.	Batticaloa.	Kurunegala.	Puttalam.	Kelpitivya.	Puttalam.	Lumngala.	Ratnapura.	Kegalle.	Europeans.	Burgesses.	Sinhalese.	Malays.	Moors.	Tamils.	Chinese.	Others.	
II.—General Mortality—cond.																															
6. Enteric Fever	62	48	—	1	2	1	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Malaria	66	7	3	1	1	3	—	—	5	3	—	1	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Malaria Cachexia	88	3	1	—	—	—	—	—	2	4	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Cholera	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Diarrhoea	183	7	9	2	—	3	5	—	17	6	8	4	20	14	1	7	1	4	1	9	39	7	—	1	—	—	—	—	—	2	
10a. Enteritis	63	47	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Dysentery	100	19	4	—	—	1	1	—	8	3	8	—	5	1	—	1	6	5	3	1	3	7	13	2	—	—	—	—	—	—	
12. Ankylostomiasis or Duodenitis	59	12	—	—	—	4	10	2	6	2	15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Cancers	7	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Phthisis	110	56	1	13	—	3	12	3	1	—	1	4	—	6	2	—	4	1	—	—	—	—	—	—	—	—	—	—	—	2	
15. Other tubercular diseases	6	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16. Anæmia	13	5	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17. Diabetes Mellitus	6	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18. Convulsions	27	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19. Tetanus	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20. Bronchitis	22	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21. Pneumonia	142	69	3	5	—	—	—	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
22. Other Diseases of the Respiratory System	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23. Bright's Disease and Nephritis	25	12	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24. Puerperal Eclampsia	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25. Puerperal Septicæmia	18	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
26. Miscarriage	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27. Other and undefined Accidents of Childbirth	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28. Starvation	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	
29. Accidents or Negligence	21	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Suicide	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
32. Execution	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	18	1	6	4	—	—	—	—	—	—	—	—	
33. All other causes	—	286*	121	6	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Here are included 67 deaths from Old Age (28 in Colombo), 43 from Debility (14 in Colombo), 20 from Paralysis (5 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of October, 1911, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1911, in each Ward of the City of Colombo.

Wards.	Population inclusive of the Military at the Census of 1911.	Total Births registered.			Total Deaths including Deaths in Hospitals and Jails.			Per Mille per Annum.			Deaths of Children under One Year of Age to 1,000 Births registered.		
		Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Non-residents.	Deaths of Residents.	Crude Death-rate.	Average October, 1908, to June, 1911.	Corrected Death-rate.*	Average January, 1908, to June, 1911.
City of Colombo	212,305	220	200	420	318	291	609	84	525	25·84	28·29	28·88	28·12
Fort and Galle Face	3,512	1	—	1	6	—	6	1	5	5·64	3·35	7·37	16·76
Pettah	7,974	1	1	2	8	2	10	—	10	6·84	2·95	12·39	14·77
San Sebastian	11,546	11	10	21	10	18	28	—	28	22·18	21·42	24·32	28·55
St. Paul's	24,735	16	15	31	33	24	57	—	57	17·04	14·76	23·76	27·13
Kotahena	40,771	40	42	82	40	46	86	—	86	23·18	23·68	24·43	24·84
New Bazaar	22,309	16	19	34	24	30	54	—	54	24·17	17·94	28·42	28·50
Maradana Hospitals	..	36	36	72	110	84	194	83	111	—	—	—	—
Maradana (exclusive of Hospitals)	49,154	{ 50	37	87	45	38	83	—	83	23·03	20·84	27·31	19·88
Slave Island	21,984	25	21	46	20	19	39	—	39	24·08	24·64	25·44	20·89
Kollupitiya	30,320	25	19	44	22	30	52	—	52	17·44	17·09	19·53	20·19

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates omitted where number of births is less than five.

October, 1911.^t

to June, 1911.

1908.

to June, 191

Table IV.—Causes of Deaths registered during the Month of October, 1911, in each Ward and Race of the City of Colombo.

Ward.	Causes of Deaths.	Deaths among all Races.																		
		City of Colombo.	Port and Galle Race.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Slave Island.	Kollupitiya.	Burmese.	Tamils.	Mooris.	Malays.	Others.				
All Causes		609	6	10	28	57	86	54	194	83	39	52	7	33	290	152	88	21	18	
I.—Infantile Mortality		134	1	1	9	15	21	20	10	29	9	19	1	11	63	19	29	7	4	
<i>A.—One Week and under.</i>																				
1. Prematurity		9																		
2. Debility		5																		
3. Convulsions		7																		
4. Diarrhoea		—																		
4a Enteritis		—																		
5. Tetanus		10																		
6. Bronchitis		—																		
7. Pneumonia		—																		
8. Other Causes		—																		
<i>B.—Over 1 Week and under 1 Year.</i>																				
1. Prematurity		2																		
2. Debility		10																		
3. Convulsions		35																		
4. Diarrhoea		6																		
4a Enteritis		—																		
5. Tetanus		10																		
6. Bronchitis		2																		
7. Pneumonia		7																		
8. Other Causes		14																		
<i>C.—General Mortality (1 Year and over)</i>		17*																		
1. Smallpox		5																		
2. Chickenpox		1																		
3. Measles		—																		
4. Influenza		—																		

* Includes 2 deaths from Whooping Cough (in Kotahena), 2 each from Rickets (1 each in Kotahena and New Bazaar), Worms (1 each in Maradana, exclusive of hospitals), and Dropy (in Maradana, exclusive of hospitals), Injuries by an Accidental Blow in St. Paul's, Syphilis in Maradana Hospitals, Dysentery (in Slave Island), and Asthenia, Simple Meningitis, Hyperpyrexia, and Want of Breastmilk (in Kotahena).

Table IV.—Causes of Deaths registered during the Month of October, 1911, in each Ward and Race of the City of Colombo—*contd.*

Ward.	Causes of Deaths.	City of Colombo.	Deaths among all Races.									
			Burghers.	Europeans.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.			
Kotahena.	Kotahena.	1. Pyrexia or Fever	1	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	2. Enteric Fever	6	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	3. Malaria	7	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	4. Malaria Cachexia	3	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	5. Cholera	1	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	6. Diarrhea	7	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	7. Enteritis	47	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	8. Dysentery	11	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	9. Anchylostomiasis or Dochimus Duodenalis	19	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	10. Cancer	12	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	11. Phthisis	4	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	12. Other Tubercular Diseases	56	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	13. Anaemia	1	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	14. Diabetes Mellitus	5	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	15. Convulsions	3	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	16. Tetanus	2	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	17. Bronchitis	18	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	18. Pneumonia	69	4	3	2	3	2	3	2	3	2
Kotahena.	Kotahena.	19. Other Diseases of Respiratory System	5	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	20. Bright's Disease and Nephritis	12	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	21. Puerperal Eclampsia	2	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	22. Puerperal Septicæmia	1	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	23. Miscarriage	9	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	24. Other and undefined Accidents of Child-birth	—	2	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	25. Starvation	3	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	26. Accidents or Negligence	6	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	27. Homicide	6	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	28. Suicide	—	—	—	—	—	—	—	—	—	—
Kotahena.	Kotahena.	29. Execution	3	1	1	1	1	1	1	1	1	1
Kotahena.	Kotahena.	30. All other causes	121*	4	7	7	8	2	3	3	18	4
San Sebastian.	San Sebastian.											
Ste. Paul's.	Ste. Paul's.											
New Bazaar.	New Bazaar.											
Maradeniya Hospitals.	Maradeniya Hospitals.											
Maradeniya (excluding Hospitals).	Maradeniya (excluding Hospitals).											
Slave Island.	Slave Island.											
Kollupitiya.	Kollupitiya.											
Shimlas.	Shimlas.											
Moor's.	Moor's.											
Tamils.	Tamils.											
Malays.	Malays.											
Others.	Others.											

* Here are included 28 deaths from Senility (6 in Kotahena, 4 in Slave Island), 14 from Debility (7 in Kotahena), 7 Cerebral Haemorrhage (4 in Maradana, exclusive of hospitals), 6 Worms (3 in Kotahena).