

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,486 — FRIDAY, JANUARY 26, 1912.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF DECEMBER, 1911.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31 to 36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,170 (613 males and 557 females), and were equal to an annual rate of 27.38 per 1,000, against 30.61 during the preceding month, 29.68 in the corresponding month of last year, and 29.89 the monthly average for the forty-eight months, July, 1907, to June, 1911. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Badulla (41.75, average 31.44), and the lowest in Mullaittivu (8.46, average 36.48).

3. In the city of Colombo* the births numbered 424 (220 males and 204 females), and were equal to an annual rate of 23.51 per 1,000, against 26.25 in the preceding month, 27.88 in the corresponding month of last year, and 25.61 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a mainly floating population), the highest birth-rate was in Kotahena (25.99, average 23.18), and the lowest was in Kollupitiya (17.09, average 17.44).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 2,083 (1,142 males and 941 females), and were equal to an annual rate of 42.03 per 1,000, against 35.25 during the preceding month, 29.64 in the corresponding month of last year, and 30.06 the monthly average. Of the towns (excluding Vavuniya and Lunugala), the highest death-rate was in Anuradhapura (91.12, average 53.04), and the lowest was in Tangalla (14.19, average 38.46), followed by Kegalla (19.36, average 21.76).

5. In the city of Colombo* the deaths registered numbered 762 (432 males and 330 females), and were equal to an annual rate† of 40.92 per 1,000, against 35.14 during the preceding month, 32.85 in the corresponding month of last year, and 32.18 the monthly average. Omitting Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was in Kollupitiya (20.19, average 19.53), and the highest in San Sebastian (40.79, average 24.32).

Infantile Mortality.

6. The infantile mortality of the 31 towns was equal to a rate of 403 per 1,000 births registered, against 303 in the preceding month, 278 in the corresponding month of last year, and 251 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from as high as 900 in Anuradhapura (average 403), and 636 in Matale (average 252), 571 in Kurunegala (average 347), 571 in Puttalam (average 272), to 250 in Chilaw (average 188), 176 in Gampola (average 256), 100 in Weligama (average 101), 53 in Panadure (average 190).

7. The infantile mortality in the city of Colombo was 479 per 1,000 births registered, against 373 in the previous month, 316 in the corresponding month of last year, and 311 the monthly average, and ranged from 639 in New Bazaar (average 381) to 341 in Kollupitiya (average 268).

Causes of Death.

8. *Infants.*—Out of the 2,083 deaths from all causes at all ages in the 31 towns, 472 were among infants under one year. Of these, the chief causes were 120 *Convulsions* (including 55 in Colombo, 6 each in Negombo, Moratuwa, and Matara); 66 *Debility* (21 in Colombo, 8 in Kandy); 64 *Premature Birth* (28 in Colombo, 9 in Jaffna); 58 *Tetanus* (23 in Colombo, 17 in Galle); 35 *Diarrhoea* (12 in Colombo, 6 in Moratuwa); 26 *Pneumonia* (10 in Colombo, 5 in Galle); 18 *Enteritis* (12 in Colombo); 14 *Bronchitis* (8 in Colombo).

9. In the city of Colombo, out of the 762 deaths from all causes at all ages, 203 were among infants under one year. Of these, the chief causes were 55 *Convulsions* (21 in Maradana, exclusive of hospitals, 9 in New Bazaar, 8 in Kollupitiya); 28 *Premature Birth* (11 in Maradana hospitals); 23 *Tetanus* (6 each in St. Paul's, Kotahena, and New Bazaar); 21 *Debility* (7 in Kotahena); 12 *Diarrhoea* (5 in Kotahena); 12 *Enteritis* (6 in Maradana, exclusive of hospitals); 10 *Pneumonia* (4 in Maradana, exclusive of hospitals); 8 *Bronchitis* (2 each in St. Paul's and Maradana, exclusive of hospitals).

* Consequent on the extension of the limits of the Colombo Municipality in February, 1910, by adding about 49 acres to Kotahena W rd, 531 to Maradana Ward; and 1,013 to Kollupitiya Ward, it became necessary to alter the limits of these registration divisions to make them co-terminous with the Municipal divisions, and this was done with effect from October 1, 1910, by Proclamation of September 13, 1910. The population of the town was increased but slightly, as the added parts are not populous. An additional Registrar has from October 1 been appointed to Kollupitiya Ward, owing to the large area of the ward as enlarged, the ward being divided into two registration divisions, north and south.

† The city-rate is worked out differently from the ward-rates and takes into account hospital events, &c., not assignable to wards.

10. **General Mortality (One Year and over).**—Out of the 1,611 deaths of persons one year and over in age in the 31 towns, there were 177 from *Diarrhoea* (22 in Ratnapura, 19 each in Colombo and Matale, 14 each in Kandy and Jaffna, 9 in Panadure); 177 from *Pneumonia* (80 in Colombo, 12 in Moratuwa, 10 in Jaffna, 8 each in Negombo and Kandy); 148 from *Dysentery* (29 in Colombo, 21 in Jaffna, 12 in Badulla, 11 in Moratuwa); 117 from *Phthisis* (55 in Colombo, 17 in Galle, 10 in Moratuwa); 85 from *Enteritis* (53 in Colombo, 9 in Badulla, 8 in Galle); 77 from *Malaria* (18 in Jaffna); 66 from *Malarial Cachexia* (15 in Ratnapura, 11 in Badulla); 59 from *Enteric Fever* (35 in Colombo); 30 from *Convulsions* (10 in Colombo); 29 from *Bright's Disease* and *Nephritis* (17 in Colombo); 26 from *Bronchitis* (15 in Colombo); 26 from *Accidents or Negligence* (13 in Colombo); 18 from *Puerperal Septicæmia* (8 in Colombo); 14 from *Cancers* (8 in Colombo); 13 from *Anæmia* (4 each in Negombo and Matara). No deaths were registered from *Cholera* or *Smallpox*.

11. The highest mortality in the city of Colombo was from *Pneumonia* (14 per cent. of all deaths one year and over), followed by *Phthisis* (nearly 10 per cent.), *Enteritis* (9 per cent.), *Enteric Fever* (6 per cent.), *Dysentery* (5 per cent.), *Diarrhea* (3 per cent.). Out of the 117 deaths from *Phthisis* in all towns at all ages, 55 occurred in Colombo. *Phthisis* and *Pneumonia* were together responsible for 145 deaths at all ages in the city, or 19 per cent. of the deaths from all causes.

12. Taking all the towns together, *Diarrhoea* and *Dysentery* contributed the highest mortality (18 per cent.), followed by *Bronchitis* and *Pneumonia* (11 per cent.), *Infantile Convulsions* (7 per cent.), and *Phthisis* (5 per cent.).

Meteorology.

13. *Rainfall*.—Vavuniya records the highest rainfall (34.51 inches), followed by Jaffna (34.19 inches). The next highest 32.63 inches and 25.76 inches were in Batticaloa and Kurunegala, while in the other towns the rainfall ranged from 25.29 inches in Badulla to 6.96 inches in Colombo.

14. *Temperature*.—The mean temperature varied from 59.4° in Nuwara Eliya to 79.6° in Mannar, 79.5° in Batticaloa, 78.7° each in Hambantota and Ratnapura, 78.4° each in Kurunegala and Jaffna, 78.3° in Trincomalee, and was 79.8° in Colombo and 74.5° in Kandy.

15. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, January 14, 1912.

P. ARUNACHALAM,
Registrar-General.

Table I.—Number of Births and Deaths registered during December, 1911, their Proportion per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1911, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

| Town. | Population (inclusive of the Military) at the Census of March 10, 1911. | Total Births. | Total Deaths. | Deaths in Hospitals and Jails of Non-residents. | Deaths of Residents. | Birth-rate. | Deaths of Children under One Year. | | | Mean Temperature & Rainfall in Inches. ³ | |
|---------------------------|---|---------------|---------------|---|----------------------|-------------|------------------------------------|----------------------------|--------------|---|--|
| | | | | | | | Crude, December, 1911.* | July, 1907, to June, 1911. | Corrected, † | | |
| | | | | | | | | | | | |
| All 31 Towns | 503,208 | 813 | 557 | 1,170 | 1,142 | 941 | 2,083 | 379 | 1,700 | 29·89 | |
| Western Province. | | | | | | | 27·38 | 39·78 | 30·06 | 42·03¶ | |
| Colombo | 220 | 204 | 424 | 330 | 762 | 97 | 663 | 25·61 | 36·77 | 32·18 | |
| Negombo | 16 | 16 | 38 | 31 | 90 | 61 | 61 | 35·78 | 34·30 | 35·06 | |
| Moratuwa | 22 | 22 | 43 | 35 | 122 | — | 122 | 33·34 | 41·04 | 52·70 | |
| Kalutara | 15 | 15 | 19 | 34 | 33 | 14 | 47 | 34·48 | 30·78 | 42·55 | |
| Panadure | 12 | 7 | 19 | 10 | 17 | 27 | 13 | 33·26 | 39·19 | 28·87 | |
| Kandy | 30,149 | 29 | 53 | 56 | 39 | 95 | 16 | 79 | 28·75 | 20·70 | |
| Gampola | 5,621 | 10 | 7 | 17 | 9 | 18 | 18 | 10 | 35·87 | 36·25 | |
| Nawalaipitiya | 3,707 | 3 | 6 | 10 | 15 | 25 | 17 | 8 | 25·34 | 18·75 | |
| Hation and Dikoya | 3,025 | 3 | 5 | 8 | 7 | 3 | 10 | 4 | 14·88 | 31·14 | |
| Matale | 6,792 | 6 | 11 | 11 | 42 | 29 | 71 | 50 | 21·76 | 22·36 | |
| Nuwara Eliya | 7,493 | 11 | 7 | 18 | 12 | 6 | 18 | 6 | 15·30 | 28·28 | |
| Jaffna | 40,441 | 55 | 59 | 114 | 76 | 138 | 1 | 137 | 40·60 | 33·19 | |
| Mannar | 6 | 6 | 12 | 7 | 10 | 17 | 3 | 14 | 41·48 | 37·41 | |
| Mullaithivu | 1,392 | 1 | — | 1 | 2 | 3 | 5 | — | 5 | 36·48 | |
| Vavuniya | 808 | 1 | 1 | 2 | 5 | 2 | 7 | 1 | 25·81 | 29·14 | |
| Galle | 39,936 | 61 | 40 | 91 | 85 | 169 | 13 | 156 | 30·41 | 26·83 | |
| Matale | 13,851 | 20 | 23 | 43 | 30 | 34 | 64 | 10 | 54 | 38·62 | |
| Welligama | 8,672 | 12 | 8 | 20 | 12 | 11 | 23 | — | 23 | 23·55 | |
| Hambantota | 3,092 | 5 | 5 | 10 | 9 | 1 | 10 | 1 | 9 | 37·62 | |
| Tangalla | 3,605 | 2 | 3 | 5 | 4 | 2 | 6 | 2 | 4 | 37·54 | |
| Batticaloa | 10,671 | 14 | 6 | 20 | 16 | 13 | 29 | 3 | 26 | 30·98 | |
| Trincomalee | 8,840 | 14 | 13 | 27 | 20 | 26 | 45 | — | 45 | 28·41 | |
| North-Western Province. | | | | | | | | | | | |
| Kurunegala | 8,167 | 12 | 9 | 21 | 18 | 36 | 6 | 30 | 27·01 | 30·28 | |
| Puttalam | 6,990 | 8 | 13 | 21 | 21 | 10 | 31 | 3 | 38·12 | 41·28 | |
| Kalpitiya | 1,691 | 3 | 2 | 5 | 8 | 6 | — | 13 | 24·83 | 37·00 | |
| Chiaw | 6,033 | 7 | 5 | 12 | 7 | 8 | 15 | — | 35·40 | 28·07 | |
| North-Central Province. | | | | | | | | | | | |
| Anuradhapura | 5,361 | 4 | 6 | 10 | 18 | 19 | 37 | 1 | 36 | 23·93 | |
| Province of Uva. | | | | | | | | | | | |
| Badulla | 6,487 | 10 | 13 | 23 | 29 | 61 | 30 | 31 | 31·44 | 41·75 | |
| Lunugala | — | 51.5 | — | — | 11 | 7 | 15 | 2 | 44·82 | — | |
| Province of Sabaragamuwa. | | | | | | | | | | | |
| Ratnapura | 5,476 | 1 | 3 | 4 | 44 | 19 | 63 | 43 | 20 | 33·49 | |
| Kegalla | — | 2,536 | 4 | 2 | 6 | 18 | 8 | 26 | 28·44 | 27·86 | |

* The rates from July, 1911, are calculated on the population enumerated at the Census of March 10, 1911, but for previous months on the basis of the Census of 1901. The rates calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates. Infantile death-rate omitted where the number of births is less than five. This includes the population as added on the extension of the town limits. See note p. 1.

† i.e., rate

of

Corrected

deaths for

"All Towns"

is therefore independent of these towns.

‡ Banks indicate that there are no observatories or rain-gauges.

§ This includes

the population as added on the extension of the town limits.

See note p. 1.

Table II.—Causes of Deaths registered during December, 1911, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

| Causes of Deaths. | Western Province. | Central Province. | Northern Province. | Southern Province. | Eastern Province. | North-Western Province. | North-Central Province. | Province of Sabaragamuwa. | Deaths among all Races. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------------|-------------------|--------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------|-------------------------|----------|------------|---------|------------|----------|---------|---------|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|----|----|----|-----|-----|-----|-----|----|----|----|
| | | | | | | | | | Anuradhapura. | Badulla. | Lunugalle. | Mooras. | Sinhalese. | Tamilis. | Malays. | Others. | | | | | | | | | | | | | | | | | | | | | | | |
| All 31 Towns. | 762 | 61 | 122 | 61 | 27 | 95 | 18 | 25 | 10 | 71 | 18 | 13 | 17 | 5 | 7169 | 64 | 23 | 10 | 3 | 37 | 61 | 18 | 63 | 26 | 10 | 56 | 999 | 733 | 238 | 30 | 17 | | | | | | | | |
| All Causes | 2,083 | .. | 472 | 203 | 16 | 26 | 9 | 1 | 12 | 3 | 3 | 7 | 5 | 4 | 1 | 38 | 15 | 2 | 6 | 7 | 14 | 12 | 12 | 5 | 3 | 9 | 10 | 1 | 2 | 3 | — | 15 | 248 | 182 | 63 | 10 | 4 | | |
| I.—Infantile Mortality | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| A.—One Week and under. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 1. Prematurity | 60 | 25 | — | 4 | 1 | — | — | — | — | — | — | 9 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 34 | 13 | — | 1 | — | — | — | — | — | — | — | 1 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Convulsions | 36 | 16 | 2 | 4 | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Diarrhoea | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4a. Enteritis | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5. Tetanus | 43 | 17 | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | .. | .. | 2 | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | .. | .. | — | 7* | 3 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8. Other causes | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| B.—Over 1 Week and under 1 Year. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 1. Prematurity | 32 | 8 | — | 1 | — | — | — | — | — | — | — | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 84 | 39 | 4 | 2 | 4 | — | — | — | — | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Convulsions | 34 | 12 | 2 | 5 | 1 | — | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Diarrhoea | 18 | 12 | — | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5. Tetanus | 15 | 6 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | 12 | 8 | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | 26 | 10 | — | 4 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8. Other causes | 64† | 31 | 6 | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| II.—General Mortality (1 Year and over) | 1,611 | 559 | 45 | 96 | 26 | 83 | 15 | 22 | 7 | 64 | 13 | 98 | 13 | 4 | 7 | 131 | 49 | 21 | 4 | 6 | 22 | 31 | 24 | 19 | 8 | 12 | 28 | 51 | 17 | 61 | 23 | 10 | 41 | 751 | 601 | 175 | 20 | 13 | |
| 1. Smallpox | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Chickenpox | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Measles | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Influenza | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Pyrexia or Fever | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* One each from Want of Breast Milk, Congenital Syphilis, and Imperforate Anus (in Colombo), Atelectasis (in Jaffna), Worms and Dysentery (in Chilaw).

† This includes, besides the 31 deaths mentioned in Table IV., footnoted, 6 from Dysentery (in Batticaloa), 1 in Hambaranota and Trincomalee, 1 in Negombo, 1 each in Negombo and Puttalam, and 1 each from Teeth and Obstruction of Bowels (in Galle), Dropsey and Malnutrition (in Kurunggala), Nephritis and Hydrocephalus (in Kalutara), Tabes Masenterica (in Jaffna), and Crushing (in Mullaitivu).

Table II.—Causes of Deaths registered during December, 1911, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

| Causes of Deaths. | All 31 Towns. | Western Province. | Central Province. | Northern Province. | Southern Province. | Eastern Province. | North-Western Province. | North-Central Provinces. | Province of Sabaragamuwa. | Deaths among all Races. | | | |
|---|---------------|-------------------|-------------------|--------------------|--------------------|-------------------|-------------------------|--------------------------|---------------------------|-------------------------|------------|------------|---------|
| | | | | | | | | | | Burghers. | Europeans. | Sinhalese. | Malays. |
| II.—General Mortality—<i>contd.</i> | | | | | | | | | | | | | |
| 6. Enteric Fever | 59 | — | 4 | 2 | — | — | — | — | — | — | — | — | — |
| 7. Malaria | 77 | 6 | 8 | 1 | — | — | — | — | — | — | — | — | — |
| 8. Malaria Cachexia | 66 | 8 | — | 1 | — | — | — | — | — | — | — | — | — |
| 9. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10. Diarrhea | 177 | 19 | 5 | 6 | 9 | 14 | 6 | 3 | 19 | 14 | 1 | 2 | — |
| 10a. Enteritis | 85 | 63 | — | 4 | — | — | — | — | — | — | — | — | — |
| 11. Dysentery | 148 | 29 | 3 | 11 | 1 | 2 | 6 | 4 | — | — | — | — | — |
| 12. Ankylostomiasis or Dochmias Duodenitis | 67 | 11 | — | 1 | — | 3 | 7 | 2 | 1 | 18 | 2 | 1 | — |
| 13. Cancers | 14 | 8 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| 14. Phthisis | 117 | 66 | 2 | 10 | 8 | 1 | 7 | 1 | — | — | — | — | — |
| 15. Other tubercular diseases | 11 | 7 | — | — | 3 | — | — | — | — | — | — | — | — |
| 16. Anæmia | 13 | 2 | — | 4 | 1 | — | — | — | — | — | — | — | — |
| 17. Diabetes Mellitus | 5 | 2 | — | 1 | — | — | — | — | — | — | — | — | — |
| 18. Convulsions | 30 | 10 | — | — | 1 | — | 3 | — | — | — | — | — | — |
| 19. Tetanus | 10 | 5 | — | — | — | — | — | — | — | — | — | — | — |
| 20. Bronchitis | 26 | 16 | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 21. Pneumonia | 177 | 80 | 8 | 12 | 6 | 1 | 8 | 1 | — | — | — | — | — |
| 22. Other Diseases of the Respiratory System | 11 | 6 | — | — | — | — | 2 | — | — | — | — | — | — |
| 23. Bright's Disease and Nephritis | 29 | 17 | — | — | 4 | — | — | — | — | — | — | — | — |
| 24. Puerperal Eclampsia | 7 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 25. Puerperal Septicæmia | 18 | 8 | — | — | 4 | — | — | — | — | — | — | — | — |
| 26. Miscearriage | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27. Other and undefined Accidents of Childbirth | 11 | 9 | — | — | — | — | — | — | — | — | — | — | — |
| 28. Starvation | 6 | 4 | — | — | — | — | — | — | — | — | — | — | — |
| 29. Accidents or Negligence | 26 | 13 | — | — | — | — | — | — | — | — | — | — | — |
| 30. Homicide | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| 31. Suicide | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 32. Execution | 4 | 4 | — | — | — | — | — | — | — | — | — | — | — |
| 33. All other causes | 401* | 154 | 12 | 34 | 11 | 5 | 28 | 2 | 3 | 11 | 58 | 13 | 12 |
| | | | | | | | | | | 1 | 2 | 3 | 2 |
| | | | | | | | | | | 3 | 6 | 4 | 1 |
| | | | | | | | | | | 2 | 3 | 1 | 4 |
| | | | | | | | | | | 4 | 16 | 234 | 91 |
| | | | | | | | | | | 4 | 16 | 234 | 47 |

* Here are included 95 deaths from Old Age (36 in Colombo), 64 from Worms (13 in Colombo and Galle), 46 from Debility (11 each in Colombo and Galle), 18 from Paralysis (6 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of December, 1911, and their Proportion per 1,000 of the Population, and the Leatns of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1911, in each Ward of the City of Colombo.

| Wards. | Population (inclusive of the Military) at the Census of 1911. | Total Deaths including Deaths in Hospitals and Jails. | | | | | | Per Mille per Annum. | | | | | | Deaths of Children under One Year of Age to 1,000 Births registered. | | | | |
|--|--|---|----------|----------|---------------------------------|----------|----------|--|--------------------|-------------------|-------------|-------|-------|--|-------|-----|-----|-----|
| | | Total Births registered. | | | Deaths of Non- residents. | | | Deaths of Residents. | | | Birth-rate. | | | Crude Death-rate. | | | | |
| | | Males. | Females. | Persons. | Males. | Females. | Persons. | Average January, 1908, to June, 1911. | December, 1910. | January, 1911. | 23·51 | 25·84 | 28·88 | 36·77 | 40·92 | 203 | 313 | 479 |
| City of Colombo | 212,805 | 220 | 204 | 424 | 432 | 380 | 762 | 99 | 663 | — | — | — | — | — | — | — | — | |
| Fort and Galle Face | 3,512 | — | — | — | 3 | — | 3 | 2 | 1 | 5·64 | — | 7·37 | 3·35 | — | — | 127 | — | |
| Pettah | 7,974 | 3 | — | 3 | 15 | 1 | 16 | — | 16 | 6·84 | 4·43 | 12·39 | 23·63 | — | — | 311 | — | |
| San Sebastian | 11,546 | 12 | 10 | 22 | 22 | 18 | 40 | — | 40 | 22·18 | 22·43 | 24·32 | 40·79 | — | — | 343 | 591 | |
| St. Paul's | 24,735 | 18 | 22 | 40 | 40 | 42 | 82 | — | 82 | 17·04 | 19·04 | 23·76 | 39·03 | — | — | 23 | 412 | |
| Kotahena | 40,771 | 47 | 43 | 90 | 58 | 58 | 116 | — | 116 | 23·18 | 25·99 | 24·43 | 33·50 | — | — | 39 | 323 | |
| New Bazaar | 22,309 | 19 | 17 | 36 | 31 | 31 | 62 | — | 62 | 24·17 | 19·00 | 28·42 | 32·72 | — | — | 23 | 381 | |
| Maradana Hospitals | 36 | 31 | 67 | 149 | 60 | 209 | 96 | 113 | — | — | — | — | — | — | — | — | 639 | |
| Maradana (exclusive of Hos- pitals) | 49,154 | 34 | 50 | 84 | 75 | 143 | — | 143 | 23·03 | 20·12 | 27·31 | 34·25 | — | — | 47 | 352 | 560 | |
| Slave Island | .. | 21,984 | 22 | 16 | 38 | 20 | 18 | 38 | — | 38 | 24·08 | 20·35 | 25·44 | 20·35 | — | — | 16 | 368 |
| Kollupitiya | .. | 30,320 | 29 | 15 | 44 | 26 | 27 | 53 | 1 | 52 | 17·44 | 17·09 | 19·53 | 20·19 | — | — | 16 | 268 |

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

Table IV.—Causes of Deaths registered during the Month of December, 1911, in each Ward and Race of the City of Colombo.

| Causes of Deaths. | City of Colombo. | Deaths among all Races. | | | | | | | | | | | | | | | | |
|--|------------------|-------------------------|---------|-------------|-------------|-----------|---------------|--------------|------------|------------|------------|---------|---------|-----|-----|-----|----|----|
| | | Port and Galle Face. | Pettah. | St. Paul's. | New Bazaar. | Kotahena. | Slave Island. | Kollupitiya. | Europeans. | Burmahers. | Sinhalese. | Melays. | Others. | | | | | |
| All Causes | 762 | 3 | 16 | 40 | 82 | 116 | 62 | 209 | 143 | 38 | 58 | 9 | 39 | 383 | 199 | 106 | 15 | 11 |
| I.—Infantile Mortality | | | | | | | | | | | | | | | | | | |
| A.—One Week and under. | | | | | | | | | | | | | | | | | | |
| 1. Prematurity | 25 | — | — | — | — | 6 | — | 10 | 3 | 2 | 4 | — | — | | | | | |
| 2. Debility | 13 | — | — | — | 2 | 3 | — | 2 | 3 | 2 | 1 | — | — | | | | | |
| 3. Convulsions | 16 | — | — | — | 1 | 1 | — | 9 | 2 | 3 | 4 | 1 | 1 | | | | | |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 4a. Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 5. Tetanus | 17 | — | — | — | 4 | 3 | — | 6 | — | — | — | — | — | | | | | |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 7. Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 8. Other Causes | 3* | — | — | — | — | — | — | — | 2 | — | — | 2 | 1 | | | | | |
| B.—Over 1 Week and under 1 Year. | | | | | | | | | | | | | | | | | | |
| 1. Prematurity | 3 | — | — | — | — | 1 | — | 1 | 1 | — | — | 3 | — | | | | | |
| 2. Debility | 8 | — | — | — | 4 | 5 | — | 9 | — | 12 | 3 | 3 | 2 | | | | | |
| 3. Convulsions | 39 | — | — | — | 1 | — | — | 5 | 3 | — | 5 | 28 | 4 | | | | | |
| 4. Diarrhoea | 12 | — | — | — | 1 | — | — | 1 | — | 1 | 3 | 7 | 2 | | | | | |
| 4a. Enteritis | 12 | — | — | — | 1 | — | — | 3 | — | — | 2 | — | 1 | | | | | |
| 5. Tetanus | 6 | — | — | — | — | 3 | — | 2 | — | — | — | 3 | — | | | | | |
| 6. Bronchitis | 8 | — | — | — | 1 | 2 | — | 1 | — | — | 1 | 3 | 2 | | | | | |
| 7. Pneumonia | 10 | — | — | — | 1 | 1 | — | 3 | 1 | — | 1 | 6 | 2 | | | | | |
| 8. Other Causes | 31† | — | — | — | — | 5 | 10 | 2 | 5 | 8 | 1 | 13 | 6 | | | | | |
| II.—General Mortality (1 Year and over) | | | | | | | | | | | | | | | | | | |
| 1. Smallpox | 559 | 3 | 14 | 27 | 59 | 77 | 39 | 183 | 96 | 23 | 38 | 9 | 80 | | | | | |
| 2. Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 3. Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 4. Influenza | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |

* Represents the death of a Tamil from Want of Breastmilk (in St. Paul's), and of two Sinhalese from Syphilis, and Imperforate Anus respectively (in Maradana hospitals).

† Includes 9 deaths from Want of Breastmilk (6 in Maradana, 2 in Kotahena, 1 in Maradana, exclusive of hospitals, and 1 in Maradana, exclusive of hospitals, and 1 in Maradana, exclusive of hospitals, and 1 each in St. Paul's and New Bazaar), 4 Syphilis (2 in Maradana hospitals, and 1 each in St. Paul's and New Bazaar), 3 Dysentery (2 in St. Paul's and 1 in Kotahena), 2 each from Gastritis (1 each in St. Paul's and Kotahena), Thrush (in Kotahena and Maradana, exclusive of hospitals), Sialomatis (in Maradana, exclusive of hospitals), 1 from Peritonitis (in St. Paul's), 1 an infant from Lack of Care (in Kotahena), 1 each from Dropsey (in New Bazaar), and Malaria Cachexia (in Slave Island).

Table IV.—Causes of Deaths registered during the Month of December, 1911, in each Ward and Race of the City of Colombo—*contd.*

| City of Colombo. | Ward. | Deaths among all Races. | | | | | | | | | | | | | | | | |
|--|-------|-------------------------|---------|---------|---------|------------|-----------|------------|--------------|---------------|------------------------------------|-------------|-----------|----------------|-------------|---------------------|--|----------|
| | | Others. | Melays. | Mooris. | Tamils. | Sinhalese. | Burghers. | Europeans. | Kollupitiya. | Slave Island. | Maradana (exclusive of Hospitals). | New Bazaar. | Kotahena. | San Sebastian. | St. Paul's. | Maradana Hospitals. | Slave Island (exclusive of Hospitals). | Colombo. |
| 5. Pyrexia or Fever | | 35 | 9 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6. Enteric Fever | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 7. Malaria | | 6 | 8 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8. Malariae Cachexia | | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9. Cholera | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10. Diarrhoea | | 19 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10a. Enteritis | | 53 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 11. Dysentery | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12. Ankylostomiasis or Dochmias Duodenalis | | 29 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 13. Cancer | | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14. Phthisis | | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15. Other Tubercular Diseases | | 55 | 6 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 16. Anæmia | | 7 | 7 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 17. Diabetes Mellitus | | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 18. Convulsions | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 19. Tetanus | | 15 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20. Bronchitis | | 80 | — | 5 | 2 | 18 | 9 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 21. Pneumonia | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22. Other Diseases of Respiratory System | | 5 | — | 1 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 23. Bright's Disease and Nephritis | | 17 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24. Periperal Echampisia | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25. Periperal Spticæmia | | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 26. Miscarriage | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27. Other and undefined Accidents of Child-birth | | 9 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28. Starvation | | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 29. Accidents or Negligence | | 13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30. Homicide | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 31. Suicide | | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32. Execution | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 33. All other causes | | 154* | 6 | 3 | 1 | 10 | 30 | 14 | 47 | 23 | 6 | 9 | 4 | 31 | 12 | 84 | 21 | 2 |

* Here are included 36 deaths from Old Age (11 each in Kotahena and Maradana, exclusive of hospitals), 13 from Worms (5 in Maradana, exclusive of hospitals), 11 Debility (4 in Slave Island).