

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 6,572 — FRIDAY, JULY 18, 1913.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF JUNE, 1913.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,232 (637 males and 595 females), and were equal to an annual rate of 27·50 per 1,000, against 28·82 during the preceding month, 25·17 in the corresponding month of last year, and 29·29 the monthly average for the sixty-six months, July, 1907, to December, 1912. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Matale (54·72, average 29·07), and the lowest in Anuradhapura (10·38, average 23·19).

3. In the city of Colombo* the births numbered 459 (234 males and 225 females), and were equal to an annual rate† of 23·69 per 1,000, against 24·62 in the preceding month, 20·66 in the corresponding month of last year, and 24·95 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a mainly floating population), the highest birth-rate was in Wellawatta (34·52, average 31·81), and the lowest in Kollupitiya (9·28, average 16·36).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 1,410 (733 males and 677 females), and were equal to an annual rate of 27·93 per 1,000, against 27·86 in the preceding month, 29·59 in the corresponding month of last year, and 30·59 the monthly average. Of the towns (excluding Vavuniya and Lunugala), the highest death-rate was in Mullaithivu (79·94, average 52·25), and the lowest in Tangalla (12·92, average 36·32).

5. In the city of Colombo* the deaths registered numbered 490 (268 males and 222 females), and were equal to an annual rate† of 25·81 per 1,000, against 26·25 in the preceding month, 29·96 in the corresponding month of last year, and 31·88 the monthly average. Omitting Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was, as usual, in Kollupitiya (7·17, average 18·06), and the highest, as in the two previous months, in New Bazaar (23·17, average 28·24).

6. The number of stillbirths registered in the 31 towns during the month numbered 82 (37 males and 45 females), against 76 in the preceding month.

Infantile Mortality.

7. The infantile mortality of the 31 towns was equal to a rate of 314 per 1,000 births registered, against 283 in the preceding month, 291 in the corresponding month of last year, and 258 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from 800 in Anuradhapura (average 435), 687 in Batticaloa (average 354), 636 in Puttalam (average 299), to 175 in Galle (average 201), 156 in Negombo (average 185), and 24 in Matara (average 171).

8. The infantile mortality in the city of Colombo was 368 per 1,000 births registered, against 329 in the preceding month, 394 in the corresponding month of last year, and 315 the monthly average, and ranged from 719 in New Bazaar to 229 in Slave Island.

Causes of Death.

9. *Infants.*—Out of the 1,410 deaths at all ages in the 31 towns, 305 were among infants under one year. Of these, the chief causes were 86 *Convulsions* (34 in Colombo, 10 in Galle, 9 in Batticaloa); 72 *Debility* (21 in Colombo, 7 each in Moratuwa, Kandy, and Jaffna); 17 *Enteritis* (13 in Colombo); 17 *Pneumonia* (10 in Colombo); 16 *Bronchitis* (10 in Colombo, 6 in Jaffna); 14 *Diarrhoea* (5 in Colombo, 3 in Panadure); 8 *Tetanus* (4 in Colombo).

10. In the city of Colombo, out of the 490 deaths from all causes at all ages, 130 were among infants under one year. Of these, the chief causes were 34 *Convulsions* (15 in Maradana, exclusive of hospitals, 5 in St. Paul's); 21 *Debility* (5 each in Kotahena and New Bazaar); 13 *Enteritis* (5 in Maradana, exclusive of hospitals); 10 *Bronchitis* (3 each in Maradana, exclusive of hospitals, and Slave Island); 10 *Pneumonia* (3 in Kotahena); 9 *Premature Birth* (5 in Kotahena); 5 *Diarrhoea*; 4 *Tetanus* (in Kotahena).

* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

11. *General Mortality (One Year and over).*—Out of the 1,105 deaths of persons one year and over in age in the 31 towns, there were 120 from *Pneumonia* (45 in Colombo, 8 in Moratuwa, 7 in Negombo); 102 from *Diarrhoea* (18 in Hatton and Dikoya, 14 in Ratnapura, 9 in Colombo); 90 from *Phthisis* (46 in Colombo, 12 in Galle); 68 from *Dysentery* (12 in Badulla, 11 in Colombo, 7 in Kandy); 63 from *Anchylostomiasis* or *Dochmias Duodenalis* (12 in Matale, 11 in Galle, 7 in Moratuwa); 54 from *Enteritis* (31 in Colombo, 9 in Lunugala); 48 from *Malaria* (13 in Batticaloa, 9 in Jaffna); 38 from *Malarial Cachexia* (10 in Ratnapura, 4 in Batticaloa); 28 from *Enteric Fever* (12 in Colombo, 8 in Moratuwa); 25 from *Bronchitis* (13 in Colombo); 22 from *Convulsions* (9 in Colombo); 20 from *Puerperal Septicæmia* (4 each in Colombo and Trincomalee); 17 from *Bright's Disease* and *Nephritis* (9 in Colombo).

12. The highest mortality in the city of Colombo was from *Phthisis* (nearly 13 per cent. of all deaths one year and over), followed by *Pneumonia* (12 per cent.), *Enteritis* (8 per cent.), *Bronchitis* and *Enteric Fever* (each 3 per cent.). Out of the 91 deaths from *Phthisis* in all towns, 46 occurred in Colombo. *Phthisis* and *Pneumonia* were together responsible for 100 deaths at all ages in the city, or 20 per cent. of the deaths from all causes.

13. Taking all the towns together, *Diarrhoea* and *Dysentery* contributed the highest mortality (13 per cent.), followed by *Bronchitis* and *Pneumonia* (12 per cent.), *Debility* (8 per cent.), *Infantile Convulsions* (7 per cent.), *Phthisis* (6 per cent.), and *Enteritis* (5 per cent.).

14. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 71 cases of illness were reported (68 in Colombo, 3 in Matara), followed by *Chickenpox* 70 (29 in Colombo, 11 in Nuwara Eliya, 8 in Kandy), *Enteric Fever* 57 (39 in Colombo, 7 in Moratuwa), *Measles* 55 (38 in Colombo, 6 in Galle), *Continued Fever* 18 (9 in Colombo, 8 in Weligama), *Mumps* 14 (in Colombo), *Dysentery* 11 (7 in Kegalla), *Acute Diarrhoea* 2 (1 each in Panadure and Matale), *Diphtheria* 2 (1 each in Colombo and Kandy).

Meteorology.

15. *Rainfall.*—Hatton and Dikoya records the highest rainfall (21.42 inches), followed by Gampola (9.76 inches). The next highest (7.19 inches and 7.12 inches) were in Kandy and Nuwara Eliya, while in the other towns the rainfall ranged from 6.89 inches in Ratnapura to 0.02 inch in Mannar.

16. *Temperature.*—The mean temperature varied from 61.8° in Nuwara Eliya to 87.1° in Batticaloa, and was 81.7° in Colombo and 77.7° in Kandy.

17. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, July 14, 1913.

N. W. MORGAPPAN,
for Registrar-General.

Table I.—Number of Births and Deaths registered during June, 1913, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and Infantile Mortality from July, 1907, to December, 1912, under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Rainfall and Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Total Births.		Total Deaths.		Birth-rate.		Death-rate.		Deaths of Children under One Year, including Still-births.		Deaths of Children under One Year, including Still-births.		Mean Temperature, Dec., 12 1913. ^t
	Males.	Females.	Males.	Females.	July, 1907, to Dec., 1912.	June, 1913.	July, 1907, to Dec., 1912.	June, 1913.	Year of Age up to 1,000 Births.	Year of Age up to 1,000 Births.	Mean Rainfall, In. Inches. ^t	Mean Temperature, Dec., 12 1913. ^t	
Population (Inclusive of the Military) at the middle of the Census of March 1913 by Intercensal Increase.													
All 31 Towns	517,877 ^s	552,417	637	595	1,232	733	677	1,410	37	45	82	46	314
<i>Western.</i>													
Colombo	219,657 ^s	235,741	234	225	459	268	222	490	15	24	39	39	315
Negombo	13,045	24,087	31	33	64	18	16	34	1	3	4	33	368
Moratuwa	27,256	26,716	62	37	89	37	46	83	3	5	8	82	185
Kalutara	13,005	13,370	19	17	36	14	19	33	3	3	3	30	156
Panadura	5,709	6,281	3	5	8	10	8	18	—	—	—	11	168
<i>Central.</i>													
Kandy	30,149	30,794	41	33	74	44	36	80	2	1	3	—	22
Gampola	5,521	6,026	7	2	9	10	8	18	2	—	2	10	444
Nawalapitiya	3,767	3,852	1	5	6	17	11	28	—	—	—	18	833
Hatton & Dikoya	3,025	3,075	4	2	6	15	15	30	—	—	—	7	183
Matale	5,792	6,003	16	11	27	23	16	39	1	1	1	12	500
Nuwara Eliya	14,910	14,839	8	8	16	7	8	15	—	—	—	10	267
<i>Northern.</i>													
Jaffna	40,441	42,139	54	62	116	44	49	93	3	4	7	91	271
Mannar	3,777	3,890	9	4	13	6	6	12	—	—	3	9	250
Mullaitivu	1,392	1,412	—	2	2	1	6	7	—	—	—	7	231
Vavuniya	808	878	—	—	—	—	—	—	—	—	—	—	284
<i>Southern.</i>													
Galle	39,936	40,621	55	48	103	43	48	91	1	1	2	—	29
Matale	13,851	14,354	24	18	42	11	12	23	—	—	—	—	249
Welligama	8,672	8,939	6	6	12	7	10	17	—	—	—	17	297
Hambantota	33,092	3,154	2	4	6	4	6	10	—	—	—	8	444
Tangalla	3,505	3,851	3	2	5	4	4	8	2	—	—	4	833
<i>Eastern.</i>													
Batticaloa	10,671	10,840	15	17	32	20	29	49	3	1	4	3	719
Trincomalee	8,840	8,335	5	6	11	7	15	22	—	—	—	22	368
<i>North-Western.</i>													
Kurunegala	8,167	8,627	11	10	21	22	11	33	—	2	—	29	348
Puttalam	5,990	6,214	6	5	11	14	5	19	—	—	—	19	299
Kalpitiya	1,591	1,621	—	2	2	1	1	1	—	—	—	1	308
Chilaw	5,033	5,267	6	8	14	6	5	11	—	—	—	11	199
<i>North-Central.</i>													
Anuradhapura	5,361	5,861	3	2	5	10	6	16	—	1	—	16	435
Uva.													
Badulla	6,487	6,641	10	11	21	28	22	50	1	—	—	28	278
Lunugala	515	549	2	1	3	16	9	25	1	—	—	5	259
<i>Sabaragamuwa.</i>													
Matara	5,476	5,886	7	6	13	23	18	41	—	—	—	22	308
Kegalla	2,536	2,584	3	3	6	4	10	14	—	—	—	3	314

* 1st, Rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. [†] Infantile death-rate of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. [‡] This includes the population as added on the extension of the town limits. See note * P. 1. [§] Blanks indicate that there are no observatories or rain-gauges. ^{||} Estimated to the end of December, 1912, by natural increase method owing to the inability of applying the intercensal method, as the limits of the town were altered between 1901 and 1911. ^{**} Corrected death rates for Kalpitiya and Lunugala towns not available, as the population of these towns has not been enumerated at the Census of 1911. [¶] The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during June, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.			Central Province.			Northern Provinces.			Southern Provinces.			Eastern Province.			North-Western Provinces.			North-Central Provinces.			Provinces of Sabaragamuwa.			Deaths among all Races.						
		Colombo.	Negombo.	Moratuwa.	Kalutara.	Penadure.	Gampola.	Hewavapitiya.	Hettantra and Dikoya.	Galle.	Vavuniya.	Mullaitivu.	Welligama.	Batticaloa.	Kurunegala.	Anuradhapura.	Badulla.	Lunugelle.	Ratnapura.	Kegalle.	Europeans.	Burmahers.	Sinhalese.	Tamils.	Mooris.	Melays.	Others.					
All Causes	1,410	490	34	83	33	18	80	1828	30	3315	9312	7	9123	1710	8	49	22	3319	1111	16	5025	41	14	7	49	633	494	167	25	30		
I.—Infantile Mortality	..	305	130	6	24	5	2	19	2	5	3	5	4	22	3	3	16	1	18	3	5	7	1	4	—	—	17	148	77	49	5	9
A.—One Week Old under.	..	28	9	—	2	—	—	—	—	3	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity	..	28	9	—	2	—	—	—	—	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	..	35	7	—	2	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	..	26	9	—	2	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	..	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	..	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	..	—	5*	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity	..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	..	37	14	—	—	—	—	—	7	—	2	—	—	5	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	..	60	25	—	1	—	—	—	2	—	1	—	—	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	..	13	5	—	1	—	—	—	1	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	..	17	13	—	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus	..	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis	..	—	15	—	10	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	..	—	17	—	10	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	..	41†	22	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
C.—General Mortality (1 Year and over)	..	1,105	360	28	59	28	16	61	1623	27	3411	71	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1. Smallpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	..	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Three from Homicide (one each in Colombo, Kurunegala, and Badulla), one each from Asphyxia, Neanotorum (in Moratuwa), and Imperforate Anus (in Colombo).

† This includes, besides the 22 deaths mentioned in Table IV*, footnote †, 4 deaths from Malaria (2 in Batticaloa and 1 each in Mannar and Puttalam), 2 each from Abscess (1 each in Jaffna and Ratnapura), Miasmus (1 each in Weligama), Pyrexia (in Weligama), Dysentery (1 each in Lunugala and Moratuwa), 1 each from Nephritis, Asthma (in Jaffna), and Malaria (in Kandy).

Table II.—Causes of Deaths registered during June, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 31 Towns	Western Province.	Central Province.	Northern Provinces.	Southern Provinces.	Eastern Province.	North-Western Province.	North-Central Province.	Provinces of Sabaragamuwa.	Deaths among all Races.	
										Melaleuca.	Others.
II.—General Mortality—contd.											
4. Influenza	3	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	15	4	—	—	1	—	—	—	—	4	1
6. Enteric Fever	28	12	1	8	—	—	—	—	—	25	2
7. Malaria	48	4	—	3	—	—	—	—	3	13	24
8. Malaria Cachexia	38	1	—	—	—	—	—	—	—	11	4
9. Cholera	—	—	—	—	—	—	—	—	—	—	1
10. Diarrhoea	102	9	5	5	1	3	—	—	—	—	—
10a Enteritis	54	31	1	1	—	2	—	—	—	—	—
11. Dysentery	68	11	2	2	—	2	—	—	—	—	—
12. Ankylostomiasis or Dochanus Duodenalis	63	5	—	7	5	2	6	2	5	1	—
13. Cancers	7	4	—	—	1	—	—	—	—	—	—
14. Phthisis	90	46	—	3	1	—	4	2	2	1	—
15. Other tuberculous diseases	8	4	—	2	—	—	—	—	—	—	—
16. Anæmia	6	3	—	1	—	—	—	—	—	—	—
17. Diabetes Mellitus	5	1	—	—	—	—	—	—	—	—	—
18. Convulsions	22	9	1	—	1	—	—	—	—	—	—
19. Tetanus	—	4	—	1	—	—	—	—	—	—	—
20. Bronchitis	25	13	—	2	1	—	—	—	—	—	—
21. Pneumonia	120	45	7	8	2	1	2	3	6	1	2
22. Other Diseases of the Respiratory System	19	11	—	—	1	2	—	—	—	—	—
23. Bright's Disease and Nephritis	17	9	1	1	—	—	—	—	2	1	—
24. Puerperal Eclampsia	6	2	—	—	—	—	—	—	1	—	—
25. Puerperal Septæmia	20	4	1	3	—	—	—	—	4	1	—
26. Miscarriage	1	1	—	—	—	—	—	—	—	8	2
27. Other and undefined Accidents of Childbirth	7	2	—	1	—	—	—	—	1	—	—
28. Starvation	5	3	—	—	1	—	—	—	—	1	—
29. Accidents or Negligence	14	6	—	—	2	—	—	—	—	10	2
30. Homicide	3	—	—	—	2	—	—	—	1	3	—
31. Suicide	4	1	—	—	—	—	—	—	1	2	—
32. Execution	2	—	—	—	—	—	—	—	1	1	—
33. All other causes	300*	115	6	14	10	2	21	15	1	5	427
										38	4
										6	1
										5	1
										3	9
										9	154
										1	6
										3	9

* Here are included 62 from Old Age (19 in Colombo, and 10 in Galle), 37 from Worms (13 in Galle), 35 from Debility (9 in Colombo), and 18 from Marasmus (7 in Galle).

Table III.—Number of Births and Deaths registered during the Month of June, 1913, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1912, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) at the Census of 1911.	Population Estimated to the Middle of 1913 by Intercensal Increase.	Total Births registered.		Stillbirths.		Deaths of Non- residents.		Deaths of Residents.		Birth-rate.		Crude Death-rate.		Per Mille per Annum.		Deaths of Children under One Year of Age, including Stillbirths, to 1,000 Births registered.				
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Average January, 1908, to Dec., 1912.	June, 1913.	Average January, 1908, to Dec., 1912.	June, 1913.	Average January, 1908, to Dec., 1912.	June, 1913.	Deaths of Children under One Year of Age, including Stillbirths, to 1,000 Births registered.				
City of Colombo..	219,557	235,741†	234	225	459	15	24	39	268	222	490	59	431	25·04	23·69	28·80	22·24	25·81	130	317	368
Fort and Galle Face	3,512	3,512§	—	—	—	—	—	—	2	—	—	2	4·63	—	6·97	6·93	—	—	1	89	—
Pettah	7,974	7,974§	2	—	2	—	—	—	4	—	4	2	6·22	3·05	11·69	3·05	—	—	1	307	—
San Sebastian	11,546	12,133	8	11	19	—	4	4	12	6	18	3	15	21·49	19·05	24·05	15·04	—	5	356	474
St. Paul's	24,735	25,914	16	19	35	1	2	3	21	19	40	8	32	16·95	16·43	23·86	15·02	—	13	409	457
Kotahena	40,771	42,710	44	39	83	1	3	4	36	44	80	—	80	22·66	23·64	24·25	22·79	—	27	319	373
New Bazaar	22,309	23,626	12	20	32	2	2	4	25	27	52	7	45	23·30	16·48	28·24	23·17	—	19	402	719
Mardana Hospital(s)	52	35	87	4	9	13	89	43	132°	39	93	—	—	—	—	—	—	—	9	—	—
Mardana (exclusive of Hospitals) ..	48,093	53,561	36	55	91	3	3	6	33	51	84	—	84	22·18	20·67	26·22	19·08	—	32	355	418
Slave Island	21,984	23,377	30	18	48	—	—	—	21	17	38	—	38	23·52	24·98	24·83	19·78	—	11	371	229
Kollupitiya	25,410	28,834	7	16	22	2	1	3	9	8	17	—	17	16·36	9·28	18·06	7·17	—	4	275	318
Wellawatta	13,223	14,100	27	13	40	2	—	2	16	7	23	—	23	31·81¶	34·52	25·65¶	19·85	—	8	262¶	250

* For explanation of "corrected death-rate" see note *. Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates omitted where number of births is less than five.

‡ Estimated partly on the intercensal increase method and partly on the natural increase method (up to December, 1912), i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method as it was not a separate division at the Census of 1910).

§ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1913. Hence the Census figures are retained. || This population is estimated partly on the natural increase method up to December, 1912, and partly on the intercensal increase method (as it was not a separate division at the Census of 1901) and that of Kollupitiya taken over to Wellawatta on the latter method.

¶ For the twelve months, January to December, 1912.

Table IV.—Causes of Deaths registered during the Month of June, 1913, in each Ward and of each Race of the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.																				
			All Causes	Port and Galle Race.	Pettah.	Dean Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Mara丹na Hospitals.	Mara丹na (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Burmese.	Sinhalese.	Tamil.	Moor.	Melays.	Others.			
I.—Infantile Mortality																							
4.—One Week and under.			..	130	1	1	5	13	27	19	9	32	11	4	8	—	7	69	17	26	3	8	
1. Prematurity	9	—	—	—	—	—	5	—	—	—	1	—	2	—	—	—	—	—	—	—	
2. Debility	7	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	9	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																							
1. Prematurity	—	14	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	25	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	13	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	10	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	22†	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and over)																							
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* One from Homicide—cutting off the head and the other from Imperforate Anus.

† Six from Marasmus, 4 from Rickets, 2 from Thrush, and 1 each from Intussusception of Bowels, Worms, Laryngitis, Stomatitis, Constipation, Pleurisy, Burns, Erysipelas, Syphilis, and Fever.

Table IV.—Causes of Deaths registered during the Month of June, 1913, in each Ward and of each Race of the City of Colombo—*contd.*

Causes of Deaths.	City of Colombo.	Ward.											
		Deaths among all Races.											
1. General Mortality (1 Year and over) <i>cond.</i>	4	12	1	1	1	1	1	1	1	1	1	1	1
2. Pyrexia or Fever	5	12	4	1	1	1	1	1	1	1	1	1	1
3. Enteric Fever	6	4	1	1	1	1	1	1	1	1	1	1	1
4. Malaria	7	1	1	1	1	1	1	1	1	1	1	1	1
5. Malarial Cachexia	8	1	1	1	1	1	1	1	1	1	1	1	1
6. Cholera	9	9	1	1	1	1	1	1	1	1	1	1	1
7. Diarrhoea	10	1	1	1	1	1	1	1	1	1	1	1	1
8. Enteritis	10s.	31	1	1	1	1	1	1	1	1	1	1	1
9. Enteritis	11.	11	1	1	1	1	1	1	1	1	1	1	1
10. Dysentery	11.	Dysentery	1	1	1	1	1	1	1	1	1	1	1
11. Ankylostomiasis or Dochmiasis	12.	Ankylostomiasis or Dochmiasis	1	1	1	1	1	1	1	1	1	1	1
12. Enteritis	13.	Enteritis	1	1	1	1	1	1	1	1	1	1	1
13. Cancer	14.	Cancer	1	1	1	1	1	1	1	1	1	1	1
14. Phthisis	15.	Phthisis	1	1	1	1	1	1	1	1	1	1	1
15. Other Tuberculous Diseases	16.	Other Tuberculous Diseases	1	1	1	1	1	1	1	1	1	1	1
16. Anaemia	17.	Anaemia	1	1	1	1	1	1	1	1	1	1	1
17. Diabetes Mellitus	18.	Diabetes Mellitus	1	1	1	1	1	1	1	1	1	1	1
18. Convulsions	19.	Convulsions	1	1	1	1	1	1	1	1	1	1	1
19. Tetanus	20.	Tetanus	1	1	1	1	1	1	1	1	1	1	1
20. Bronchitis	21.	Bronchitis	1	1	1	1	1	1	1	1	1	1	1
21. Pneumonia	22.	Pneumonia	1	1	1	1	1	1	1	1	1	1	1
22. Other Diseases of Respiratory System	23.	Other Diseases of Respiratory System	1	1	1	1	1	1	1	1	1	1	1
23. Bright's Disease and Nephritis	24.	Bright's Disease and Nephritis	1	1	1	1	1	1	1	1	1	1	1
24. Perpetual Eclampsia	25.	Perpetual Eclampsia	1	1	1	1	1	1	1	1	1	1	1
25. Puerperal Septicæmia	26.	Puerperal Septicæmia	1	1	1	1	1	1	1	1	1	1	1
26. Miscarriage	27.	Miscarriage	1	1	1	1	1	1	1	1	1	1	1
27. Other and undefined Accidents of Childbirth	28.	Other and undefined Accidents of Childbirth	1	1	1	1	1	1	1	1	1	1	1
28. Starvation	29.	Starvation	1	1	1	1	1	1	1	1	1	1	1
29. Accidents or Negligence	30.	Accidents or Negligence	1	1	1	1	1	1	1	1	1	1	1
30. Homicide	31.	Homicide	1	1	1	1	1	1	1	1	1	1	1
31. Suicide	32.	Suicide	1	1	1	1	1	1	1	1	1	1	1
32. Execution	33.	Execution	1	1	1	1	1	1	1	1	1	1	1
33. All other causes		All other causes	115*	115*	115*	115*	115*	115*	115*	115*	115*	115*	115*

* This includes 19 deaths from Senility, 9 each from Paralysis and Debility, and 7 each from Worms and Meningitis.**