

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,577 — FRIDAY, AUGUST 22, 1913.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF JULY, 1913.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births registered in the 31 towns during the month numbered 1,194 (611 males and 583 females), and were equal to an annual rate of 25·80 per 1,000, against 27·50 during the preceding month, 24·27 in the corresponding month of last year, and 29·33 the monthly average for the seventy-two months, July, 1907, to June, 1913. Of the towns (excluding Vavuniya and Lunugala, which have a population under 1,000), the highest birth-rate was in Mannar (69·62, average 39·48), and the lowest in Panadure (11·28, average 29·99).

3. In the city of Colombo* the births numbered 396 (200 males and 196 females), and were equal to an annual rate† of 19·77 per 1,000, against 23·69 in the preceding month, 20·13 in the corresponding month of last year, and 24·98 the monthly average. Of the wards (omitting Fort and Galle Face and the Pettah, which contain a mainly floating population), the highest birth-rate was in Wellawatta (28·22, average 32·28), and the lowest in Kollupitiya (8·57, average 15·91).

Deaths.

4. The deaths registered in the 31 towns during the month numbered 1,444 (801 males and 643 females), and were equal to an annual rate of 26·75 per 1,000, against 27·93 in the preceding month, 27·65 in the corresponding month of last year, and 30·65 the monthly average. Of the towns (excluding Vavuniya and Lunugala), the highest death-rate was in Anuradhapura (66·46, average 56·39), and the lowest in Mullaittivu (11·05, average 51·65).

5. In the city of Colombo* the deaths registered numbered 511 (281 males and 230 females), and were equal to an annual rate† of 24·62 per 1,000, against 25·81 in the preceding month, 28·66 in the corresponding month of last year, and 31·50 the monthly average. Omitting Fort and Galle Face Ward and the Pettah Ward, the lowest death-rate was, as usual, in Kollupitiya (8·12, average 17·23), and the highest in Maradana, exclusive of hospitals (23·30, average 25·77).

6. The number of stillbirths registered in the 31 towns during the month numbered 73 (47 males and 26 females), against 82 in the preceding month.

Infantile Mortality.

7. The infantile mortality of the 31 towns was equal to a rate of 300 per 1,000 births registered, against 314 in the preceding month, 346 in the corresponding month of last year, and 262 the monthly average. In the towns having an estimated population of 5,000 or more, the infantile mortality ranged from 500 each in Panadure, Matale, and Puttalam (average 175, 276, and 301, respectively) to 50 in Gampola (average 290).

8. The infantile mortality in the city of Colombo was 396 per 1,000 births registered, against 368 in the preceding month, 346 in the corresponding month of last year, and 317 the monthly average, and ranged from 600 in New Bazaar to 324 in Wellawatta.

Causes of Death.

9. *Infants.*—Out of the 1,444 deaths at all ages in the 31 towns, 285 were among infants under one year. Of these, the chief causes were 83 *Convulsions* (34 in Colombo, 10 in Batticaloa, 8 in Galle, 7 in Kalutara); 66 *Debility* (25 in Colombo, 11 in Jaffna); 31 *Premature Birth* (5 in Colombo, 4 each in Trincomalee and Chilaw); 25 *Pneumonia* (13 in Colombo); 16 *Tetanus* (6 in Jaffna, 5 in Colombo); 14 *Enteritis* (10 in Colombo); 11 *Diarrhoea* (3 each in Colombo and Negombo); 11 *Bronchitis* (9 Colombo).

10. In the city of Colombo, out of the 511 deaths from all causes at all ages, 124 were among infants under one year. Of these, the chief causes were 34 *Convulsions* (13 in Maradana, exclusive of hospitals, 5 in Kollupitiya); 25 *Debility* (4 each in New Bazaar and Wellawatta, 3 each in Kotahena, Maradana, exclusive of hospitals, and Slave Island); 13 *Pneumonia* (4 in Kotahena, 3 in New Bazaar); 10 *Enteritis* (4 in Maradana, exclusive of hospitals); 9 *Bronchitis* (3 each in Kotahena and Maradana, exclusive of hospitals); 5 *Premature Birth* (3 in Maradana, exclusive of hospitals); 5 *Tetanus* (in Kotahena); 3 *Diarrhoea* (1 each in San Sebastian, Slave Island, and Kollupitiya).

* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

11. *General Mortality (One Year and over).*—Out of the 1,159 deaths of persons one year and over in age in the 31 towns, there were 142 from *Pneumonia* (49 in Colombo, 12 each in Negombo and Kurunegala, 11 in Moratuwa); 117 from *Diarrhoea* (17 in Ratnapura, 10 each in "Hatton and Dikoya" and Badulla, 9 in Colombo); 110 from *Phthisis* (52 in Colombo, 14 in Kandy, 7 each in Moratuwa and Galle); 86 from *Dysentery* (12 each in Colombo and Lunugala, 8 in Badulla); 52 from *Enteritis* (22 in Colombo, 14 in Lunugala); 48 from *Anchylostomiasis* or *Ascaris Duodenalis* (10 in Matale, 7 in Galle); 37 from *Malarial Cachexia* (7 in Ratnapura, 5 each in Negombo and Batticaloa); 35 from *Malaria* (7 in Batticaloa, 6 in Jaffna); 34 from *Enteric Fever* (18 in Colombo, 5 each in Moratuwa and Galle); 33 from *Convulsions* (13 in Colombo, 4 in Matale); 32 from *Bright's Disease* and *Nephritis* (12 in Colombo, 4 in Moratuwa); 25 from *Accidents* or *Negligence* (11 in Colombo).

12. The highest mortality in the city of Colombo was from *Phthisis* (13 per cent. of all deaths one year and over), followed by *Pneumonia* (nearly 13 per cent.), *Enteritis* (5 per cent.), *Enteric Fever* (4 per cent.), and *Bronchitis* (3 per cent.). Out of the 110 deaths from *Phthisis* in all towns, 52 occurred in Colombo. *Phthisis* and *Pneumonia* were together responsible for 114 deaths at all ages in the city, or 22 per cent. of the deaths from all causes.

13. Taking all the towns together, *Diarrhoea* and *Dysentery* contributed the highest mortality (nearly 15 per cent.), followed by *Bronchitis* and *Pneumonia* (13 per cent.), *Infantile Convulsions* (8 per cent.), *Phthisis* (7 per cent.), *Debility* (6 per cent.), and *Enteritis* (4 per cent.).

14. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Chickenpox*, of which 91 cases were reported (42 in Colombo, 26 in Kandy, 8 in Badulla, 5 in Nuwara Eliya), followed by *Phthisis* 74 (68 in Colombo, 2 each in Chilawa and Matale, and 1 each in Matale and Anuradhapura), *Enteric Fever* 67 (44 in Colombo, 9 in Moratuwa, 5 in Galle), *Measles* 52 (24 in Colombo, 13 in Weligama, 8 in Galle), *Continued Fever* 23 (9 in Weligama, 7 in Colombo, 4 in Galle), *Mumps* 11 (in Colombo), *Dysentery* 2 (1 each in Galle and Weligama), and *Diphtheria* 1 (in Kandy).

Meteorology.

15. *Rainfall.*—"Hatton and Dikoya" records the highest rainfall (16.63 inches), followed by Nuwara Eliya (9.67 inches). The next highest (7.75 inches and 7.11 inches) were in Galle and Colombo, while in the other towns the rainfall ranged from 7.05 inches in Ratnapura to 0.15 inch in Mannar.

16. *Temperature.*—The mean temperature varied from 60.2° in Nuwara Eliya to 85.9° in Batticaloa, and was 80.5° in Colombo and 76.2° in Kandy.

17. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, August 15, 1913.

BERTRAM HILL,
Registrar-General.

Table I.—Number of Births and Deaths registered during July, 1913, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated to the middle of 1913 by intercensal increase.		Population estimated to the middle of 1913 by the Census of March 10, 1911.		Total Births.		Total Deaths.		Deaths of Children under One Year, including Still-births.		Deaths of Children under One Year to 1,000 Births.		Mean Temperature, July, 1907, to June, 1913. [†]	Mean Rainfall in Indo-nesia. [‡]										
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	July, 1907, to June, 1913.	July, 1913.	Total, July, 1907, to June, 13.	Corrected. [*]												
									Crude, July, 1913.	Crude, July, 1913.	Total, July, 1907, to June, 13.	Corrected. [*]												
All 31 Towns	517,877 [§]	552,435	611	583	1,194	801	1,444	47	26	73	275	1,136	29.33	25.80	24.54	30.65	26.75	358	282	300				
Western.																								
Colombo	219,557 [§]	235,741	200	196	396	281	230	511	20	13	33	57	425	24.98	19.77	21.22	31.50	24.62	167	317	306	80.5	7.11	
Negombo	24,087	30	31	31	61	33	23	56	2	2	2	5	51	36.68	29.82	24.93	25.43	26.08	14	186	230	—	4.88	
Moratuwa	27,256	26,716	45	43	88	32	44	76	2	1	3	2	74	37.34	38.78	32.61	26.36	35.97	14	178	159	—	—	
Kalutara	13,005	13,370	14	18	32	23	15	38	1	—	1	5	33	33.45	28.18	29.06	27.97	28.88	11	172	344	—	6.53	
Panadura	5,709	6,261	5	1	6	9	4	13	—	—	6	7	29	29.99	11.28	13.16	24.99	15.67	3	175	500	—	—	
Central.																								
Kandy	30,149	30,794	33	34	67	35	35	70	—	5	5	16	54	27.66	25.62	20.65	30.15	22.50	16	253	239	76.2	4.95	
Gampola	5,521	6,026	8	12	20	10	7	17	—	—	—	8	9	34.90	39.08	17.59	38.79	18.25	1	290	50	—	5.84	
Navalapitiya	3,767	3,852	7	4	11	18	0	27	1	—	1	8	19	26.81	33.63	58.08	28.62	63.14	8	317	727	—	—	
Hattora & Dikoya	3,025	3,075	2	1	3	11	13	24	—	—	—	17	7	16.46	11.49	26.80	36.99	31.30	—	207	—	—	16.63	
Matale	5,792	6,003	10	8	18	9	3	22	25	47	2	1	3	19	29.76	35.31	54.92	40.41	63.11	9	276	500	—	2.75
Nuwara Eliya	14,910	14,857	1	8	9	9	3	9	12	—	—	3	8	16.62	14.28 [¶]	12.69 [¶]	13.78	14.47 [¶]	2	293	222	60.2	9.67	
Northern.																								
Jaffna	40,441	42,139	58	57	115	42	40	82	7	1	8	2	79	38.41	32.13	22.07	34.61	22.55	30	278	261	83.4	2.08	
Mannar	3,777	3,890	6	17	23	10	9	19	—	2	—	—	1	19	39.48	69.62	57.50	44.22	63.32	6	290	261	83.7	0.16
Mullaithivu	1,392	1,412	2	1	2	—	2	—	—	—	—	—	4	—	22.18	40.23	—	—	—	2	292	—	—	0.56
Vavuniya	808	878	—	3	5	—	5	—	—	—	—	—	4	—	—	—	—	—	—	289	—	—	2.45	
Southern.																								
Galle	39,936	40,621	45	36	81	60	36	86	1	—	1	7	79	30.43	23.48	22.90	27.75	22.42	14	207	173	80.1	7.75	
Makarai	13,851	14,354	21	12	33	8	15	23	1	—	1	2	21	38.14	27.07	17.23	23.87	16.87	5	171	152	—	4.03	
Wellawaya	8,672	8,939	19	16	35	8	6	14	—	—	—	—	19	27.73	46.10	25.03	19.57	22.55	3	110	86	—	—	
Hambantota	3,092	3,154	2	3	5	8	6	4	1	—	1	2	12	37.81	18.66	44.79	35.54	50.09	3	347	600	83.4	1.88	
Tangalla	3,505	3,851	8	8	16	4	8	2	—	—	2	6	35.64	48.91	18.34	35.16	18.75	4	217	250	—	2.40		
Eastern.																								
Batticaloa	10,671	10,840	23	18	41	23	16	39	—	—	2	2	1	21	29.42	29.67	29.67	37.80	32.56	12	367	293	85.9	0.66
Trincomalee	8,840	8,335	8	13	21	11	11	22	2	—	2	1	21	29.42	29.67	29.67	37.80	32.56	9	286	429	86.1	2.47	
North-Western.																								
Kurunegala	8,167	8,627	18	10	28	25	16	40	—	1	1	6	34	26.39	38.22	46.40	49.50	47.68	9	343	321	81.3	2.50	
Puttalam	5,990	6,214	8	4	12	14	2	16	—	1	—	5	11	34.14	22.74	20.85	36.43	22.30	6	301	500	82.3	0.82	
Kalpitiya	1,591	1,621	2	1	3	—	3	—	—	—	2	—	3	25.79	21.79	21.79	—	—	—	332	—	—	—	
Chilaw	5,033	5,257	7	7	14	8	5	13	—	2	—	—	13	33.10	31.36	29.12	33.05	27.91	6	200	429	—	1.73	
North-Central.																								
Anuradhapura	6,361	5,861	11	5	16	21	6	27	—	1	1	—	—	27	22.43	32.14	54.24	56.39	66.46	5	436	313	82.7	1.55
Uva.																								
Badulla	6,487	6,641	7	11	18	23	20	43	—	2	2	21	22	30.97	31.91	38.00	31.30	43.04	6	273	333	75.3	0.72	
Lunugala	515	549	—	—	26	14	40	—	—	—	39	—	—	39.35	—	—	—	—	—	212	—	—	—	
Sabaragamuwa.																								
Ratnapura	5,476	5,886	8	4	12	26	12	38	—	—	—	26	12	30.00	24.01	24.01	43.59	27.22	3	286	250	79.3	7.05	
Kegalla	2,536	2,584	2	3	5	10	4	14	—	—	—	9	5	26.77	22.78	22.78	22.13	20.90	—	220	—	—	—	

^{*} I.R., rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. This includes the towns where there are no observations or rain-gauges omitted where the number of births is less than five. [†] Blanks indicate that there are no data available of applying the intercensal method, as the increase in population between 1901 and 1913 is natural. [‡] Estimated to the end of June, 1913, by natural increase method owing to the inability of applying the intercensal method to the estates. [¶] Calculated on the population exclusive of the estates. ^{**} Corrected death-rates for Kandy and Lunugala towns not available, and 1911. ^{||} Calculated for non-residents on the population of each town at the Census of 1911 by age and sex. The death-rate given for "All Towns" is therefore independent of these towns, but in nearly affected by their rates.

Table II.—Causes of Deaths registrated during July, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	Eastern Province.	Deaths among all Races.	
							North-Central Province.	Province of Sabaraw-Uva.
All Causes	1,444	511	56	76	38	13	70	17
		Colombo.	Negombo.	Moratuwa.	Kalutara.	Penadure.	Gampola.	Hatton and Newellipitiya.
I.—Infantile Mortality	285	124	12	11	10	3	11	1
A.—One Week and under.								
1. Prematurity	24	3	1	2	1	1	3	—
2. Debility	40	14	2	—	—	—	—	—
3. Convulsions	27	11	—	—	—	—	1	—
4. Diarrhoea	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—
5. Tetanus	12	2	—	—	—	—	5	—
6. Bronchitis	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—
8. Other causes	—	2*	1	—	—	—	—	—
B.—Over 1 Week and under 1 Year.								
1. Prematurity	7	2	—	—	—	—	3	2
2. Debility	26	11	2	—	1	—	1	—
3. Convulsions	56	23	—	3	5	1	1	4
4. Diarrhoea	11	3	3	—	1	—	1	—
4a. Enteritis	14	10	—	2	—	1	—	—
5. Tetanus	4	3	—	—	—	—	2	—
6. Bronchitis	11	9	—	—	—	—	1	—
7. Pneumonia	25	13	2	—	1	—	1	—
8. Other causes	26†	19	2	—	1	—	2	—
II.—General Mortality (1 Year and over)	1,159	387	44	65	28	10	59	16
1. Smallpox	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—

* One each from Prolonged Labour (in Colombo) and Rickets (in Batticaloa).

† This includes, besides the 19 deaths mentioned in Table IV, footnote †, 4 deaths from Malaria (2 in Puttalam and Amradashpura), 2 from Worms (1 each in Negombo and Kalutara), and 1 from Abscess (in Jaffna).

Table II.—Causes of Deaths registered during July, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 31 Towns.	Western Province.			Central Province.			Northern Province.			Southern Province.			Eastern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.			Deaths among all Races.							
		Colombo.	Negombo.	Matale.	Kandy.	Gampola.	Nuwara Eliya.	Mullaitivu.	Vavuniya.	Galle.	Batticaloa.	Trincomalee.	Matara.	Welligama.	Hambantota.	Tan-galle.	Kutumegala.	Puttalam.	Kalpitiya.	Chilaw.	Budulla.	Lunugala.	Ratnapura.	Kegalle.	Europeans.	Sinhalese.	Tamilis.	Moors.	Malays.	Others.			
II.—General Mortality—<i>contd.</i>																																	
4. Influenza	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Pyrexia or Fever	14	4	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Enteric Fever	34	18	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Malaria	35	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Malaria Cachexia	37	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Diarrhoea	117	9	7	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10a. Enteritis	52	22	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Dysentery	86	12	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Anchylostomiasis or Duodenitis	48	5	1	2	—	2	—	6	3	2	6	10	8	10	14	14	12	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
13. Cancers	16	9	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Phthisis	110	52	—	3	5	1	—	14	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15. Other tuberculous diseases	11	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16. Anaemia	6	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17. Diabetes Mellitus	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18. Convulsions	33	13	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19. Tetanus	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20. Bronchitis	19	14	—	11	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21. Pneumonia	142	49	12	11	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22. Other Diseases of the Respiratory System.	9	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23. Bright's Disease and Nephritis	32	12	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24. Puerperal Edampsia	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25. Puerperal Septicemia	17	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
26. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27. Other and undefined Accidents of Childbirth	5	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28. Starvation	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
29. Accidents or Negligence	25	11	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Homicide	7	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Suicide	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32. Execution	1	—	—	3	17	6	2	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33. All other causes	282	119	3	17	6	2	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Here are included 60 from Old Age (24 in Colombo and Galle), 29 from Worms (8 each in Moratuwa and Galle), and 20 from Debility (9 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of July, 1913, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1913, in each Ward of the City of Colombo.

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected

† Infantile death-rates omitted where number of births is less than five.
‡ Estimated partly on the intercensal increase method and partly on the natural increase method, i.e. population exclusive of Wellawatta Ward on the former method and that of

Wellawatta added to the town on January 1, 1912, on the latter method as it was not a separate division at the Census of 1901.

This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1891) and that of Kollupitiya taken over to Wellawatta on the latter method.

Table IV.—Causes of Deaths registered during the Month of July, 1913, in each Ward and of each Race of the City of Colombo.

Ward.	Causes of Deaths.	Deaths among all Races.																				
		City of Colombo.	All Causes	511	2	7	24	41	72	47	128	106	40	15	29	1	25	250	98	95	19	23
<i>I.—Infantile Mortality ..</i>																						
1.	Prematurity	124	—	2	9	10	21	18	6	84	14	6	9	—	—	6	61	19	24	9	5
2.	Debility	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3.	Convulsions	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4.	Diarrhoea	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a	Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.	Tetanus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.	Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.	Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8.	Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>A.—One Week and under.</i>																						
1.	Prematurity	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2.	Debility	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3.	Convulsions	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4.	Diarrhoea	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a	Enteritis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.	Tetanus	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.	Bronchitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.	Pneumonia	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8.	Other Causes	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																						
1.	Prematurity	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2.	Debility	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3.	Convulsions	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4.	Diarrhoea	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a	Enteritis	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5.	Tetanus	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6.	Bronchitis	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7.	Pneumonia	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8.	Other Causes	19†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>II.—General Mortality (1 Year and over) ..</i>																						
1.	Smallpox	387	—	2	5	15	31	51	84	122	72	26	9	20	1	19	189	79	71	10	18
2.	Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3.	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4.	Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* From Prolonged Labour.

† Five from Marasmus, 3 from Rickets, 2 each from Worms, Thrush, and Stomatitis, and 1 each from Syphilis, Septicæmia, Hyperpyrexia, Gastritis, and Dysentery.

Table IV.—Causes of Deaths registered during the Month of July, 1913, in each Ward and of each Race of the City of Colombo—*contd.*

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.									
			Burghers.	Sinhalese.	Tamils.	Moslems.	Malays.	Others.	8	7	6	5
II.—General Mortality (1 Year and over)— <i>contd.</i>												
5. Pyrexia or Fever ..	4											
6. Enteric Fever ..	18											
7. Malaria ..	3											
8. Malaria Cachexia ..	1											
9. Cholera ..												
10. Diarrhoea ..	9											
10a. Enteritis ..	22											
11. Dysentery ..	12											
12. Ankylostomiasis or Dochmias Duodenalis ..	5											
13. Cancer ..	9											
14. Phthisis ..	52											
15. Other Tuberculous Diseases ..	4											
16. Anæmia ..	1											
17. Diabetes Mellitus ..	2											
18. Convulsions ..	13											
19. Tetanus ..	2											
20. Bronchitis ..	14											
21. Pneumonia ..	49											
22. Other Diseases of Respiratory System ..	7											
23. Bright's Disease and Nephritis ..	12											
24. Puerperal Eclampsia ..	2											
25. Puerperal Septicæmia ..	4											
26. Miscarriage ..												
27. Other and undefined Accidents of Childbirth ..	2											
28. Starvation ..	1											
29. Accidents or Negligence ..	11											
30. Homicide ..	4											
31. Suicide ..	4											
32. Execution ..	3											
33. All other causes ..	119*											

* This includes 24 deaths from Senility, 11 from Rickets, 8 each from Worms, Cirrhosis of Liver, and Heart Disease, and 7 from Debility.