

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 6,591 — FRIDAY, NOVEMBER 21, 1913.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF OCTOBER, 1913.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,445 (763 males and 682 females), and were equal to an annual rate of 31·22 per 1,000, against 27·84 during the preceding month, 26·61 in the corresponding month of last year, and 29·33 the monthly average since July, 1907. The rate ranged from 54·48 in Mannar to 8·00 in Ratnapura.

3. In the city of Colombo* the births numbered 529 (284 males and 245 females), and were equal to an annual rate† of 26·41 per 1,000, against 23·37 in the preceding month, 23·20 in the corresponding month of last year, and 24·98 the monthly average. The rate ranged from 34·39 in New Bazaar to 15·93 in Kollupitiya.

Deaths.

4. The total deaths amounted to 1,440 (804 males and 636 females), and were equal to an annual rate of 26·59 per 1,000, against 26·94 in the preceding month, 25·87 in the corresponding month of last year, and 30·65 the monthly average. The rate ranged from 54·77 in Badulla to 8·36 in Kegalla.

5. In the city of Colombo* the deaths numbered 532 (266 males and 266 females), and were equal to an annual rate† of 26·82 per 1,000, against 27·35 in the preceding month, 25·76 in the corresponding month of last year, and 31·50 the monthly average. The rate rose from 10·21 in Kollupitiya to 41·49 in Wellawatta.

6. Stillbirths numbered 71 (35 males and 36 females), against 77 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 257 per 1,000 births registered, against 280 in the preceding month, 233 in the corresponding month of last year, and 262 the monthly average. The rate ranged from 667 in "Hatton and Dikoya" to 65 in Kalutara.

8. The infantile mortality in the city of Colombo was 299 per 1,000 births registered, against 340 in the preceding month, 260 in the corresponding month of last year, and 317 the monthly average, and ranged from 362 in Slave Island to 188 in New Bazaar.

Causes of Death.

9. The highest mortality was from *Pneumonia* (10 per cent.), followed by *Debility* (8 per cent.), *Diarrhoea*, *Phthisis*, and *Infantile Convulsions* (7 per cent. each), *Dysentery* (4 per cent.), and *Bronchitis* (3 per cent.).

10. In the city of Colombo the highest mortality was from *Pneumonia* (12 per cent.), followed by *Phthisis* (9 per cent.), *Infantile Convulsions* (7 per cent.), *Enteritis* (6 per cent.), *Bronchitis* (5 per cent.), *Dysentery* and *Enteric Fever* (3 per cent. each), and *Bright's Disease* and *Nephritis* (2 per cent.).

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Chickenpox*, of which 90 cases were reported (47 in Kandy, 27 in Colombo, 7 in Kegalla, 4 in Panadure), followed by *Phthisis* 63 (61 in Colombo, 1 each in Matale and Chilaw), *Cholera* 43 (all in Colombo), *Enteric Fever* 38 (26 in Colombo, 6 in Moratuwa), *Continued Fever* 20 (15 in Colombo, 5 in Galle), *Measles* 20 (9 in Colombo, 3 in Tangalla), *Acute Diarrhoea* 13 (12 in Colombo, 1 in Kalutara), *Dysentery* 10 (9 in Moratuwa, 1 in Panadure), *Mumps* 3 (2 in Colombo, 1 in Jaffna), *Diphtheria* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Kegalla recorded the highest rainfall (42·14 inches), followed by Ratnapura (35·00 inches). The next highest records (29·21 inches and 28·03 inches) were in Matale and "Hatton and Dikoya," while in the other towns the rainfall ranged from 27·90 inches in Gampola to 0·20 inches in Kalpitiya.

13. *Temperature.*—The mean temperature varied from 60·7° in Nuwara Eliya to 82·9° in Mannar, and was 80·2° in Colombo and 75·7° in Kandy.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, November 15, 1913.

N. W. MORGAPPAH,
for Registrar-General.

* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during October, 1913, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1913, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (inclusive of the Military) at the Census of 1913 by increase of March 10, 1911.		Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town Residents and Non-Residents of Towns Registered in the Local Board Area.	Birth-rate.		Death-rate.		Deaths of Children under One Year, including Stillbirths.	Deaths of Children under One Year of Age to 1,000 Births.	Mean Temperature.	Rainfall in Inches.			
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		July, 1907, to June, 1913.	October, 1913.	July, 1907, to June, 1913.	October, 1913.							
All 31 Towns	763	682	1,445	804	636	1,440	35	36	71	291	29.33	31.22	24.39	30.65	26.59	262	257			
<i>Western.</i>																				
Colombo	284	245	529	266	266	532	13	13	26	51	24.98	26.41	23.12	31.50	26.82	317	299	80.2	6.46	
Negombo	43	35	78	27	23	50	3	3	6	8	36.08	38.13	20.53	25.43	21.47	16	185	205	8.83	8.83
Moratuwa	56	63	119	36	46	82	1	1	2	1	37.34	32.45	35.70	26.36	39.37	23	178	193	—	—
Kalutara	17	29	46	18	6	24	—	—	—	6	37.34	32.45	15.85	27.97	16.75	3	172	65	—	10.05
Panadura	10	2	12	7	4	11	—	—	—	4	29.99	23.57	13.17	24.99	15.67	4	175	333	—	—
<i>Central.</i>																				
Kandy	38	34	72	56	33	89	3	4	7	27	27.66	27.53	23.71	30.15	25.84	20	253	278	75.7	26.74
Gampola	8	6	14	12	4	16	—	—	—	6	34.99	27.36	19.55	38.79	20.28	2	290	143	—	27.90
Nawalapitiya	6	4	10	13	6	19	—	—	—	15	26.81	30.57	12.23	28.52	13.29	317	317	—	—	
Eastern & Dikoya	4	2	6	11	12	23	—	—	—	4	16.46	22.97	42.11	36.99	49.19	4	207	667	—	—
Matale	4	9	15	15	18	33	—	—	—	12	20.76	29.42	37.27	40.41	42.83	6	276	400	—	—
Nuwara Eliya	6	8	14	2	2	4	—	—	—	4	16.5	22.21	—	13.78	—	—	293	—	60.7	19.44
<i>Northern.</i>																				
Jaffna	68	59	127	43	46	89	1	1	2	2	38.41	35.49	24.03	34.61	24.55	32	278	252	81.3	11.74
Mannar	10	8	18	6	4	10	—	—	—	9	39.48	34.48	27.24	44.22	30.01	2	290	111	82.9	3.86
Mullattivu	—	1	1	—	—	—	—	—	—	—	33.32	8.34	—	51.65	—	—	292	—	—	3.68
Vavuniya	—	1	1	—	—	—	—	—	—	—	22.18	13.41	—	92.23	—	—	289	—	—	0.30
<i>Southern.</i>																				
Galle	68	51	109	71	46	117	2	3	5	14	30.43	31.59	29.86	27.75	29.23	28	207	257	79.9	10.15
Matara	26	18	44	8	8	17	—	—	—	2	38.14	36.09	12.31	23.87	12.06	4	171	91	—	5.35
Weligala	27	12	39	9	6	14	—	—	—	14	27.73	31.37	18.44	19.57	16.61	4	110	103	—	—
Hambantota	8	6	14	6	2	8	—	—	—	7	37.81	52.23	26.13	35.51	29.22	4	347	286	81.1	8.93
Tangalla	4	4	8	5	2	7	—	—	—	6	35.64	24.46	18.34	35.15	18.75	3	217	375	—	9.93
<i>Eastern.</i>																				
Batticaloa	12	21	33	19	9	28	—	—	—	26	31.05	35.85	28.24	35.11	27.85	9	367	273	81.6	5.95
Trincomalee	14	14	28	10	10	20	—	—	—	20	29.42	39.65	28.25	37.80	31.01	9	286	321	82.8	12.22
<i>North-Western.</i>																				
Kurunegala	12	6	18	28	9	37	—	—	—	5	26.39	24.57	43.67	49.50	44.87	11	343	611	80.4	26.87
Puttalam	13	6	19	8	3	11	—	—	—	11	34.14	36.00	20.84	36.43	22.29	6	301	316	81.8	3.63
Kalpitiya	1	2	3	3	2	5	—	—	—	5	25.79	21.79	36.31	—	—	—	332	—	—	0.20
Chilaw	3	5	8	16	5	21	—	—	—	21	33.10	17.92	47.04	33.05	45.09	5	200	625	—	4.90
<i>North-Central.</i>																				
Anuradhapura	12	10	22	9	4	13	—	—	—	13	22.43	44.19	26.11	56.39	32.00	4	436	182	82.2	12.07
<i>Uva.</i>																				
Badulla	13	14	27	20	24	44	1	1	2	28	30.97	47.87	49.64	31.30	54.77	8	273	296	74.5	12.03
Lunugala	2	1	3	11	10	21	—	—	—	2	39.35	64.33	42.89	—	—	3	212	—	—	—
<i>Sabaragamwua.</i>																				
Ratnapura	1	3	4	63	20	83	1	1	2	70	30.00	8.00	24.01	43.59	27.22	3	286	—	80.2	35.00
Kegalla	1	3	4	6	6	12	—	—	—	10	26.77	18.23	9.11	22.13	8.36	1	220	—	—	42.14

* I.e., rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole island, and also (as in crude rate) excluding non-residents. † Infantile death-rate omitted where the number of births is less than five. ‡ Blank indicates that there are no observatories or rain-gauges. § Estimated to the end of June, 1913, by natural increase method owing to the inability of applying the intercensal method, as the limits of the town were altered between 1901 and 1911. ¶ Calculated for non-estate events on the population exclusive of the estate population at the Census of 1911. ** Since September 1, 1913, the registration limits of Batticaloa town have been extended in order to make them co-terminous with the Local Board area. Hence the rates in previous reports cannot be safely compared with those of subsequent ones. †† Corrected death-rates for Kalpitiya and Trincomalee towns not available, as the population of these towns has not been enumerated at the Census of 1911 by age and sex. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during October, 1913, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.												Deaths among all Races.																											
	Western Province.			Central Province.			Northern Province.			Southern Province.			Eastern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.																		
	Colombo.	Negombo.	Moratwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Nawalapitiya.	Hatton and Dikoya.	Matala.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Galle.	Matara.	Weligama.	Hambantota.	Tangalla.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Kalpitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalle.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
All Causes	532	50	82	24	11	89	19	23	33	4	89	10	—	—	—	117	17	14	8	7	28	20	37	11	5	21	13	44	21	83	12	5	40	648	520	179	23	25		
I.—Infantile Mortality	301	132	13	16	1	4	13	1	8	4	30	2	—	—	—	23	3	2	4	3	8	6	10	4	5	4	4	6	2	1	2	13	142	83	48	5	8			
A.—One Week and under.																																								
1. Prematurity	27	9	—	5	—	1	—	—	—	—	2	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	39	14	2	—	—	1	—	—	—	—	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	26	11	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	13	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	4*	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																																								
1. Prematurity	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	33	11	3	1	—	2	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	47	21	1	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	10	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	24	17	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	30	18	1	3	—	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	29†	12	2	1	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
II.—General Mortality (1 Year and over)	400	37	66	23	7	76	15	19	20	29	4	59	8	—	94	14	12	4	4	20	14	27	7	5	16	9	38	19	82	11	3	27	506	437	131	18	17			
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Three from Heart Failure (in Colombo), and 1 from Congenital Tumour (in Mannar).

† This includes, besides the 12 deaths mentioned in Table IV., footnote †, 6 deaths from Malaria (2 in Anuradhapura, 1 each in Negombo, Jaffna, Puttalam, and Chilaw), 2 each from Syphilis (1 each in Hatton and Dikoya and Badulla), Worms (1 each in Galle and Puttalam), 1 each from Nephritis (in Negombo), Stomatitis (in Moratuwa), Colitis (in Kandy), Anaemia, Anchylostomiasis (in Galle), Erysipelas, and Fever (in Jaffna).

Table III.—Number of Births and Deaths registered during the Month of October, 1913, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1913, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) at the Census of 1911.	Population Estimated to the Middle of 1913 by Intercensal Increase.	Total Births registered			Stillbirths.			Total Deaths including Deaths in Hospitals and Jails.			Per Mille per Annum.				Deaths of Children under One Year of Age, including Stillbirths, to 1,000 Births registered.			
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Residents.	Deaths of Non-residents.	Birth-rate.		Crude Death-rate.		Corrected Death-rate.	Deaths of Children under One Year.
														Average January, 1908, to June, 1913.	October, 1913.	Average January, 1908, to June, 1913.	October, 1913.		
			284	245	529	13	13	26	266	266	532	69	463	25.06	26.41	28.14	23.12	26.82	132
City of Colombo..	219,557	235,329†	—	1	1	—	—	—	—	—	—	4.42	3.35	7.07	—	—	—	81	
Fort and Galle Face	3,512	3,512§	1	—	1	—	—	—	—	—	—	6.18	1.48	11.32	10.34	—	2	288	
Petiah	7,974	7,974§	—	—	—	—	—	—	—	—	—	21.36	22.32	23.38	22.32	—	5	364	
San Sebastian	11,546	12,133	12	11	23	1	—	1	—	—	—	17.18	27.26	23.10	15.90	—	17	411	
St. Paul's	24,735	25,914	38	22	60	3	—	3	—	—	—	22.87	24.54	23.97	22.88	—	25	319	
Kotahena	40,771	42,710	48	41	89	3	2	5	44	39	83	23.40	34.39	27.92	17.44	—	12	412	
New Bazaar	22,309	23,626	34	35	69	1	—	1	19	20	39	—	—	—	—	—	14	—	
Maradana Hospitals			31	33	64	3	4	7	78	65	143	—	—	—	—	—	—	—	
Maradana (exclusive of Hospitals)	48,093	53,561	58	41	99	2	4	6	43	28	71	22.12	21.76	25.77	15.61	—	23	354	
Slave Island	21,984	23,377	25	22	47	—	1	1	21	21	42	23.82	23.67	24.17	21.15	—	16	361	
Kollupitiya	25,410	28,834	15	24	39	—	1	1	10	15	25	15.91	15.93	17.23	10.21	—	9	278	
Wellawatta	13,223	14,188	22	15	37	—	1	1	21	29	50	32.28¶	30.71	24.03¶	41.49	—	9	262¶	

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Infantile death-rates omitted where number of births is less than five.

‡ Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

§ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1913. Hence the Census figures are retained.

|| This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

¶ For the eighteen months, January, 1912, to June, 1913.

Table IV.—Causes of Deaths registered during the Month of October, 1913, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.						
		Fort and Galle Race.	Petah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatte.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.
All Causes	532	7	30	42	83	39	143	71	42	25	50	5	28	257	127	85	13	17
I.—Infantile Mortality	132	2	5	17	25	12	14	23	16	9	9	2	8	64	26	24	2	6
<i>A.—One Week and under.</i>																		
1. Prematurity	9				4			1	2	1	1		1	6		1		1
2. Debility	14				5	2	1	1	2	1	1			9	4			1
3. Convulsions	11		1	1			2							3	4	3		
4. Diarrhoea																		
4a Enteritis	6				4	1			1					3	2	1		
5. Tetanus																		
6. Bronchitis																		
7. Pneumonia										1	2	1	1			1		
8. Other Causes	3*																	
<i>B.—Over 1 Week and under 1 Year.</i>																		
1. Prematurity	2				2													
2. Debility	11			3		1	3	3	2		1			5	2	2	1	1
3. Convulsions	21	1	1	5	1	3	5	5	3	1	1			13	1	6		1
4. Diarrhoea	1								1									
4a Enteritis	7				1		1	1	1	1				6	1			
5. Tetanus																		
6. Bronchitis	17		1	5	3	3	4	4		1			3	4	4	6		
7. Pneumonia	18	1	1	2	4	2	2	2	1	1	2		1	11	2	2		2
8. Other Causes	12†			1	1		1	4	3	1	1			4	4	2	1	
II.—General Mortality (1 Year and over)	400	5	25	25	58	27	129	48	26	16	41	3	20	193	101	61	11	11
1. Smallpox																		
2. Chickenpox																		
3. Measles																		
4. Influenza																		

* These from Heart Failure (1 in Kollupitiya and 2 in Wellawatte).
 † Two each from Marasmus, Jaundice, and Worms, 1 each from Bickets, Fever, Dysentery, Intestinal Obstruction, Rheumatism, and Malaria.

Table IV.—Causes of Deaths registered during the Month of October, 1913, in each Ward and of each Race in the City of Colombo—contd.

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.								
		Fort and Galle Face.	Petah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradama Hospitals.	Maradama (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	
11.—General Mortality (1 Year and over)— contd.																				
5. Pyrexia or Fever ..	3																			1
6. Enteric Fever ..	14																			
7. Malaria ..	2																			1
8. Malarial Cachexia ..	3																			
9. Cholera ..	27																			
10. Diarrhoea ..	6																			
10a. Enteritis ..	24																			
11. Dysentery ..	13				2															
12. Anchylostomiasis or Dochmius Duo- denalis ..	5																			
13. Cancer ..	5				1	1														
14. Phthisis ..	46				1	3														2
15. Other Tuberculous Diseases ..																				
16. Anæmia ..	3																			
17. Diabetes Mellitus ..	2																			
18. Convulsions ..	7																			
19. Tetanus ..	2																			
20. Bronchitis ..	12																			
21. Pneumonia ..	48				2	4														
22. Other Diseases of Respiratory System ..	5				6	6														2
23. Bright's Disease and Nephritis ..	11																			
24. Puerperal Eclampsia ..	3																			
25. Puerperal Septicæmia ..	8				1	1														
26. Miscarriage ..																				
27. Other and undefined Accidents of Childbirth ..	3																			
28. Starvation ..	10																			
29. Accidents or Negligence ..	3																			
30. Homicide ..	2																			
31. Suicide ..																				
32. Execution ..																				
33. All other causes ..	135*			6	12	25	5	37	18	15	7	10								3

* This includes 42 deaths from Senility, 15 from Debility, 14 from Worms, and 7 from Paralysis.