

**SUPPLEMENT**  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,598 — FRIDAY, DECEMBER 19, 1913.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF NOVEMBER, 1913.**

**REPORT OF THE REGISTRAR-GENERAL.**

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

**Births.**

2. The births numbered 1,380 (721 males and 659 females), and were equal to an annual rate of 30·81 per 1,000, against 31·22 in the preceding month, 29·24 in the corresponding month of last year, and 29·33 the monthly average since July, 1907. The rate ranged from 58·53 in Weligama to 13·86 in Vavuniya.

3. In the city of Colombo\* the births numbered 438 (222 males and 216 females), and were equal to an annual rate† of 22·61 per 1,000, against 26·41 in the preceding month, 25·75 in the corresponding month of last year, and 24·98 the monthly average. The rate ranged from 30·01 in Wellawatta to 9·28 in Kollupitiya.

**Deaths.**

4. The total deaths amounted to 1,650 (902 males and 748 females), and were equal to an annual rate of 31·92 per 1,000, against 26·59 in the preceding month, 29·80 in the corresponding month of last year, and 30·65 the monthly average. The rate ranged from 75·55 in Nawalapitiya to 9·34 in Nuwara Eliya.

5. In the city of Colombo\* the deaths numbered 605 (327 males and 278 females), and were equal to an annual rate of 31·85 per 1,000, against 26·82 in the preceding month, 28·77 in the corresponding month of last year, and 31·50 the monthly average. The rate rose from 10·97 in Kollupitiya to 41·16 in Wellawatta.

6. Stillbirths numbered 99 (61 males and 38 females), against 71 in the preceding month.

**Infantile Mortality.**

7. The infantile mortality was equal to a rate of 351 per 1,000 births registered, against 257 in the preceding month, 280 in the corresponding month of last year, and 262 the monthly average. The rate ranged from 800 in Nawalapitiya to 167 in Matara.

8. The infantile mortality in the city of Colombo was 473 per 1,000 births registered, against 299 in the preceding month, 305 in the corresponding month of last year, and 317 the monthly average, and ranged from 686 in Maradana (exclusive of hospitals) to 286 in Wellawatta.

**Causes of Death.**

9. The highest mortality was from *Pneumonia* (10 per cent.), followed by *Diarrhoea* and *Debility* (9 per cent. each), *Infantile Convulsions* (8 per cent.), *Phthisis* (7 per cent.), *Dysentery* (5 per cent.), and *Bronchitis* (3 per cent.).

10. In the city of Colombo the highest mortality was from *Pneumonia* (12 per cent.), followed by *Phthisis* (10 per cent.), *Enteritis* (8 per cent.), *Bronchitis* (5 per cent.), *Dysentery* (3 per cent.), *Bright's Disease* and *Nephritis* (2 per cent.), and *Enteric Fever* (1 per cent.).

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 83 cases were reported (72 in Colombo, 5 in Galle), followed by *Chickenpox* 67 (28 in Kandy, 24 in Colombo, 5 in Weligama), *Enteric Fever* 41 (30 in Colombo, 6 in Jaffna), *Measles* 28 (8 in Colombo, 7 in Nuwara Eliya), *Dysentery* 18 (16 in Moratuwa), *Cholera* 14 (all in Colombo), *Continued Fever* 12 (10 in Colombo), *Mulmips* 5 (2 each in Colombo and Tangalla), *Acute Diarrhoea* 4 (in Colombo), *Scarlet Fever* 2 (in Colombo).

**Meteorology.**

12. *Rainfall.*—Jaffna recorded the highest rainfall (30·27 inches), followed by Trincomalee (21·05 inches). The next highest records (18·01 inches and 17·84 inches) were in Kegalla and Kalutara, while in the other towns the rainfall ranged from 16·08 inches in Mullaittivu to 2·96 inches in Hambantota.

13. *Temperature.*—The mean temperature varied from 60·8° in Nuwara Eliya to 80·2° in Hambantota, and was 79·5° in Colombo and 75·1° in Kandy.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,  
Colombo, December 13, 1913.

BERTRAM HILL,  
Registrar-General.

\* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

**Table I.—Number of Births and Deaths registered during November, 1913, their Proportion per 1,000 of the Population, and also Quarterly and Annual Mortality rates and Death-rates and Average Birth-rates and Infantile Mortality from July, 1907, to June, 1913.**

Under One Year and Mean Temperature and Rainfall in the Month in Each Province.																							
Provinces and Totals								Deaths of Children under One Year, including Still-births.															
Population estimated to the middle of March 1913 by intercensal increase.				Total Births.				Total Deaths.				Birth-rate.											
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Total	Stillbirths.	Persons.	Per 1,000 Persons.	Per 1,000 Births.	Per 1,000 Births.	Mean Temperature.	Rainfall in Inches. <sup>4</sup>								
517,877 <sup>3</sup>	552,523	721	659	1,380	902	748	1,660	61	38	99	305	1,312	29-33	30-81	29-29	30-65	31-92	485	262	351			
219,557 <sup>5</sup>	235,820	222	216	438	327	278	605	24	21	45	47	522	24-98	22-01	27-46	31-50	31-85	207	317	473	79-5		
13,045	24,087	42	40	82	35	20	55	3	1	4	2	63	36-68	41-42	26-77	25-43	28-00	16	185	195	11-50		
27,256	26,716	64	42	106	52	45	97	5	2	7	5	92	37-34	48-27	41-30	26-36	46-21	31	178	292	13-29		
13,005	13,370	32	20	62	22	14	36	1	—	1	8	28	33-45	47-32	25-48	27-97	25-32	9	172	173	17-84		
6,709	6,261	9	11	20	10	14	24	—	—	—	9	15	29-90	38-87	20-15	24-99	34-70	7	175	350	—		
<i>Province.</i>																							
<i>Central.</i>																							
Kandy	30,149	30,794	27	26	53	36	38	74	3	1	4	17	57	27-66	20-94	22-52	24-55	17	253	321	75-1		
Gampola	5,621	6,026	6	8	14	14	5	19	—	—	—	8	11	34-90	28-27	22-21	38-79	4	230	286	—		
Natalapura	3,767	3,852	9	1	10	12	20	32	2	—	2	10	23	26-81	31-59	69-59	28-05	8	317	800	—		
Hatton & Dikoya	3,025	3,075	3	2	5	7	9	16	—	—	1	12	4	16-46	19-78	15-82	36-99	1	207	200	9-99		
Matale	5,792	6,003	8	10	18	30	26	66	1	—	1	31	25	29-76	36-48	50-67	40-41	10	276	556	—		
Nuwara Eliya	14,910	14,857 <sup>1</sup>	5	6	11	4	9	13	—	—	5	6	6	16-52	18-04 <sup>1</sup>	8-20 <sup>1</sup>	13-78	4	293	364	60-8		
Lanka	40,441	42,139	57	72	129	63	47	100	2	1	3	95	38-41	37-25	27-43	34-61	28-02	31	278	240	30-27		
Mannar	3,777	3,890	5	6	11	11	6	18	2	—	2	6	12	39-48	34-40	37-53	44-22	4	290	364	79-9		
Mullaitivu	1,392	1,412	—	—	—	—	1	4	—	—	1	3	3	33-32	—	25-84	51-65	34-26	—	292	—	11-10	
Vavunyia	803	878	1	—	—	—	1	4	—	—	2	2	2	22-18	18-12	86	27-72	92-23	—	1	289	—	12-58
Southern.	39,933	40,621	72	61	123	54	52	106	5	3	8	10	96	30-43	36-84	28-75	27-75	30	207	244	79-7		
Dalle	13,851	14,354	33	27	60	14	11	25	2	—	2	4	21	38-14	50-85	17-80	23-87	10	171	167	5-96		
Iratara	8,672	8,930	23	15	43	14	8	22	1	1	2	—	22	27-73	58-53	29-94	26-95	12	110	279	—		
Hambantota	3,092	3,154	4	4	8	2	4	6	—	—	1	1	6	32-78	30-86	23-94	35-54	4	347	600	80-2		
Ungalla	3,605	3,851	6	6	12	5	8	13	—	1	1	4	9	35-64	37-91	28-43	35-15	4	217	333	—		
Eastern.	10,671	10,840	12	15	27	14	10	24	2	—	2	—	24	31-05	30-31 <sup>**</sup>	26-94 <sup>**</sup>	35-11	9	367	333	78-8		
Batticaloa	8,840	8,335	18	9	27	16	8	24	2	—	2	2	22	29-42	39-41	32-11	37-80	12	286	444	79-2		
Principla	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
North-Western.	8,167	8,627	11	16	27	17	31	—	—	—	1	1	30	26-30	38-08	42-31	49-50	7	343	259	12-37		
Unnugala	5,990	6,214	13	14	27	16	10	26	1	—	1	4	22	34-14	52-87	43-03	36-43	14	301	619	13-99		
Attalumai	1,591	1,621	4	1	5	5	3	8	—	—	1	—	8	25-79	37-52	60-03	—	3	332	600	—		
Hillidaw	5,033	6,257	9	7	16	11	8	19	—	—	1	—	19	33-10	37-03	43-97	33-05	6	200	375	—		
North-Central.	5,361	5,861	5	10	15	14	7	21	—	—	—	—	21	22-43	31-14	43-59	56-39	4	436	267	78-7		
Unradhapura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	273	647	72-4		
Uva.	6,487	6,641	7	10	17	23	29	52	3	1	4	21	31	30-97	31-14	56-79	31-30	62-67	11	212	—	—	
Unugala	6,615	6,449	—	1	1	1	1	18	—	—	18	—	—	39-36	22-16	—	—	—	1	1	—	—	
Siwaragamunna.	5,476	5,886	6	10	16	53	33	86	1	—	1	66	20	30-00	33-07	41-34	43-59	46-87	5	312	286	13-39	
Unattapura	2,536	2,581	3	3	6	10	4	14	1	—	1	9	5	26-77	28-25	23-54	22-13	21-59	3	220	500	18-01	

\* I.e., rate calculated on the basis that the size- and sex-constitution of the population of each town is the same as for the whole island, and also (as in crude rate) excluding non-residents. This includes the population as added on the extension of the boundaries of the town. <sup>5</sup> This includes the population as added on the extension of the boundaries of the town. <sup>6</sup> Blanks indicate that there are no observatories or rain-gauges. <sup>7</sup> Estimated to the end of June, 1913 by natural increase method owing to the inability of applying the intercensal method at the time of the registration limits of Batticaloa town have been altered. <sup>8</sup> Since September 1, 1913, the registration limits of Batticaloa town have been altered. <sup>9</sup> Corrected death-rates for Kalpitiya and Kandy districts on account of errors occurring in the registration of subsequent deaths.

in extended in order to make them co-extensive with the Local Board areas. Hence the rates in previous reports cannot be safely compared with those of these towns, but it scarcely  
J. J. Williams towns not available, as the population of these towns has not been enumerated at the Census of 1861 by age and sex. The death-rate given for "All towns" is therefore independent of these towns, but it scarcely  
exceeded by their rates.

Table II.—Causes of Deaths registered during November, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	Eastern Province.	North-Western Province.	Province of Sabaragamuwa.	Deaths among all Races.						
									Provinces of Uva.	North-Central Province.	Province of Sabaragamuwa.	Burghers.	Sinhalese.	Malays.	Others.
All Causes	1,650	605	55	97	36	24	74	19	32	16	56	13	100	18	4
I.—Infantile Mortality	386	162	12	24	8	7	13	4	6	1	9	4	28	2	1
4.—One Week and under.															
1. Prematurity	47	11	—	6	3	2	4	—	2	—	4	1	—	2	—
2. Debility	50	22	—	1	—	1	—	1	—	—	7	1	—	5	—
3. Convulsions	28	13	—	—	1	—	—	—	—	—	1	2	—	3	—
4. Diarrhoea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	9	2	—	—	—	1	—	—	—	—	2	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	5*	—	2	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.															
1. Prematurity	3	1	—	—	—	1	—	—	—	—	1	1	—	1	—
2. Debility	39	12	—	4	2	—	—	—	—	—	2	3	—	2	—
3. Convulsions	72	25	2	5	2	—	2	—	—	—	5	2	—	3	—
4. Diarrhoea	10	1	—	—	—	—	—	—	—	—	—	—	—	2	—
4a. Enteritis	19	15	—	—	—	—	—	—	—	—	—	—	—	10	2
5. Tetanus	3	1	—	—	—	—	—	—	—	—	1	—	—	2	—
6. Bronchitis	20	12	—	—	—	3	1	—	—	—	1	—	—	10	6
7. Pneumonia	35	22	2	5	—	—	—	—	—	—	1	—	—	5	3
8. Other causes	44†	24	—	—	1	—	—	—	—	—	3	1	—	2	—
II.—General Mortality (1 Year and over)	1,264	443	43	73	28	17	61	15	26	15	47	9	72	16	4
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* One each from Atellectasis, Septic Umbilicus (in Colombo), Hernia (in Moratuwa), Prolonged Labour (in Jaffna), and Malformation (in Nuwara Eliya).<sup>1</sup>

† This includes, besides the 24 deaths mentioned in Table IV, footnote †, 7 deaths from Fever (5 in Matara, 1 each in Jaffna and Badulla), 4 from Worms (1 each in Nawalapitiya, Galle, Hambantota, Puttalam), 3 from Marasmus (2 in Galle, 1 in Weligama), 2 from Abscess (1 each in Kallutara and Nuwara Eliya), 1 each from Rickets (in Kandy), Tabes Mesenterica, Nephritis (in Jaffna), and Burns (in Nuwara Eliya).

Table II.—Causes of Deaths registered during November, 1913, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 31 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	Eastern Province.	North-Central Province.	North-Western Province.	Province of Sabaragamuwa.	Deaths among all Races.
<b>II.—General Mortality—<i>contd.</i></b>										
4. Influenza	1	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	13	2	—	—	—	—	—	—	—	—
6. Enteric Fever	7	4	—	—	—	—	—	—	—	2
7. Malaria	39	3	1	—	—	—	1	1	5	6
8. Malaria Cachexia	28	—	—	—	—	—	—	—	—	4
9. Cholera	10	10	—	—	—	—	—	—	—	2
10. Diarrhoea	137	16	14	3	5	3	4	2	—	—
10a. Enteritis	47	33	—	—	—	—	5	2	—	—
11. Dysentery	80	18	1	16	—	—	—	—	—	—
12. Anchylostomiasis or Duodenitis	97	16	—	4	3	5	8	2	4	4
13. Cancers	12	7	—	1	1	—	—	—	—	—
14. Phthisis	114	61	3	5	2	1	9	2	—	—
15. Other tuberculous diseases	5	2	—	—	—	—	—	—	—	—
16. Anaemia	8	—	1	1	—	—	—	—	—	2
17. Diabetes Mellitus	7	1	—	2	1	—	—	—	—	1
18. Convulsions	40	8	6	5	1	—	—	—	—	5
19. Tetanus	6	—	—	—	—	—	1	1	1	1
20. Bronchitis	28	18	1	1	—	—	—	2	1	—
21. Pneumonia	134	52	6	6	1	2	10	3	—	—
22. Other Diseases of the Respiratory System	16	6	1	1	—	—	—	—	—	—
23. Bright's Disease and Nephritis	27	15	1	3	—	2	—	—	—	—
24. Puerperal Eclampsia	5	1	—	2	—	—	—	—	—	6
25. Puerperal Septicemia	15	5	1	2	—	—	—	—	—	6
26. Miscarriage	1	—	—	—	—	—	—	—	—	—
27. Other and undefined Accidents of Childbirth	10	4	—	1	—	—	—	—	2	—
28. Starvation	25	—	—	—	—	—	—	—	4	—
29. Accidents or Negligence	2	1	—	—	—	—	—	—	—	—
30. Homicide	3	—	—	—	—	—	—	—	2	—
31. Suicide	—	—	—	—	—	—	—	—	—	—
32. Execution	—	—	—	—	—	—	—	—	—	—
33. All other causes	347*	146	6	21	10	6	15	4	3	10
									2	2
									10	10
									2	2
									9	10
									188	90
									43	10

\* Here are included 88 from Old Age (39 in Colombo, 12 in Galle), 58 from Disability (8 in Colombo), 33 from Worms (13 in Galle), and 25 from Malaria (12 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of November, 1913, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1913, in each Ward of the City of Colombo.

Wards*	Population (inclusive of the Military) Middle of 1913 by Intercensal Increase.	Population Estimated to the Census of 1911.	Per Mille per Annum.												Deaths of Children under One Year of Age, including Stillbirths, to 1,000 Registered Births registered.						
			Total Births registered.				Stillbirths.				Deaths of Non-Residents.										
			Total	Births	Stillbirths.	Females	Total	Births	Stillbirths.	Females	Deaths of Non-Residents.	Average Birth-rate.	Crude Death-rate.	Corrected Death-rate.*							
City of Colombo..	219,557	235,829†	222	216	438	24	21	45	327	278	605	73	532	25.06	22.61	27.46	31.85	16.2	31.9	47.3	
Fort and Galle Face	3,512	3,512‡	—	—	—	—	—	2	1	3	—	3	4.42	—	7.07	10.39	—	1	81	—	
Pettah	7,974	7,974‡	—	—	—	—	—	1	3	2	5	2	3	6.18	—	11.32	4.58	—	—	288	—
San Sebastian	11,546	12,133	14	14	28	2	1	3	15	14	29	5	24	21.36	28.08	23.38	24.07	—	11	364	500
St. Paul's	24,735	25,914	18	15	33	1	3	4	20	31	51	12	39	17.18	15.49	23.10	18.31	—	15	411	576
Kotahena	40,771	42,710	45	52	97	5	3	8	45	43	88	—	88	22.87	27.63	23.97	25.07	—	28	319	371
New Bazaar	22,309	23,626	24	23	47	4	2	6	26	43	69	8	61	23.40	24.20	27.92	31.48	—	15	412	447
Maradana Hospitals	37	32	69	5	8	13	9	51	140	46	94	—	—	—	—	—	—	—	15	—	—
Maradana (exclusive of Hospitals)	48,093	53,561	44	26	70	4	1	5	63	36	99	—	99	22.12	15.90	25.77	22.49	—	43	364	686
Slave Island	21,984	23,377	17	20	37	2	1	3	26	21	47	—	47	23.82	19.26	24.17	24.46	—	17	361	541
Kollupitiya	25,410	28,834	8	14	22	—	1	1	11	15	26	—	25	16.91	92.28	17.23	10.97	—	8	278	409
Wellawatta	13,223	14,188§	16	20	35	1	—	1	27	21	48	—	48	32.28	30.01	24.03	41.16	—	9	262	286

\* For explanation of "corrected death rate" see note \*, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Estimated partly on the natural increase method and partly on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1913. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the eighteen months, January, 1912, to June, 1913.

Table IV.—Causes of Deaths registered during the Month of November, 1913, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.																	
			Port and Galle Face.	Pettah.	San Sebastian.	Kotahena.	New Bazaar.	Maradana Hospitals.	Slave Island.	Kollupitiya.	Wellawatta.	Bulgaires.	Sinhalese.	Moor.	Melays.	Others.				
All Causes	..	605	3	5	29	51	88	69	140	99	47	26	48	5	24	286	137	114	20	19
I.—Infantile Mortality ..	..	162	1	--	11	15	28	15	15	43	17	8	9	--	11	85	28	31	6	1
A.—One Week and under.																				
1. Prematurity ..	..	11	--	--	1	2	1	1	3	3	1	2	1	1	1	6	--	4	--	1
2. Debility ..	..	22	--	--	6	2	2	1	5	2	2	1	1	1	1	10	2	9	--	1
3. Convulsions ..	..	13	1	--	--	--	--	--	6	4	4	1	1	1	1	3	10	3	--	--
4. Diarrhoea ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4a Enteritis ..	..	--	2	--	--	--	2	--	--	--	--	--	--	--	--	2	--	--	--	--
5. Tetanus ..	..	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
6. Bronchitis ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7. Pneumonia ..	..	--	2*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8. Other Causes ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B.—Over 1 Week and under 1 Year.																				
1. Prematurity ..	..	1	--	--	--	--	1	1	1	1	1	1	1	1	1	1	1	1	1	3
2. Debility ..	..	12	--	--	--	--	1	1	2	1	2	1	1	1	1	1	8	1	3	1
3. Convulsions ..	..	25	--	--	--	--	1	1	3	8	2	2	1	1	1	2	15	4	3	1
4. Diarrhoea ..	..	--	--	--	--	--	--	--	--	--	2	1	1	1	1	2	1	1	3	2
4a Enteritis ..	..	15	--	--	--	--	--	--	--	--	2	7	3	1	1	2	8	1	1	--
5. Tetanus ..	..	1	--	--	--	--	--	--	--	--	1	1	1	1	1	1	1	1	1	3
6. Bronchitis ..	..	12	--	--	--	--	1	1	2	1	1	1	1	1	1	2	1	1	1	3
7. Pneumonia ..	..	22	--	--	--	--	1	1	2	3	1	1	1	1	1	2	12	3	3	1
8. Other Causes ..	..	24†	--	--	--	--	1	1	2	5	1	2	6	4	2	1	1	13	2	3
II.—General Mortality (1 Year and over) ..	..	443	2	5	18	36	60	54	125	56	30	18	39	5	13	201	109	83	14	18
1. Smallpox ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2. Chickenpox ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3. Measles ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4. Influenza ..	..	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

( 6 )

\* These from Atelecrosis and Septic Umbilicus (in Kotahena and Maradana hospitals respectively).

† Five from Syphilis, 3 each from Rickets and Marasmus, 2 each from Stomatitis, Dysentery, Nephritis, and Hydrocephalus.

Table IV.—Causes of Deaths registered during the Month of November, 1913, in each Ward and of each Race in the City of Colombo—contd.

Ward.	Causes of Deaths.	City of Colombo.	Deaths among all Races.																			
			Bart and Galle Face.	Pettah.	St. Paul's.	Kotahenna.	New Bazaar	Maredana Hospital.	Maradana (exclusive of Hospitals).	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese	Tamils.	Moors.	Malays.	Others.				
<b>II.—General Mortality (1 Year and over)—</b>																						
5. <i>Pyrexia or Fever</i> ..	..	2	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
6. <i>Enteric Fever</i> ..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
7. <i>Malaria</i> ..	..	10	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4				
8. <i>Malarial Cachexia</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1				
9. <i>Cholera</i> ..	..	16	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2				
10. <i>Diarrhoea</i> ..	..	33	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
10a. <i>Enteritis</i> ..	..	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
11. <i>Dysentery</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
12. <i>Anchylostomiasis or Dochminus Duodenalis</i> ..	..	16	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
13. <i>Cancer</i> ..	..	7	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
14. <i>Plutosis</i> ..	..	61	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
15. <i>Other Tuberculous Diseases</i> ..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
16. <i>Anæmia</i> ..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
17. <i>Diabetes Mellitus</i> ..	..	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
18. <i>Convulsions</i> ..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
19. <i>Tetanus</i> ..	..	18	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
20. <i>Bronchitis</i> ..	..	52	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
21. <i>Pneumonia</i> ..	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
22. <i>Other Diseases of Respiratory System</i> ..	..	15	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
23. <i>Bright's Disease and Nephritis</i> ..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
24. <i>Puerperal Eclampsia</i> ..	..	5	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
25. <i>Puerperal Septicæmia</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
26. <i>Miscarriage</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
27. <i>Other and undefined Accidents or Childbirth</i> ..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
28. <i>Starvation</i> ..	..	10	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
29. <i>Accidents or Negligence</i> ..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
30. <i>Homicide</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
31. <i> Suicide</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
32. <i>Execution</i> ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..				
33. <i>All other causes</i> ..	..	146*	..	0	3	..	..	..	..	..	..	..	..	..	..	..	..	..				
																2	7	11	18	23	32	3

\* This includes 39 from Senility, 12 from Marasmus, 9 from Paralysis, 9 from Debility.