

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,603 — FRIDAY, JANUARY 23, 1914.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF DECEMBER, 1913.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 31 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,445 (724 males and 721 females), and were equal to an annual rate of 31·22 per 1,000, against 30·81 in the preceding month, 26·25 in the corresponding month of last year, and 29·33 the monthly average since July, 1907. The rate ranged from 62·53 in Puttalam to 24·46 in Tangalla.

3. In the city of Colombo* the births numbered 503 (248 males and 255 females), and were equal to an annual rate† of 25·11 per 1,000, against 22·61 in the preceding month, 22·16 in the corresponding month of last year, and 24·98 the monthly average. The rate ranged from 29·88 in Wellawatta to 12·66 in Kollupitiya.

Deaths.

4. The total deaths amounted to 2,024 (1,124 males and 900 females), and were equal to an annual rate of 38·55 per 1,000, against 31·92 in the preceding month, 32·89 in the corresponding month of last year, and 30·65 the monthly average. The rate ranged from 101·4 in Matale to 11·05 in Mullaitivu.

5. In the city of Colombo* the deaths numbered 714 (394 males and 320 females), and were equal to an annual rate† of 36·61 per 1,000, against 31·85 in the preceding month, 29·93 in the corresponding month of last year, and 31·50 the monthly average. The rate rose from 17·56 in Kollupitiya to 48·13 in Wellawatta.

6. Stillbirths numbered 113 (52 males and 61 females), against 99 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 377 per 1,000 births registered, against 351 in the preceding month, 314 in the corresponding month of last year, and 262 the monthly average. The rate ranged from 619 in Matale to 59 in Matara.

8. The infantile mortality in the city of Colombo was 433 per 1,000 births registered, against 473 in the preceding month, 326 in the corresponding month of last year, and 317 the monthly average, and ranged from 641 in St. Paul's to 296 in San Sebastian.

Causes of Death.

9. The highest mortality was from *Infantile Convulsions* (9 per cent.), followed by *Diarrhoea* and *Debility* (8 per cent. each), *Dysentery* (7 per cent.), *Pneumonia* and *Phthisis* (6 per cent. each), and *Bronchitis* (3 per cent.).

10. In the city of Colombo the highest mortality was from *Phthisis* and *Infantile Convulsions* (11 per cent. each), followed by *Pneumonia* (10 per cent.), *Debility* (7 per cent.), *Enteritis* (6 per cent.), *Bronchitis* and *Dysentery* (5 per cent. each), and *Bright's Disease* and *Nephritis* and *Enteric Fever* (2 per cent. each).

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 70 cases were reported (57 in Colombo, 4 in Galle), followed by *Chickenpox* 66 (32 in Colombo, 28 in Kandy), *Enteric Fever* 49 (36 in Colombo, 8 in Jaffna), *Cholera* 34 (24 in Colombo, 10 in Negombo), *Measles* 16 (5 in Matara, 3 in Galle), *Continued Fever* 16 (11 in Colombo, 5 in Kalutara), *Dysentery* 8 (in Moratuwa), *Mumps* 4 (3 in Colombo), *Diarrhoea* 3 (in Colombo), *Diphtheria* 2 (in Colombo), and *Smallpox* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Batticaloa recorded the highest rainfall (35·26 inches), followed by Badulla (23·31 inches). The next highest records (23·11 inches and 18·25 inches) were in Nuwara Eliya and Galle, while in the other towns the rainfall ranged from 18·13 inches in Ratnapura to 5·81 inches in Chilaw.

13. *Temperature.*—The mean temperature varied from 58·4° in Nuwara Eliya to 79·0° in Mannar and Trincomalee, and was 78·8° in Colombo and 74·3° in Kandy.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, January 19, 1914.

BERTRAM HILL,
Registrar-General.

* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during December, 1913, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1913, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns	Population		Total Births		Total Deaths		Total Stillbirths		Deaths of Children under One Year		Deaths of Children under One Year		Mean Temperature per Annum	Rainfall in Inches							
	1913	1911	Males	Females	Males	Females	Males	Females	Crude, 1913	Corrected, 1913	July, 1907 to June, 1913	Dec., 1913 to June, 1914									
All 31 Towns	517,373	552,523	724	721	1,445	2,024	52	61	113	349	1,637	29,331	22	35-37	30-65	38-55	262	377	78-8		
<i>Western.</i>																					
Colombo	219,557	235,829	248	255	503	714	10	23	39	48	632	24,982	11	31-56	31-60	36-61	218	317	78-8		
Negombo	13,045	24,037	42	44	86	138	4	2	6	14	124	36,682	04	60-61	25-43	63-40	30	185	Return not read.		
Moraswewa	27,256	26,716	47	53	100	47	2	4	2	3	99	37,344	07	43-63	26-36	43-12	31	178	12-31		
Kalutara	13,005	13,370	19	14	33	25	1	2	2	3	31	33,452	06	27-30	27-37	27-12	6	172	182		
Panadura	5,709	6,261	11	11	22	14	1	2	2	12	15	29,904	38	28-21	24-99	33-58	6	175	273		
<i>Central.</i>																					
Kandy	30,149	30,794	41	33	74	68	4	4	10	29	88	27,662	29	33-65	30-15	36-67	33	253	446	74-3	
Gampola	6,521	6,026	11	8	19	18	1	1	2	8	19	34,903	13	35-17	38-79	36-60	7	290	368	17-08	
Nawalapitiya	3,767	3,852	3	5	11	12	1	2	3	12	14	26,813	63	42-60	28-52	46-53	8	317	727	13-16	
Hatton & Dikoya	3,023	3,075	5	5	10	8	2	2	1	15	8	16,463	29	36-99	36-99	35-77	3	207	300	17-99	
Matale	5,792	6,003	15	6	21	35	2	1	3	28	45	29,764	19	88-26	40-41	101-43	13	276	619	23-11	
Nuwara Eliya	14,910	14,857	7	12	19	8	1	1	3	9	7	16,523	14	11-10	13-78	12-66	5	293	368	68-4	
<i>Northern.</i>																					
Jaffna	40,441	42,139	59	42	101	77	2	4	6	2	132	38,412	22	36-88	34-61	37-68	50	278	495	11-01	
Mannar	3,777	3,800	3	3	7	9	1	1	1	2	14	39,482	24	42-37	44-22	46-66	8	290	889	6-92	
Mullaitivu	1,392	1,412	4	3	7	1	—	—	—	1	3	33,558	36	8-34	51-65	11-05	1	292	148	14-29	
Vavuniya	808	878	—	2	2	3	—	—	—	4	1	22,182	82	13-41	92-23	18-21	2	289	—	14-45	
<i>Southern.</i>																					
Galle	39,936	40,621	62	64	116	57	117	5	8	13	101	30,433	62	29-97	27-75	28-66	27	207	233	78-8	
Matara	3,851	4,354	27	24	51	17	30	—	—	3	37	28,144	84	22-15	23-87	21-69	3	171	69	9-00	
Welligama	3,672	3,939	15	21	36	8	9	—	—	17	27,734	42	22-39	19-57	20-17	4	110	111	—		
Hambantota	3,092	3,154	7	1	8	7	2	9	—	2	7	37,812	86	26-13	35-54	29-22	2	347	250	8-68	
Tangalla	3,505	3,851	4	4	8	7	6	13	—	1	12	35,642	48	36-68	35-15	37-50	3	217	375	7-59	
<i>Eastern.</i>																					
Batticaloa	10,871	10,840	12	16	28	16	10	25	—	1	26	31,053	42	28-24	35-11	27-35	5	367	179	35-26	
Trincomalee	8,840	8,338	14	9	23	17	11	28	—	1	1	29,423	49	38-14	37-80	41-87	8	286	348	17-09	
<i>North-Western.</i>																					
Kurunegala	5,167	6,627	15	16	31	63	—	—	—	15	48	26,392	31	65-51	49-50	67-31	13	343	419	12-78	
Puttalam	5,930	6,214	19	14	33	19	21	40	2	6	34	34,162	63	36-43	36-43	38-91	19	301	576	6-61	
Kalpiya	1,591	1,621	3	5	8	1	3	4	—	6	4	25,798	10	29-05	—	—	1	332	125	78-92	
Chilaw	5,033	5,257	12	12	24	7	13	20	1	2	20	33,103	75	44-80	33-05	42-94	6	200	250	75-81	
<i>North-Central.</i>																					
Anuradhapura	5,361	5,861	8	8	16	12	7	19	1	2	19	22,432	14	38-17	56-39	46-77	7	436	438	77-4	
<i>Uva.</i>																					
Badulla	6,487	6,641	11	11	22	32	25	57	2	3	25	30,979	00	56-73	31-30	62-60	11	273	500	70-4	
Lunegala	516	549	—	—	—	16	9	24	—	23	1	39-35	—	21-44	—	—	—	—	—	—	23-31
<i>Sabaragamulla.</i>																					
Ratnapura	5,476	5,886	8	10	18	60	28	88	2	3	58	30,003	01	60-01	43-59	68-04	8	286	444	78-5	
Kegalle	2,536	2,564	2	4	6	9	7	16	1	3	3	26,727	34	13-67	22-13	12-54	5	220	833	12-34	

* *i.e.*, rate calculated on the basis that the age- and sex-constitution of the population of each town is the same as for the whole Island, and also (as in crude rates) including non-residents. † Infantile death-rate omitted where the number of births is less than five. ‡ This includes the population as added on the extension of the town limits. See note * p. 1. § Estimated to the end of June, 1913, by natural increase method owing to the inability of applying the inter-censal method, as the limits of the town were altered between 1901 and 1911. ¶ Calculated for non-estate events on the population exclusive of the estate population at the Census of 1911. ** Since September 1, 1913, the registration limits at Batticaloa, Kalpiya and Lunegala to be not a reliable, as the population of these towns has not been enumerated at the Census of 1911 by age and sex. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during December, 1913, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 31 Towns.	Western Provinces.				Central Province.				Northern Province.			Southern Province.			Eastern Province.		North-Western Provinces.			North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.															
		Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Horton and Dikoya.	Matale.	Nuware Ehiya.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Galle.	Matara.	Weligama.	Hambantota.	Tangalla.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura.	Badulla.	Lunega.	Ratnapura.	Kegalle.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.			
																																						19	57	24
All Causes	2,024	714	138	99	34	27	117	26	26	78	16	134	16	1	9	17	30	17	9	13	26	28	63	40	4	20	19	57	24	88	16	4	61	988	649	277	31	34		
I.—Infantile Mortality	432	179	24	27	4	4	23	5	3	10	4	44	7	2	14	3	4	2	3	5	7	7	12	15	1	4	5	8	5	2	11	221	104	79	13	4				
A.—One Week and under.																																								
1. Prematurity	59	18	—	—	3	—	5	3	1	1	10	—	—	—	4	—	—	—	—	—	—	—	—	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	58	16	9	—	—	—	2	—	—	—	8	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	38	19	—	—	—	—	5	1	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	6	2	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	4*	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																																								
1. Prematurity	10	5	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	48	21	4	—	—	—	3	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	88	37	9	—	—	—	2	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	17	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	18	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	22	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	29	18	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other causes	31†	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
II.—General Mortality (1 Year and over)	1,592	535	114	72	30	23	94	21	20	68	12	90	9	7	103	27	13	7	10	21	21	51	25	3	16	14	49	24	88	14	4	50	747	545	198	18	30			
1. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* One each from Atelectasis, Syphilis (in Colombo), Asphyxia (in Moratuwa), and Peritonitis (in Jaffna).
 † This includes, besides the 13 deaths mentioned in Table IV., footnote 1, 5 deaths from Dysentery (3 in Moratuwa, 1 each in Mannar and Chilaw), 4 from Fever (in Jaffna), 2 each from Worms (1 each in Kalutara and Puttalam), Malarial Cachexia (1 each in Batticaloa and Anuradhapura), 1 each from Erysipelas (in Moratuwa), Agus (in Kandy), Abscess (in Tangalla), Asthma (in Jaffna), and Malarial Fever (in Trincomalee).

Table III.—Number of Births and Deaths registered during the Month of December, 1913, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1913, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) at the Census of 1911.	Population Estimated to the Middle of 1913 by Intercensal Increase.	Total Births registered.			Stillbirths.			Total Deaths including Deaths in Hospitals and Jails.			Deaths of Non-Residents.	Per Mille per Annum.			Deaths of Children under One Year.	Deaths of Children under One Year Stillbirths, to 1,000 Births registered.			
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.		Average January, 1908, to June, 1913.	December, 1913.	Corrected Death-rate.*		Average January, 1908, to June, 1913.	December, 1913.		
																			Average January, 1908, to June, 1913.	December, 1913.
City of Colombo..	319,557	285,829†	248	255	503	16	23	39	394	320	714	82	632	25.06	25.11	28.14	31.55	36.61	319	483
Fort and Galle Face	3,512	3,512‡	1	1	2	—	1	1	1	—	1	—	1	4.42	6.70	7.07	3.35	—	81	—
Pettah ..	7,974	7,974‡	5	1	6	—	—	—	7	—	7	1	6	6.18	8.86	11.32	8.86	—	288	—
San Sebastian ..	11,548	12,133	16	11	27	—	—	—	13	19	32	3	29	21.36	26.20	23.38	28.14	—	364	296
St. Paul's ..	24,735	25,914	20	19	39	4	4	8	34	29	63	17	46	17.18	17.72	23.10	20.90	—	411	641
Kotahena ..	40,771	42,710	34	46	80	1	2	3	52	41	93	—	93	22.87	22.05	23.97	25.64	—	319	375
New Bazaar ..	22,309	23,626	27	27	54	—	2	2	40	42	82	13	69	23.40	26.91	27.92	34.39	—	412	556
Maradana Hospitals			45	46	91	4	9	13	98	61	159	48	111	—	—	—	—	—	20	—
Maradana (exclusive of Hospitals) ..	48,093	53,561	52	46	98	4	2	6	71	56	127	—	127	22.12	21.54	25.77	27.92	—	354	459
Slave Island ..	21,984	23,377	19	20	39	2	2	4	25	24	49	—	49	23.82	19.64	24.17	24.68	—	361	462
Kollupitiya ..	25,410	28,834	14	17	31	1	—	1	21	22	43	—	43	15.91	12.65	17.23	17.56	—	278	387
Wellawatta ..	13,223	14,188§	15	21	36	—	1	1	32	26	58	—	58	32.28	29.88	24.03	43.13	—	262	417

* For explanation of "corrected death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1913. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the eighteen months, January, 1912, to June, 1913.

Table IV.—Causes of Deaths registered during the Month of December, 1913, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.							
		Port and Galle Race.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maredana Hospitals.	Maredana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	714	1	7	32	63	93	82	159	127	49	43	58	2	44	347	150	128	17	26
I.—Infantile Mortality ..	179	—	1	8	17	27	28	20	39	14	11	14	—	10	95	28	38	6	2
A.—One Week and under.																			
1. Prematurity	18				5		2	6	2		2	3		1	16	1	1		
2. Debility	15				1		2	2	2		3	2		1	7	4	3		
3. Convulsions	19				3		4		9	1					7	4	6	1	
4. Diarrhoea	—																		
4a. Enteritis	—																		
5. Tetanus	2					2													
6. Bronchitis	—																		
7. Pneumonia	—																		
8. Other Causes	2*			1								1					2		
B.—Over 1 Week and under 1 Year.																			
1. Prematurity	5				2		5	3	4			1		4	4		1		
2. Debility	21				3		5	1	9	2	3	3		2	8	5	4		
3. Convulsions	37				6		5		2	6				2	17	7	9	2	
4. Diarrhoea	3								2						2	2	2	1	
4a. Enteritis	16							4	8		1	1			7	2	5	2	
5. Tetanus	—																		
6. Bronchitis	10				1		5		3		1	3				1	4		
7. Pneumonia	18				2		1	2		1	1					3			
8. Other Causes	18†						6	2		3				2	6	1			1
II.—General Mortality (1 Year and over)	535	1	6	24	46	66	54	139	88	35	32	44	2	34	252	122	90	11	24
1. Smallpox	—																		
2. Chickenpox	—																		
3. Measles	—																		
4. Influenza	—																		

* These from Syphilis and Atelectasis (in San Sebastian and Wellawatta respectively).

† Four from Dysentery, 2 each from Stomatitis and Rickets, and 1 each from Septicæmia, Syphilis, Nephritis, Thrush, and Peritonitis.

Table IV.—Causes of Deaths registered during the Month of December, 1913, in each Ward and of each Race in the City of Colombo—*contd.*

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.							
		Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
11.—General Mortality (1 Year and over)— <i>contd.</i>																			
5. Pyrexia or Fever ..	8																		
6. Enteric Fever ..	16																		
7. Malaria ..	3																		
8. Malarial Cachexia ..	1																		
9. Cholera ..	16																		
10. Diarrhoea ..	14																		
10a. Enteritis ..	28																		
11. Dysentery ..	29																		
12. Anchylostomiasis or Doehmias Duo- denalis ..	6																		
13. Cancer ..	4																		
14. Phthisis ..	78																		
15. Other Tuberculous Diseases ..	4																		
16. Anæmia ..	4																		
17. Diabetes Mellitus ..	4																		
18. Convulsions ..	22																		
19. Tetanus ..	4																		
20. Bronchitis ..	23																		
21. Pneumonia ..	52																		
22. Other Diseases of Respiratory System ..	5																		
23. Bright's Disease and Nephritis ..	17																		
24. Puerperal Eclampsia ..	2																		
25. Puerperal Septicæmia ..	5																		
26. Miscarriage ..	—																		
27. Other and undefined Accidents of Childbirth ..	4																		
28. Starvation ..	—																		
29. Accidents or Negligence ..	6																		
30. Homicide ..	3																		
31. Suicide ..	1																		
32. Execution ..	7																		
33. All other causes ..	170*																		

* This includes 34 from Senility, 11 from Intestinal Parasites, 9 from Paralysis, and 8 from Apoplexy