

**SUPPLEMENT**  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,610 — FRIDAY, FEBRUARY 20, 1914.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF JANUARY, 1914.**

**REPORT OF THE REGISTRAR-GENERAL.**

THIS report deals with the Vital Statistics of the 32 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895, the town of Kalmunai in Batticaloa, proclaimed with effect from January, 1914, being included for the first time.

Births.

2. The births numbered 1,536 (793 males and 743 females), and were equal to an annual rate of 32·00 per 1,000, against 31·22 in the preceding month, 30·10 in the corresponding month of last year, and 29·29 the monthly average since July, 1907. The rate ranged from 56·13 in Negombo to 15·22 in Hatton and Dikoya.

3. In the city of Colombo\* the births numbered 513 (275 males and 238 females), and were equal to an annual rate† of 24·84 per 1,000, against 25·11 in the preceding month, 25·82 in the corresponding month of last year, and 24·83 the monthly average. The rate ranged from 31·67 in Wellawatta to 8·51 in Kollupitiya.

Deaths.

4. The total deaths amounted to 2,225 (1,180 males and 1,045 females), and were equal to an annual rate of 41·49 per 1,000, against 38·55 in the preceding month, 35·15 in the corresponding month of last year, and 30·56 the monthly average. The rate ranged from 100·50 in Jaffna to 7·19 in Nuwara Eliya.

5. In the city of Colombo\* the deaths numbered 627 (350 males and 277 females), and were equal to an annual rate† of 29·83 per 1,000, against 36·61 in the preceding month, 29·20 in the corresponding month of last year, and 31·28 the monthly average. Kollupitiya showed the lowest rate, viz., 5·42, and Kotahena the highest, viz., 29·45.

6. Stillbirths numbered 118 (67 males and 51 females), against 113 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 380 per 1,000 births registered, against 377 in the preceding month, 339 in the corresponding month of last year, and 266 the monthly average. The rate ranged from 923 in Chilaw to 125 in Kalmunai.

8. The infantile mortality in the city of Colombo was 361 per 1,000 births registered, against 433 in the preceding month, 321 in the corresponding month of last year, and 322 the monthly average since July, 1907, and ranged from 647 in St. Paul's to 91 in Kollupitiya.

Causes of Death.

9. The highest mortality was from *Pneumonia* and *Malaria* (9 per cent. each), *Diarrhoea* and *Debility* (8 per cent. each), *Infantile Convulsions* and *Dysentery* (7 per cent. each), *Phtisis* (5 per cent.), and *Bronchitis* (3 per cent.).

10. In the city of Colombo the highest mortality was from *Pneumonia* (12 per cent.), *Infantile Convulsions* and *Phtisis* (8 per cent. each), *Debility* (7 per cent.), *Enteritis* (6 per cent.), *Bronchitis* (5 per cent.), *Diarrhoea*, *Dysentery*, *Bright's Disease*, and *Nephritis* (3 per cent. each), and *Enteric Fever* (1 per cent.). Three deaths were due to *Plague*.

11. *Infectious Diseases reported*.—The most prevalent infectious disease during the month was *Chickenpox*, of which 103 cases were reported (54 in Colombo, 10 in Kandy, 9 in Galle, 8 in Gampola), followed by *Phtisis* 94 (73 in Colombo, 12 in Galle), *Enteric Fever* 70 (33 in Colombo, 11 in Moratuwa, 7 in Galle), *Measles* 23 (11 in Colombo, 6 in Kandy, 5 in Galle), *Cholera* 17 (13 in Galle, 2 each in Colombo and Negombo), *Continued Fever* 17 (16 in Colombo, 1 in Panadura), *Acute Diarrhoea* 12 (10 in Kalutara, 2 in Colombo), *Mumps* 9 (in Colombo), *Plague* 4 (3 in Colombo, 1 in Kandy), *Dysentery* 4 (2 in Kalutara, 1 each in Moratuwa and Kegalla), and *Beri-beri* 1 (in Colombo).

Meteorology.

12. *Rainfall*.—Batticaloa recorded the highest rainfall (16·74 inches), followed by Badulla (8·49 inches). The next highest records (4·66 inches and 4·42 inches) were in Matale and Kalutara, while in the other towns the rainfall ranged from 3·60 inches in Mullaittivu to 0·15 inch in Negombo.

13. *Temperature*.—The mean temperature varied from 58·3° in Nuwara Eliya to 80·7° in Ratnapura, and was 80·2° in Colombo and 75·9° in Kandy.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,  
Colombo, February 14, 1914.

N. W. MORGAPPAN,  
for Registrar-General.

\* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during January, 1914, their Proportion per 1,000 of the Population per Annun, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to December, 1913, under One Year and Rainfall and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated for the middle of the Census at 1914 by Intercessional Increase.	Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town-Bed-Residents.	Deaths of Town-Bed-Residents.	Birth-rate.		Death-rate.		Deaths of Children under One Year, including Still-births.	Deaths of Children under One Year, including Still-births.	Mean Temp. & Temperature.	Rainfall in Inches.						
		Males.	Females.	Males.	Females.	Persons.	Persons.			July, 1907, to Dec., 1913.	January, 1914.	Crude, January, 1914.	July, 1907, to Dec., 1913.	January, 1914.	Crude, January, 1914.	July, 1907, to Dec., 1913.	January, 1914.	Crude, January, 1914.	July, 1907, to Dec., 1913.	January, 1914.			
	All 32 Towns	517,877	535,133	793	743	1,536	1,180	1,045	2,225	67	51	118	368	1,827	29·29	32·00	38·06	30·56	41·49	583	286	380	
Western.																							
Colombo	219,557	233,114	275	238	513	350	277	627	22	22	44	68	531	24·83	24·84	25·72	31·28	29·83	185	322	361	80·2	
Negombo	13,045	23,912	63	51	114	60	62	112	4	3	7	5	107	36·57	56·13	52·69	26	188	228	—	0·16		
Marawana	27,056	28,495	61	68	119	58	73	131	2	1	3	3	128	37·46	52·88	58·88	34	182	286	—	—		
Kalutara	13,005	13,634	31	25	56	25	19	44	3	4	7	7	37	33·42	48·72	32·19	13	176	232	—	4·42		
Paradure	5,709	6,513	5	10	20	9	29	—	—	8	—	21	29·51	18·08	37·96	25·04	45·19	4	187	400	—	—	
Central.																							
Kandy	30,149	31,182	50	57	107	45	46	91	4	1	5	18	73	27·43	40·40	27·56	29·78	30·04	24	255	224	75·9	2·78
Gampola	6,521	6,257	10	10	20	16	15	31	—	—	8	8	23	34·59	37·64	43·28	37·78	44·92	7	287	350	—	1·19
Nawalapitiya	3,705	3,886	7	8	15	12	5	17	1	1	2	8	9	27·17	45·45	27·27	29·39	29·65	5	325	333	—	3·23
Hatton & Dikoya	3,025	3,094	2	2	4	12	7	19	—	1	1	12	7	16·84	16·22	26·64	33·11	31·11	2	215	—	—	4·66
Matale	5,792	6,097	12	7	19	35	40	75	1	—	1	40	35	30·24	38·69	67·59	41·39	77·67	7	286	368	—	2·23
Nuwara Eliya	14,910	14,938	9	11	20	6	7	13	2	—	5	8	16	86·16	76·76	6·31	13·54	7·19	5	287	250	58·3	2·23
Northern.																							
Jaffna	40,441	42,891	57	67	124	162	201	363	7	6	13	4	368	37·98	34·04	98·28	34·01	100·50	104	279	839	77·5	1·35
Manner	3,777	3,939	6	8	14	15	4	19	—	—	6	13	13	39·42	41·85	38·86	43·82	42·79	8	302	371	79·2	1·31
Mullaitivu	1,382	1,421	1	4	5	1	—	2	—	—	—	2	2	33·13	41·42	16·57	49·13	21·97	—	276	—	—	3·60
Vavuniya	808	910	2	—	2	3	—	—	—	—	—	2	1	22·38	26·88	12·94	85·60	—	1	—	—	—	1·36
Southern.																							
Galle	39,936	40,916	68	53	121	63	69	132	5	3	8	16	116	30·20	34·82	33·38	27·68	32·68	28	209	231	79·3	1·17
Matara	13,851	14,579	20	26	46	27	22	49	1	—	1	5	44	38·11	37·15	35·54	23·40	34·81	14	172	304	—	1·63
Wellawaya	8,672	9,059	13	8	21	10	14	24	—	1	1	—	24	29·21	27·29	31·19	21·42	28·10	6	115	286	—	—
Hambantota	3,092	3,081	4	8	6	5	11	5	—	1	1	3	7	37·77	29·61	25·91	35·61	28·97	6	361	750	79·7	1·34
Tangalla	3,506	4,011	8	6	14	5	10	1	—	1	2	8	35·92	41·09	23·48	34·47	24·00	5	219	357	—	2·25	
Eastern.																							
Batticaloa	10,671	10,913	8	8	16	17	9	26	—	2	—	—	26	31·42	17·26*	28·05**	35·05	27·66**	13	364	813	78·5	16·74
Kalmunai	—	2,007	5	3	8	10	2	12	—	—	3	9	—	46·93	52·80	—	—	—	1	—	126	—	—
Trincomalee	8,840	8,132	13	26	13	18	31	3	—	3	1	30	30·14	37·65	43·44	37·39	47·68	11	294	423	79·0	1·80	
North-Western.																							
Kurunegala	8,167	8,829	12	9	21	63	39	102	1	2	3	40	62	26·94	28·00	82·68	48·96	84·95	14	343	667	78·8	0·88
Puttalam	5,990	6,312	15	10	25	13	13	26	3	1	4	7	19	34·61	43·63	35·44	36·16	37·91	13	310	520	78·2	0·00
Kalpitiya	1,591	1,633	6	—	6	7	5	12	1	—	1	—	12	26·44	43·27	86·54	—††	3·319	500	—	0·60		
Chilaw	5,033	5,357	6	7	13	16	9	25	1	—	1	2	23	33·03	28·57	50·55	33·46	48·46	12	209	923	—	0·82
North-Central.																							
Anuradhapura	5,381	6,088	5	8	13	14	10	24	—	—	—	24	23·01	25·14	46·42	55·52	56·88	5	425	385	76·8	1·63	
Uva.																							
Badulla	6,487	6,703	12	12	24	32	22	54	2	—	2	27	31·64	42·16	47·43	32·72	52·33	10	286	417	70·6	8·49	
Lunugama	615	562	2	—	2	10	10	20	—	—	18	2	38·55	41·93	41·93	—††	—	196	—	—	—	—	
Sabaragamuwa.																							
Ratnapura	5,476	6,063	10	10	20	41	30	71	1	1	2	33	38	29·64	38·84	73·80	43·17	83·66	12	287	600	80·7	4·06
Kegalle	2,536	2,605	6	10	13	7	20	20	—	—	17	3	26·72	45·20	13·56	21·84	12·44	5	235	500	—	0·75	

\* I.e., rate calculated on the basis that the age- and sex-distribution of the population of each town is the same as for the whole Island, and also (as in crude rate) excluding non-residents. \*\* Blanks indicate that there are no observatories or rain-gauges.

† Estimated to the end of December, 1913, by the natural increase method, as the limits of the town were altered between 1901 and 1913. Since September 1, 1913, the registration limits of Batticaloa town have been extended to make them co-extensive with those of subsequent ones.

‡ Corrected death-rates can only be safely compared with those of subsequent towns. Hence the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

§ Infantile death-rate omitted where the number of births is less than five.

|| Calculated for non-residents events on the population exclusive of the estate population within the Local Board areas.

¶ Since the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

\*\* All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

|| Infantile death-rate added on the extension of the town.

¶ This includes the population as added on the extension of the town.

\*\* Since the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

|| Infantile death-rate added on the extension of the town.

¶ This includes the population as added on the extension of the town.

\*\* Since the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

|| Infantile death-rate added on the extension of the town.

¶ This includes the population as added on the extension of the town.

\*\* Since the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

|| Infantile death-rate added on the extension of the town.

¶ This includes the population as added on the extension of the town.

\*\* Since the rates in previous reports given for "All Towns" are therefore independent of these towns, but is scarcely affected by their rates.

|| Infantile death-rate added on the extension of the town.

¶ This includes the population as added on the extension of the town.

Table II.—Causes of Deaths registered during January, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1896.

Causes of Deaths.		Western Province.		Central Province.		Northern Province.		Southern Provinces.		North-Western Province.		Provinces of Sabaragamawa.		Deaths among all Races.							
All 32 Towns.	2,225	627	112	131	44	29	91	31	17	19	756	13,833	19	2	54	981	881	273	24	27	
All Causes	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
I.—Infantile Mortality	465	141	19	31	6	4	19	7	3	1	6	3	91	8	1	20	13	5	4	11	1
A.—One Week and under.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1. Prematurity	68	18	—	5	2	1	4	—	2	—	18	—	1	3	6	2	1	1	2	—	1
2. Debility	62	12	—	—	—	—	—	—	—	—	14	4	—	2	1	3	1	2	—	1	1
3. Convulsions	37	17	1	—	2	—	—	—	—	—	—	2	3	1	1	3	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1. Prematurity	..	9	1	—	—	—	—	—	—	—	1	—	5	1	1	3	—	—	—	—	—
2. Debility	..	51	16	2	4	—	—	—	—	—	3	—	8	2	2	1	2	—	—	—	—
3. Convulsions	..	89	23	2	7	1	1	3	1	1	9	—	8	2	2	1	1	—	—	—	—
4. Diarrhoea	..	14	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	11	6	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
5. Tetanus	..	7	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—
6. Bronchitis	..	31	13	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
7. Pneumonia	..	20	11	1	—	—	—	—	—	—	2	—	13	1	—	2	—	—	—	—	—
8. Other causes	..	56†	17	1	1	—	—	—	—	—	1	—	22	2	—	4	—	—	—	—	—
II.—General Mortality (1 Year and over)	..	1,760	486	93	100	38	25	72	24	14	18	69	10,272	11	2	2,112	36	19	6	6,15	11
1. Plague	..	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1a. Smallpox	..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* One each from Intestinal Obstruction, Asphyxia Neonatorum (in Moratuwa).

† This includes the 17 deaths mentioned in Part IV., footnote 1, 3 deaths from Fever (in Jaffna), 9 from Malaria (4 in Jaffna, 1 each in Panadura, Matale, Chilaw, Anuradhapura, and Ratnapura), 5 from Dysentery (3 in Jaffna, 2 in Mannar), 2 each from Worms (1 each in Kandy, Chilaw, Asthew), Constipation (in Chilaw), Abscess (in Jaffna), Malaria, Oedema (Negombo), Thrush (in Moratuwa), Retention of Urine (in Kandy), Nephritis (in Matale), and Syphilis (in Galle).

Table II.—Causes of Deaths registered during January, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Northern Province.	Southern Province.	North-Western Province.	Provinces of Sabaragamuwa.	Deaths among all Races.		
								Others.	Melays.	Tamils.
II.—General Mortality— <i>contd.</i>								( 4 )		
4. Influenza	27	4	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	36	8	10	1	2	1	1	—	3	—
6. Enteric Fever	36	6	4	—	1	3	4	—	5	3
7. Malaria	181	6	4	22	1	1	2	1	15	—
8. Malaria Cachexia	68	8	7	1	—	—	4	—	30	11
9. Cholera	157	16	14	3	4	6	7	2	16	1
10. Diarrhea	67	30	—	—	1	2	3	—	17	9
10a. Enteritis	152	18	11	13	2	3	1	1	2	4
11. Dysentery	—	—	—	—	—	—	—	—	47	99
12. Anchylostomiasis or Duodenitis	70	10	—	3	2	3	2	2	12	4
13. Cancers	6	5	—	—	—	—	1	—	18	51
14. Phthisis	109	52	2	11	3	3	10	1	56	24
15. Other tuberculous diseases	10	8	—	—	—	—	1	—	9	14
16. Anæmia	16	5	—	1	—	—	1	—	4	1
17. Diabetes Mellitus	2	2	—	—	—	—	1	—	1	—
18. Convulsions	47	13	1	5	2	1	3	2	1	—
19. Tetanus	4	—	16	1	—	1	2	—	9	7
20. Bronchitis	27	16	1	—	3	—	1	2	1	—
21. Pneumonia	174	62	13	—	1	6	6	3	16	1
22. Other Diseases of the Respiratory System	17	5	—	1	—	—	3	1	1	—
23. Bright's Disease and Nephritis	36	19	2	2	1	—	2	—	1	1
24. Puerperal Eclampsia	5	—	6	5	3	—	1	1	2	—
25. Puerperal Septicæmia	31	6	1	—	—	1	2	1	1	—
26. Miscarriage	—	—	17	—	2	—	1	—	17	9
27. Other and undefined Accidents of Childbirth	16	5	—	—	2	—	1	—	5	3
28. Starvation	—	—	—	—	—	—	1	—	16	12
29. Accidents or Negligence	33	17	—	2	—	—	1	—	1	—
30. Homicide	4	1	—	—	—	—	1	—	4	—
31. Suicide	3	1	—	—	—	—	1	—	1	1
32. Execution	2	—	164	16	29	13	4	25	3	4
33. All other causes	453*	164	16	—	—	—	—	5	9	4
								7	3	6
								22	241	64
								3	—	4

\* Here are included 130 from Old Age (48 in Colombo, 17 in Jaffna), 63 from Worms (24 in Galle), and 22 from Paralysis (9 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of January, 1914, and their Proportion per 1,000 of the Population, and the Deaths of Children under One Year, including Stillbirths, and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1913, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) Estimated to the Middle of 1914 by Intercessional Increase.	Population at the Census of 1911.	Per Mille per Annum.												Deaths of Children under One Year of Age, including Stillbirths, to 1,000 Births registered.	Deaths of Children under One Year.	Average January, 1908, to Dec., 1913.				
			Total Births registered.						Stillbirths.												
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Average January, 1908, to Dec., 1913.	January, 1914.	Average January, 1908, to Dec., 1913.				
<b>City of Colombo..</b>	<b>219,557</b>	<b>243,114†</b>	<b>275</b>	<b>238</b>	<b>513</b>	<b>22</b>	<b>22</b>	<b>44</b>	<b>350</b>	<b>277</b>	<b>627</b>	<b>96</b>	<b>531</b>	<b>24·89</b>	<b>24·84</b>	<b>27·35</b>	<b>25·72</b>	<b>29·83</b>	<b>141</b>	<b>324</b>	<b>361</b>
Fort and Galle Face	3,512	3,612‡	—	—	—	—	—	—	3	—	3	—	3	4·33	—	6·77	10·06	—	—	74	—
Pettah	7,974	7,974‡	2	3	5	—	—	—	6	2	8	2	6	6·22	7·38	11·04	8·86	—	2	287	—
San Sebastian	11,546	12,393	14	13	27	—	1	1	18	12	30	6	24	21·55	25·65	23·08	22·80	—	10	362	407
St. Paul's	24,735	26,438	16	18	34	2	4	6	39	30	69	19	50	17·23	16·14	22·59	22·27	—	16	420	647
Kotahene	40,771	43,574*	51	50	101	6	2	8	55	54	109	—	109	22·78	27·29	23·78	29·45	—	22	322	297
New Bazaar	22,309	24,211	21	23	44	4	1	5	33	26	59	1	58	23·51	21·40	27·61	28·21	—	23	411	636
Maradana Hospitals	48,093	86,081	42	36	77	6	6	12	94	71	165	61	104	—	—	—	—	—	17	—	—
Maradana (exclusive of Hospitals)	{	{	69	41	110	2	3	5	58	32	90	—	90	21·78	23·09	25·41	18·90	—	27	360	291
Slave Island	21,984	23,997	31	23	54	1	3	4	21	25	40	—	46	23·65	26·50	24·02	22·57	—	13	365	315
Kollupitiya	25,410	30,435	10	12	22	1	—	1	8	6	14	—	14	15·60	8·51	16·68	5·42	—	1	280	91
Wellawatta	13,223§	14,501	19	20	39	—	2	2	15	19	34	7	27	31·67	27·00	21·92	—	10	291	308	

\* For explanation of "corrected death-rate" see note \*, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their corrected death-rates cannot be calculated.

† Estimated partly on the natural increase method and partly on the intercessional increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercessional increase method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the twenty-four months, January, 1912, to December, 1913.

Table IV.—Causes of Deaths registered during the Month of January, 1914, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	Ward.	Deaths among all Races.										Others.								
		Malays.	Moors.	Tamils.	Sinhalese.	Burghers.	Europeans.	Wellawatte.	Kollupitiya.	Slave Island.	Maredana (exclusive of Hospitals).									
All Causes	..	627	8	30	69	109	59	165	90	46	14	34	3	31	299	141	115	16	22	
I.—Infantile Mortality	..	141	—	2	10	16	22	23	17	27	13	1	10	—	5	72	21	27	8	8
A.—One Week and under.																				( 6 )
1. Prematurity		18	—	—	—	—	—	5	—	8	4	1	—	—	—	—	—	—	—	—
2. Debility		12	—	—	—	—	—	—	—	2	3	6	—	—	—	—	—	—	—	2
3. Convulsions		17	—	—	—	—	—	—	—	2	2	6	—	—	—	—	—	—	—	2
4. Diarrhoea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus		—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
6. Bronchitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																				
1. Prematurity		1	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—
2. Debility		15	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	—	2
3. Convulsions		23	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1
4a. Enteritis		6	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1
5. Tetanus		2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
6. Bronchitis		13	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	1
7. Pneumonia		11	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	1
8. Other Causes		17*	—	—	—	—	—	—	2	5	3	—	—	—	—	—	—	—	—	1
II.—General Mortality (1 Year and over)	..	486	8	6	20	53	87	36	148	63	83	13	24	3	26	227	120	88	8	14
1. Plague		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
1a. Smallpox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Influenza		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* This includes 4 each from Rickets and Syphilis, 2 from Stomatitis, and 1 each from Whooping Cough, Worms, Ulcer, Tuberculous Meningitis, Nephritis, Gastritis, and Peritonitis.

4. Includes

Table IV.—causes of Deaths registered during the Month of January, 1914, in each Ward and of each Race in the City of Colombo—*contd.*

Causes of Deaths.	Ward.	Deaths among all Races.									
		Others.	Malay's.	Moor's.	Tamils.	Sinhalese.	Burghers.	Europeans.	Chinese.	Siamese.	Arabs.
II.—General Mortality (1 Year and over)— <i>contd.</i>											
5. Pyrexia or Fever ..		4	8	..	..	..	..	..	..	..	..
6. Enteric Fever ..		6	..	..	..	..	..	..	..	..	..
7. Malaria ..		6	..	..	..	..	..	..	..	..	..
8. Malarial Cachexia ..		4	..	..	..	..	..	..	..	..	..
9. Cholera ..		7	..	..	..	..	..	..	..	..	..
10. Diarrhoea ..		15	..	..	..	..	..	..	..	..	..
10a. Enteritis ..		30	..	..	..	..	..	..	..	..	..
11. Dysentery ..		18	..	..	..	..	..	..	..	..	..
12. Ankylostomiasis or Dochmias Duodenalis ..		10	..	..	..	..	..	..	..	..	..
13. Cancer ..		5	..	..	..	..	..	..	..	..	..
14. Phthisis ..		62	..	..	..	..	..	..	..	..	..
15. Other Tuberculous Diseases ..		8	..	..	..	..	..	..	..	..	..
16. Anæmia ..		5	..	..	..	..	..	..	..	..	..
17. Diabetes Mellitus ..		2	..	..	..	..	..	..	..	..	..
18. Convulsions ..		13	..	..	..	..	..	..	..	..	..
19. Tetanus ..		—	..	..	..	..	..	..	..	..	..
20. Bronchitis ..		16	..	..	..	..	..	..	..	..	..
21. Pneumonia ..		62	..	..	..	..	..	..	..	..	..
22. Other Diseases of Respiratory System ..		5	..	..	..	..	..	..	..	..	..
23. Bright's Disease and Nephritis ..		19	..	..	..	..	..	..	..	..	..
24. Puerperal Eclampsia ..		—	..	..	..	..	..	..	..	..	..
25. Puerperal Septicæmia ..		6	..	..	..	..	..	..	..	..	..
26. Miscarriage ..		—	..	..	..	..	..	..	..	..	..
27. Other undefined Accidents of											
Childbirth ..		5	..	..	..	..	..	..	..	..	..
Starvation ..		—	..	..	..	..	..	..	..	..	..
Accidents or Negligence ..		17	..	..	..	..	..	..	..	..	..
30. Homicide ..		1	..	..	..	..	..	..	..	..	..
31. Suicide ..		1	..	..	..	..	..	..	..	..	..
32. Executions ..		1	..	..	..	..	..	..	..	..	..
33. All other causes ..		164*	..	..	..	..	..	..	..	..	..
			2	10	14	37	10	36	15	7	6
										11	88
											24
											36
											2
											3

\* This includes 46 from Senility, 14 from Debility, 10 from Worms, 10 from Anchylotomiasis, and 9 from Paralysis.