

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,631 — FRIDAY, JUNE 26, 1914.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF MAY, 1914.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 32 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,296 (679 males and 617 females), and were equal to an annual rate of 27·00 per 1,000, against 27·75 in the preceding month, 28·82 in the corresponding month of last year, and 29·29 the monthly average since July, 1907. The rate ranged from 58·67 in Kalmunai to 5·80 in Anuradhapura.

3. In the city of Colombo* the births numbered 463 (246 males and 217 females), and were equal to an annual rate† of 22·42 per 1,000, against 18·27 in the preceding month, 24·62 in the corresponding month of last year, and 24·83 the monthly average. The rate ranged from 22·73 in Wellawatta to 11·22 in Kollupitiya.

Deaths.

4. The total deaths registered during the month amounted to 1,640 (915 males and 725 females). There were 1,276 deaths of residents equivalent to an annual rate of 28·98 per 1,000, against 30·15 in the preceding month, 27·86 in the corresponding month of last year, and 30·56 the monthly average. The rate ranged from 98·84 in Mullaithivu to 15·22 in Weligama and 4·49 in Nuwara Eliya.

5. In the city of Colombo* the deaths numbered 483 (288 males and 195 females). There were 432 deaths of residents equivalent to an annual rate† of 24·27 per 1,000, against 24·33 in the preceding month, 26·25 in the corresponding month of last year, and 31·28 the monthly average. Kollupitiya showed the lowest death-rate, viz., 5·80, and Wellawatta the highest, 26·79.

6. Stillbirths numbered 90 (45 males and 45 females), against 99 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 263 per 1,000 births registered, against 230 in the preceding month, 283 in the corresponding month of last year, and 266 the monthly average. The rate ranged from 571 in Nawalapitiya, Hambantota, and Mullaithivu to 57 in Weligama.

8. The infantile mortality in the city of Colombo was 248 per 1,000 births registered, against 258 in the preceding month, 329 in the corresponding month of last year, and 322 the monthly average, and ranged from 405 in Slave Island to 172 in Kollupitiya.

Causes of Death.

9. The highest mortality was from *Diarrhea, Debility, and Pneumonia*, to each of which 9 per cent. of the total deaths was due, 7 per cent. were due to *Infantile Convulsions*, 6 per cent. each to *Phthisis* and *Dysentery*, 4 per cent. to *Anchylostomiasis*, and 3 per cent. to *Bronchitis*.

10. In the city of Colombo the highest mortality was from *Phthisis*, which caused 11 per cent. of the total number of deaths in the city. 9 per cent. of the deaths were due to *Debility*, 8 per cent. each to *Pneumonia* and *Infantile Convulsions*, 7 per cent. to *Enteritis*, 6 per cent. to *Plague*, as in the previous month, 4 per cent. to *Bronchitis*, and 1 per cent. each to *Diarrhoea* and *Anchylostomiasis*. The total number of deaths from *Plague* was 30, against 29 in April and 71 in March.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 76 cases were reported (64 in Colombo, 3 each in Galle and Matara), followed by *Chickenpox* 41 (22 in Colombo, 8 in Gampola, 4 each in Moratuwa and Badulla), *Enteric Fever* 28 (20 in Colombo, 3 in Moratuwa), *Plague* 27 (in Colombo), *Whooping Cough* 10 (in Trincomalee), *Measles* 10 (7 in Colombo), *Continued Fever* 9 (6 in Colombo), *Mumps* 3 (in Colombo), *Dysentery* 2 (1 in Moratuwa and the other in Kegalla), *Smallpox* 2 (1 in Colombo and the other in Tangalla), *Diarrhoea* 1 (in Colombo), and *Diphtheria* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Hatton and Dikoya recorded the highest rainfall (18·41 inches), followed by Ratnapura (16·75 inches). In the other towns the rainfall ranged from 0·76 inch in Jaffna to 14·32 inches in Colombo.

13. *Temperature.*—The mean temperature varied from 63·1° in Nuwara Eliya to 87·1° in Trincomalee and Mannar, and was 83·0° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, June 16, 1914.

BERTRAM HILL,
Registrar-General.

* Consequent on the extension of the Municipal limits of the Colombo town on November 9, 1911, by the addition of Wellawatta, the limits of the registration division of Kollupitiya Ward were altered with effect from January 1, 1912, by Proclamation of December 18, 1911.

† The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during May, 1914, their Proportion per 1,000 of the Population per Annun, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to December, 1913, under One Year and their Proportion per 1,000 Registered Births and Infantile Mortality from July, 1907, to December, 1913, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns,	Population		Total Births.		Total Deaths.		Deaths of Children under One Year to 1,000 Births.		Deaths of Children under One Year.		Mean Temperature.	
	Males.	Females.	Males.	Females.	Males.	Females.	July, 1907, to Dec., 1913.	May, 1914.	July, 1907, to Dec., 1913.	May, 1914.	July, 1907, to Dec., 1913.	May, 1914.
	estimated to the middle of the Census of March 10, 1911.	Persons.	Persons.	Persons.	Persons.	Persons.	Deaths of Non-residents in Town and Districts of Province.					
All 82 Towns	517,877	565,153	679	617	1,296	915	725	1,640	45	90	351	1,276
Western.												
Colombo	219,577	243,114	246	217	463	288	195	483	14	17	31	40
Negombo	13,045	23,912	29	47	76	34	32	66	1	1	2	8
Moratuwa	27,256	26,495	62	48	110	39	28	67	6	1	7	2
Kalutara	13,005	13,534	15	18	33	17	13	33	2	1	2	4
Panadura	6,709	6,513	3	6	10	8	18	—	1	1	9	9
Central.												
Kandy	30,149	31,182	46	30	76	56	39	95	3	1	4	22
Gampola	6,521	6,557	9	7	16	12	17	29	—	1	1	8
Navalapitiya	3,767	3,886	3	4	7	14	16	30	1	—	1	19
Hastota & Dikoya	3,025	3,094	6	3	9	22	3	59	—	—	1	17
Matale	5,792	6,097	9	10	19	40	19	59	—	1	1	40
Nuwara Eliya	14,910	14,938	7	11	2	9	11	—	—	6	5	6
Southern.												
Galle	39,936	40,916	44	49	93	34	41	75	4	8	12	3
Matara	13,851	14,579	25	11	36	18	13	31	—	—	—	2
Waligama	8,672	9,059	21	14	35	5	8	13	—	—	—	—
Hambantota	3,092	3,081	5	2	7	2	11	—	—	—	11	—
Tangalle	3,505	4,011	7	6	13	5	4	9	—	1	2	7
Northern.												
Jaffna	40,441	42,891	46	60	106	79	96	175	4	5	9	2
Mannar	3,777	3,939	9	6	15	13	6	18	—	—	7	172
Mullaithivu	1,392	1,521	3	4	7	6	3	9	—	—	13	29
Vavuniya	808	910	—	1	—	1	—	—	—	—	9	33
Easters.												
Batticaloa	10,671	10,913	17	19	36	17	21	38	3	—	1	37
Kelmannai	—	2,007	7	3	10	12	10	22	—	—	9	—
Trincomalee	8,840	8,132	13	7	20	27	25	62	—	1	1	51
North-Western.												
Kurunegala	8,167	8,829	8	8	16	38	32	70	2	3	5	48
Puttalam	5,990	6,312	4	9	13	9	7	16	1	1	1	4
Kapitiya	1,591	1,633	2	2	4	4	2	6	—	—	6	43
Chilaw	5,033	6,387	8	9	17	7	4	11	—	—	11	33
North-Central.												
Anuradhapura	6,361	6,088	3	—	3	9	8	17	1	—	1	17
Uva.												
Badulla	6,487	6,703	8	6	14	11	11	22	—	—	12	10
Lunugala	515	562	—	—	—	11	8	19	—	—	1	38
Sakaragamuwa.												
Ratnapura	5,476	6,063	9	6	15	50	37	87	2	1	3	61
Kegalle	2,536	2,605	5	4	9	17	17	24	—	2	2	16

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex-and age-constitution of the several populations in 1911 as compared with that of the Island. This includes the population as added on the extension of the town limits. Blanks indicate that there are no observations or rain-gauge.

** Infants deaths are omitted where the number of births is less than five.

† Estimated to the end of December, 1913, by natural increase method, as the limits of the town were altered between 1910 and 1911.

‡ Calculated for non-resident events of the estate population of the Census of 1911.

§ Since September 1, 1913, the registration limits of Batticaloa town have been extended in order to make them co-extensive with the Local Board area.

** Standardized death-rates for Kalutara and Lunugala towns not available, as the population of these towns has not been enumerated at the Census of 1911 by age and sex, whilst the town of Kalmunai was created a registration division only in January, 1914. This data given for "All Towns" is therefore dependent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during May, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	North-Western Province.	North-Central Province.	Province of Uva.	Deaths among all Races.										
									Malabar.	Kerala.	Trichinosis.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
All Causes	1,640	493	66	67	30	18	95	29	30	25	59	11	75	31	13	11	9	238	22
I.—Infantile Mortality	341	115	16	23	10	—	18	8	4	2	5	1	18	7	2	4	2	46	6
A.—One Week and under.																			
1. Prematurity	30	4	—	2	—	—	2	1	1	—	1	—	4	1	1	1	1	8	52
2. Debility	47	13	2	1	1	1	1	1	1	—	1	—	4	1	1	1	1	2	1
3. Convulsions	24	11	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes	4*	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																			
1. Prematurity	3	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—
2. Debility	45	15	3	—	—	—	5	—	—	—	4	1	—	6	1	1	1	2	—
3. Convulsions	69	22	3	2	5	—	—	2	2	2	—	1	—	10	1	1	1	1	—
4. Diarrhoea	14	3	—	4	—	—	—	1	2	—	—	—	—	3	—	—	—	—	5
4a. Enteritis	17	13	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
5. Tetanus	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1
6. Bronchitis	20	6	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
7. Pneumonia	19	7	6	4	—	—	—	—	—	—	—	—	—	9	—	—	—	—	5
8. Other causes	40†	19	—	3	3	—	—	—	—	—	—	—	—	1	1	1	1	—	1
III.—General Mortality (1 Year and over)																			
1. Plague	368	50	44	20	18	77	21	26	23	54	10	57	24	11	7	71	29	12	5
1a. Smallpox	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Two from Prolonged Labour (1 each in Kandy and Jaffna), 1 each from Thrush (in Negombo), and Meningitis (in Colombo).
 † This includes, besides the 19 deaths mentioned in Table IV., footnote †, 5 deaths from Malaria (2 in Jaffna, 1 each in Mullaitivu, Trincomalee, and Anuradhapura), 4 from Syphilis (1 each in Nawaapitiya, Hatton and Dikoya, Jaffna, and Kurunegala), 3 each from Fever (2 in Jaffna, 1 in Kalutara), Worms (2 in Kandy, 1 in Puttalam), 1 each from Bit of a Pup (in Moratuwa), Dysentery (in Matara), Chickenpox (in Lunugala), and Leprosy (in Jaffna).

Table II.—Causes of Deaths registered during May, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 32 Towns.	Western Province.			Central Province.			Southern Province.			Northern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.			Deaths among all Races.					
		Colombo.	Negombo.	Matale.	Kandy.	Panadura.	Gampola.	Nuwara Eliya.	Hambantota.	Tangalle.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Kalmunai.	Batticaloa.	Lamugala.	Ratnapura.	Europeans.	Burmese.	Dutchers.	Malays.	Moors.	Others.				
II.—General Mortality—contd.																												
4. Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Enteric Fever	14	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria	63	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria Cachexia	65	5	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Cholera	141	4	8	3	3	6	11	4	9	18	11	2	1	1	7	2	4	—	—	—	—	—	—	—	—	—	—	—
10. Diarrhoea	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10a. Enteritis	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Dysentery	93	12	4	2	—	—	—	5	4	4	2	1	2	1	7	2	1	—	—	—	—	—	—	—	—	—	—	—
12. Ankylostomiasis or Duodenitis	70	5	1	5	—	—	—	4	2	5	2	11	8	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Cancer	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Phthisis	54	4	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15. Other tuberculous diseases	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16. Anæmia	12	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Diabetes Mellitus	5	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Convulsions	29	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Tetanus	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Bronchitis	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21. Pneumonia	32	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Other Diseases of the Respiratory System:	21	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23. Bright's Disease and Nephritis	31	10	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Puerperal Endometritis	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Septicæmia	28	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Other and undefined Accidents of Childbirth	16	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Starvation	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Accidents or Negligence	39	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Homicide	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Suicide	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Execution	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. All other causes	313*	112	10	13	7	3	30	2	1	12	3	35	7	8	1	1	26	1	1	3	6	10	2	2	1	1	4	

* Here are included 69 from Old Age 25 in Colombo), 52 from Debility (16 in Colombo), 27 from Worms (10 in Galle), and 16 from Paralysis (7 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of May, 1914, and their Proportion per 1,000 of the Population, the number of Stillbirths, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1913, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) Estimated to the Middle of 1914 by Intercensal Increase. 243,114†	Population (inclusive of the Military) at the Census of 1911. 219,557	Total Births registered.		Stillbirths.		Total Deaths including Deaths in Hospitals and Jails.		Deaths of Non- residents.		Deaths of Residents.		Per Mille per Annum.		Deaths of Children under One Year under 1,000 Births registered.		Deaths of Children under One Year.		Deaths of Children under One Year under 1,000 Births registered.			
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Birth-rate.	Crude Death-rate.	Standard- ized Death- rate.*	Average January, 1908, to Dec., 1913.	May, 1914.	May, 1914.	Average January, 1908, to Dec., 1913.	May, 1914.		
Fort and Galle Face	3,512	3,512†	1	—	1	—	—	—	3	—	—	3	4·33	—	6·77	10·06	—	1	74	—		
Pettah	7,974	7,974†	3	—	3	—	—	—	4	—	—	4	6·22	4·43	11·04	5·91	—	—	287	—		
San Sebastian	11,574.	12,393	11	7	18	—	1	1	11	9	20	2	18	21·55	17·10	23·08	17·10	—	5	362	278	
St. Paul's	24,735	26,436	16	13	29	1	1	2	24	19	43	4	39	17·23	12·92	22·59	17·37	—	10	420	345	
Kotahena	40,771	43,574	43	38	81	3	4	7	28	30	58	—	58	22·78	21·89	23·78	16·67	—	21	322	259	
New Bazaar	22,309	24,211	19	27	46	1	—	1	18	22	40	5	35	23·51	22·37	27·51	17·02	—	13	411	.283	
Maradana Hospitals (exclusive of Hospitals)	48,093	56,081	48	45	93	4	4	8	80	55	135	39	96	—	—	—	—	—	10	—	—	
Slave Island	..	21,984	23,997	28	14	42	—	3	28	17	45	—	45	23·65	20·61	24·02	22·08	—	17	365	406	
Kollupitiya	..	25,410	30,436	16	14	29	2	—	2	14	1	15	—	15	15·60	11·22	16·68	5·80	—	5	280	172
Wellawatta	..	13,223§	14,501	15	13	28	1	2	3	25	9	34	1	33	31·06	32·73	27·00	26·79	—	5	291	179

* For explanation of "standardized death-rate" see note * , Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the twenty-four months, January, 1912, to December, 1913.

Table IV.—Causes of Deaths registered during the Month of May, 1914, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	All Causes	Deaths among all Races.																	
			Port and Gallo Roads.	Pettah.	New Bazaar.	Kotahena.	Bellawatta.	Kollupitiya.	Maradana (excluding Hospitals).	Slave Island.	Bulgariars.	Burmese.	Tamils.	Mooras.	Malays.	Others.				
I.—Infantile Mortality	115	1	—	5	10	21	13	10	28	17	5	5	3	53	22	24	5	4	
A.—One Week and under.			4	—	—	—	—	3	—	—	—	1	—	—	2	1	—	—	—	
1. Prematurity	13	—	—	—	—	—	1	—	—	—	1	—	—	6	4	3	3	1	
2. Debility	11	—	—	—	—	—	—	—	—	—	—	—	—	4	3	3	—	—	
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	—	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																				
1. Prematurity	15	—	—	—	—	—	3	1	2	—	—	—	—	2	—	—	—	—	
2. Debility	22	—	—	—	—	—	1	3	4	—	6	4	2	1	12	3	4	1	
3. Convulsions	3	—	—	—	—	—	—	3	—	—	1	—	2	1	—	—	—	—	
4. Diarrhoea	13	—	—	—	—	—	—	3	—	—	6	—	2	2	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	6	—	—	—	—	—	1	—	2	—	—	1	—	1	—	—	4	—	
7. Pneumonia	7	1	—	—	—	—	1	—	7	2	1	3	—	—	—	5	—	1	
8. Other Causes	19†	—	—	—	—	—	1	2	—	7	—	6	—	—	1	8	2	1	
II.—General Mortality (1 Year and over)	368	2	4	15	33	37	27	125	58	28	10	29	6	17	168	106	49	12	10
1. Plague	—	—	—	—	—	—	—	—	—	—	3	5	1	—	—	—	8	18	2
2. Smallpox	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This is due to Meningitis. † This includes 4 from Want of Breast Milk, 3 from Syphilis, 2 each from Rickets, Burns, and Erysipelas, and 1 each from Intestinal Obstruction, Peritonitis, Asthma, Worms, Abdominal Colic, and Nephritis.

Table IV.—Causes of Deaths registered during the Month of May, 1914, in each Ward and of each Race in the City of Colombo—*contd.*

Ward.	Causes of Deaths.	Deaths among all Races.											
		Others.											
City of Colombo.	II.—General Mortality (A Year and over) contd.	—	9	—	—	—	—	—	—	—	—	—	—
	6. Pyrexia or Fever ..	3	—	—	—	—	—	—	—	—	—	—	—
	7. Enteric Fever ..	5	—	—	—	—	—	—	—	—	—	—	—
	8. Malaria ..	4	—	—	—	—	—	—	—	—	—	—	—
	9. Malarial Cachexia ..	20	—	—	—	—	—	—	—	—	—	—	—
	10. Cholera ..	12	—	—	—	—	—	—	—	—	—	—	—
	11. Diarrhoea ..	5	—	—	—	—	—	—	—	—	—	—	—
	11a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—
	12. Dysentery ..	—	—	—	—	—	—	—	—	—	—	—	—
	13. Ankylostomiasis or Dochmias Duo- densis ..	—	—	—	—	—	—	—	—	—	—	—	—
	14. Cancer ..	5	—	—	—	—	—	—	—	—	—	—	—
	15. Phthisis ..	3	—	—	—	—	—	—	—	—	—	—	—
	16. Other Tuberculous Diseases ..	64	—	—	—	—	—	—	—	—	—	—	—
	17. Anaemia ..	2	—	—	—	—	—	—	—	—	—	—	—
	18. Diabetes Mellitus ..	4	—	—	—	—	—	—	—	—	—	—	—
	19. Convulsions ..	1	—	—	—	—	—	—	—	—	—	—	—
	20. Tetanus ..	4	—	—	—	—	—	—	—	—	—	—	—
	21. Bronchitis ..	1	—	—	—	—	—	—	—	—	—	—	—
	22. Pneumonia ..	12	—	—	—	—	—	—	—	—	—	—	—
	23. Other Diseases of Respiratory System ..	32	—	—	—	—	—	—	—	—	—	—	—
	24. Bright's Disease and Nephritis ..	12	—	—	—	—	—	—	—	—	—	—	—
	25. Puerperal Eclampsia ..	10	—	—	—	—	—	—	—	—	—	—	—
	26. Puerperal Septicæmia ..	—	—	—	—	—	—	—	—	—	—	—	—
	27. Miscarriage ..	8	—	—	—	—	—	—	—	—	—	—	—
	28. Other undefined Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—
	29. Accidents or Negligence ..	7	—	—	—	—	—	—	—	—	—	—	—
	30. Starvation ..	11	—	—	—	—	—	—	—	—	—	—	—
	31. Homicide ..	2	—	—	—	—	—	—	—	—	—	—	—
	32. Suicide ..	4	—	—	—	—	—	—	—	—	—	—	—
	33. Executions ..	—	—	—	—	—	—	—	—	—	—	—	—
	34. All other causes ..	112*	—	—	—	—	—	—	—	—	—	—	—
			16	—	—	—	—	—	—	—	—	—	—
			7	—	—	—	—	—	—	—	—	—	—
			2	—	—	—	—	—	—	—	—	—	—
			27	—	—	—	—	—	—	—	—	—	—
			61	—	—	—	—	—	—	—	—	—	—

* This includes 26 from Senility, 6 from Debility, and 7 from Paralysis.