

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,635 — FRIDAY, JULY 24, 1914.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF JUNE, 1914.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 32 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. I of 1895.

Births.

2. The births numbered 1,239 (613 males and 626 females), and were equal to an annual rate of 26·67 per 1,000, against 27·00 in the preceding month, 27·50 in the corresponding month of last year, and 29·29 the monthly average since July, 1907. The rate ranged from 9·99 in Anuradhapura to 63·70 in Tangalla.

3. In the city of Colombo the births numbered 438 (207 males and 231 females), and were equal to an annual rate* of 21·92 per 1,000, against 22·42 in the preceding month, 23·69 in the corresponding month of last year, and 24·83 the monthly average. The rate ranged from 9·99 in Kollupitiya to 32·72 in Wellawatta.

Deaths.

4. The total deaths registered during the month amounted to 1,432 (784 males and 648 females). There were 1,156 deaths of residents, equivalent to an annual rate of 26·99 per 1,000, against 28·98 in the preceding month, 27·93 in the corresponding month of last year, and 30·56 the monthly average. The rate ranged from 97·95 in Anuradhapura to 10·20 in Mannar and 8·36 in Nuwara Eliya.

5. In the city of Colombo the deaths numbered 473 (261 males and 212 females). There were 422 deaths of residents equivalent to an annual rate* of 24·50 per 1,000, against 24·27 in the preceding month, 25·81 in the corresponding month of last year, and 31·28 the monthly average. Kollupitiya showed the lowest death-rate, viz., 5·59, and Wellawatta the highest, 31·88.

6. Stillbirths numbered 75 (40 males and 35 females), against 90 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 261 per 1,000 births registered, against 263 in the preceding month, 314 in the corresponding month of last year, and 266 the monthly average. Infant mortality rates calculated on the number of births and deaths that occur in any one town of small population are misleading, and such rates are omitted from the table.

8. The infantile mortality in the city of Colombo was 281 per 1,000 births registered, against 248 in the preceding month, 368 in the corresponding month of last year, and 322 the monthly average, and, ranged from 476 in San Sebastian to 120 in Kollupitiya.

Causes of Death.

9. The highest mortality was from *Diarrhoea*, to which 10 per cent. of the total deaths were due, 9 per cent. each were due to *Infantile Convulsions* and *Debility*, 8 per cent. to *Pneumonia*, 7 per cent. to *Phthisis*, 5 per cent. to *Dysentery*, 4 per cent to *Anchylostomiasis*, and 3 per cent. to *Bronchitis*.

10. In the city of Colombo the highest mortality was from *Infantile Convulsions*, which caused 10 per cent. of the total number of deaths in the city. 9 per cent. of the deaths were due each to *Phthisis* and *Debility*, 8 per cent. to *Plague*, 7 per cent. to *Pneumonia*, 6 per cent. each to *Enteritis* and *Bronchitis*, and 1 per cent. each to *Anchylostomiasis* and *Diarrhoea*. The total number of deaths from *Plague* was 36, against 30 in May, 29 in April, and 71 in March.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 72 cases were reported (59 in Colombo, 4 in Galle), followed by *Plague* 53 (52 in Colombo, 1 in Jaffna), *Enteric Fever* 24 (18 in Colombo, 3 in Kandy), *Chickenpox* 17 (7 in Colombo, 4 in Hatton and Dikoya), *Measles* 13 (10 in Lunugala), *Continued Fever* 13 (7 in Colombo, 4 in Weligama), *Smallpox* 8 (4 in Kalutara, 2 in Lunugala), *Mumps* 5 (4 in Colombo), *Cholera* 1 (in Colombo), *Diarrhoea* 1 (in Colombo), *Whooping Cough* 1 (in Jaffna), *Diphtheria* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Hatton and Dikoya recorded the highest rainfall (19·17 inches), followed by Kegalla (17·82 inches). In the other towns the rainfall ranged from 0·15 inch in Kalpitiya to 17·49 inches in Ratnapura.

13. *Temperature.*—The mean temperature varied from 62·2° in Nuwara Eliya to 87·3° in Trincomalee, and was 81·6° in Colombo.*

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, July 14, 1914.

BERTRAM HILL,
Registrar-General.

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during June, 1914, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Births and Infantile Mortality from July, 1907, to December, 1913, and the Mean Temperature and Rainfall in the month in each Town of the Islands proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population ^a	Estimated to the middle of the Census of 1911 by the Military at the time of the intercensal inquiries. March 1911.	Total Deaths.			Total Stillbirths.	Birth-rate.	Deaths of non-residents ^b			Deaths of Under One Year, July, 1907, to Dec., 1913.			Mean Rainfall in Inches. 1914. ^c			
			Total Births.					Deaths of Town Residents.			Deaths of Under One Year, July, 1907, to Dec., 1913.						
			Males	Females	Persons			Male	Female	Persons	Male	Female	Persons				
All 32 Towns	517,877 ^d	565,133	613	626	1,239	784	648	40	35	75	271	1,150	29-28 26-37	24-76	261		
Western.																	
Colombo	219,557 ^e	243,114	207	231	438	212	473	18	13	31	42	422	24-83 21-82	21-12	322	81-6	
Negombo	13,045	23,912	36	35	71	32	63	—	1	1	5	58	36-57 36-13	29-51	15	188	
Moratuwa	27,256	26,495	61	44	96	29	28	6	2	8	1	66	37-46 33-63	25-72	12	182	
Kalutara	13,005	13,534	10	20	30	15	15	—	—	—	7	23	33-42 36-97	20-68	6	176	
Panadura	6,708	6,513	6	4	10	6	7	13	—	—	7	6	29-61 18-08	11-21	1	187	
Central.																	
Kandy	30,149	31,182	49	38	87	57	94	4	2	6	26	68	27-43 33-95	26-53	23	255	
Gampola	6,521	6,267	10	14	24	18	32	—	1	1	8	24	34-59 46-67	46-67	5	287	
Nevarapitiya	3,767	3,886	5	7	12	16	10	—	—	—	20	6	27-17 37-67	18-79	4	325	
Hatton & Dikoya	3,025	3,094	2	3	5	6	11	17	—	1	10	7	16-84 19-66	27-53	1	215	
Matale	6,792	6,097	9	9	18	18	18	—	1	1	23	11	30-24 35-92	21-95	3	286	
Nuwara Eliya	14,910	14,938 ^f	4	12	16	5	6	10	—	—	1	9	16-86 13-03 ^g	7-33 ^h	2	287	
Southern.																	
Galle	39,936	40,916	43	48	91	34	44	78	3	4	7	10	68	30-20 27-06	20-22	209	
Matara	13,851	14,579	22	17	39	19	8	27	1	—	2	25	38-11 2-65	20-43	7	172	
Wellawaya	8,672	9,039	* 13	13	22	7	9	16	—	—	—	16	29-21 3-65	21-49	6	180	
Hambantota	3,092	3,881	* 5	5	10	8	2	10	—	1	1	9	37-77 3-25	34-42	3	361	
Tangalle	3,606	4,011	11	10	21	6	3	9	—	—	1	8	35-72 3-70	24-26	3	219	
Northern.																	
Jaffna	40,441	42,801	52	43	95	51	47	98	2	3	5	3	95	37-98 26-95	26-95	32	
Mannar	3,777	3,939	8	4	12	—	3	3	—	—	—	3	39-42 27-07	9-27	1	302	
Mullaitivu	1,421	1,421	2	2	4	3	4	7	—	1	—	7	33-13 24-24	59-93	1	289	
Vavuniya	808	910	—	2	2	2	3	6	—	—	2	3	22-38 26-76	40-12	—	306	
Eastern.																	
Batticaloa	10,771	10,913	8	9	17	19	25	44	1	2	3	—	44	31-42 18-95*	49-05**	15	
Kalmunai	2,007	3	6	6	3	9	3	—	—	—	4	5	—	—	1	364	
Trincomalee	8,132	11	12	23	21	20	41	—	1	2	—	41	36-36 37	61-34	6	294	
North-Western.																	
Kurunegala	8,167	8,829	12	9	21	14	40	—	—	—	22	18	26-94 28-94	24-80	5	343	
Puttalam	5,990	6,312	7	8	15	15	13	18	—	—	—	2	16	34-61 28-91	30-84	3	310
Kalpitiya	1,591	1,633	2	1	3	6	3	9	—	—	—	9	20-44 22-36	67-07	2	325	
Chilaw	5,033	5,357	8	7	16	6	4	10	—	1	—	10	33-03 34-07	22-71	3	200	
North-Central.																	
Anuradhapura	5,361	6,088	2	3	5	24	16	40	—	—	—	40	23-01 9-99	97-95	9	425	
Uva.																	
Badulla	6,487	6,703	5	9	14	19	13	32	1	2	23	9	31-04 25-41	16-34	—	286	
Lunugala	5,516	5,632	—	—	6	5	11	—	1	1	11	—	38-65	—	—	234	
Sabaragamuwa.																	
Ratnapura	5,476	6,013	6	6	11	34	19	53	—	—	—	25	29-64 22-07	60-17	7	297	
Kogalla	2,536	2,608	4	3	7	9	14	23	—	—	14	9	26-72 32-69	42-04	4	238	

* The standardized death-rates represent the crude death rates multiplied by the respective standardizing factors in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island. See note o, p. 1. This includes the population of towns and villages which were not included in the census of 1911, but which were included in the registration limits of the town or village at the time of the registration of the birth or death. The liability of applying the inferential method, to the extent of the town or village, is limited to the time between the date of birth or death and the date of the registration of the birth or death. Since September 1, 1913, the registration of the birth or death is limited to the date of birth or death, and the registration of the birth or death is limited to the date of birth or death. Hence the rates of the subsequent ones cannot be safely compared with those of the previous ones. ** The rates given for the towns not available, as the population of those towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

^a Calculated for the non-resident population of the town or village. ^b Calculated for the non-resident population of the town or village. ^c Standardized death-rates for Kalmunai. The death-rates given for the towns not available, as the population of those towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914.

Table II.—Causes of Deaths registered during June, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Central Province.	Province of Sabaragamuwa.	Deaths among all Races.
									Provinces of Uva.
All Causes	1,432	473	63	57	30	13	94	32	26
I.—Infantile Mortality	323	123	15	12	6	1	23	5	4
A.—One Week and under.									
1. Prematurity	34	9	—	2	—	—	5	1	1
2. Debility	36	11	—	1	—	—	1	1	1
3. Convulsions	28	13	—	1	—	—	2	1	2
4. Diarrhoea	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—
5. Tetanus	10	3	—	—	—	—	2	—	—
6. Bronchitis	—	1	—	—	—	—	—	—	—
7. Pneumonia	—	2*	—	—	—	—	—	—	—
8. Other causes	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.									
1. Prematurity	4	1	—	—	—	—	1	—	—
2. Debility	41	19	4	—	1	6	1	—	—
3. Convulsions	76	28	2	5	—	10	2	5	3
4. Diarrhoea	12	3	2	3	—	1	—	2	—
4a. Enteritis	11	8	—	1	—	—	1	—	—
5. Tetanus	6	—	—	—	—	—	—	—	—
6. Bronchitis	18	11	—	—	—	1	1	3	—
7. Pneumonia	12	6	3	—	—	1	1	2	—
8. Other causes	33†	8	2	—	—	2	1	2	—
II.—General Mortality (1 Year and over)	1109	350	48	45	24	12	71	27	22
1. Plague	37	36	—	—	—	—	16	31	8
1a. Smallpox	—	1	—	—	—	—	—	—	—
2. Chickenpox	—	—	—	—	—	—	—	—	—
3. Measles	—	—	—	—	—	—	—	—	—

* One each from Congenital Heart and Respiratory Diseases (in Colombo).

† This includes, besides the 8 deaths mentioned in Table IV., 7 deaths from Malaria (3 in Anuradapura, 1 each in Negombo, Jaffna, Batticaloa, and Puttalam), 5 from Fever (2 in Matale, 1 each in Gampola, Ja'na, and Kegalla), 3 from Erysipelas (2 in Kurunegala, and 1 in Burns (1 each in Kandy and Kurunegala), Syphilis (in Nawalapitiya), Nephritis (in Jaffna), 1 each from Malarial Cachexia (in Negombo), Suppression of Urine (in Kandy), Meingitis (in Puttalam), and Dysentery (in Batticaloa).

Others.
Malays.
Moors.
Tamils.
Sinhalese.
Burghers.
Europeans.
Kegalle.
Ratnapura.
Lunuganga.
Badulla.
Anuradhapura.
Trincomalee.
Kalmunai.
Ratmalana.
Vavuniya.
Mullaitivu.
Marthina.
Jaffna.
Tadgalle.
Hambantota.
Welligama.
Matara.
Galle.
Nuwara Eliya.
Matale.
Dikoya.
Hatton and Nawala Plateau.
Camphala.
Kandy.

Others.

Table II.—Causes of Deaths registered during June, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	North-Western Province.	North-Central Provinces.	Province of Sabah & Sarawak.	Deaths among all Races.	
									Burghers.	Melays.
II.—General Mortality—contd.										
4. Influenza	10	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	16	2	2	1	1	1	1	1	1	2
6. Enteric Fever	42	4	1	2	2	1	1	1	1	1
7. Malaria	59	2	10	1	2	1	1	1	1	2
8. Malaria Cachexia	9.	—	—	—	—	—	—	—	—	—
9. Cholera	128	2	10	—	6	1	1	1	1	2
10. Diarrhoea	43	22	—	1	14	10	9	5	2	2
10a Enteritis	63	12	3	4	2	3	4	3	2	1
11. Dysentery	—	—	—	—	—	—	—	—	—	—
12. Anthroktomiasis or Dochmiasis Duodenalis	54	7	3	—	5	4	2	1	1	1
13. Cancers	8	5	—	—	—	1	1	9	1	1
14. Phthisis	96	44	4	8	1	1	1	7	2	2
15. Other tuberculous diseases	—	—	—	—	—	—	—	—	—	—
16. Anæmia	10	2	3	—	—	—	—	—	—	1
17. Diabetes Mellitus	6	4	1	—	—	—	—	—	—	1
18. Convulsions	27	7	1	1	—	2	1	1	1	1
19. Tetanus	3	2	—	1	—	3	3	—	—	1
20. Bronchitis	29	18	—	1	—	1	1	1	1	1
21. Pneumonia	99	25	5	4	—	2	2	1	4	4
22. Other Diseases of the Respiratory System	14	9	—	1	—	—	1	1	—	1
23. Bright's Disease and Nephritis	25	11	—	2	—	2	1	1	1	2
24. Puerperal Eclampsia	1	—	—	—	—	—	1	1	1	1
25. Puerperal Septæmia	19	—	—	—	—	1	1	1	1	1
26. Miscarriage	—	—	—	—	—	—	—	—	—	—
27. Other and undefined Accidents of Childbirth	9	7	—	—	—	—	—	—	—	1
28. Starvation	6	—	—	—	—	—	—	—	2	1
29. Accidents or Negligence	14	3	1	2	—	—	1	1	1	1
30. Homolidae	—	—	—	—	—	—	—	—	—	—
31. Suicide	3	2	—	—	—	1	1	1	1	1
32. Execution	—	—	—	—	—	—	—	—	—	—
33. All other causes	291*	110	7	18	9	6	26	1	2	4
									7	4
									2	2
									1	1
									13	13
									77	43
									1	4

* Here are included 61 from Old Age (16 in Colombo), 45 from Debility (14 in Colombo), 33 from Worms (12 in Colombo), and 25 from Paralysis (13 in Colombo).

Table II.—Number of Births and Deaths registered during the Month of June, 1914, and their Proportion per 1,000 of the Population, the number of Stillbirths, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to December, 1913, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) Estimated to the Middle of 1914 by Intercessional Increase. Census of 1911.	Population of Colombo... 219,557	Total Births registered.		Stillbirths.		Total Deaths including Deaths in Hospitals and Jails.		Deaths of Non- residents.		Deaths of Residents.		Per Mille per Annum.		Deaths of Children under One Year to 1,000 Births; registered.					
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.	Persons.	Crude Death-rate.	Standard- ized Death- rate.*	Average January, 1908, to Dec., 1913.	June, 1914.	123	324	281	
													21·92	24·50	123	324	281			
Fort and Galle Face	3,512	243,114†	207	231	438	18	13	31	261	212	473	51	422	24·89	27·35	21·12	24·50	123	324	281
Pettah	7,974	7,974‡	—	—	—	—	—	—	4	—	—	4	4·33	—	6·77	13·86	—	—	74	—
San Sebastian	11,574	12,393	13	8	21.	1	—	1	10	9	19	1	18	21·55	20·62	23·08	17·67	—	—	287
St. Paul's	24,735	26,436	10	13	23	2	2	4	35	20	55	5	50	17·23	10·59	22·59	23·01	—	—	362
Kotahena	40,771	43,674	39	42	81	3	—	3	35	33	68	—	68	22·78	22·62	23·78	18·99	—	—	476
New Bazaar	22,300	24,211	15	27	42	2	2	4	19	16	35	3	32	23·51	21·11	27·51	15·91	—	—	420
Marsadana Hospitals	48,093	56,081	49	61	110	5	6	10	70	44	114	41	73	—	—	—	—	—	—	435
Marsadana (exclusive of Hospitals)	40	27	67	1	2	3	43	39	82	—	82	21·78	14·54	25·41	17·79	—	—	321
Slave Island	21,984	23,997	13	16	29	1	—	1	18	21	39	—	39	23·65	14·70	24·02	19·77	—	—	365
Kollupitiya	26,410	30,436	8	17	25	1	1	2	5	9	14	—	14	15·60	9·99	16·68	6·59	—	—	345
Wellawatta	13,223§	14,501	20	19	39	2	1	3	18	21	39	1	38	31·06	32·72	27·00	31·88	—	—	120
																		16	29	385

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercessional increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercessional increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of Kollupitiya taken over to Wellawatta on the latter method.

|| For the twenty-four months, January, 1912, to December, 1913.

Table IV.—Causes of Deaths registered during the Month of June, 1914, in each Ward and of each Race in the City of Colombo.

		City of Colombo.	Ward.	Deaths among all Races.															
Causes of Deaths.				Port and Galle Race.	Ban Bazaar.	St. Paul's.	Kotahena.	Meredama Hospital.	Meredama (exclusive of Hosptials).	Slave Island.	Kollupitiya.	Wellawatta.	Burpegas.	Sinhalese.	Tamils.	Mosers.	Malays.	Others.	
All Causes		473	4	19	55	88	35	114	82	39	14	39	5	31	208	108	86	16	19
I.—Infantile Mortality																			
A.—One Week and under.																			
1. Prematurity	..	9	—	—	10	10	26	10	29	10	3	15	3	9	54	25	23	6	4
2. Debility	..	11	—	—	—	1	—	4	—	—	—	—	—	—	—	6	1	—	1
3. Convulsions	..	13	—	—	—	3	—	—	—	—	—	—	2	—	—	6	2	—	1
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	1
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																			
1. Prematurity	..	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2. Debility	..	19	—	—	—	2	—	—	—	—	4	3	—	—	2	—	7	5	1
3. Convulsions	..	28	—	—	3	2	—	—	—	6	3	—	—	—	1	—	7	6	2
4. Diarrhoea	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	8	—	—	—	—	—	—	—	—	3	5	—	—	—	—	6	1	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	11	—	—	—	1	—	—	5	2	—	—	—	—	—	—	6	2	3
7. Pneumonia	..	6	—	—	—	—	—	—	2	—	—	2	—	—	—	2	1	3	—
8. Other Causes	..	8†	—	—	—	—	—	—	3	—	—	4	—	—	—	2	2	1	—
II.—General Mortality (1 Year and over)																			
1. Plague	..	4	4	9	45	42	25	104	53	29	11	24	2	22	154	83	63	11	16
2. Smallpox	..	—	—	2	1	—	—	—	—	—	7	—	—	—	—	4	21	7	1
3. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This is due to "Other Diseases of Respiratory System and Congenital Heart."
Rheumatic Fever, and Marasmus.

† This includes 1 each from Eczema, Thrush, Dysentery, Syphilis, Stomatitis, Rickets,

Table IV. - Causes of Deaths registered during the Month of June, 1914, in each Ward and of each Race in the City of Colombo—*contd.*

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.																
			Port and Galle Race.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maredama Hospitals.	Maredama (Exclusive of Hospitals).	Slave Island.	Kolliquittya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Mosrs.	Malayrs.	Others.
II.—General Mortality (1 Year and over)— <i>contd.</i>			1	11	4	1	1	1	2	1	1	1	1	1	1	1	2	1	2
6. Pyrexia or Fever
7. Enteric Fever
8. Malaria ..			2
9. Malaria! Cachexia
10. Cholera
11. Diarrhoea ..			2
11a. Enteritis ..			22
12. Dysentery ..			12
13. Ankylostomiasis or Dochminus Details ..			7
14. Cancer ..			5
15. Phthisis ..			44
16. Other Tuberculous Diseases ..			—
17. Anaemia ..			2
18. Diabetes Mellitus ..			4
19. Convulsions ..			7
20. Tetanus ..			2
21. Bronchitis ..			18
22. Pneumonia ..			25
23. Other Diseases of Respiratory System ..			9
24. Bright's Disease and Nephritis ..			11
25. Puerperal Eclampsia ..			—
26. Puerperal Septicaemia ..			5
27. Miscarriage ..			1
28. Other undefined Accidents of Childbirth ..			2
29. Accidents or Negligence ..			7
30. Starvation ..			6
31. Homicide ..			—
32. Suicide ..			2
33. Executions ..			—
34. All other causes ..			110*	2

* This includes 16 from Senility, 14 from Debility, 13 from Paralysis, and 12 from Intestinal Parasites.