

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,684 — FRIDAY, NOVEMBER 27, 1914.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF OCTOBER, 1914.**

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 32 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,227 (636 males and 591 females), and were equal to an annual rate of 25·56 per 1,000, against 25·99 in the preceding month, 31·22 in the corresponding month of last year, and 29·27 the monthly average since July, 1907. The rate ranged from 7·21 in Kalpitiya to 56·21 in Badulla.

3. In the city of Colombo the births numbered 429 (236 males and 193 females), and were equal to an annual rate* of 20·78 per 1,000, against 23·42 in the preceding month, 26·41 in the corresponding month of last year, and 24·66 the monthly average. The rate ranged from 10·06 in Kollupitiya to 38·16 in Wellawatta.

Deaths.

4. The total deaths registered during the month amounted to 1,398 (736 males and 662 females). There were 1,166 deaths of residents, equivalent to an annual rate of 26·48 per 1,000, against 27·88 in the preceding month, 26·59 in the corresponding month of last year, and 30·76 the monthly average. The rate ranged from 77·53 in Badulla to 8·29 in Kegalla.

5. In the city of Colombo the deaths numbered 499 (270 males and 229 females). There were 451 deaths of residents, equivalent to an annual rate* of 25·34 per 1,000, against 27·11 in the preceding month, 26·82 in the corresponding month of last year, and 30·93 the monthly average. Kollupitiya showed the lowest death-rate, viz., 9·28, and Wellawatta the highest, 56·03.

6. Stillbirths numbered 79 (48 males and 31 females), against 72 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 222 per 1,000 births registered, against 234 in the preceding month, 257 in the corresponding month of last year, and 267 the monthly average. Infant mortality rates calculated on the number of births and deaths that occur in any one town of small population are misleading, and such rates are omitted from the table.

8. The infantile mortality in the city of Colombo was 249 per 1,000 births registered, against 267 in the preceding month, 299 in the corresponding month of last year, and 318 the monthly average, and ranged from 476 in Slave Island to 157 in Kotahena.

Causes of Death.

9. The highest mortality was from *Convulsions*, to which 9 per cent. of the total deaths were due, 8 per cent. each were due to *Debility*, *Pneumonia*, and *Phthisis*, 7 per cent. to *Diarrhaea*, 5 per cent. to *Dysentery*, 4 per cent. to *Enteritis*, 3 per cent. to *Anchylostomiasis*, and 2 per cent. to *Bronchitis*.

10. In the city of Colombo the highest mortality was from *Phthisis*, which caused 13 per cent. of the total number of deaths in the city. 9 per cent. each were due to *Convulsions* and *Debility*, 6 per cent. to *Enteritis*, 5 per cent. each to *Pneumonia* and *Plague*, 4 per cent. to *Smallpox*, 3 per cent. to *Bronchitis*, and 2 per cent. each to *Anchylostomiasis* and *Diarrhaea*. The total number of deaths registered from *Plague* was 23, against 15 in September, 34 in August, 52 in July, 36 in June, 30 in May, 29 in April, and 71 in March.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Chickenpox*, of which 124 cases were reported (96 in Colombo, 17 in Kandy, 9 in Galle), followed by *Phthisis* 94 (83 in Colombo), *Smallpox* 47 (46 in Colombo), *Enteric Fever* 37 (25 in Colombo), *Plague* 23 (in Colombo), *Continued Fever* 17 (5 in Colombo, 5 in Kandy), *Dysentery* 5 (in Moratuwa), *Whooping Cough* 3 (2 in Kandy, 1 in Colombo), *Mumps* 3 (1 in Colombo, 1 in Kandy, 1 in Jaffna), *Parangi* 1 (in Moratuwa), *Measles* 1 (in Colombo), *Diphtheria* 1 (in Colombo), *Diarrhaea* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Negombo recorded the highest rainfall (25·76 inches), followed by Trincomalee (20·74 inches). In the other towns the rainfall ranged from 6·83 inches in Hambantota to 20·70 inches in Puttalam.

13. *Temperature.*—The mean temperature varied from 61·3° in Nuwara Eliya to 82·0° in Batticaloa, and was 80·0° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, November 18, 1914.

A. DE S. WIKRAMATILAKA,
for Registrar-General.

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during October, 1914, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1914, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Total Births.		Total Deaths.		Deaths of Children under One Year of Age to 1,000 Births. July, 1907, to June, 14.	Deaths of Children under One Year, October, 1914.	Deaths of Children under One Year, 1907, to June, 14.	Mean Temperature, °F.	Mean Rainfall in Inches.					
	Population estimated to the limits of the Census of 1914 by Inter-censal Increases.		Males, Females Persons.											
	Males, Females Persons.	Males, Females Persons.	Males, Females Persons.	Males, Females Persons.										
All 32 Towns	517,877	565,133	636	591	1,227	736	662	1,308	48					
Western.	219,657	243,114	236	193	429	270	229	499	19					
Colombo	13,045	23,912	40	44	84	25	21	46	—					
Negombo	2,226	26,495	57	54	111	43	54	97	3					
Moratuwa	13,006	13,534	12	19	31	15	10	25	2					
Kalutara	5,799	6,513	6	7	13	5	4	9	1					
Paradura					
Central.	30,149	31,182	35	30	65	36	89	4	7					
Kandy	6,521	6,297	12	9	21	8	14	—	—					
Gampola	3,767	3,886	2	4	6	10	21	1	2					
Nawalapitiya	3,025	3,084	2	2	4	9	6	15	—					
Hation & Dikoya	5,792	6,087	2	2	4	19	17	36	—					
Matale	14,910	14,838	11	8	19	6	6	12	1					
Nuwara Eliya					
Southern.	39,936	40,916	49	45	94	34	38	72	7					
Galle	13,851	14,579	20	10	30	17	28	45	—					
Matara	8,672	9,059	10	12	22	10	13	23	1					
Welligama	3,092	3,181	4	7	11	6	7	13	—					
Hambantota	3,505	4,011	4	8	8	2	4	—	—					
Tangalla					
Northern.	40,441	42,891	36	41	77	38	48	86	—					
Jaffna	3,777	3,939	10	7	17	4	1	5	1					
Mannar	1,392	1,421	2	2	2	3	5	—	—					
Mullaitivu	808	910	1	—	1	2	2	—	—					
Vavuniya					
Eastern.	10,671	10,913	18	17	35	15	14	29	—					
Batticaloa					
Kalmunai	8,840	8,332	11	8	19	6	7	13	3					
Priadonale					
North-Western.	8,167	8,829	7	8	15	9	32	1	1					
Kurunegala	6,980	6,312	8	4	12	15	7	22	—					
Puttalam	1,659	1,633	1	—	1	2	4	—	—					
Kalpitiya	5,033	6,357	12	8	20	11	9	20	—					
Chilaw					
North-Central.					
Anuradhapura	5,361	6,088	6	10	16	13	8	21	1					
Uva.	6,487	6,703	11	21	32	31	35	66	—					
Badulla	6,16	5,62	2	—	2	6	7	12	1					
Lunugala					
Salargamana	5,476	6,063	7	11	18	14	35	1	—					
Ranapura	2,336	2,605	1	3	4	6	5	11	—					
Kerullin					

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex and age-constitution of the several populations in 1911 as compared with that of the Island. This includes that there are no observations or raw gauges. ¹ Biannual death-rates are given for the convenience of applying the method of calculating the death-rates. ² See note o p. 1. ³ See Paragraph 7 of report. ⁴ This includes that the limits of the town were altered between 1901 and 1911. ⁵ Natural increase method owing to the inability of applying the method of calculating the death-rates. ⁶ Since September 1, 1913, the registration limits of Batticaloa town have been extended in order to make them co-extensive with the Local Board area. Hence the rates in previous reports cannot be safely compared with those of subsequent ones. ⁷ Standardized death-rates for Kalpitiya and Lunugala towns not available, as the population of these towns has not been submitted at the Census of 1911 by age and sex, while the town of Kalpitiya was created registration division only in January, 1914. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rate.

Table II.—Causes of Deaths registered during October, 1914, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Western Province.	North-Central Provinces.	Provinces of Sabaragamuwa.	Deaths among all Races.							
									Malayas.	Tamilis.	Sinhalese.	Burghers.	Europeans.	Mooris.		
All 32 Towns	499	46	97	25	9	89	14	21	15	36	12	72	45	23	13	
All Causes ..	1,398	..	273	107	7	23	4	2	1	3	4	12	6	6	19	3
<i>I.—Infantile Mortality</i> ..																
<i>A.—One Week and under.</i>																
1. Prematurity ..	25	1	—	8	—	—	3	1	—	1	—	1	—	1	—	1
2. Debility ..	42	15	3	1	3	—	—	2	1	—	1	2	—	2	15	10
3. Convulsions ..	31	12	1	3	2	—	—	—	2	2	3	2	—	—	20	8
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	8	2	—	—	—	—	—	—	—	—	—	—	—	—	1	7
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	3*	2	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity ..	5	1	—	—	—	—	—	2	—	2	1	1	—	1	4	1
2. Debility ..	35	21	1	1	1	—	—	5	1	1	1	1	—	1	18	8
3. Convulsions ..	64	26	2	4	1	—	—	6	3	3	2	1	—	1	33	15
4. Diarrhoea ..	6	4	—	—	—	—	—	—	—	—	—	—	—	—	4	1
4a. Enteritis ..	13	6	—	2	—	—	—	—	—	2	—	—	—	—	1	3
5. Tetanus ..	2	1	—	—	—	—	—	1	—	—	—	—	—	—	2	1
6. Bronchitis ..	9	4	—	—	—	—	—	1	—	—	—	—	—	—	1	1
7. Pneumonia ..	9	2	—	—	—	—	—	3	—	—	—	—	—	—	7	1
8. Other causes ..	21†	10	—	—	—	—	—	—	2	—	—	—	—	—	1	6
<i>II.—General Mortality (1 Year and over)</i>																
1. Plague ..	1,125	392	39	74	21	7	72	12	19	14	33	8	60	39	17	4
1a. Smallpox ..	23	23	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2. Chickenpox ..	23	22	—	—	—	—	—	—	—	—	—	—	—	—	2	1
3. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* One each from Intestinal Obstruction, Shock (in Colombo), and Stomatitis (in Kalpitiya).

† This includes, besides 10 deaths mentioned in Table IV., for note †, 3 each from Fever (2 in Jaffna, 1 in Puttalam), Worms (2 in Galle, 1 in Puttalam), 2 from Malaria (1 each Jaffna and Mullaitivu), 1 each from Phthisis (in Moratawa), Dysentery and Asthma (in Jaffna).

‡ 1. Plague ..

1a. Smallpox ..

2. Chickenpox ..

3. Measles ..

Table II.—Causes of Deaths registered during October, 1914, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Western Province.	North-Central Provinces.	Provinces of Sabaragamuva, Uva.	Deaths among all Races.		Others.
										Melays.	Moors.	
II.—General Mortality—contd.												
4. Influenza	14	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	19	8	—	3	1	—	—	2	1	—	—	—
6. Enteric Fever	—	—	—	—	—	—	—	1	1	—	—	—
7. Malaria	37	1	6	—	1	1	—	—	1	—	—	1
8. Malaria Cachexia	38	1	—	—	—	—	—	—	—	—	—	—
9. Cholera	—	—	—	—	—	—	—	—	—	—	—	—
10. Diarrhoea	94	4	6	—	3	—	—	4	7	2	—	—
10a. Enteritis	40	24	—	1	—	—	—	—	1	17	6	—
11. Dysentery	66	11	2	6	—	—	—	3	6	—	—	1
12. Achylostomiasis or Dochimus Duodenalis	41	8	1	2	—	1	—	—	—	1	2	4
13. Cancers	12	8	—	1	—	—	—	—	—	—	—	2
14. Phthisis	106	64	1	8	2	—	—	5	1	—	—	1
15. Other tuberculous diseases	8	5	—	4	—	—	—	2	1	—	—	—
16. Anamia	12	3	—	—	—	—	—	—	—	—	—	—
17. Diabetes Mellitus	5	2	—	—	—	—	—	1	2	—	—	—
18. Convulsions	29	7	—	3	1	—	—	—	—	—	—	—
19. Tetanus	6	3	—	1	—	—	—	—	—	—	—	—
20. Bronchitis	21	12	—	—	2	—	—	1	1	—	—	—
21. Pneumonia	98	25	1	11	1	—	—	4	2	3	1	—
22. Other Diseases of the Respiratory System	21	9	2	1	—	—	—	2	1	—	—	—
23. Bright's Disease and Nephritis	32	8	1	1	—	—	—	1	1	3	1	—
24. Puerperal Eclampsia	10	3	1	1	—	—	—	—	1	1	—	—
25. Puerperal Septicemia	8	—	6	1	—	—	—	—	1	1	—	—
26. Marriage	1	—	—	—	—	—	—	—	—	—	—	—
27. Other and undefined Accidents of Childbirth	9	4	1	—	—	—	—	—	—	—	—	—
28. Starvation	2	2	1	—	—	—	—	—	—	—	1	—
29. Accidents or Negligence	31	7	3	—	2	—	—	—	—	—	1	3
30. Homicide	2	—	—	—	—	—	—	—	—	—	2	—
31. Suicide	—	8	—	—	—	—	—	—	—	—	—	1
32. Execution	28*	118	12	24	6	2	13	1	3	28	9	6
33. All other causes	—	—	—	—	—	—	—	—	—	11	—	2
	289	118	12	24	6	2	13	1	3	28	9	6
										11	—	2
										16	163	62
										33	6	7

* Here are included 79 from Old Age (35 in Colombo), 27 from Debility (7 in Colombo), 27 from Worms (9 in Colombo), and 20 from Paralysis (8 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of October, 1914, and their Proportion per 1,000 of the Population, the number of Stillbirths, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1914, in each Ward of the City of Colombo.

Wards.	Population Estimated to the Middle of 1914 by Intercensal Increase.	Population of the Military at the Census of 1911.	Total Births registered.	Stillbirths.	Per Mille per Annum.				Deaths of Children under One Year to 1,000 Births registered.												
					Birth-rate.																
					Average, January, 1908, to June, 1914.	October, 1914.	Crude Death-rate.	Standardized Death-rate. ^a													
City of Colombo..	219,557	243,114†	236	193	429	19	17	36	270	229	499	48	451	24.70	20.78	27.46	21.84	25.34	107	320	249
Port and Galle Face	3,512	3,612‡	—	—	—	—	—	—	3	—	3	—	3	4.00	—	7.08	10.06	—	—	81	—
Pettah	7,974	7,974‡	3	3	6	—	—	—	3	—	3	1	2	5.97	8.86	10.76	2.96	—	1	270	—
San Sebastian	11,574	12,393	9	7	16	1	1	2	13	14	27	—	27	21.35	15.20	22.48	25.65	—	6	368	312
St. Paul's	24,735	26,436	23	13	36	—	1	1	16	14	30	3	27	16.87	16.03	22.29	12.03	—	9	428	260
Kotahena	40,771	43,674	38	32	70	3	3	6	30	32	62	—	62	22.79	18.91	23.61	16.75	—	11	319	167
New Bazaar	22,309	24,211	20	20	40	2	2	4	21	17	38	2	36	23.31	19.45	26.89	17.51	—	16	407	400
Maraadana Hospitals	57	45	102	6	7	13	88	41	129	39	90	—	—	—	—	—	—	—	9	—	—
Maraadana (exclusive of Hospitals)	48,093	60,081	{ 33	32	65	3	—	3	38	40	78	—	78	21.54	13.65	24.84	16.38	—	23	355	354
Slave Island	21,984	23,997	13	8	21	1	3	4	12	21	33	—	33	23.29	10.30	23.72	16.19	—	10	362	476
Kollupitiya	25,410	30,435	16	10	26	1	—	1	11	13	24	—	24	15.14	10.06	15.99	9.28	—	6	274	230
Wellawatta	13,223§	14,801	24	23	47	2	—	2	35	37	72	3	69	31.67	38.16	28.31	58.03	—	17	285	362

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the twenty-four months, January, 1912, to December, 1913.

Table IV.—Causes of Deaths registered during the Month of October, 1914, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	All Causes	Ward.										Deaths among all Races.				
			Pettah.	Ban Bebasdan.	G. P. Paul's.	New Bazaar.	Kotahena.	Slave Island.	Kollupitiya.	Wellawatta.	Bulgarias.	Sinhalese.	Muslims.	Moors.	Melays.	Others.	
I.—Infantile Mortality	107	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
A.—One Week and under	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	10†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I.—General Mortality (1 Year and over)	392	3	22	21	51	22	120	55	23	18	55	2	30	183	89	62
1. Plague	23	—	—	—	—	—	—	—	—	—	—	—	—	5	11	6
2. Smallpox	22	—	—	—	—	—	—	—	—	—	—	—	—	15	2	1
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Of these, 1 is due to Intestinal Obstruction and the others to Shock.

† This includes 2 from Nephritis, 2 from Syphilis, and 1 each from Strangulation of Bowels, Worms, Stromatitis, Ascites, Hyperpyrexia, and Smallpox.

Table IV.—Causes of Deaths registered during the Month of October, 1914, in each Ward and of each Race, in the City of Colombo—continued.

Causes of Deaths.	Ward.	Deaths among all Races.											
		Others.	Malays.	Mosrs.	Tamils.	Sinhalese	Burghers.	Europeans.	Wellawatta.	Kollupitiya.	Slave Island.	Maredana (excluding of Hospitals).	Maradana Hospitals.
City of Colombo.													
ii.—General Mortality (1 Year and over)— <i>contd.</i>													
6. Pyrexia or Fever		3	8										
7. Enteric Fever		1	1										
8. Malaria		1	1										
9. Malaria Cachexia		—	4										
10. Cholera		24	11										
11. Diarrhoea													
11a. Enteritis													
12. Dysentery													
13. Ankylostomiasis or hookworm Disease													
14. Cancer		8	8										
15. Phthisis		64	5										
16. Other Tuberculous Diseases		3	2										
17. Anaemia		7	1										
18. Diabetes Mellitus		3	2										
19. Convulsions		3	1										
20. Tetanus		12	1										
21. Bronchitis		25	7										
22. Pneumonia													
23. Other Diseases of Respiratory System													
24. Bright's Disease and Nephritis		9	8										
25. Puerperal Eclampsia		3	1										
26. Puerperal Septicaemia		8	1										
27. Miscarriage		—	1										
28. Other undefined Accidents of Childbirth		4	1										
29. Accidents or Negligence		7	1										
30. Starvation		1	—										
31. Homicide		—	—										
32. Suicide		—	—										
33. Executions		118†	1	3	2	25	9	37	18	6	6	10	4
34. All other causes													6

† This includes 35 from Senility, 9 from Worms, 8 from Paralysis, and 7 from Debility.

Ceylon :
PRINTED AT THE GOVERNMENT PRESS,
COLOMBO.