

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,697 — FRIDAY, FEBRUARY 5, 1915.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF DECEMBER, 1914.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 32 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,354 (685 males and 669 females), and were equal to an annual rate of 28·21 per 1,000, against 26·35 in the preceding month, 31·22 in the corresponding month of last year, and 29·27 the monthly average since July, 1907. The rate ranged from 13·06 in Puttalam to 51·99 in Weligama.

3. In the city of Colombo the births numbered 465 (232 males and 233 females), and were equal to an annual rate* of 22·52 per 1,000, against 21·82 in the preceding month, 25·11 in the corresponding month of last year, and 24·66 the monthly average. The rate ranged from 13·30 in San Sebastian to 31·67 in Wellawatta.

Deaths.

4. The total deaths registered during the month amounted to 1,811 (969 males and 842 females). There were 1,511 deaths of residents, equivalent to an annual rate of 34·31 per 1,000, against 30·53 in the preceding month, 38·55 in the corresponding month of last year, and 30·76 the monthly average. The rate ranged from 98·84 in Mullaitivu to 16·58 in Kegalla.

5. In the city of Colombo the deaths numbered 613 (334 males and 279 females). There were 556 deaths of residents, equivalent to an annual rate* of 31·24 per 1,000, against 29·20 in the preceding month, 36·61 in the corresponding month of last year, and 30·93 the monthly average. Kollupitiya showed the lowest death-rate, viz., 11·99, and Wellawatta the highest, 35·73.

6. Stillbirths numbered 95 (49 males and 46 females), against 81 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 270 per 1,000 births registered, against 253 in the preceding month, 377 in the corresponding month of last year, and 267 the monthly average. Infant mortality rates calculated on the number of births and deaths that occur in any one town of small population are misleading, and such rates are omitted from the table.

8. The infantile mortality in the city of Colombo was 295 per 1,000 births registered, against 289 in the preceding month, 433 in the corresponding month of last year, and 318 the monthly average, and ranged from 538 in New Bazaar to 154 in Wellawatta.

Causes of Death.

9. The highest mortality was from *Debility*, *Diarrhoea*, and *Convulsions*, to each of which 9 percent. of the total deaths was due, 8 per cent. were due to *Pneumonia*, 7 per cent. to *Phthisis*, 5 per cent. to *Dysentery*, 4 per cent. to *Enteritis*, and 3 per cent. each to *Anchylostomiasis* and *Bronchitis*.

10. In the city of Colombo the highest mortality was from *Phthisis*, which caused 11 per cent. of the total number of deaths in the city. 10 per cent. were due to *Convulsions*, 9 per cent. to *Pneumonia*, 8 per cent. to *Debility*, 7 per cent. to *Enteritis*, 4 per cent. each to *Plague* and *Bronchitis*, 2 per cent. to *Smallpox*, and 1 per cent. each to *Diarrhoea* and *Anchylostomiasis*. The total number of deaths registered from *Plague* was 23, against 25 in the preceding month.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 69 cases were reported (55 in Colombo 7 in Galle), followed by *Chickenpox* 69 (51 in Colombo, 6 in Galle), *Smallpox* 56 (51 in Colombo, 4 in Kandy, 1 in Moratuwa), *Enteric Fever* 42 (36 in Colombo, 4 in Galle), *Plague* 26 (in Colombo), *Dysentery* 19 (in Moratuwa), *Continued Fever* 13 (7 in Colombo), *Measles* 1 (in Kandy).

Meteorology.

12. *Rainfall.*—Batticaloa recorded the highest rainfall (23·36 inches), followed by Mullaitivu (20·76 inches). In the other towns the rainfall ranged from 2·92 inches in Colombo to 17·84 inches in Vavuniya.

13. *Temperature.*—The mean temperature varied from 60·6° in Nuwara Eliya to 80·2° in Mannar, and was 79·6° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, January 22, 1915.

W. L. KINDERSLEY,
Registrar-General,

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during December, 1914, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from July, 1907, to June, 1914, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Children under One Year.		Deaths of Children under One Year.		Deaths of Children under One Year.	
	Males.	Females.	Males.	Females.	Per cent.	Per cent.	July, 1907, to June, 1914.	December, 1914.	July, 1907, to June, 1914.	December, 1914.	July, 1907, to June, 1914.	December, 1914.
Population estimated to the middle of March 1914 by Intercessional increase.												
All 82 Towns	617,877	665,123	685	669	1,354	969	842	1,811	49	46	95	285
Western.	243,114	232	465	334	53	25	613	18	17	35	43	566
Colombo	219,557	213,912	42	42	43	46	78	—	1	1	5	73
Negombo	13,046	13,046	50	45	45	46	121	2	1	3	1	120
Moratuwa	27,256	26,495	43	17	19	36	15	4	1	6	16	120
Kaduwala	13,006	13,634	17	9	9	16	6	13	—	—	2	11
Panadura	5,709	6,613	7	—	—	—	—	—	—	—	2	11
Central.	31,149	31,182	40	39	79	87	43	100	4	2	6	21
Kandy	6,522	6,257	5	9	9	14	8	11	1	1	2	5
Gampola	3,767	3,886	8	9	17	15	11	26	1	2	12	14
Newalapitiya	3,092	3,094	7	5	12	10	14	24	—	1	1	14
Hattot & Dikoya	6,097	6,097	5	10	15	18	11	29	—	—	—	20
Matale	6,792	6,938	8	13	21	8	14	22	—	—	3	19
Nuwara Eliya	14,910	14,938	—	—	—	—	—	—	—	—	—	19
Southern.	39,936	40,916	74	66	140	52	88	120	6	12	13	107
Galle	13,851	14,579	28	14	42	21	24	45	1	2	4	13
Matale	8,092	8,092	20	20	40	10	10	20	1	2	3	—
Wellawaya	6,188	6,188	6	4	6	10	10	13	—	—	1	1
Hambantota	3,092	3,092	6	6	12	7	3	10	—	—	1	10
Tangalle	3,505	4,011	6	6	12	7	3	10	—	—	1	10
Northern.	40,441	42,891	37	33	70	64	68	122	2	3	5	2
Mannar	3,777	3,939	5	6	11	11	16	27	1	1	1	1
Mullaitivu	1,392	1,421	1	4	6	5	4	9	—	—	—	—
Vavuniya	808	910	1	2	3	3	4	7	—	—	2	6
Eastern.	10,671	10,913	16	14	30	17	21	38	—	—	1	37
Betticaloa	2,007	2,007	13	3	6	6	3	5	—	—	4	4
Kalmunai	8,840	8,132	13	8	21	16	16	31	2	—	2	31
Trincomalee	—	—	—	—	—	—	—	—	—	—	30	30
North-Western.	27,226	26,667	15	21	19	40	1	1	25	5	25	15
Kurunegala	8,167	8,829	9	11	20	21	19	42	1	1	9	9
Puttalam	6,990	6,312	3	5	25	17	42	—	—	9	13	33
Kalpitiya	1,591	1,333	5	5	11	12	13	—	—	—	13	27
Chilaw	5,033	5,357	14	9	23	12	7	19	2	—	19	33
North-Central.	22,821	19,34	65	57	65	57	65	57	—	—	10	430
Anuradhapura	6,088	—	4	6	10	24	10	34	—	—	—	—
Uva.	6,703	6,703	6	14	20	33	20	53	2	1	1	22
Badulla	562	1	1	2	13	7	7	20	—	—	1	1
Lunugala	515	—	—	—	—	—	—	—	—	—	1	1
Sabaragamuwa.	6,476	6,063	4	11	15	25	15	40	1	2	16	24
Ratnapura	2,556	2,605	6	1	7	11	8	19	—	—	15	4
Regala	—	—	—	—	—	—	—	—	—	—	—	—

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island. This includes the population as added on the 7th of December, 1913, to the end of December, 1913, the period of time over which the natural increase method was applied. The limits of the town were altered between 1901 and 1911, and the area of the town limits has been taken as the area of the town in 1911. See note o, p. 1.

† Estimated to non-scheduled events on the population exclusive of Batticaloa Town. Since September 1, 1913, the registration limits of Batticaloa Town have been extended in order to make them co-terminous with the Local Board area. Hence the rate in previous reports cannot be safely compared with those of subsequent ones.

‡ Standardized death-rates for Kalpitiya Town only in January, 1914. The death-rates given for "All Towns" are therefore independent of those towns, but is scarcely affected by their rates.

§ All Towns given for 1913.

Table II.—Causes of Deaths registered during December, 1914, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

		Western Province.		Central Province.		Southern Province.		Northern Province.		North-Western Province.		Provinces of Sabaragamuwa.		Deaths among all Races.																						
Causes of Deaths.		All 32 Towns.		Colombo.		Negombo.		Moratuwa.		Kandy.		Nuwara Eliya.		Galle.																						
All Causes	1,811	613	78	121	38	18100	1926	24	2922	2045	20	1310	1227	9	733	8	31	4042	3139	34	5320	4019	19	3	87	288	25	87								
I.—Infantile Mortality	..	365	137	16	28	—	4	15	5	2	6	211	27	5	5	24	3	2	313	—	6	7	8	2	4	10	5	2	1	5	206	89	56	4		
A.—One Week and under.																																				
1. Prematurity	..	39	8	3	4	—	—	1	—	3	1	—	1	—	1	—	—	—	7	1	2	1	7	—	—	3	2	1	2	—	—	1	19	14	4	1
2. Debility	..	47	9	5	2	—	—	—	1	—	6	1	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	22	16	9	1	
3. Convulsions	..	34	15	—	—	—	—	—	3	—	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	22	5	6	1		
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus	..	—	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	..	—	2*	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B.—Over 1 Week and under 1 Year.																																				
1. Prematurity	..	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	..	50	24	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	..	82	34	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	..	15	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	..	15	9	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	..	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	..	13	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	..	18	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other causes	..	36†	17	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and over)	..	1,446	476	62	93	36	9	85	1424	18	2711	9840	1510	6	9824	7	425	8	25	33	341115	24	4820	35	4820	35	17	2	32	821	525	212	21	33	1	
1. Plague	..	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1a. Smallpox	..	16	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* One each from Atellectasis (in Colombo) and Maldevelopment (in Moretawa).

† This includes, besides 17 deaths mentioned in Table IV., footnote †, 7 from Malaria (2 in Anuradhapura, 1 each in Negombo, Tangalla, Jaffna, Mannar, Puttalam), 4 from Dysentery (2 in Moratuwa, 1 each in Kandy), 1 each from Syphilis (in Galle), Erysipelas (in Nuwara Eliya).

Table II.—Causes of Deaths registered during December, 1914, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 32 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	North-Western Province.	Eastern Province.	North-Central Provinces.	Province of Sabaragamuwa.	Deaths among all Races.	Malay.	
											Moor.	Tamil.
II.—General Mortality— <i>contd.</i>												
4. Influenza	11	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever	18	12	2	1	—	1	—	2	—	—	3	2
6. Enteric Fever	79	3	3	2	—	2	1	1	1	—	46	17
7. Malaria	40	3	11	—	—	3	1	1	1	—	21	6
8. Malacca Cachexia	—	—	—	—	—	—	—	—	—	—	—	—
9. Cholera	144	8	10	2	7	1	13	3	1	2	2	1
10. Diarrhoea	54	35	—	1	—	—	1	1	—	3	3	4
10a. Enteritis	87	12	3	6	—	3	7	4	3	1	2	2
11. Dysentery	—	—	—	—	—	—	2	5	1	—	—	—
12. Anchylostomiasis or Duodenitis	—	—	—	—	—	—	—	—	—	—	—	—
13. Cancers	56	—	—	3	—	—	5	2	1	—	2	3
14. Phthisis	69	4	4	3	1	12	1	1	1	1	2	1
15. Other tuberculous diseases	9	2	—	—	—	5	1	—	1	—	7	1
16. Anaemia	9	3	—	—	—	—	—	—	—	—	3	1
17. Diabetes Mellitus	—	4	2	1	—	—	—	—	—	—	1	1
18. Convulsions	39	13	1	1	2	—	1	4	2	1	—	—
19. Tetanus	7	4	1	—	—	1	1	1	1	—	1	1
20. Bronchitis	38	18	—	2	2	—	5	1	—	1	16	11
21. Pneumonia	131	43	6	14	2	—	—	—	—	—	61	21
22. Other Diseases of the Respiratory System	15	10	—	1	—	—	—	2	—	—	66	50
23. Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	—	—	6	7
24. Puerperal Endophytia	44	14	2	3	1	—	—	1	—	—	20	2
25. Puerperal Septicæmia	6	1	—	—	—	5	2	—	—	—	4	1
26. Miscarriage	20	7	1	2	—	—	—	2	1	—	10	3
27. Other and undefined Accidents of Childbirth	8	1	—	—	1	—	—	—	1	—	—	—
28. Starvation	3	—	—	—	—	—	—	—	1	—	2	4
29. Accidents or Negligence	26	6	2	1	2	1	—	—	—	—	12	11
30. Homicide	3	2	—	—	—	—	—	—	—	—	3	—
31. Suicide	2	1	—	—	—	—	—	—	—	—	1	—
32. Execution	—	—	—	—	—	—	—	—	—	—	—	—
33. All other causes	424*	162	18	47	11	3	23	3	3	5	1	2
										9	70	8
										5	5	10

* Here are included 130 from Old Age (57 in Colombo), 70 from Debility (13 in Colombo), 59 from Worms (21 in Galle), and 16 from Paralysis (10 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of December, 1914, and their Proportion per 1,000 of the Population, the number of Stillbirths, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates and Infantile Mortality from January, 1908, to June, 1914, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) Estimated to the Middle of 1914 by Interpolation. Census of 1911.	Total Births registered.	Stillbirths.	Per Mills per Annum.				Deaths of Children under One Year to 1,000 Births registered.													
				Birth-rate.		Crude Death-rate.															
				Average January, 1908, to June, 1914.	December, 1914.	Average January, 1908, to June, 1914.															
City of Colombo..	219,557	243,114†	232	233	465	18	85	334	279	613	57	556	24·70	22·52	27·46	26·93	31·24	137	320	295	
Fort and Galle Face	3,512	3,512‡	1	—	1	—	—	1	—	1	—	1	4·00	3·35	7·08	3·35	—	—	—	—	
Pettah	7,974	7,974‡	1	3	4	1	—	1	3	2	5	2	3	5·97	5·91	10·76	4·43	—	—	—	—
San Sebastian	11,574	12,393	6	8	14	—	—	—	21	19	40	5	35	21·35	13·30	22·48	33·25	—	7	368	500
St. Paul's	24,735	26,436	17	19	36	—	3	3	27	17	44	6	38	16·87	16·03	22·27	16·92	—	14	428	589
Kotahena	40,771	43,574	43	45	88	2	2	4	41	53	94	1	93	22·79	23·78	23·61	25·13	—	27	319	307
New Bazaar	22,309	24,211	22	17	30	2	4	6	21	26	47	—	47	23·31	18·97	26·84	22·86	—	21	407	538
Maradana Hospitals (exclusive of Hospitals)	48,093	56,081	32	40	72	6	6	12	92	57	149	40	109	—	—	—	—	—	21	—	—
Slave Island	21,984	23,997	22	26	48	3	—	3	25	19	44	—	44	23·29	23·55	23·72	21·59	—	10	362	208
Kollupitiya	25,410	30,435	22	14	36	1	—	1	17	14	31	—	31	15·14	13·93	16·99	11·99	—	6	274	167
Wellawatta	13,223§	14,501	20	19	39	1	—	1	31	16	47	3	44	31·67	31·67	28·31	35·73	—	6	285	164

* For explanation of "standardized death-rate" see note*, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method, and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For the twenty-four months, January, 1912, to December, 1913.

Table IV.—Causes of Deaths registered during the Month of December, 1914, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	Ward.	Deaths among all Races.																		
		Port and Galle Roads.	Galle Road Bastion.	Pettah.	New Bazaar.	Kotahena.	Deaf Pauhs.	Europeans.	Burmese.	Malay.	Moors.									
All Causes ..	613	1	5	40	44	94	47	149	111	44	31	47	3	27	316	116	109	19	23	
I.—Infantile Mortality ..	137	—	—	7	14	27	21	21	25	10	6	6	1	4	89	16	24	1	2	
A.—One Week and under.																				
1. Prematurity ..	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	16	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																				
1. Prematurity ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	17†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
H.—General Mortality (1 Year and over) ..	473	4	5	33	30	67	26	128	86	34	25	41	2	23	227	100	65	18	21	
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox ..	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Ohiokampox ..	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This is due to Atolectasis.

† This includes 6 from Rickets, 4 from Syphilis, and 1 each from Thrush, Bright's Disease, Dysentery, Ulceration, and Plague.

Table IV.—Causes of Deaths registered during the Month of December, 1914, in each Ward and of each Race in the City of Colombo—continued.

Ward.	Causes of Deaths.	City of Colombo.	Deaths among all Races.															
			Brett and Galle Face.	Ban Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Meredane Hospitals.	Meredane (excluding of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Bulgaria.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.
II.—General Mortality (1 Year and over)— contd.																		
6. Pyrexia or Fever ..	12																	
7. Enteric Fever ..	3																	
8. Malaria ..	3																	
9. Malaria Cachexia ..	3																	
10. Cholera ..	—																	
11. Diarrhoea ..	8																	
11a. Enteritis ..	35																	
12. Dysentery ..	12																	
13. Ankylostomiasis or Dochimus Duodenalis ..	5																	
14. Cancer ..	2																	
15. Phthisis ..	69																	
16. Other Tuberculous Diseases ..	2																	
17. Anaemia ..	3																	
18. Diabetes Mellitus ..	2																	
19. Convulsions ..	13																	
20. Tetanus ..	4																	
21. Bronchitis ..	18																	
22. Pneumonia ..	43																	
23. Other Diseases of Respiratory System ..	10																	
24. Bright's Disease and Nephritis ..	14																	
25. Puerperal Eclampsia ..	1																	
26. Puerperal Septicæmia ..	7																	
27. Miscarriage ..	—																	
28. Other undefined Accidents of Childbirth ..	1																	
29. Accidents or Negligence ..	6																	
30. Starvation ..	1																	
31. Homicide ..	2																	
32. Suicide ..	1																	
33. Executions ..	7																	
34. All other causes ..	162*																	

E. C. COTTLER, GOVERNMENT PRINTER, COLOMBO, CEYLON.

* This includes 57 from Senility, 16 from Debility, 13 from Intestinal Parasites, 10 from Diseases of the Heart, and 10 from Paralysis.