

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,726 — FRIDAY, JULY 9, 1915.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF MAY, 1915.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,300 (656 males and 644 females), and were equal to an annual rate of 26·13 per 1,000, against 27·63 in the preceding month, 27·00 in the corresponding month of last year, and 28·32 the average of the corresponding months since 1908. The rate ranged from 7·16 in Kalpitiya to 63·54 in Kalmunai.

3. In the city of Colombo the births numbered 432 (214 males and 218 females), and were equal to an annual rate* of 20·24 per 1,000, against 22·70 in the preceding month, 22·42 in the corresponding month of last year, and 23·63 the average for the months of May in each year since 1908. The rate ranged from 3·72 in San Sebastian to 29·67 in Wellawatta.

Deaths.

4. The total deaths registered during the month amounted to 1,331 (688 males and 643 females). There were 1,111 deaths of residents, equivalent to an annual rate of 24·35 per 1,000, against 25·90 in the preceding month, 28·98 in the corresponding month of last year, and 28·22 the average of the corresponding months since 1908. The rate ranged from 71·52 in Mannar to 7·68 in Badulla.

5. In the city of Colombo the deaths numbered 462 (246 males and 216 females). There were 435 deaths of residents, equivalent to an annual rate* of 23·64 per 1,000, against 22·69 in the preceding month, 24·27 in the corresponding month of last year, and 28·36 the average of the corresponding months since 1908. Kollupitiya showed the lowest death-rate, viz., 10·26, and Wellawatta the highest, 27·39.

6. Stillbirths numbered 60 (26 males and 34 females), against 85 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 210 per 1,000 births registered during the twelve months ended May 31, 1915. Reckoned on the births registered during the month only it was 215, against 209 in the preceding month, 263 in the corresponding month of last year, and 247 the average for the corresponding months since 1908.

8. The infantile mortality in the city of Colombo was 246 per 1,000 births registered during the twelve months ended May 31, 1915. Taking only the births registered during the month it was 280, against 249 in the preceding month, 248 in the corresponding month of last year, and 305 the average for the corresponding months since 1908.

Causes of Death.

9. The highest mortality was from *Debility*, to which 10 per cent. of the total deaths was due, 9 per cent. each were due to *Pneumonia* and *Convulsions*, 7 per cent. each to *Phthisis* and *Diarrhoea*, 5 per cent. to *Dysentery*, 4 per cent. to *Malaria*, and 3 per cent. each to *Enteritis* and *Anchylostomiasis*.

10. In the city of Colombo the highest mortality was from *Convulsions*, which caused 12 per cent. of the total number of deaths in the city. 11 per cent. were due to *Phthisis*, 10 per cent. to *Debility*, 9 per cent. to *Pneumonia*, 7 per cent. to *Enteritis*, 3 per cent. each to *Bright's Disease* and *Bronchitis*, and 2 per cent. each to *Diarrhoea*, *Enteric Fever*, and *Dysentery*. 6 deaths were registered from *Smallpox*. 3 deaths from *Plague* were registered, against 4 in the preceding month.

11. *Infectious Diseases reported*.—The most prevalent infectious disease during the month was *Phthisis*, of which 87 cases were reported (76 in Colombo, 7 in Galle), followed by *Enteric Fever* 49 (25 in Colombo, 12 in Moratuwa, 8 in Kandy), *Chickenpox* 38 (15 in Colombo, 5 in Weligama, 4 in Negombo), *Measles* 24 (21 in Kandy, 3 in Gampola), *Continued Fever* 17 (7 in Colombo, 4 each in Kandy and Tangalla), *Smallpox* 12 (11 in Colombo, 1 in Negombo), *Dysentery* 4 (in Moratuwa), *Plague* 3 (in Colombo), *Diarrhoea* 3, *Diphtheria* 3 (in Colombo), *Cholera* 1 (in Colombo), *Whooping Cough* 1 (in Tangalla), and *Cowpox* 1 (in Negombo).

Meteorology.

12. *Rainfall*.—Ratnapura recorded the highest rainfall (31·79 inches), followed by Galle (23·78 inches). In the other towns the rainfall ranged from 0·33 inch in Vavuniya to 15·14 inches in Kalutara. Colombo recorded 11·00 inches.

13. *Temperature*.—The mean temperature varied from 64·0° in Nuwara Eliya to 87·8° in Mannar and Trincomalee, and was 84·2° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, June 29, 1915.

W. L. KINDERSLEY,
Registrar-General.

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during May, 1915, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1808, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated to the middle of March, 1915 by increase.	Total Births.	Total Deaths.	Total Stillbirths.		Deaths of newborn infants registered in the month.	Deaths of newborn infants registered in the month.	Deaths of newborn infants registered in the month.	Deaths of newborn infants registered in the month.	Deaths excluding non-residents.		Mortality of Children under One Year.
				Native	Mixed					Average Birth-rate for May, 1908–1914.	Crude Death-rate for May, 1915.	
All 33 Towns	517,877	585,687	666,644	1,300	688,643	1,331	26	34	60	216	1,111	22.34
Western.												
Colombo	..	219,557	251,328	214,218	432	246	2,6	462	8	11	19	25
Negombo	..	13,045	23,644	40,39	7	31	24	55	2	1	3	8
Moratuwa	..	27,256	29,036	67,64	121	20	32	52	3	1	4	47
Kalutara	..	13,005	13,700	21,15	36	16	15	31	2	1	3	52
Panadure	..	5,709	6,776	9	18	6	5	11	—	—	2	9
Central.												
Kandy	..	30,149	31,575	42,37	79	35	45	80	4	4	4	18
Gampola	..	6,521	6,496	11,7	18	12	13	25	2	—	2	62
Nawalapitiya	..	3,767	3,920	5	10	11	9	20	—	—	1	14
Hatton & Dikoya	..	10,112	12,112	2	3	5	11	9	—	—	1	10
Matale	..	5,702	6,103	12,12	24	17	16	33	1	1	1	19
Nuwara Eliya	..	14,910	14,976	13,6	19	3	2	5	—	—	2	2
Southern.												
Galle	..	39,936	41,212	52	58	110	44	42	86	1	2	4
Ambalangoda	..	—	4,174	2	4	6	1	7	—	—	7	16
Matale	..	13,851	22,22	44	14	8	22	5	9	—	6	16
Wellawaya	..	8,672	9,181	10,11	21	4	5	9	—	—	9	9
Hambantota	..	3,002	3,208	1	2	3	3	6	—	—	4	6
Tangalle	..	3,505	4,178	11	8	5	9	5	8	—	4	4
Northern.												
Jaffna	..	40,441	43,656	51	34	85	73	60	133	1	7	8
Mannar	..	—	3,777	5,938	5	5	10	10	12	22	—	—
Millaitivu	..	1,332	1,430	1	2	5	1	6	—	—	1	6
Vavuniya	..	—	808	9,93	—	—	1	—	1	—	—	1
Eastern.												
Batticaloa	..	10,671	10,987	10	8	18	8	17	25	1	1	2
Kalmunai	..	—	2,038	5	6	11	3	1	4	—	2	2
Trincomalee	..	8,830	9,968	13	15	28	17	18	35	2	1	3
North-Western.												
Kurunegala	..	8,167	9,052	10	10	20	22	20	42	1	1	2
Puttalam	..	—	5,990	6,413	12	8	13	21	—	—	2	2
Kalpitiya	..	—	1,561	1,644	1	1	2	4	—	—	4	4
Chilaw	..	—	5,033	6,468	4	7	11	9	18	1	8	10
North-Central.												
Anuradhapura	..	5,361	6,323	7	7	14	12	9	21	1	1	2
Uva.									—	—	21	23
Badulla	..	6,487	6,765	5	7	12	8	9	17	—	13	4
Lunugala	..	516	674	—	—	7	8	15	—	15	—	—
Sabaragamuwa.	..	5,476	6,246	7	10	17	16	8	24	—	12	4
Ratnapura	..	2,536	2,626	2	4	6	3	3	11	—	11	—
Keekela	..	—	—	—	—	—	—	—	—	—	—	—

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island.

† Blanks indicate that there are no observations or rain-gauge.

‡ Estimated to the end of December, 1913, by natural increase method.

§ Estimated to the beginning of 1915.

|| Standardized death-rates added on the population registered during the year ended last day of May, 1915.

** Registration division only.

†† Town of Kalmunai was created in January, 1914, and the town of Kalmunai is therefore shown for "All Towns," but it is scarcely affected by their rates.

†† The registration limits of Batticaloa town have been extended in order to make them co-extensive with the local Board area. Hence the rates in previous reports cannot be safely compared with those of subsequent ones.

Table II.—Causes of Deaths registered during May, 1915, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

* These are due to 2 from Inability to Suck (in Puttalam), 1 each from Atectasis (in Colombo), Abscess of Navel (in Negombo), Prolonged Labour (in Jaffna), and Asphyxia (in Kurunegala).

Table II.—Causes of Deaths registered during May, 1915, in each Town of the Island proclaimed under Sections 31-30 of the Ordinance No. 1 of 1895—*continued*.

Here are included 59 from Old Age (26 in Colombo), 28 from Worms (11 in Colombo), 53 from Debility (12 in Colombo), and 21 from Paralysis (10 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of May, 1915, and their Proportion per 1,000 of the Population per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for May, 1908, to 1914, in each Ward of the City of Colombo.

Wards.	Population (inclusive of the Military) at the Census of 1911.	Total Births registered.		Stillbirths.		Deaths including Deaths in Hospitals and Jails.		Deaths of Non-residents.		Deaths of Residents.		Per Mille per Annum.		Mortality of Children under one Year.						
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Average for May, 1908, to 1914.	Average for May, 1915.	Crude Death-rate.	Standardized Death-rate.*	Number registered during May, 1915.	Its proportion to 1000 births registered during May, 1915.					
City of Colombo . .	219,557	251,338†	214	218	432	8	11	19	246	216	462	27	435	23·63	20·24	25·26	20·38	23·64	121	280
Port and Galle Face	3,512	3,512‡	1	—	—	1	—	—	2	—	2	—	2	2·95	—	7·04	6·70	—	—	—
Pettah	7,974	7,974‡	2	—	—	2	—	—	3	2	5	—	5	5·08	2·95	8·31	7·38	—	—	—
San Sebastian	11,574	12,659	1	3	4	—	—	—	8	7	15	—	15	18·95	3·72	19·46	13·95	—	4	100
St. Paul's	24,735	26,969	19	19	38	—	3	3	17	19	36	1	35	15·23	1·659	20·14	15·28	—	11	289
Kotahena	40,771	44,457	41	38	79	2	1	3	42	44	86	—	86	19·66	20·92	21·26	22·78	—	32	405
New Bazaar	22,309	24,810	18	17	35	—	1	1	29	16	45	1	44	21·89	1·661	23·51	20·88	—	15	429
Marsdana Hospitals	48,093	58,720	32	52	84	2	3	5	61	39	100	24	76	—	—	—	—	—	4	311
Marsdana (exclusive of Hospitals)	38	42	80	—	—	29	37	66	—	66	—	66	21·25	1·604	23·22	13·23	—	17	212	
Slave Island	21,984	24,634	22	22	44	2	1	3	19	23	42	—	42	24·04	21·03	22·30	20·07	—	19	432
Kollupitiya	25,410	32,125	16	10	26	1	1	2	16	12	28	—	28	14·52	9·53	13·80	10·26	—	10	385
Wellawatta	13,223	15,478§	24	15	39	1	1	2	20	17	37	1	36	17·60	1·702	29·67	13·02	27·39	9	231

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of Kollupitiya taken over to Wellawatta on the latter method.

|| For three months, May, 1912, 1913, and 1914.

Table IV.—Causes of Deaths registered during the Month of May, 1915, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.																	
			Port and Galle Race.	Pettah	Bc. Pettah	Kotahena	New Bazaar	Mareduwa Hospital	Slave Island	Wellawatta	Burghers	Singhalese	Tamils	Moors	Malayas.	Others.				
All Causes	462	2	5	15	36	45	100	68	42	28	37	4	24	235	92	81	9	17		
I.—Infantile Mortality	121	—	—	4	11	32	15	4	17	19	10	9	—	7	64	24	23	1	2	
A.—One Week and under.																				
1. Prematurity	8																			
2. Debility	11																			
3. Convulsions	2																			
4. Diarrhoea	4 ^a																			
5. Enteritis	1																			
6. Tetanus	1																			
7. Bronchitis	1																			
8. Pneumonia	1																			
8. Other Causes	1*																			
B.—Over 1 Week and under 1 Year.																				
1. Prematurity	—	21																		
2. Debility	—	35																		
3. Convulsions	—	1																		
4. Diarrhoea	—	10																		
4 ^a . Enteritis	—	1																		
5. Tetanus	—	1																		
6. Bronchitis	—	4																		
7. Pneumonia	—	8																		
8. Other Causes	—	17†																		
II.—General Mortality (1 Year and over)	341	2	5	11	25	54	30	96	49	23	18	28	4	17	171	68	58	8	15	
1. Plague	—	3																		
2. Smallpox	—	6																		
3. Chickenpox	—	2																		
4. Measles	—	2																		
5. Influenza	—	—																		

* This is due to Afelectasis.

† These are 6 from Rickets, 2 from Worms, and 1 each from Syphilis, Intestinal Obstruction, Whooping Cough, Want of Breast Milk, Pleursy, Dysentery, Nephritis, Burns, and Smallpox.

Table IV. - Causes of Deaths registered during the Month of May, 1915, in each Ward and of each Race in the City of Colombo - continued.

* This includes 26 from Senility, 12 from Debility, 11 from Worms, and 10 from Paralysis.