

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,731 — FRIDAY, AUGUST 6, 1915.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF JUNE, 1915.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,093 (545 males and 548 females), and were equal to an annual rate of 22·71 per 1,000, against 26·13 in the preceding month, 26·67 in the corresponding month of last year, and 26·93 the average of the corresponding months since 1908. The rate ranged from 10·77 in Panadure to 62·07 in Nawalapitiya.

3. In the city of Colombo the births numbered 338 (175 males and 163 females), and were equal to an annual rate* of 16·36 per 1,000, against 20·24 in the preceding month, 21·92 in the corresponding month of last year, and 23·45 the average for the month of June in each year since 1908. The rate ranged from 7·95 in Kollupitiya to 18·87 in Wellawatta.

Deaths.

4. The total deaths registered during the month amounted to 1,370 (780 males and 590 females). There were 1,181 deaths of residents, equivalent to an annual rate of 26·74 per 1,000, against 24·35 in the preceding month, 26·99 in the corresponding month of last year, and 28·71 the average of the corresponding months since 1908. The rate ranged from 56·39 in Mullaitivu to 8·48 in Hambantota.

5. In the city of Colombo the deaths numbered 539 (301 males and 238 females). There were 502 deaths of residents, equivalent to an annual rate* of 28·19 per 1,000, against 23·64 in the preceding month, 24·50 in the corresponding month of last year, and 30·19 the average for the corresponding months since 1908. Kollupitiya showed the lowest death-rate, viz., 9·47, and Slave Island the highest, 24·20.

6. Stillbirths numbered 55 (28 males and 27 females), against 60 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 234 per 1,000 births registered during the twelve months ended June 30, 1915. Reckoned on the births registered during the month only it was 274, against 215 in the preceding month, 261 in the corresponding month of last year, and 276 the average for the corresponding months since 1908.

8. The infantile mortality in the city of Colombo was 242 per 1,000 births registered during the twelve months ended June 30, 1915. Taking only the births registered during the month it was 334, against 280 in the preceding month, 281 in the corresponding month of last year, and 347 the average for the corresponding months since 1908.

Causes of Death.

9. The highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths was due, 9 per cent. were due to *Phthisis*, 8 per cent. to *Debility*, 7 per cent. to *Convulsions*, 6 per cent. to *Diarrhœa*, 5 per cent. to *Dysentery*, 4 per cent. to *Anchylostomiasis*, 3 per cent. to *Enteritis*, and 2 per cent. each to *Bronchitis*, *Malarial Cachexia*, *Bright's Disease*, and *Malaria*.

10. In the city of Colombo the highest mortality was from *Phthisis*, which caused 14 per cent. of the total number of deaths in the city. 11 per cent. were due to *Pneumonia*, 7 per cent. to *Debility*, 6 per cent. to *Convulsions*, 5 per cent. to *Enteritis*, 4 per cent. each to *Dysentery* and *Bright's Disease*, 3 per cent. to *Bronchitis*, and 2 per cent. to *Diarrhœa*. One death from *Plague* was registered, against 3 in the preceding month, and 1 from *Smallpox*, against 6 in the preceding month.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 85 cases were reported (78 in Colombo, 3 in Galle, 2 in Matara), followed by *Enteric Fever* 49 (22 in Colombo, 11 in Moratuwa, 8 in Galle), *Chickenpox* 40 (17 in Nuwara Eliya, 13 in Colombo), *Measles* 23 (21 in Kandy), *Mumps* 15 (11 in Galle), *Dysentery* 9 (8 in Weligama), *Continued Fever* 5 (3 in Colombo), *Whooping Cough* 3 (2 in Colombo), *Diarrhœa* 2 (1 in Colombo, 1 in Galle), and *Plague* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Ratnapura recorded the highest rainfall (20·38 inches), followed by Hatton and Dikoya (16·17 inches). In the other towns the rainfall ranged from 0·07 inch in Jaffna to 13·97 inches in Kegalla. Colombo recorded 7·96 inches.

13. *Temperature.*—The mean temperature varied from 62·3° in Nuwara Eliya to 88·1° in Batticaloa, and was 82·7° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, July 22, 1915.

N. W. MORGAPPAH,
for Registrar-General.

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during June, 1915, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Province and Town.	Population (inclusive of Military) at Census of March 10, 1911.	Population estimated to Middle of Increase.		Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town Residents.	Birth-rate, Average rate for June, 1915.		Crude, June, 1915.	Standardized.*		Number registered during June, 1915.	Its proportion to per annum per 1000 births registered during June, 1915.	Mean Temperature.	Rainfall.
		Males.	Females.	Males.	Females.	Males.	Females.	June, 1915.	June, 1908-1914.		June, 1915.	June, 1908-1914.							
All 33 Towns	517,877	545,548	1,093	780,590	1,370	55	27	28	26-93	24-53	26-74	28-71	300	274	234	82-7	7-96		
<i>Western.</i>																			
Colombo	219,557†	175,163	338	301,238	539	12	10	22	16-36	24-30	28-19	30-19	113	334	242	82-7	7-96		
Negombo	13,045	32,31	63	29,25	54	1	2	3	32-42	25-73	26-91	20-06	15	238	193	9-74	9-74		
Moratuwa	27,256	46,55	101	34,43	77	1	3	3	42-25	31-79	35-06	23-67	23	228	206	—	—		
Kalutara	13,005	17,13	30	17,10	27	1	1	2	26-64	21-31	21-18	24-90	5	167	86	—	—		
Panadura	5,709	6,776	3	6	12	—	—	—	10-77	16-16	19-24	20-69	1	—	—	—	—		
<i>Central.</i>																			
Kandy	30,149	31,575	31	46	77	55	26	81	29-67	24-67	26-88	29-89	14	182	194	78-3	6-19		
Gampola	5,521	6,496	7	6	13	1	1	2	24-36	33-41	36-93	34-80	2	—	115	9-42	9-42		
Nawalapitiya	3,767	3,920	10	10	20	11	14	25	62-07	25-14	33-74	33-37	6	300	545	—	—		
Hatton & Dikoya	3,025	3,112	2	4	8	6	8	14	23-46	14-86	22-83	32-24	1	—	160	16-17	16-17		
Matale	6,792	6,193	7	6	13	17	6	23	25-54	34-91	17-68	40-70	2	—	122	3-83	3-83		
Nuwara Eliya	14,910	14,976§	13	6	18	10	3	13	14-63	13-77	6-48	15-68	2	—	122	62-3	12-69		
<i>Southern.</i>																			
Galle	39,936	41,212	40	42	82	44	41	85	24-21	27-71	23-41	24-69	20	244	203	81-6	6-77		
Ambalangoda	14,807	14,807	2	1	4	2	1	3	11-66	8-75	—	—	1	235	205	—	—		
Mawara	8,672	9,181	9	8	17	6	7	13	27-94	35-96	20-12	22-39	8	—	—	—	—		
Weligama	3,092	3,208	1	2	3	2	2	4	22-53	23-83	15-52	20-10	4	—	161	—	—		
Hambantota	3,505	4,178	3	4	7	8	3	11	11-38	32-06	8-48	33-71	—	—	—	—	—		
Tangalla	4,441	4,856	3	4	7	8	3	11	20-39	37-71	23-30	35-97	3	—	315	—	—		
<i>Northern.</i>																			
Jaffna	40,441	43,656	38	56	94	70	52	122	26-20	34-92	32-17	28-76	38	404	435	85-5	0-07		
Mannar	3,777	3,988	4	6	10	9	5	14	30-51	40-99	36-95	33-72	3	—	263	86-6	2-06		
Mullaitivu	1,392	1,430	1	1	2	4	1	6	17-02	23-30	56-39	45-25	1	—	230	—	—		
Vavuniya	808	943	1	1	1	1	1	1	12-91	24-04	—	62-06	—	—	—	—	—		
<i>Eastern.</i>																			
Batticaloa	10,671	10,987	21	13	34	15	11	26	37-65	31-15	27-68	46-16	9	265	351	88-1	0-39		
Kalmunai	2,088	2,088	1	2	3	2	3	5	17-91	—	32-96	40-89	1	—	205	—	—		
Trincomalee	8,840	9,968	17	4	21	14	13	27	25-63	25-10	36-18	40-89	11	524	574	86-9	1-75		
<i>Northern-Western.</i>																			
Kurunegala	8,167	9,052	9	13	22	16	12	30	29-57	23-39	24-19	24-86	4	—	212	82-9	6-18		
Puttalam	5,990	6,413	6	11	14	5	19	19	20-87	25-62	30-44	32-29	4	—	281	83-7	1-80		
Kalpitiya	1,591	1,644	1	3	4	3	4	7	29-60	19-80	51-80	—	—	—	—	—	—		
Chilaw	5,033	5,458	3	7	10	5	1	6	22-29	34-04	13-37	23-11	—	—	—	—	—		
<i>North-Central.</i>																			
Anuradhapura	5,361	6,323	3	8	11	13	10	23	21-17	16-84	54-23	60-76	4	—	363	84-9	1-70		
<i>Uva.</i>																			
Badulla	6,487	6,765	9	8	17	10	7	17	30-57	25-10	21-83	30-69	5	294	278	76-9	4-04		
Lunugala	515	574	—	2	2	7	2	9	42-37	28-09	—	—	—	—	—	—	—		
<i>Sabaranagamuwa.</i>																			
Ratnapura	5,476	6,246	6	6	12	11	5	16	23-98	32-04	15-46	56-09	1	—	75	80-9	20-38		
Kegalla	2,536	2,626	6	1	7	5	5	12	32-43	25-31	12-75	27-88	1	—	142	—	13-97		

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the island.
 † Blanks indicate that there are no observatories or rain gauges.
 ‡ Population enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1915, and Ambalangoda, in January, 1916. The death-rate given for 'All Towns' is therefore independent of these towns, but is scarcely affected by their rates.
 § Estimated to end of December, 1914, by natural increase method.
 ¶ Population enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1915, and Ambalangoda, in January, 1916. The death-rate given for 'All Towns' is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during June, 1915, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths	Western Province.				Central Province.				Southern Province.				Northern Province.			Eastern Province.			North-Western Province.			North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.																	
	Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Nawalpitiya.	Hatton & Dikoya.	Matale.	Nuwara Eliya.	Galle.	Ambalangoda.	Matara.	Welligama.	Hambantota.	Tangalla.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Puttalam.	Kalpitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.			
																																									81	23	25
All Causes	539	54	77	27	12	81	23	25	14	23	13	85	329	13	2	11	22	14	5	126	527	30	19	7	6	23	17	9	16	12	10	37	653	437	185	20	28						
I.—Infantile Mortality	113	15	23	5	1	14	2	6	1	2	20	1	8	4	3	38	3	1	9	114	4	4	4	4	4	4	5	1	1	1	1	9	138	89	53	6	5						
A.—One Week and under.																																											
1. Prematurity ..	5	2	3	—	—	5	1	—	—	—	1	1	1	1	1	5	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2. Debility ..	39	10	6	—	—	1	—	—	—	—	1	4	3	1	1	3	1	—	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	31	10	—	2	1	1	2	—	—	—	6	3	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus ..	8	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes ..	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B.—Over 1 Week and under 1 Year.																																											
1. Prematurity ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility ..	42	18	4	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions ..	54	21	3	1	—	2	—	—	—	—	9	1	2	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4. Diarrhoea ..	10	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis ..	14	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus ..	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis ..	16	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia ..	23	12	3	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8. Other Causes ..	26†	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
II.—General Mortality (1 Year and over)	1,070	426	39	54	22	11	87	21	19	13	23	11	65	221	9	2	8	84	11	4	117	4	16	28	15	7	6	19	12	9	15	11	10	28	515	348	132	14	23				
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1a. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

* These are due from Atelectasis (in Moratuwa) and Prolonged Labour (in Jaffna).
 † This includes, besides 16 deaths mentioned in Table IV., footnote †, 2 from Malaria (in Jaffna), 1 each from Septicæmia (in Moratuwa), Worms (in Kalutara and Tangalla), Peritonitis (in Galle), Nephritis, Asthma, and Dysentery (in Jaffna), and Homicide (in Kegalla).

Table III.—Number of Births and Deaths registered during the Month of June, 1915, and the Deaths of Children under One Year and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for June, 1908, to 1914, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at Census of 1911.	Population estimated to 1915 by Inter-censal Increase.	Total Births registered.				Total Deaths including Deaths in Hospitals and Jails.				Per Mille per Annum.				Mortality of Children under one Year.						
			Males.		Females.		Males.		Females.		Birth-rate.		Crude Death-rate.		Standardized Death-rate.*		Number registered during June, 1915.	Its proportion to 1000 births registered during June, 1915.	Its proportion to 1000 births registered during Year ended last day of June, 1915.		
			Males.	Females.	Males.	Females.	Males.	Females.	Average for June, 1908, to 1914.	June, 1915.	Average for June, 1908, to 1914.	June, 1915.	Standardized Death-rate.*								
			175	168	388	12	10	22	304	238	539	37	502	16.36	23.45	24.30	26.91	28.19	113	334	242
City of Colombo	219,557	251,338†	175	168	388	12	10	22	304	238	539	37	502	16.36	23.45	24.30	26.91	28.19	113	334	242
Fort and Galle Face	3,512	3,512†	—	—	—	—	—	—	1	2	3	—	3	—	3.04	10.39	8.26	—	1	—	—
Pettah	7,974	7,974†	—	—	—	—	—	—	6	2	8	1	7	—	4.27	10.68	8.85	—	1	—	—
San Sebastian	11,546	12,659	8	5	13	1	—	1	10	7	17	—	17	—	20.05	16.34	20.68	—	3	231	187
St. Paul's	24,735	26,969	10	15	25	1	—	1	25	23	48	1	47	—	11.28	14.20	21.08	—	14	560	406
Kotahena	40,771	44,457	40	26	66	3	1	4	31	42	73	—	73	—	18.06	19.98	22.13	—	21	318	238
New Bazaar	22,309	24,810	12	19	31	—	2	2	29	20	49	—	49	—	15.20	20.65	24.04	—	14	452	306
Maradana Hospitals			33	31	64	4	6	10	100	47	147	35	112	—	—	—	—	—	11	—	—
Maradana (exclusive of Hospitals)	48,093	58,720	38	28	66	2	—	2	49	42	91	—	91	—	13.68	19.98	24.73	—	24	364	279
Slave Island	21,984	24,634	12	16	28	1	1	2	21	28	49	—	49	—	13.83	21.64	23.57	—	13	404	1,224
Kollupitiya	25,410	32,125	11	10	21	—	—	—	12	13	25	—	25	—	7.95	13.44	15.85	—	3	143	988
Wellawatta	13,253	15,478§	11	13	24	—	—	—	17	12	29	—	29	—	18.87	34.64	38.28	—	8	333	747

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For three months, June, 1912, 1913, and 1914.

Table IV.—Causes of Deaths registered during the Month of June, 1915, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.							
		Port and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kothena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Vellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	539	3	8	17	48	73	49	147	91	49	25	29	9	32	274	109	82	12	21
I.—Infantile Mortality	113	1	1	3	14	21	14	11	24	14	2	8		8	54	18	26	3	4
<i>A.—One Week and under.</i>																			
1. Prematurity	5							1	2			1			2	1	2	1	
2. Debility	10				3	1	1	3	1						1	2	5		
3. Convulsions	10				4	2		1	1		1				3	4	3		
4. Diarrhoea																			
4a. Enteritis																			
5. Tetanus	1					1									1				
6. Pneumonia																			
7. Other Causes																			
<i>B.—Over 1 Week and under 1 Year.</i>																			
1. Prematurity	16								6	1		1			8	1	9		
2. Debility	21				2	4	3	4	4	3	1	2		3	11	2	2	1	
3. Convulsions	4				2									2	2				
4. Diarrhoea	10				1	1		1	5	2		1			7	2	1		
4a. Enteritis																			
5. Tetanus	1																		
6. Bronchitis	5				1	2		1	4	1		1		1	3	2	2		
7. Pneumonia	12				1	3		4	2	2				1	7	2	2		
8. Other Causes	16*					3	5	4	2	2				1	9	2	2	1	1
II.—General Mortality (1 Year and over)	426	2	7	14	34	52	35	136	67	35	23	21	9	24	220	91	56	9	17
1. Plague	1				1							1			1				
2. Smallpox	1																		
3. Chickenpox																			
4. Measles																			
5. Influenza																			

* This includes 4 each from Rickets and Marasmus, 3 from Worms, 2 from Syphilis, and 1 each from Peritonitis, Malformation, and Placenta Prævia.

Table IV.—Causes of Deaths registered during the Month of June, 1915, in each Ward and of each Race in the City of Colombo—continued.

Causes of Deaths.	City of Colombo.	Ward.										Deaths among all Races.							
		Fort and Galle Face.	Petrah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.	Others.
II.—General Mortality (1 Year and over)— <i>contd.</i>																			
6. Pyrexia or Fever ..	1																		
7. Enteric Fever ..	9																		
8. Malaria ..	1																		
9. Malarial Cachexia ..	1																		
10. Cholera ..	7																		
11. Diarrhoea ..	19																		
11a. Enteritis ..	20																		
12. Dysentery ..																			
13. Anchylostomiasis or Dochmius Duo- denalis ..	3																		
14. Cancer ..	3																		
15. Phthisis ..	78																		
16. Other Tuberculous Diseases ..	3																		
17. Anæmia ..	5																		
18. Diabetes Mellitus ..	3																		
19. Convulsions ..	3																		
20. Tetanus ..	13																		
21. Bronchitis ..	47																		
22. Pneumonia ..																			
23. Other Diseases of the Respiratory System ..	4																		
24. Bright's Disease and Nephritis ..	19																		
25. Puerperal Eclampsia ..	2																		
26. Puerperal Septicæmia ..	4																		
27. Miscarriage ..																			
28. Other undefined Accidents of Childbirth ..	4																		
29. Accidents or Negligence ..	8																		
30. Starvation ..																			
31. Homicide ..	30																		
32. Suicide ..	1																		
33. Executions ..																			
34. All other causes ..	136*																		

* This includes 36 from Senility, 17 from Worms, and 12 from Debility.