

**SUPPLEMENT**  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,744 — FRIDAY, OCTOBER 1, 1915.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF AUGUST, 1915.**

**REPORT OF THE REGISTRAR-GENERAL.**

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

**Births.**

2. The births numbered 1,223 (621 males and 602 females), and were equal to an annual rate of 24.59 per 1,000, against 23.92 in the preceding month, 24.19 in the corresponding month of last year, and 26.49 the average of the corresponding months since 1908. The rate ranged from 7.16 in Kalpitiya to 57.76 in Kalmunai.

3. In the city of Colombo the births numbered 419 (217 males and 202 females), and were equal to an annual rate\* of 19.63 per 1,000, against 18.36 in the preceding month, 18.98 in the corresponding month of last year, and 21.49 the average for the month of August in each year since 1908. The rate ranged from 8.43 in Kollupitiya to 22.25 in Kotahena.

**Deaths.**

4. The total deaths registered during the month numbered 1,484 (841 males and 643 females). There were 1,278 deaths of residents, equivalent to an annual rate of 28.00 per 1,000, against 34.31 in the preceding month, 29.09 in the corresponding month of last year, and 29.81 the average of the corresponding months since 1908. The rate ranged from 57.04 in Anuradhapura to 14.40 in Tangalle.

5. In the city of Colombo the deaths numbered 582 (341 males and 241 females). There were 540 deaths of residents, equivalent to an annual rate\* of 29.35 per 1,000, against 29.62 in the preceding month, 27.25 in the corresponding month of the previous year, and 30.38 the average for the month of August in each year since 1908. Kollupitiya showed the lowest death-rate, viz., 13.56, and Wellawatta the highest, 47.16.

6. Stillbirths numbered 66 (44 males and 22 females), against 57 in the preceding month.

**Infantile Mortality.**

7. The infantile mortality was equal to a rate of 221 per 1,000 births registered during the twelve months ended August 31, 1915. Reckoned on the births registered during the month only it was 239, against 282 in the preceding month, 245 in the corresponding month of last year, and 273 the average for the corresponding months since 1908.

8. The infantile mortality in the city of Colombo was 269 per 1,000 births registered during the twelve months ended August 31, 1915. Taking only the births registered during the month it was 308, against 370 in the preceding month, 242 in the corresponding month of last year, and 322 the average of the corresponding months since 1908.

**Causes of Death.**

9. The highest mortality was from *Pneumonia*, to which 10 per cent. of the total deaths was due, 8 per cent. each were due to *Debility* and *Convulsions*, 7 per cent. each to *Phthisis*, *Dysentery*, and *Diarrhaea*, 4 per cent. each to *Anchylostomiasis*, *Enteritis*, and *Malaria* and *Malarial Cachexia*, 3 per cent. to *Enteric Fever*, and 2 per cent. to *Bright's Disease* or *Nephritis*.

10. In the city of Colombo the highest mortality was from *Phthisis*, closely followed by *Enteritis*, to each of which 10 per cent. of the total deaths was due, 8 per cent. each were due to *Convulsions* and *Debility*, 7 per cent. to *Pneumonia*, 5 per cent. to *Dysentery*, 4 per cent. to *Enteric Fever*, 3 per cent. to *Bronchitis*, and 2 per cent. to *Diarrhaea*. Twenty-three deaths from *Smallpox* were registered in Colombo, against 6 in the preceding month, and 13 from *Plague*, against 5 in the preceding month.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 103 cases were reported (89 in Colombo, 6 in Galle), followed by *Smallpox* 100 (91 in Colombo, 6 in Galle, 2 in Kurunegala, and 1 in Negombo), *Enteric Fever* 94 (48 in Colombo, 11 in Kalutara, 10 in Moratuwa, 8 in Galle, and 7 in Tangalle), *Chickenpox* 42 (24 in Colombo, 12 in Ratnapura), *Dysentery* 34 (in Moratuwa), *Plague* 21 (in Colombo), *Measles* 20 (16 in Kandy), *Continued Fever* 17 (10 in Colombo, 5 in Galle), *Whooping Cough* 3 (in Jaffna), and *Diphtheria* 1 (in Colombo).

**Meteorology.**

12. *Rainfall.*—Hatton and Dikoya recorded the highest rainfall (11.16 inches), followed by Nuwara Eliya (7.06 inches). In the other towns the rainfall ranged from 0.09 inch in Puttalam to 6.61 inches in Galle. Colombo recorded 0.57 inch.

13. *Temperature.*—The mean temperature varied from 61.4° in Nuwara Eliya to 85.9° in Trincomalee, and was 81.2° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

• Registrar-General's Office,  
Colombo, September 17, 1915.

W. L. KINDEESLEY,  
Registrar-General.

\* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during August, 1915, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population of Males (Gained from Census of 1911 by Intercessional Increase).	Population estimated to the Middle of 1915 by Intercessional Increase.	Total Births.	Total Deaths.	Total Stillbirths.	Birth-rate.	Deaths per 1,000 of Population.			Deaths per 1,000 of Population.			Mortality of Children under One Year. Standardized.*								
							Persons	Males	Females	Persons	Males	Females									
All 33 Towns ..	517,877	585,637	621,602	1,223	841,533	1,484	44	22	66	201	1,278	24.59	26.49	25.69	28.00	29.81	292	239	221	—	
Western.																					
Colombo ..	219,557	251,338	217,202	419	341,241	582	18	8	26	39	640	19.63	21.40	25.30	29.35	30.38	129	308	269	81.2	
Negombo ..	13,045	23,634	50,45	96	40,18	55	—	3	3	7	51	47.31	31.13	25.40	26.56	22.47	15	158	182	0.57	
Moratuwa ..	27,256	29,086	45,51	96	50,70	120	3	3	3	1	119	38.86	36.74	48.17	53.13	31.30	27	281	236	0.42	
Kalutara ..	13,005	13,700	22,13	35	20,17	37	1	1	6	31	30.98	30.96	26.64	26.47	25.67	7	200	203	—		
Panadura ..	6,779	6,776	5,4	9	6	14	2	2	3	11	15.94	20.45	19.12	22.76	34.14	1	111	83	—		
Central.																					
Kandy ..	30,149	31,675	36,26	62	43,37	80	2	2	4	20	60	23.12	25.27	22.37	24.39	30.49	14	226	184	77.0	
Gampola ..	5,521	6,496	5,9	14	16,13	29	1	—	1	8	25	38	27.63	38.50	40.77	44	286	224	5.35		
Navalapitiya ..	3,677	3,920	6,3	9	7	13	—	—	—	7	6	27.03	22.66	18.02	19.58	18.18	5	555	430	—	
Hatton & Dikoya ..	3,026	3,112	6,5	10	12	8	20	—	—	13	7	37.33	16.79	30.93	40.08	2	200	318	—		
Matale ..	5,792	7,554†	8,18	26	14,13	27	—	—	15	12	40.37	28.37	18.63	21.41	36.87	—	—	102	2,68		
Nuwara Eliya ..	14,910	14,976	8,6	14	6	3	9	—	1	2	7	11.01	19.47	6.50	6.28	16.98	4	286	252	61.4	
Southern.																				7.06	
Galle ..	39,936	41,212	40,36	76	56,38	94	4	2	6	11	83	21.71	24.67	23.71	23.22	24.38	10	182	99	80.1	
Ambaralangoda ..	—	4,174	3,4	7	2	3	—	—	—	—	3	19.75	—	8.46	—	—	—	179	—	—	
Matale ..	13,851	14,807	18,22	40	18,9	27	—	—	—	1	26	31.81	30.96	20.67	20.25	22.46	7	175	149	1.63	
Wellawaya ..	8,672	9,131	18,17	35	10,8	18	—	—	—	18	44.89	28.50	23.09	20.80	24.72	4	114	102	81.7		
Hambantota ..	3,092	3,208	1,5	6	6	4	9	1	—	9	22.02	51.30	33.03	32.50	32.90	1	167	99	—		
Tangalle ..	3,505	4,178	1,3	4	6	3	9	—	—	4	5	11.28	32.71	14.09	28.33	1	—	—	—	—	
Northern.																				0.44	
Jaffna ..	40,441	43,666	44,46	90	59,63	112	1	3	4	—	110	24.27	36.62	29.67	30.31	33.04	26	289	298	84.1	
Mannar ..	3,777	3,988	4,5	9	4	4	—	—	—	2	6	26.67	40.69	17.72	19.51	33.79	1	111	85	84.2	
Mullaitivu ..	1,392	1,430	1	1	1	1	—	—	—	—	3	49.96	35.04	37.47	—	48.33	—	—	—	0.31	
Vavuniya ..	808	943	—	4	3	—	—	—	—	—	3	—	—	34.54	—	—	—	—	—	4.19	
Eastern.																				—	
Batticaloa ..	10,671	10,987	13,19	32	17	33	2	—	2	2	31	34.29	37.93	33.22	32.76	38.73	10	313	360	85.7	
Kalmunai ..	—	2,038	6,4	10	5	12	—	—	—	6	6	57.76	—	34.66	25.93	38.16	7	—	349	85.9	
Trincomalee ..	8,840	9,966	9,16	25	6	14	20	3	1	4	20	29.63	34.95	23.62	25.93	38.16	7	280	—	5.87	
North-Western.																				—	
Kurunegala ..	8,167	9,052	10,9	19	25	6	31	2	2	19	12	24.71	24.02	15.61	16.04	40.87	1	53	49	81.9	
Puttalam ..	5,990	6,443	8,6	14	7	5	12	1	2	—	12	25.71	31.25	22.03	23.57	39.75	4	286	277	82.3	
Kalpitiya ..	1,691	1,644	—	1	1	2	—	—	—	—	15	7.16	26.91	35.81	—	3	—	1059	—	0.09	
Chilaw ..	5,033	5,458	4	3	7	9	13	—	—	—	13	15.10	26.15	28.04	26.88	35.07	2	286	140	0.15	
North-Central.																				—	
Anuradhapura ..	6,361	6,323	7,4	11	17	8	—	—	—	—	25	20.48	25.54	46.55	57.04	47.25	3	273	270	85.2	
Uva.																				2.48	
Badulla ..	6,487	6,765	11,10	21	10	10	20	—	—	9	11	36.55	30.83	19.14	21.12	29.42	2	95	102	75.7	
Lunugala ..	515	574	—	6	4	10	—	—	—	9	1	—	24.26	20.50	—	—	—	—	—	3.78	
Sabaragamuwa.																				—	
Betaspura.																				—	
Kerallai ..	2,536	2,626	3,2	5	6	2	8	1	2	8	1	—	22.42	24.14	—	—	—	1	200	161	2.18

\* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor, in order to make correction for differences of sex and age-constitution of the several populations in 1911 as compared with that of the Island.

† Estimated to the end of December, 1913, by natural increase method.

‡ Population enumerated at the beginning of 1916.

§ Standardized death-rates for the town limits as from January, 1914, and January, 1915.

|| Population of these towns has not been enumerated at the Census of 1911, age and sex, and the registration division only in January, 1915. The death-rate given for "All towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during August, 1915, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1885.

\* This is due to Difficult Delivery

<sup>†</sup>This is due to Domicile Delivery.  
<sup>‡</sup>This includes, besides 20 deaths mentioned in Table IV, 1 each in Moratuwa, Kalutara, Weligama and Putalam, 3 from Malaria, (2 in Negombo and 1 in Jaffna), 1 each from Thrush (in Kalutara), Nephritis (in Jaffna), Dysentery (in Moratuwa), Nephritis (in Badulla), Dropsy (in Matara), Quinsy (in Moratuwa), and Pyænia (in Batticaloa).

Table II.—Causes of Deaths registered during August, 1915, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 33 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	North-Western Province.	North Provincial Division.	Province of Sabaragamuwa.	Deaths among all Races.	
									Malays.	Others.
<b>II.—General Mortality—<i>contd.</i></b>										
4. Influenza.	1	1								
5. Pyrexia or Fever	6	2	1							
6. Enteric Fever	39	21	7	4	1	1	1	1	3	3
7. Malaria	37	5	1	1	1	1	1	1	1	1
8. Malaria Cachexia	20	1	2	1	1	1	2	4	1	1
9. Cholera	—	—	—	—	—	—	—	—	—	—
10. Diarrhoea	88	10	17	1	4	2	2	1	1	1
10a. Enteritis	51	46	1	1	2	2	1	2	1	1
11. Dysentery	103	32	4	24	2	1	2	3	1	1
12. Ankylostomiasis or Dochmus	66	1	—	1	11	7	10	1	1	1
13. Cancer	8	5	—	4	1	7	2	1	1	1
14. Phthisis	121	60	1	8	4	1	6	2	1	1
15. Other Tuberculous Diseases	6	3	—	—	2	1	1	1	1	1
16. Anaemia	8	1	1	2	—	—	—	—	2	1
17. Diabetes Mellitus	4	1	1	2	—	—	—	—	14	3
18. Convulsions	20	13	2	—	1	1	1	1	1	1
19. Tetanus	4	2	—	1	—	—	—	—	1	1
20. Bronchitis	20	11	1	—	2	1	1	1	11	3
21. Pneumonia	119	28	3	14	2	11	1	3	1	1
22. Other Diseases of the Respiratory System	8	4	—	1	—	1	1	1	1	1
23. Bright's Disease or Nephritis	29	15	1	2	—	3	1	1	2	1
24. Puerperal Eclampsia	4	2	—	3	—	1	1	1	1	1
25. Puerperal Septicæmia	17	4	—	—	—	—	—	—	2	1
26. Misourriage	—	—	—	—	—	—	—	—	—	—
27. Other and undefined Accidents	7	3	—	—	—	—	—	—	—	1
28. Starvation	—	21	3	2	—	2	1	1	11	8
29. Accidents or Negligence	8	2	—	—	—	—	—	—	3	1
30. Homicide	—	3	2	—	—	—	—	—	1	1
31. Suicide	—	2	2	—	—	—	—	—	1	1
32. Executions	—	2	2	—	—	—	—	—	1	1
33. All other causes	335*	137	10	25	16	6	10	2	26	3
								5	2	4
								3	2	5
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2	4	6
								3	2	3
								5	1	2
								2</		

Table III.—Number of Births and Deaths registered during the Month of August, 1915, and the Deaths of Children under One Year and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for August, 1908, to 1914, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at Census of 1911.	Population estimated to Middle of 1915 by Intercensal Increase.	Total Births registered.		Stillbirths.		Total Deaths including Deaths in Hospitals and Jails.		Deaths of Non-residents.		Deaths of Residents.		Birth-rate.	Death-rate.	Per Mille per Annum.		Mortality of Children under one Year.	
			Males	Females	Males	Females	Males	Females	Males	Females	Males	Females			Average for Aug., 1908-10	Average for Aug., 1911-14		
City of Colombo ..	219,557	251,338†	217	202	419	18	8	26	341	241	582	42	540	19·63	21·40	25·30	27·04	308
Fort and Galle Face	3,512	3,512‡	—	1	—	—	—	—	3	—	3	—	3	3·35	2·91	10·06	6·59	—
Pettah	7,974	7,974‡	3	1	4	—	—	—	5	—	5	1	4	5·91	8·85	6·91	9·74	—
San Sebastian	11,546	12,659	8	6	14	—	—	—	10	9	19	—	19	13·02	16·90	17·67	17·39	—
St. Paul's	24,735	26,969	14	22	36	2	—	2	21	16	37	1	36	15·72	13·62	15·72	21·63	—
Kotahena	40,771	44,457	41	43	84	1	—	1	38	46	84	1	83	22·25	20·79	21·98	22·29	—
New Bazaar	22,309	24,810	23	13	36	3	6	35	18	53	—	53	17·08	20·19	25·15	23·49	—	
Maradana Hospitals	48,093	58,720	32	41	73	6	1	7	92	39	131	37	94	—	—	—	—	472
Maradana (exclusive of Hospitals)	48	33	81	2	3	5	53	57	110	2	108	16·24	19·41	21·66	24·82	—	—	
Slave Island	21,984	24,634	28	17	45	3	1	4	23	18	41	—	41	21·51	20·91	19·60	24·89	—
Kollupitiya	25,410	32,125	12	11	23	—	—	—	22	15	37	—	37	8·43	13·71	13·56	19·06	—
Wellawatta	13,223	15,478§	8	14	22	1	—	1	39	23	62	—	62	16·74	24·38	47·16	32·53	—

\* For explanation of "standardized death-rate" see note \*. Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ Thus population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For three months, August, 1912, 1913, and 1914.

Table IV.—Causes of Deaths registered during the Month of August, 1915, in each Ward and of each Race in the City of Colombo.

Causes of Deaths	City of Colombo.	Ward.	Deaths among all Races.																	
			Port and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Koteshwara.	New Bazaar.	Mahedene Hospitals (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Burghers.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.		
All Causes	582	3	5	19	37	84	53	131	110	41	37	62	6	33	312	106	85	14	26	
I.—Infantile Mortality	..	129	—	1	9	8	31	—17	5	26	7	11	14	1	8	73	21	20	4	2
A.—One Week and under.																				
1. Prematurity	..	6	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	..	8	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	11	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																				
1. Prematurity	..	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	..	27	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	24	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	11	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	20†	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and over)	..	453	3	4	10	29	53	36	126	84	34	26	48	6	25	239	85	65	10	24
1. Plague	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* This is due to Difficult Delivery.  
† This includes 8 from Rickets, 2 from Dysentery, and 1 each from Oedematous Laryngitis, Homicide, Eczema, Thrush, Malaria, Septicæmia, Worms, Fever, Small pox, and Anterior Poliomyelitis.

Table IV.—Causes of Deaths registered during the Month of August, 1915, in each Ward and of each Race in the City of Colombo—continued.

Causes of Deaths.	Ward.	Deaths among all Races.										
		City of Colombo.	Port and Galle Race.	Pettah.	St. Paul's.	New Bazaar.	Mareduwa Hospital (excluding Hospitals).	Slave Island.	Wellawatta.	Sinhalese.	Moor's.	Malays.
<b>II.—General Mortality (1 Year and over) contd.</b>												
6. Pyrexia or Fever ..	21	5	1	1	1	1	1	1	1	3	2	1
7. Enteric Fever ..	..	..	..	..	..	..	..	..	..	..	..	..
8. Malaria ..	1	..	..	..	..	..	..	..	..	..	..	..
9. Malaria Cachexia ..	..	..	..	..	..	..	..	..	..	..	..	..
10. Cholera ..	..	..	..	..	..	..	..	..	..	..	..	..
11. Diarrhoea ..	10	..	..	..	..	..	..	..	..	..	..	..
11a. Enteritis ..	46	..	..	..	..	..	..	..	..	..	..	..
12. Dysentery ..	32	..	..	..	..	..	..	..	..	..	..	..
13. Archyostomiasis or Dochmiasis Duodenalis ..	1	..	..	..	..	..	..	..	..	..	..	..
14. Cancer ..	5	..	..	..	..	..	..	..	..	..	..	..
15. Phthisis ..	60	1	..	..	..	..	..	..	..	..	..	..
16. Other Tuberculous Diseases ..	3	..	..	..	..	..	..	..	..	..	..	..
17. Anæmia ..	1	..	..	..	..	..	..	..	..	..	..	..
18. Diabetes Mellitus ..	1	..	..	..	..	..	..	..	..	..	..	..
19. Convulsions ..	13	..	..	..	..	..	..	..	..	..	..	..
20. Tetanus ..	2	..	..	..	..	..	..	..	..	..	..	..
21. Bronchitis ..	11	..	..	..	..	..	..	..	..	..	..	..
22. Pneumonia ..	28	..	..	..	..	..	..	..	..	..	..	..
23. Other Diseases of the Respiratory System ..	4	..	..	..	..	..	..	..	..	..	..	..
24. Bright's Disease and Nephritis ..	15	..	..	..	..	..	..	..	..	..	..	..
25. Puerperal Eclampsia ..	2	..	..	..	..	..	..	..	..	..	..	..
26. Puerperal Septicæmia ..	4	..	..	..	..	..	..	..	..	..	..	..
27. Miscarriage ..	..	..	..	..	..	..	..	..	..	..	..	..
28. Other undefined Accidents of Childbirth ..	..	..	..	..	..	..	..	..	..	..	..	..
29. Accidents or Negligence ..	3	..	..	..	..	..	..	..	..	..	..	..
30. Starvation ..	2	..	..	..	..	..	..	..	..	..	..	..
31. Homicide ..	..	..	..	..	..	..	..	..	..	..	..	..
32. Suicide ..	2	..	..	..	..	..	..	..	..	..	..	..
33. Executions ..	2	..	..	..	..	..	..	..	..	..	..	..
34. All other causes ..	137*	1	2	5	6	22	12	10	3	5	26	23

\* Here are included 38 from Senility, 15 from Worms, and 11 from Debility.

Supplement to the "Ceylon Government Gazette" No. 6742 of October 1, 1915.

RESULTS OF METEOROLOGICAL OBSERVATIONS IN CEYLON DURING THE MONTH OF AUGUST 1915.

\* From 30 days' observations.

J. E. EVANS,  
for Superintendent, Observatory, for Surveyor-General.