

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,752 — FRIDAY, OCTOBER 29, 1915.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF SEPTEMBER, 1915.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The births numbered 1,199 (639 males and 560 females), and were equal to an annual rate of 24·91 per 1,000, against 24·59 in the preceding month, 25·99 in the corresponding month of last year, and 28·04 the average of the corresponding months since 1908. The rate ranged from 7·40 in Kalpitiya to 45·51 in Hambantota.

3. In the city of Colombo the births numbered 447 (232 males and 215 females), and were equal to an annual rate* of 21·64 per 1,000, against 19·63 in the preceding month, 23·42 in the corresponding month of last year, and 23·41 the average of the corresponding months since 1908. The rate ranged from 7·67 in St. Paul's Ward to 25·15 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,459 (842 males and 617 females). There were 1,189 deaths of residents, equivalent to an annual rate of 26·92 per 1,000, against 28·00 in the preceding month, 27·88 in the corresponding month of last year, and 28·75 the average for the month of September in each year since 1908. The rate ranged from 58·97 in Batticaloa to 9·66 in Matara.

5. In the city of Colombo the deaths numbered 543 (324 males and 219 females). There were 491 deaths of residents, equivalent to an annual rate* of 27·57 per 1,000, against 29·35 in the preceding month, 27·11 in the corresponding month of last year, and 29·80 the average for the month of September in each year since 1908. The lowest rate, 9·85, was, as usual, observed in Kollupitiya, and the highest, 47·95, in Wellawatta.

6. Stillbirths numbered 68 (42 males and 26 females), against 66 in the preceding month.

Infantile Mortality.

7. The infantile mortality was equal to a rate of 203 per 1,000 births registered during the twelve months ended September 30, 1915. Reckoned on the births registered during the month only the rate was 216, against 239 in the preceding month, 234 in the corresponding month of last year, and 250 the average of the corresponding months since 1908.

8. The infantile mortality in the city of Colombo was 190 per 1,000 births registered during the twelve months ended September 30, 1915. Taking only the births registered during the month the rate was 197, a marked improvement on 308 of the preceding month, 267 in the corresponding month of last year, and 289 the average of the corresponding months since 1908.

Causes of Death.

9. The highest mortality was from *Pneumonia*, closely followed by *Debility*, to each of which 10 per cent. of the total deaths was due, 8 per cent. were due to *Phthisis*, 7 per cent. to *Convulsions*, 6 per cent. to *Diarrhoea*, 5 per cent. to *Dysentery*, 3 per cent. each to *Enteritis* and *Malarial Cachexia*, and 2 per cent. each to *Enteric Fever*, *Malaria*, and *Bright's Disease* or *Nephritis*.

10. In the city of Colombo the highest mortality was from *Phthisis*, to which 15 per cent. of the total deaths was due, 7 per cent. each were due to *Convulsions*, *Pneumonia*, and *Enteritis*, 5 per cent. to *Debility*, 3 per cent. each to *Dysentery* and *Bright's Disease* or *Nephritis*, and 2 per cent. each to *Diarrhoea*, *Enteric Fever*, and *Bronchitis*. Twenty-seven deaths from *Smallpox* were registered in the city of Colombo, against 23 in the preceding month, and 19 from *Plague*, against 13 in the preceding month.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 114 cases were reported (106 in Colombo, 5 in Galle), followed by *Enteric Fever* 64 (39 in Colombo, 9 in Moratuwa, 4 each in Kandy and Galle), *Smallpox* 48 (34 in Colombo, 13 in Galle, and 1 in Hatton and Dikoya), *Chickenpox* 38 (19 in Colombo, 13 in Ratnapura), *Dysentery* 22 (20 in Moratuwa), *Plague* 21 (in Colombo), *Continued Fever* 12 (5 in Colombo, 4 in Galle), *Measles* 12 (11 in Kandy and 1 in Colombo), *Typhoid Fever* 1 (in Moratuwa), *Tuberculosis of Abdomen* 1 (in Matara), and *Diphtheria* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Hatton and Dikoya recorded the highest rainfall (14·87 inches), followed by Kegalla (13·80 inches). In the other towns the rainfall ranged from 0·76 inch in Anuradhapura to 13·51 inches in Ratnapura. Colombo recorded 7·18 inches.

13. *Temperature.*—The mean temperature varied from 60·8° in Nuwara Eliya to 86·2° in Trincomalee, and was 80·3° in Colombo.

14. For detailed information see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, October 15, 1915.

N. W. MORGAPPAN,
for Registrar-General.

* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table III.—Number of Births and Deaths registered during the Month of September, 1915, and the Deaths of Children under One Year and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for September, 1908 to 1914, in each Ward of the City of Colombo.

Wards.	Population (Inclusive of Military) at Census of 1911.	Population estimated to 1st Middle of 1916 by Intercensal Increase.	Total Births registered.		Stillbirths. -		Total Deaths Including Deaths in Hospitals and Jails.		Deaths of Residents.		Deaths of Non- residents.		Per Mille per Annum.		Mortality of Children under one Year.							
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Average for Sept., 1908 to 1914.	September, 1915.	Birth-rate.	Death-rate.	Standard- ized Death- rate.*	Its propor- tion per annum to 1000 births registered during the Year ended last day of Sept., 1915.						
City of Colombo ..	219,557	251,388†	232	215	447	14	9	23	324	219	543	52	491	21.64	23.41	23.77	26.53	27.57	88	197	190	
Fort and Galle Face	3,512	3,512‡	—	—	—	—	—	—	3	—	3	—	3	—	2.25	10.39	5.79	—	—	—	—	
Petah	7,974	7,974‡	3	—	3	—	1	1	5	—	5	—	5	4.58	5.38	7.63	10.12	—	—	—	—	
San Sebastian	11,646	12,659	5	6	11	—	1	1	9	9	18	—	18	10.57	19.22	17.30	22.45	—	7	636	463	
St. Paul's	..	24,735	26,969	9	8	17	3	1	4	30	16	46	—	46	7.67	15.98	20.75	21.45	—	9	529	250
Kotahena	..	40,771	44,457	37	25	62	1	1	2	38	27	65	—	65	16.97	21.11	17.79	21.97	—	9	145	105
New Bazaar	..	22,309	24,810	23	18	41	1	—	1	23	21	44	—	44	20.11	22.35	21.58	27.39	—	13	317	308
Maradana Hospitals	..	58,093	58,720	73	69	142	1	4	5	97	49	146	42	104	—	—	—	—	—	10	—	—
Maradana (exclusive of Hospitals)	29	26	55	3	—	3	46	44	90	5	85	11.40	19.71	17.61	21.23	—	22	400	259	
Slave Island	..	21,984	24,634	21	24	45	3	—	3	19	16	35	1	34	22.23	23.51	16.79	21.89	—	9	200	221
Kollupitiya	..	25,410	32,125	19	20	39	2	1	3	17	13	30	4	26	14.77	14.59	9.85	16.92	—	4	117	151
Wellawatta	..	13,223	15,478§	13	19	32	—	—	37	24	61	—	61	25.15	32.14	47.95	30.32	—	5	156	129	

* For explanation of "standardized death-rates" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1914. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of Kollupitiya taken over to Wellawatta on the latter method.

|| For three months, September, 1912, 1913, and 1914.

Table IV.—Causes of Deaths registered during the Month of September, 1915, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Ward.	Deaths among all Races.																	
			All Causes	Hort and Galle Face	Portobello	St. Paul's	Kotahena	New Bazaar	Maredana Hospitals	Slave Island	Kollupitiya	Wellawatta	Europeans	Burghers	Sinhalese	Tamils	Moslems	Malays	Others.	
I.—Infantile Mortality	..	88	—	—	7	9	9	13	10	22	9	4	5	—	10	33	17	19	6	3
A.—One Week and under.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1. Prematurity	..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2. Debility	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3. Convulsions	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year
1. Prematurity	..	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	2
2. Debility	..	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4
3. Convulsions	..	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
4a. Enteritis	..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	10*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
II.—General Mortality (1 Year and over)	..	455	3	6	14	37	56	31	186	68	26	56	6	24	226	103	65	9	22	
1. Plague	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This includes 6 from Ricketts, 3 from Smallpox, and 1 from Stomatitis.

Table IV.—Causes of Deaths registered during the Month of September, 1915, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Deaths.	Ward.	Deaths among all Races.																		
		Melays.	Tamils.	Moors.	Chinese.	Siamese.	Burmahers.	Europeans.	Wellawatte.	Kollupitiya.	Silve Island.	Maradana Hospitals.	Meredene (exclusive of Hospitals).	New Bazaar.	Kotahena.	St. Paul's.	San Sebastian.	Pettah.	Port and Galle Face.	City of Colombo.
II.—General Mortality (1 Year and over)— contd.																				
6. Pyrexia or Fever																				
7. Enteric Fever																				
8. Malaria																				
9. Malarial Cachexia																				
10. Cholera																				
11. Diarrhoea																				
11a. Enteritis																				
12. Dysentery																				
13. Anchylostomiasis or Dochmiasis Duo-denalis																				
14. Cancer																				
15. Phthisis																				
16. Other Tuberculous Diseases																				
17. Anaemia																				
18. Diabetes Mellitus																				
19. Convulsions																				
20. Tetanus																				
21. Bronchitis																				
22. Pneumonia																				
23. Other Diseases of the Respiratory System																				
24. Bright's Disease and Nephritis																				
25. Puerperal Eclampsia																				
26. Puerperal Septicæmia																				
27. Miscarriage																				
28. Other undefined Accidents of Childbirth																				
29. Accidents or Negligence																				
30. Starvation																				
31. Homicide																				
32. Suicide																				
33. Executions																				
34. All other causes																				

* Here are included 46 from Senility, 12 from Worms, and 9 from Debility.