

## SUPPLEMENT

TO THE

# Ceylon Government Gazette

## PART I.

No. 6,786 — FRIDAY, MARCH 31, 1916.

### VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF FEBRUARY, 1916.

#### REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

##### Births.

2. The births numbered 1,332 (703 males and 629 females), and were equal to an annual rate of 27·97 per 1,000 against 29·48 in the preceding month, 31·98 in the corresponding month of last year, and 31·70 the average of the corresponding months since 1908. The rate ranged from 7·62 in Kalpitiya to 52·62 in Mullaittivu.

3. In the city of Colombo the births numbered 497 (259 males and 238 females), and were equal to an annual rate\* of 24·18 per 1,000, against 24·80 in the preceding month, 32·83 in the corresponding month of last year, and 27·89 the average of the corresponding months since 1908. The rate ranged from 13·77 in Kollupitiya to 33·79 in Wellawatta.

##### Deaths.

4. The total deaths registered during the month were 1,404 (756 males and 648 females). There were 1,159 deaths of residents, equivalent to an annual rate of 26·53 per 1,000, against 27·98 in the preceding month, 34·52 in the corresponding month of last year, and 33·64 the average for the month of February in each year since 1908. The rate ranged from 69·76 in Mullaittivu to 4·35 in Chilaw.

5. In the city of Colombo the deaths numbered 514 (288 males and 226 females). There were 448 deaths of residents, equivalent to an annual rate\* of 25·28 per 1,000, against 26·08 in the preceding month, 32·31 in the corresponding month of last year, and 32·12 the average for the month of February in each year since 1908. The lowest rate, 4·47, was, as usual, observed in Kollupitiya, and the highest, 27·30, in New Bazaar.

6. Stillbirths numbered 96 (52 males and 44 females), against 87 in the preceding month.

##### Infantile Mortality.

7. The infantile mortality was equal to a rate of 201 per 1,000 births registered during the year ended February 29, 1916. Reckoned on the births registered during the month only the rate was 185, against 224 in the preceding month, 228 in the corresponding month of last year, and 266 the average of the corresponding months since 1908.

8. The infantile mortality in the city of Colombo was 218 per 1,000 births registered during the year ended February 29, 1916. Calculated on the births registered during the month the rate was 191, against 189 in the preceding month, 231 in the corresponding month of last year, and 296 the average of the corresponding months since 1908.

##### Causes of Death.

9. The highest mortality was from *Pneumonia*, to which was due 12 per cent. of the total number of deaths, 9 per cent. were due to *Debility*, 8 per cent. to *Convulsions*, 7 per cent. to *Phthisis*, 6 per cent. to *Malaria* and *Malarial Cachexia*, 5 per cent. each to *Diarrhoea* and *Anchylostomiasis*, 4 per cent. to *Dysentery*, 3 per cent. each to *Bright's Disease* and *Nephritis* and *Enteritis*, and 2 per cent. each to *Enteric Fever* and *Bronchitis*.

10. In the city of Colombo the diseases which contributed to the highest mortality were *Phthisis* and *Pneumonia*, each of which caused 12 per cent. of the total deaths, 8 per cent. each were due to *Convulsions* and *Debility*, 5 per cent. to *Enteritis*, 4 per cent. to *Bright's Disease* and *Nephritis*, 3 per cent. each to *Bronchitis*, *Enteric Fever*, and *Dysentery*, and 2 per cent. each to *Diarrhoea* and *Puerperal Septicæmia*. The total number of deaths registered from *Plague* was 14, against 18 in the preceding month. No death from *Smallpox* was registered.

11. *Infectious Diseases reported.*—By far the most prevalent infectious disease during the month was *Chickenpox*, of which 737 cases were reported (649 in Colombo, 18 in Ratnapura, 11 each in Kandy and Kurunegala), followed by *Phthisis* 84 (73 in Colombo, 6 in Galle), *Enteric Fever* 62 (41 in Colombo, 9 in Kandy), *Measles* 62 (31 in Kandy, 30 in Colombo), *Continued Fever* 28 (14 in Colombo), *Plague* 18 (in Colombo), *Mumps* 5 (3 in Colombo), *Dysentery* 4 (in Moratuwa), *Diarrhoea* 3 (in Galle), and *Smallpox* 2 (in Colombo).

##### Meteorology.

12. *Rainfall.*—Kalutara recorded the highest rainfall (2·35 inches), followed by Ratnapura (1·63 inch). In the other towns the rainfall ranged from 1·38 inch in Vavuniya to 0·02 inch in Jaffna. Colombo recorded 0·07 inch.

13. *Temperature.*—The mean temperature varied from 57·0° in Nuwara Eliya to 81·5° in Ratnapura, and was 78·8° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,  
Colombo, March 16, 1916.

W. L. KINDERSLEY,  
Registrar-General.

\* The city-rate is worked out differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

—Number of Births and Deaths registered during February, 1916, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Province and Towns.	Population (inclusive of the Military at the Census of March 10, 1911.)	Population estimated to the Middle of 1916 by Intercessional Increase.	Total Births.		Total Deaths.		Total Stillbirths.		Birth-rate.		Death-rate excluding non-residents Standardized.*		Mortality of Children under One Year.								
			Males	Females	Males	Females	Males	Females	Average Birth-rate for Feb., 1916; 1908-1915	Crude, February, 1916.	Number registered during the last year ended last Feb., 1916.	Its proportion per annum to 1000 births registered during the last year ended last Feb., 1916.	Mean Temperature, °F.	Mean Rainfall, inches.							
All 33 Towns ..	517,877	601,045	703,629	1,332	756,648	1,404	52	44	96	239	1,159	27.97	31.70	24.34	26.53	33.64	247	185	201		
Western.																					
Colombo	219,557	259,451	259,238	497	288,226	514	16	16	32	61	448	24.18	27.89	21.79	25.28	32.12	95	191	78.8		
Negombo	13,045	25,998	35,38	73	39,39	78	4	2	6	9	69	35.44	45.59	33.50	35.04	31.55	10	137	0.07		
Moratuwa	27,256	29,630	61,56	117	36,51	87	6	3	9	—	87	50.01	44.27	37.18	41.01	35.48	21	179	1.05		
Kalmunai	13,005	13,870	13,20	33	17,20	37	1	2	3	4	33	30.03	37.55	30.03	29.84	34.03	9	273	—		
Panadure	..	5,709	7,049	12	6	18	9	6	15	—	11	32.23	32.32	19.70	23.45	20.21	1	66	2.35		
Kandy	30,149	31,973	39,27	66	54	37	91	2	4	6	22	69	26.05	29.78	27.24	29.69	28.16	15	227	76.6	
Gampola	5,521	6,745	13,8	21	18,11	29	1	1	2	—	14	5	31.91	28.35	15.96	17.35	32.79	2	200	0.03	
Navalapitiya	3,767	3,955	5,5	10	9,10	19	—	—	—	—	11	4	8.06	22.07	16.13	18.83	34.49	1	187	0.17	
Hattin and Dikoya	3,025	3,131	2	—	2	6	9	15	1	—	15	23	48.15	28.33	46.14	53.02	32.82	5	208	—	
Matale	5,792	6,291	8	24	22,16	38	—	—	1	—	3	5	15.97	14.86	4.20	4.79	9.86	1	65	0.18	
Nuwara Eliya	14,910	16,016	10	9	19	7	8	—	—	—	—	—	—	—	—	—	—	63	57.0		
Galle	39,936	41,510	71	52	123	40	41	81	4	3	7	4	77	37.40	32.74	23.41	22.92	32.75	17	138	0.16
Ambalangoda	—	4,277	4,4	—	8,2	5	—	—	—	—	—	5	25.60	—	14.75	15.62	—	1	125	—	
Matale	13,851	15,040	27	27	54	9	12	21	3	3	—	2	19	45.32	41.91	15.94	15.62	27.66	6	111	0.23
Welligama	8,672	9,304	7	9	16	3	7	10	—	—	—	—	10	21.70	31.74	13.57	12.22	30.22	2	125	—
Hambantota	3,092	3,235	6	3	9	2	4	6	1	—	—	6	35.11	36.03	23.41	26.17	44.74	1	111	0.26	
Tangalle	3,505	4,351	3	—	1	2	3	—	1	—	3	17.40	45.13	8.70	8.89	26.63	—	—	0.19		
Northern.																					
Jeffna	40,441	44,436	39	35	74	64	58	122	3	4	7	8	113	21.02	35.13	32.09	32.79	54.74	21	284	0.02
Mannar	3,777	4,038	8	5	13	5	7	12	—	—	—	—	12	40.64	39.49	37.51	41.30	52.12	4	308	0.13
Mullaitivu	1,392	1,439	2	4	6	3	3	6	—	—	—	—	6	52.62	32.96	52.62	69.76	65.27	2	333	0.36
Vavuniya	808	977	2	—	2	3	1	4	—	—	—	4	25.84	17.02	51.68	—	34.97	1	701	1.38	
Eastern.																					
Batticaloa	10,671	11,062	16	8	24	19	14	33	3	1	4	1	32	27.38	23.61	36.51	36.00	27.74	9	375	0.33
Kalmunai	—	2,060	4	2	6	5	1	6	1	—	2	4	36.77	42.07	24.51	—	—	2	333	—	
Trincomalee	8,840	10,248	7	7	14	8	9	17	—	—	—	17	17.24	22.57	20.94	22.98	34.57	2	143	0.13	
North-Western.																					
Kurunegala	8,167	9,263	9	9	18	28	9	37	1	1	2	14	23	24.52	26.32	31.33	32.19	48.00	7	389	0.11
Futalam	5,990	6,515	6	6	15	6	14	14	—	—	1	13	29.06	39.07	25.18	26.94	33.31	3	200	0.59	
Kelpitiya	1,591	1,656	1	—	1	2	1	3	—	—	—	3	7.62	19.78	22.87	—	—	—	—	0.10	
Chilaw	5,033	5,562	1	9	10	2	1	3	—	—	1	2	22.69	45.73	4.54	4.35	45.03	—	—	0.62	
North-Central.																					
Anuradhapura	5,361	6,567	3	3	6	6	6	12	—	1	1	—	12	11.53	23.61	23.06	28.26	64.95	1	167	0.10
Uva.																					
Badulla	6,487	6,828	9	11	20	19	11	30	1	1	2	19	11	36.97	37.34	20.33	22.43	31.70	2	100	0.49
Lunugala	515	587	1	—	1	14	8	22	—	—	—	19	3	21.48	23.01	64.45	—	1	—	841	—
Sabaragamuwa.																					
Ratnapura	5,476	6,434	9	8	17	6	12	18	2	2	4	12	6	33.35	34.48	11.77	13.34	39.63	2	118	1.63
Kegala	2,536	2,647	4	5	9	4	4	8	2	—	2	4	4	42.91	33.50	19.07	21.52	—	—	—	—

\* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island.

† Blanks indicate that there are no observatories or rain gauges.

‡ This increase of population is due to the extension of the town limits, as from July 1915.

§ Population enumerated at the beginning of 1916.

|| Standardized death-rates for Kalmunai.

\*\* Ambalangoda towns not available, as the population of these towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1915. The death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during February, 1916, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

\* This includes, besides 8 deaths mentioned in Table IV., footnote †, 2 deaths from Worms (in Galle), 1 each from Diseases of Early Infancy, Intestinal Obstruction (in Moratuwa), Syphilis (in Kandy), Dropsey (in Matale), Gastritis (in Ambalangoda), Erysipelas (in Jaffna), Malaria Fever (in Mannar), Pyæmia (in Batticaloa), and Dysentery (in Puttalam).

Table II.—Causes of Deaths registered during February, 1916, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Deaths.	All 33 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Western Province.	North-Central Province.	Province of Sabaragamuwa.	Deaths among all Races.	
										Malays.	Others.
<b>II.—General Mortality—<i>cond.</i></b>											
4. Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever . . . . .	6	—	—	—	—	1	2	2	—	—	—
6. Enteric Fever . . . . .	27	15	1	5	—	1	1	1	—	—	1
7. Malaria . . . . .	47	4	4	—	—	3	2	1	2	1	—
8. Malarial Cachexia . . . . .	39	3	5	—	—	1	5	1	—	—	—
9. Cholera . . . . .	—	—	—	—	—	6	1	1	—	—	—
10. Diarrhoea . . . . .	70	10	10	7	1	—	1	1	2	—	—
10a. Enteritis . . . . .	28	19	—	1	1	—	2	1	—	—	—
11. Dysentery . . . . .	62	14	6	—	—	1	2	5	1	—	2
12. Anchylostomiasis or Dochmiasis Duodenalis . . . . .	67	6	1	1	3	3	11	2	1	4	—
13. Cancer . . . . .	—	5	2	2	—	—	4	1	—	4	—
14. Phthisis . . . . .	97	63	4	1	4	—	4	1	3	3	3
15. Other Tuberculous Diseases . . . . .	7	—	2	5	—	1	—	1	—	5	24
16. Anaemia . . . . .	12	2	2	2	—	—	3	1	—	7	2
17. Diabetes Mellitus . . . . .	4	2	2	1	—	—	—	—	—	1	—
18. Convulsions . . . . .	32	14	1	2	1	—	1	—	—	11	12
19. Tetanus . . . . .	9	3	1	—	—	—	1	—	2	4	3
20. Bronchitis . . . . .	20	15	—	—	—	1	1	1	—	8	2
21. Pneumonia . . . . .	154	53	4	12	1	1	15	4	3	6	59
22. Other Diseases of the Respiratory System . . . . .	9	5	—	—	—	—	3	1	1	—	1
23. Bright's Disease and Nephritis . . . . .	40	19	6	1	—	—	2	1	—	3	12
24. Puerperal Eclampsia . . . . .	9	5	—	—	1	—	1	—	1	5	1
25. Puerperal Septicæmia . . . . .	21	9	—	2	—	—	1	1	—	10	6
26. Miscarriage . . . . .	—	—	—	—	—	—	—	—	—	—	—
27. Other undefined Accidents of Childbirth . . . . .	11	3	2	—	—	—	1	1	—	6	2
28. Starvation . . . . .	—	1	—	—	—	—	1	—	1	—	—
29. Accidents or Negligence . . . . .	34	10	2	—	—	—	1	1	3	8	2
30. Homicide . . . . .	7	1	1	—	—	—	1	1	3	6	1
31. Suicide . . . . .	—	2	1	—	—	—	1	—	—	1	—
32. Execution . . . . .	—	1	—	—	15	2	18	4	5	2	5
33. All other causes . . . . .	319*	122	12	30	15	2	25	2	3	6	175
							1	1	1	2	5
							2	7	1	2	6

\* Here are included 91 from Old Age (36 in Colombo), 44 from Worms (16 in Colombo), 43 from Debility (9 in Galle), and 15 from Paralysis (6 in Colombo).

( 4 )

Table III.—Number of Births and Deaths registered during the Month of February, 1916, and the Deaths of Children under One Year and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for February, 1915, in each Ward of the City of Colombo.

Wards.	Population (Inclusive of Military) at Census of 1911.	Mortality of Children under one Year.																			
		Per Mille per Annum.					Mortality of Children under one Year.														
		Total Births registered.	Stillbirths.	Deaths of Non-residents.	Deaths of Residents.	Birth-rate.	Average for Feb., 1916, to 1915.	Death-rate.	Average for Feb., 1916, to 1915.	Standardized Death-rate.*	Its proportion to 1000 births registered during the year ended last day of Feb., 1916.										
City of Colombo ..	219,557	259,451†	259	238	497	16	32	288	226	514	66	448	24·18	27·89	21·79	28·19	25·28	95	191	218	
Fort and Galle Face	3,512	3,512‡	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	
Pettah	..	7,974	7,974‡	1	1	2	—	—	2	4	—	4	—	3·17	5·83	6·33	12·98	—	—	—	
San Sebastian	..	11,546	12,930	14	12	26	3	2	5	13	11	24	1	23	25·38	24·04	22·45	24·98	—	7	269
St. Paul's	..	24,735	27,513	21	19	40	5	1	6	24	20	44	2	42	18·35	20·23	19·26	24·14	—	7	175
Kotahena	..	40,771	45,357	56	35	91	2	3	5	39	46	85	1	84	25·32	25·75	23·37	24·29	—	13	143
New Bazaar	..	22,309	25,425	26	31	57	—	2	2	32	23	55	—	55	28·29	27·89	27·30	28·42	—	16	281
Maredana Hospitals (exclusive of Hospitals)	..	48,093	61,482	37	35	72	2	7	9	95	52	147	57	90	—	—	—	—	—	14	—
Slave Island	..	21,984	25,287	23	27	50	1	—	1	13	13	26	1	25	24·95	23·83	12·48	22·72	—	5	100
Kollupitiya	..	25,410	33,908	22	15	37	1	—	1	12	3	15	3	12	13·77	16·02	4·47	14·75	—	5	135
Wellawatta	..	13,223	16,063§	22	21	43	1	—	1	17	10	27	—	27	33·79	36·61	21·21	31·57	—	4	93
																				106	

\* For explanation of "standardized death-rate" see note \* , Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1916. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For three months, February 1913, 1914, and 1915.

Table IV.—Causes of Deaths registered during the Month of February, 1916, in each Ward and of each Race in the City of Colombo.

Ward. *	Causes of Deaths.	Deaths among all Races.																		
		All Causes	City of Colombo.	Port and Galle Face.	San Sebastian.	St. Paul's.	New Bazaar.	Maredana Hospitals.	Maredana (exclusively of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burgesses.	Sinhalese.	Tamils.	Mosrs.	Malays.	Others.	
I.—Infantile Mortality ..	..	514	3	4	24	44	85	55	147	84	26	15	27	2	28	250	118	78	9	29
A.—One Week and under.																				
1. Prematurity ..	..	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	..	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	..	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																				
1. Prematurity ..	..	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	..	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	..	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	..	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	..	8*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and over) ..	419	3	4	17	37	72	39	183	60	21	10	23	2	20	209	96	59	7	26	
1. Plague ..	..	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1a. Smallpox ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	7	2
2. Chickenpox ..	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
4. Influenza ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever ..	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\* This includes 3 from Rickets, 2 from Dysentery, 1 each from Nephritis, Thrush, and Hydrocephalus.

Table IV.—Causes of Deaths registered during the Month of February, 1916, in each Ward and of each Race in the City of Colombo—continued.

Ward.	Causes of Deaths.	Deaths among all Races.									
		Europeans.	Burgheers.	Sinhalese.	Muslims.	Moors.	Malays.	Others.	Chinese.	Indians.	Portuguese.
City of Colombo.											
	II.—General Mortality (1 Year and over) contd.										
	6. Enteric Fever	15	4	4	1	1	1	1	1	1	1
	7. Malaria	3	3	3	—	—	—	—	—	—	—
	8. Malarial Cachexia	—	—	—	—	—	—	—	—	—	—
	9. Cholera	10	10	10	10	10	10	10	10	10	10
	10. Diarrhoea	19	19	19	19	19	19	19	19	19	19
	10a. Enteritis	14	14	14	14	14	14	14	14	14	14
	11. Dysentery	14	14	14	14	14	14	14	14	14	14
	12. Ankylostomiasis or Dochmans Disease	14	14	14	14	14	14	14	14	14	14
	13. Denalis	6	6	6	6	6	6	6	6	6	6
	14. Cancer	2	2	2	2	2	2	2	2	2	2
	15. Phthisis	63	63	63	63	63	63	63	63	63	63
	16. Other Tubercolous Diseases	2	2	2	2	2	2	2	2	2	2
	16. Anæmia	2	2	2	2	2	2	2	2	2	2
	17. Diabetes Mellitus	2	2	2	2	2	2	2	2	2	2
	18. Convulsions	14	14	14	14	14	14	14	14	14	14
	19. Tetanus	3	3	3	3	3	3	3	3	3	3
	20. Bronchitis	15	15	15	15	15	15	15	15	15	15
	21. Pneumonia	53	53	53	53	53	53	53	53	53	53
	22. Other Diseases of the Respiratory System	5	5	5	5	5	5	5	5	5	5
	23. Bright's Disease and Nephritis	19	19	19	19	19	19	19	19	19	19
	24. Puerperal Eclampsia	5	5	5	5	5	5	5	5	5	5
	25. Puerperal Septicæmia	9	9	9	9	9	9	9	9	9	9
	26. Miscarriage	—	—	—	—	—	—	—	—	—	—
	27. Other undefined Accidents of Childbirth	3	3	3	3	3	3	3	3	3	3
	28. Starvation	1	1	1	1	1	1	1	1	1	1
	29. Accidents or Negligence	10	10	10	10	10	10	10	10	10	10
	30. Homicide	1	1	1	1	1	1	1	1	1	1
	31. Suicide	1	1	1	1	1	1	1	1	1	1
	32. Execution	—	—	—	—	—	—	—	—	—	—
	33. All other causes	5	5	5	5	5	5	5	5	5	5
		122*	122*	122*	122*	122*	122*	122*	122*	122*	122*

\* Here are included 36 from Old Age, 16 from Worms, 7 from Debility, and 6 from Paralysis.