

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,820 — FRIDAY, AUGUST 25, 1916.

VITAL STATISTICS OF CEYLON.

**REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS FOR
THE FIRST QUARTER OF 1916.**

Introductory.

- (a) For the first time in my reports is added a statement of multiple births (paragraph 4).
(b) The birth-rate, 43·0, is the highest recorded in any quarter during the preceding quinquennium, with the exception of the rates in the first quarters of 1911 and 1914.
(c) The number of deaths registered from Plague is nearly double that recorded in the first quarter of the previous year, and has not been exceeded in any quarter in 1915.

I.—Population.

The estimated population on the last day of the quarter was 4,445,255, showing an increase of 20,962 on that of the previous quarter, due to an increase of 18,026 births over deaths, and of 2,936 arrivals over departures of Indian coolies. The births exceeded the deaths in all districts, except Mannar, Puttalam, and Anuradhapura, and are more than double in Negombo, Galle, Matara, Chilaw, and Kegalla.

2. There were 17,503 arrivals and 14,567 departures of Indian coolies, as against averages of 11,328 and 19,121 in the corresponding quarters of the past decade.

II.—Marriages.

3. 7,146 marriages (4,956 General and 2,190 Kandyan) were registered, as against 7,368 in the preceding quarter, 5,426 in the corresponding quarter of the previous year, and 5,054 the mean of the first quarters of the preceding decennium. Table I. in the Appendix gives their distribution by Provinces and Districts.

III.—Births.

4. The births registered during the quarter numbered 47,333, and corresponded to an annual rate of 43·0 per 1,000 of the estimated population. This rate is 5·0 above that of the preceding quarter, and 1·6 above the average of the corresponding quarters in the preceding decennium. The estate births correspond to a rate of 44·1 per 1,000, and the urban, including those of Colombo, to 29·02. The Colombo rate is 23·7. For detailed statistics see Tables I. to V. in the Appendix.

There were 329 twins and 2 triplets born during the quarter under review.

IV.—Deaths.

5. The number of deaths registered during the quarter numbered 29,307, corresponding to an annual rate of 26·6 per 1,000. This rate is 8·9 less than the average of the corresponding quarters in the past decade, but is 3·1 above that of the previous quarter. This rise is noticeable in all the Provinces, except the Eastern, where the rate improved by 8·8. Among the districts, as usual, Chilaw recorded the lowest death-rate (19·8), with Negombo coming next (20·5). The highest death-rate was observed in Mannar (55·0)—a rise of 19·3 on that of the previous quarter, though 2·1 less than the average. The rate of mortality on estates during the quarter was 36·0—a rise of 4·7 on that of the previous quarter, but 1·3 below the average. The rate ranged from 62·5 in Ratnapura to 22·9 in Kegalla. Among the towns, the lowest mortality, 8·36, was recorded in Kegalla (Nuwara Eliya, in which the population is largely migratory, being excepted), and the highest, 51·87, in Mullaittivu. Colombo recorded 26·35. For detailed statistics see Tables I. to V.

V.—Infantile Mortality.

6. The infantile mortality measured by the proportion of deaths under one year to 1,000 births registered during the year ending the last day of the quarter under review is 207 for all races. The highest district rate of infantile mortality among the Sinhalese was 412 in Anuradhapura, and the lowest was 129 in Kalutara. The highest rate among the Tamils was 428, and among the Moors 399, both in Puttalam. The lowest rate among the Tamils was 149 in Trincomalee, and among the Moors 199 in Batticaloa. In the towns the infantile mortality was 228, and ranged from 823 in Mullaittivu to 146 in Badulla. The rate in Colombo was 224. The rate of infantile mortality in estates was 262, and ranged from 417 in the estates of Matara District to 131 in those of Kalutara.

VI.—Causes of Death.

7. Of the 29,307 deaths registered during the quarter, 15 per cent. were reported as due to Pyrexia. Among the other causes which contributed to a high rate of mortality were Infantile Convulsions, 12 per cent.; Diseases of Skin and Cellular Tissue and Diarrhoea and Enteritis, each 9 per cent.; Debility, 6 per cent.; Pneumonia and Diseases or Accidents of Pregnancy or of Childbirth, 4 per cent. each; Rickets, Senility, Anaemia, Phthisis, and Intestinal Parasites, 3 per cent. each; and Dysentery, Dropsy, and Anchylostomiasis, 2 per cent. each. Fifty-six deaths from Plague were registered (53 in Colombo, 1 each in Kalutara, Kandy, and Mullaitivu), against 53 in the previous quarter and 29 in the corresponding quarter of the previous year. One death from Smallpox was registered, against 17 in the previous quarter and 51 in the corresponding quarter of the previous year. One death from Cholera was registered at Mannar. There was none in the preceding quarter, but one was registered in the first quarter of 1915 at Matale.

8. Affections caused by external causes—

(a) *Suicide*.—Sixty-seven deaths were due to suicide, against 48 in the previous quarter and 58 in the corresponding quarter of the previous year.

(b) *Homicide*.—Fifty-one deaths were due to homicide, against 50 in the previous quarter and 56 in the corresponding quarter of the previous year.

(c) *Executions*.—Six judicial executions took place during the quarter, against 17 in the previous one and 11 in the corresponding one of the previous year.

(d) Of the 481 deaths attributed to accidents and other external violence, 107 were due to fall from trees, 84 to burns, 75 to drowning (29 in wells, 4 in pits), and 23 to fall of heavy substances. Snake bite caused 52 deaths, and injuries by animals 17. Trains and carts each were responsible for 7 deaths, and motor cars for 5.

9. *Causes of Deaths in the Estates*.—The highest mortality in the estates was from Debility, to which 20 per cent. of the total deaths was due. Other causes of death were Diarrhoea and Anchylostomiasis, 11 per cent. each; Pneumonia and Dysentery, 10 per cent. each; Infantile Convulsions, 8 per cent.; Senility, 4 per cent.; Premature Birth, 3 per cent.; Diseases or Accidents of Pregnancy or of Childbirth, Bronchitis, and Malaria and Malarial Cachexia, 2 per cent. each; and Dropsy, Phthisis, Diseases of the Digestive System, and Enteritis, 1 per cent. each. (For detailed statistics see Table VII.)

10. *Causes of Deaths in the Towns*.—In the 33 principal towns of the Island (inclusive of Colombo), 11 per cent. of the total number of deaths was due to Pneumonia; 8 per cent. to Convulsions; 7 per cent. to Phthisis; 6 per cent. each to Diarrhoea and Infantile Debility; 5 per cent. to Anchylostomiasis; 4 per cent. to Dysentery; 3 per cent. each to Malarial Fever, Enteritis, Bright's Disease and Nephritis; 2 per cent. each to Bronchitis, Malarial Cachexia, Enteric Fever, and Puerperal Septicæmia; and 1 per cent. to Tetanus. (For detailed statistics see Table VIII.)

Registrar-General's Office,
Colombo, August 2, 1916.

W. L. KINDERSLEY,
Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the First Quarter of 1916.

Province and District.	Area in Square Miles.	Estimated Population on January 1, 1916.	MARRIAGES.			BIRTHS.			DEATHS.		
			Total.	General.	Kandy.	Total.	Males.	Females.	Total.	Males.	Females.
CEYLON ..	25,481	4,424,295	7,146	4,956	2,190	47,333	24,232	23,101	29,307	14,862	14,445
Western ..	1,432	1,163,001	2,169	2,169	—	12,714	6,601	6,113	6,813	3,479	3,334
Central ..	2,279	695,651	841	266	575	7,829	3,991	3,838	5,269	2,581	2,688
Southern ..	2,146 $\frac{1}{2}$	660,112	1,267	1,263	4	8,530	4,365	4,165	4,227	2,125	2,102
Northern ..	3,519	373,833	462	461	1	3,223	1,627	1,596	2,685	1,377	1,308
Eastern ..	3,848 $\frac{1}{2}$	189,456	104	68	36	1,604	837	767	1,319	719	600
North-Western ..	3,016	435,193	952	481	471	4,737	2,432	2,305	3,315	1,664	1,651
North-Central ..	4,068	83,892	424	21	403	877	434	443	901	461	440
Uva ..	3,271 $\frac{1}{2}$	218,144	224	44	180	2,701	1,314	1,387	1,958	1,006	952
Sabaragamuwa ..	1,901	411,004	703	183	520	5,118	2,631	2,487	2,820	1,450	1,370
Western.											
Colombo ..	560 $\frac{1}{2}$	683,609	1,228	1,228	—	7,066	3,703	3,363	4,094	2,129	1,965
Negombo ..	247 $\frac{1}{2}$	180,988	328	328	—	2,119	1,073	1,046	923	478	445
Kalutara ..	623 $\frac{1}{2}$	298,404	613	613	—	3,529	1,825	1,704	1,796	872	924
Central.											
Kandy ..	911	424,996	544	195	349	4,805	2,440	2,365	3,072	1,512	1,560
Matale ..	905 $\frac{1}{2}$	106,441	186	38	148	1,257	641	616	1,004	512	492
Nuwara Eliya ..	462 $\frac{7}{8}$	164,214	111	33	78	1,767	910	857	1,193	557	636
Southern.											
Galle ..	652 $\frac{1}{2}$	309,946	691	687	4	3,743	1,902	1,841	1,730	883	847
Matara ..	481 $\frac{1}{2}$	241,749	396	396	—	3,247	1,654	1,593	1,470	709	761
Hambantota ..	1,012 $\frac{1}{2}$	108,417	180	180	—	1,540	809	731	1,027	533	494
Northern.											
Jaffna ..	1,147 $\frac{1}{2}$	332,624	400	400	—	2,755	1,385	1,370	2,177	1,104	1,073
Mannar ..	904 $\frac{1}{2}$	24,405	44	44	—	265	125	140	334	169	165
Mullaittivu ..	1,466 $\frac{1}{2}$	16,804	18	17	1	203	117	86	174	104	70
Eastern.											
Batticaloa ..	2,800 $\frac{1}{2}$	159,931	83	47	36	1,338	702	636	1,116	606	510
Trincomalee ..	1,048	29,525	21	21	—	266	135	131	203	113	90
North-Western.											
Kurunegala ..	1,843 $\frac{1}{2}$	304,739	704	238	466	3,521	1,818	1,703	2,501	1,261	1,240
Puttalam ..	909 $\frac{1}{2}$	38,482	35	30	5	266	135	131	361	183	178
Chilaw ..	262 $\frac{1}{2}$	91,972	213	213	—	950	479	471	453	220	233
North-Central.											
Anuradhapura ..	4,068	83,892	424	21	403	877	434	443	901	461	440
Uva.											
Badulla ..	3,271 $\frac{1}{2}$	218,144	224	44	180	2,701	1,314	1,387	1,958	1,006	952
Sabaragamuwa.											
Ratnapura ..	1,259	166,056	252	87	165	2,185	1,129	1,056	1,447	742	705
Kegalla ..	642	244,948	451	96	355	2,933	1,502	1,431	1,373	708	665

Table II.—Birth- and Death-rates in the First Quarter of 1916, the corresponding Quarter of 1915, the Fourth Quarter of 1915, and the Mean Rates for the First Quarters of 1906-1915.

Province and District.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
	First Quarter, 1916.	Fourth Quarter, 1915.	First Quarter, 1915.	Average for 1st Quarters, 1906-1915.	First Quarter, 1916.	Fourth Quarter, 1915.	First Quarter, 1915.	Average for 1st Quarters, 1906-1915.
CEYLON ..	43·0	38·0	39·5	41·4	26·6	23·5	31·9	35·5
Western	44·0	36·4	44·5	41·7	23·6	20·6	24·5	26·9
Central	45·3	41·6	39·6	40·0	30·5	28·4	30·4	31·9
Southern	52·0	43·5	43·7	46·4	25·8	22·5	31·8	41·5
Northern	34·7	30·5	32·5	35·8	28·9	24·4	52·0	37·8
Eastern	34·1	42·9	29·0	34·6	28·0	28·8	31·8	36·7
North-Western	43·8	34·9	36·3	41·5	30·6	23·4	37·0	43·0
North-Central	42·0	37·0	40·5	42·9	43·2	32·2	60·7	53·7
Uva	49·8	47·4	45·6	41·7	36·1	32·8	45·7	40·5
Sabaragamuwa	50·1	47·5	43·0	45·6	27·6	24·7	29·2	40·0
Western.								
Colombo ..	41·6	32·9	43·7	39·7	24·1	20·9	25·0	26·9
Negombo ..	47·1	40·5	45·7	45·0	20·5	16·8	21·6	24·3
Kalutara ..	47·6	41·8	45·8	44·8	24·2	22·3	28·0	28·6
Central.								
Kandy ..	45·5	40·8	39·9	41·3	29·1	27·3	29·5	30·8
Matale ..	47·5	48·0	37·3	42·6	37·9	37·2	37·0	44·4
Nuwara Eliya ..	43·3	39·6	40·4	35·4	29·2	25·5	28·4	26·3
Southern.								
Galle ..	48·6	39·9	44·5	45·6	22·5	20·7	30·9	31·7
Matara ..	54·0	46·8	44·2	47·6	24·5	21·4	30·6	36·3
Hambantota ..	57·1	46·0	40·3	44·7	38·1	30·4	37·4	68·5
Northern.								
Jaffna ..	33·3	30·1	32·0	35·4	26·3	23·5	51·2	38·9
Mannar ..	43·7	33·3	36·3	38·0	55·0	35·7	67·4	57·1
Mullaithivu ..	48·6	34·8	37·8	41·6	41·7	26·0	46·0	56·1
Eastern.								
Batticaloa ..	33·7	43·6	28·3	33·9	28·1	28·3	30·2	32·2
Trincomalee ..	36·2	38·6	33·0	38·0	27·7	31·5	40·9	42·2
North-Western.								
Kurunegala ..	46·5	37·8	36·2	43·2	33·0	25·6	38·1	45·9
Puttalam ..	27·8	17·3	27·7	34·8	37·7	25·4	51·4	46·8
Chilaw ..	41·5	32·8	40·3	40·1	19·8	15·5	27·0	27·7
North-Central.								
Anuradhapura ..	42·0	37·0	40·5	42·9	43·2	32·3	60·7	53·7
Uva.								
Badulla ..	49·8	47·4	45·6	41·7	36·1	32·8	45·7	40·5
Sabaragamuwa.								
Ratnapura ..	52·9	47·0	45·1	45·2	35·1	30·8	37·9	48·5
Kegalla ..	48·2	47·8	41·6	46·0	22·6	20·5	23·2	35·5

Table VI.—Causes of Deaths, &c.—continued.

CAUSES OF DEATH.	CEYLON.	WESTERN PROVINCE.	CENTRAL PROVINCE.	SOUTHERN PROVINCE.	NORTHERN PROVINCE.	EASTERN PROVINCE.	NORTH-WESTERN PROVINCE.	UVA PROV.	N.-C. PROV.	SADARA-SAMUTWA PROV.	DEATHS AMONG ALL RACES.																					
											Kandy.	Nuwara Eliya.	Galle.	Hambantota.	Jaffna.	Mannar.	Mullaitivu.	Kurunegala.	Puttalam.	Chilaw.	Badulla.	Kegalla.	Burgher.	Sinhalese.	Tamils.	Moors.	Malays.	Veddas.	Others.			
45. Intestinal Parasites	787	206	41	81	66	28	3	130	14	—	13	—	—	1	—	36	18	18	3	8	68	53	—	4	661	58	60	3	—	1		
46. Appendicitis and Typhilitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
47. Diseases of the Liver	70	6	—	3	4	—	—	—	—	—	13	3	4	12	10	1	5	—	3	—	1	3	—	—	—	—	—	—	—	—	1	
48. Peritonitis	24	13	1	—	1	—	—	—	—	—	1	—	—	2	—	—	3	—	3	—	1	1	—	—	—	—	—	—	—	—	—	
49. Other Diseases of the Digestive System	295	44	7	8	30	7	15	17	4	12	35	13	3	30	1	3	8	2	4	19	18	15	—	3	126	132	29	1	2	2		
50. Bright's Disease and Nephritis	161	50	8	11	22	6	4	2	2	5	—	—	—	13	4	10	1	—	6	10	5	2	4	70	64	19	1	—	1			
51. Other Diseases of the Genito-Urinary System	34	8	3	1	6	—	2	—	5	2	—	—	—	—	—	—	3	—	—	2	1	2	—	—	20	12	—	—	—	—		
52. Diseases or Accidents of Pregnancy or of Childbirth	1084	130	31	65	103	31	25	41	38	32	94	21	30	26	11	168	17	23	46	59	34	54	—	3	686	310	80	3	—	2		
53. Diseases of the Skin and Cellular Tissue	2699	301	195	57	348	135	16	9	7	8	107	11	9	166	13	623	17	77	189	13	108	261	—	—	—	2182	290	217	5	2	2	
54. Congenital Malformations	5	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
55. Premature Birth	435	30	6	2	67	1	—	—	—	—	—	—	—	—	—	—	3	5	2	—	5	4	147	50	7	—	—	—	—	—	—	—
56. Infantile Disability (under 3 months)	1468	95	24	—	325	78	210	12	18	90	75	53	36	23	7	27	14	1	42	137	95	82	—	2	480	869	100	6	1	10		
57. Senility	994	304	31	78	90	14	41	104	102	7	75	2	—	2	3	9	—	5	2	50	45	30	—	13	578	304	83	13	—	3		
58. Suicide	67	10	5	5	7	1	4	3	3	2	8	—	—	2	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
59. Homicide	51	16	3	3	3	1	—	—	5	—	2	1	2	—	—	—	1	—	1	1	3	2	2	—	—	3	—	—	—	—	—	—
60. Execution	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
61. Accidents and other affections produced by external causes	481	57	25	34	62	13	17	28	23	16	20	8	1	16	4	44	3	12	13	24	26	35	1	—	330	126	16	1	1	5		
62. Drowsy.	657	24	11	15	69	28	20	21	3	23	45	14	4	113	9	134	18	12	20	30	16	28	—	—	—	373	206	2	1	1	2	
63. Heart Failure.	42	13	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	8	1	3	—	—	—	—	—	—	—		
64. Debility (3 months and over)	426	88	6	28	65	18	31	34	15	2	—	—	—	2	—	—	2	7	—	44	40	25	—	5	121	256	36	4	—	4		
65. Pyrexia.	4317	347	147	157	156	159	18	161	226	327	625	40	9	329	31	688	63	81	189	194	167	203	—	3	3043	959	305	3	2	2		
66. Diseases not specified or ill-defined	31	11	1	1	1	—	1	—	2	2	2	—	2	4	3	2	1	—	1	—	14	12	3	—	—	—	—	—	—	—		
67. Other causes	137	21	3	8	19	1	8	7	4	—	7	4	—	5	—	5	—	—	16	24	5	2	—	5	75	—	5	2	—	—		

Table VII.—Causes of Deaths Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the First Quarter of 1916.

Causes of Death.	Ceylon.	Central Province.			Province of Uva.	Province of Sabaragamuwa.		Western Province.		Southern Province.		North-Western Province.
		Kandy.	Matale.	Nuwara Eliya.		Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	Galle.	
ALL CAUSES	4,548	1,337	274	803	657	473	356	116	236	65	49	92
1. Enteric Fever	8	5	—	1	—	1	—	—	—	—	1	—
2. Malaria and Malarial Cachexia	89	18	11	9	15	14	6	3	8	—	—	5
3. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—
5. Whooping Cough	3	3	—	—	—	—	—	—	—	—	—	—
6. Cholera	—	—	—	—	—	—	—	—	—	—	—	—
7. Dysentery	433	131	31	86	56	72	25	10	11	4	4	3
8. Plague	—	—	—	—	—	—	—	—	—	—	—	—
9. Chickenpox	1	1	—	—	—	—	—	—	—	—	—	—
10. Other Epidemic Diseases	14	8	3	2	—	1	—	1	—	—	—	—
11. Septicæmia	5	1	—	—	—	—	—	—	—	—	—	—
12. Other Septic Diseases	2	—	—	—	—	—	—	—	—	—	—	—
13. Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
14. Tetanus	10	2	—	—	—	2	—	—	—	—	—	—
15. Phthisis	60	12	5	9	11	8	7	1	3	—	—	4
16. Other Tuberculous Diseases	4	1	—	1	1	—	—	—	—	—	—	—
17. Rickets	10	2	—	1	2	2	—	—	—	1	—	—
18. Parangi	—	—	—	—	—	—	—	—	—	—	—	—
19. Cancer	5	4	—	1	—	—	1	—	—	—	—	1
20. Acute Rheumatic Fever	4	2	—	—	—	—	—	—	—	—	—	—
21. Diabetes	3	2	—	—	—	—	—	2	—	—	—	—
22. Anæmia	29	5	5	—	—	—	—	—	—	—	1	—
23. Alcoholism	2	1	—	—	—	—	—	—	—	—	—	—
24. Other General Diseases	21	6	1	3	1	4	4	—	1	—	—	—
25. Meningitis	5	—	—	1	1	1	—	—	—	—	—	—
26. Cerebral Hæmorrhage or Apoplexy	15	6	2	4	2	—	2	—	1	—	—	—
27. Paralysis	15	4	—	7	—	—	—	—	—	—	—	—
28. Epilepsy	13	9	—	—	1	1	2	1	—	—	—	—
29. Convulsions (non-puerperal)	20	4	1	2	5	2	1	—	2	2	1	—
30. Infantile Convulsions	349	100	16	63	35	29	41	16	28	10	2	9
31. Other Diseases of the Nervous System	6	2	—	—	3	1	—	—	—	—	—	—
32. Organic Diseases of the Heart	12	8	1	1	—	—	—	1	1	—	—	—
33. Hæmorrhoids	—	—	—	—	—	—	—	—	—	—	—	—
34. Other Diseases of the Circulatory System	5	—	—	1	2	1	—	—	—	—	—	1
35. Bronchitis	93	25	2	33	16	2	5	—	6	1	—	1
36. Pneumonia	472	126	37	137	73	28	21	3	22	3	1	21
37. Pulmonary Congestion	3	2	—	—	—	—	—	—	1	—	—	1
38. Asthma	18	5	1	3	5	—	3	—	—	—	—	—
39. Other Diseases of the Respiratory System	11	1	—	4	3	—	1	1	—	1	—	—
40. Thrush, Stomatitis	—	—	—	—	—	—	—	—	—	—	—	—
41. Infantile Diarrhoea	24	5	—	8	3	4	2	—	1	—	—	1
42. Diarrhoea undefined	478	139	21	84	70	67	30	10	24	11	7	15
43. Enteritis	46	8	—	10	9	2	16	—	—	—	1	—
44. Anchylostomiasis	514	152	39	55	65	67	53	21	30	14	13	5
45. Intestinal Parasites	28	12	1	2	1	2	2	4	2	2	—	—
46. Appendicitis and Typhilitis	—	—	—	—	—	—	—	—	—	—	—	—
47. Diseases of the Liver	3	2	—	1	—	1	—	—	—	—	—	—
48. Peritonitis	4	1	—	—	2	—	—	—	—	—	—	—
49. Other Diseases of the Digestive System	59	20	6	8	13	5	6	—	1	—	—	—
50. Bright's Disease and Nephritis	32	7	2	2	3	5	3	—	8	1	—	1
51. Other Diseases of the Genito-Urinary System	9	2	1	4	—	1	1	—	—	—	—	—
52. Diseases or Accidents of Pregnancy or of Childbirth	111	34	10	18	15	6	7	3	11	3	1	3
53. Diseases of the Skin and Cellular Tissue	27	7	5	5	3	—	1	2	3	—	1	—
54. Congenital Malformations	1	1	—	—	—	—	—	—	—	—	—	—
55. Premature Birth	150	45	1	41	26	27	5	—	2	2	—	1
56. Infantile Debility (under 3 months)	677	228	42	186	100	35	39	10	17	6	7	3
57. Senility	202	59	8	35	33	20	18	5	12	5	4	1
58. Suicide	17	5	—	3	4	2	2	—	—	—	—	—
59. Homicide	—	—	—	—	—	—	—	—	—	—	—	—
60. Execution	—	—	—	—	—	—	—	—	—	—	—	—
61. Accidents and other affections produced by external causes	49	15	1	8	4	6	13	—	2	—	—	2
62. Drowsy	66	23	4	9	14	6	2	5	1	—	—	1
63. Heart Failure	20	4	—	3	7	1	3	1	—	—	—	—
64. Debility (3 months and over)	229	53	13	30	38	35	23	5	25	1	2	4
65. Pyrexia	24	2	4	1	4	1	2	3	5	—	1	1
66. Diseases not specified or ill-defined	—	—	—	—	—	—	—	—	—	—	—	—
67. Other causes	31	15	—	4	3	3	3	—	3	—	—	2

Table VIII.—Causes of Deaths registered during the First Quarter of 1916 in each Town of the Island proclaimed under Sections 31-36 of the Ordinance of No. 1 of 1895.

Causes of Deaths.	Western Province.			Central Province.			Southern Province.			Northern Province.			Province of Sabaragamuwa.			Deaths among all Races.																				
	All Towns.	All 33	Towns.	All Causes	4,524	204	273	99	38	265	72	70	46	132	33	267	23	77	54	25	34	61	86	47	91	26	15	120	2141	1487	576	82	103			
I.—Infantile Mortality																																				
<i>A.—One Week and under.</i>																																				
1. Prematurity	83	19	6	6	—	3	4	—	—	11	—	1	1	—	2	—	2	—	18	1	1	5	—	4	—	1	—	33	9	—	—	1				
2. Debility	140	34	9	3	—	6	2	—	—	3	1	2	—	—	2	—	3	—	6	1	15	5	—	1	—	—	—	43	15	2	—	1				
3. Convulsions	84	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—	58	10	12	—	4					
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5. Tetanus	12	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7. Pneumonia	—	—	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
8. Other causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
<i>B.—Over 1 Week and under 1 Year.</i>																																				
1. Prematurity	12	1	—	—	—	—	—	—	—	8	—	—	—	—	—	1	—	—	11	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	132	50	9	16	—	2	—	—	7	2	—	1	—	4	1	—	1	—	7	1	5	1	—	5	1	—	—	2	—	—	—	—	2			
3. Convulsions	181	67	4	6	10	—	—	—	7	3	5	—	—	28	1	—	1	—	2	1	1	1	—	1	1	—	—	3	—	—	—	—	2			
4. Diarrhoea	21	8	2	5	—	—	—	—	—	2	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis	44	23	—	—	17	—	—	—	—	1	—	—	—	—	1	—	—	—	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	39	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	62	24	3	6	2	—	—	—	—	2	1	—	1	—	2	1	—	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
8. Other causes	60	26	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and over)																																				
1. Plague	51	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
1a. Smallpox	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
2. Chickenpox	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Pyrexia or Fever	16	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Enteric Fever	94	48	4	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria	144	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria Cachexia	96	6	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Diarrhoea	245	38	33	11	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table VIII.—Causes of Deaths, &c.—contd.

Causes of Deaths.	All 33 Towns.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Western Province.	North-Central Province.	Province of Uva.	Province of Sabaragamuwa.	Deaths among all Races.	
											Deaths among all Races.	
10. Enteritis	..	95	69	22	7	1	1	—	—	—	—	—
11. Dysentery	..	165	26	2	2	8	7	4	—	—	—	—
12. Anchylostomiasis or Duodenitis	..	206	27	6	3	4	22	6	4	—	—	—
13. Cancer	..	24	15	2	—	—	—	1	—	—	—	—
14. Phtisis	..	310	193	13	8	2	17	1	1	—	—	—
15. Other tubercular diseases	..	31	10	—	—	3	8	—	—	—	—	—
16. Anaemia	..	33	11	7	5	1	—	—	1	—	—	—
17. Diabetes Mellitus	..	29	10	4	4	1	—	—	—	—	—	—
18. Convulsions	..	88	37	2	5	2	—	4	1	—	—	—
19. Tetanus	..	23	8	1	3	—	1	—	2	1	—	—
20. Bronchitis	..	58	39	1	1	—	3	1	—	—	—	—
21. Pneumonia	..	452	158	10	32	4	1	30	11	6	1	—
22. Other Diseases of the Respiratory System..	..	38	20	—	—	—	4	1	2	—	—	—
23. Bright's Disease and undefined Disease	..	125	42	8	7	—	2	—	—	—	—	—
24. Puerperal Eclampsia	29	17	1	2	—	14	—	6	3	—	—
25. Puerperal Septicæmia	80	27	1	6	—	2	—	—	—	—	—
26. Miscarriage	2	1	—	—	—	—	—	—	—	—	—
27. Other and undefined accidents of Childbirth	..	30	8	3	—	1	1	—	1	1	—	—
28. Starvation	..	5	1	—	—	—	—	—	—	—	—	—
29. Accidents or Negligence	..	96	29	7	2	4	—	2	4	3	—	—
30. Homicide	18	6	1	2	—	1	—	—	—	—	—
31. Suicide	4	2	1	—	—	—	—	—	—	—	—
32. Execution	1045	431	23	8	32	12	55	7	13	10	29
33. All other causes	—	—	—	—	—	—	—	—	—	9	18

Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the First Quarter of 1916.

Province and District.	Area in Square Miles.	Sinhalese.		Tamil.		Moors.	
		Estimated Population on January 1st, 1916.	Births.	Estimated Population on January 1st, 1916.	Births.	Estimated Population on January 1st, 1916.	Births.
Ceylon ..	25481	284641.6	34515	18167	48.8	45.8	25.7
Western ..	1432	95889211062	5225	46.4	44.4	21.9	141
Colombo ..	5603	5443746110	3034	45.1	43.7	22.4	152
Negombo ..	2474	1630651980	831	48.8	45.6	20.5	144
Kalutara ..	6233	2514532072	1360	47.5	45.4	21.8	129
Central ..	2279	3575194374	2359	49.2	47.4	26.5	208
Kandy ..	911	2331582866	1435	49.4	48.0	24.8	197
Matale ..	9051	63343388	629	49.3	47.8	37.0	282
Nuwara Eliya ..	4628	56018670	295	48.1	36.4	21.2	156
Southern ..	21461	6278778251	3939	52.9	46.9	25.2	164
Galle ..	6524	2923953804	1571	49.6	46.6	21.6	140
Matale ..	4811	2311273147	1373	54.8	48.3	23.9	150
Hambantota ..	10124	1043551500	995	57.8	45.1	38.4	250
Northern ..	3519	—	—	—	—	—	—
Jaffna ..	11473	—	—	—	—	—	—
Mannar ..	9044	—	—	—	—	—	—
Mullaitivu ..	14662	—	—	—	—	—	—
Eastern ..	38481	6972	122	102	70.3	48.2	58.8
Batticaloa ..	28001	5948	107	92	72.4	52.2	62.2
Trincomalee ..	1048	—	—	—	—	—	—
North-Western ..	3016	3755714222	2705	45.2	42.7	29.0	23.9
Kurunegala ..	1832	2784673263	2212	47.1	45.2	32.0	25.5
Puttalam ..	9098	17664	108	116	24.6	31.7	41.0
Chilaw ..	2624	79440	850	377	43.0	19.1	27.3
North-Central ..	4068	64498	724	704	45.2	45.6	43.9
Anuradhapura ..	4068	64498	724	704	45.2	45.6	43.9
Uva ..	32713	1360611734	1196	51.3	46.1	35.4	25.4
Badulla ..	32712	1360611734	1196	51.3	46.1	35.4	25.4
Sabaregamuwa ..	1901	3163364003	1892	50.9	49.2	24.1	37.1
Ratnapura ..	1289	1376591677	950	49.0	46.9	27.8	42.1
Kegalla ..	642	1786772326	942	52.4	51.0	21.2	33.3

Table IV.—Births, Deaths, and their Rates on Estates, First Quarter, 1916, &c., and Average Rates, 1906–1915.

District.	Population at the Census of March 10, 1911.	Births registered during First Quarter, 1916.	Deaths registered during First Quarter, 1916.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
				First Quarter, 1916.	Fourth Quarter, 1915.	First Quarter, 1915.	Average, First Quarters, 1906–1915.	First Quarter, 1916.	Fourth Quarter, 1915.	First Quarter, 1915.	Average, First Quarters, 1906–1915
Kandy ..	147,738	1,612	1,337	43·9	36·1	39·4	33·0	36·4	31·4	35·1	30·9
Matale ..	31,186	323	274	41·7	52·8	32·0	30·9	35·3	50·3	41·6	44·7
Nuwara Eliya ..	100,393	1,081	893	43·3	38·5	40·2	30·5	36·8	27·8	29·4	26·7
Badulla ..	71,957	846	657	47·3	38·6	47·3	34·3	36·7	27·6	52·4	39·8
Ratnapura ..	30,455	478	473	63·1	48·3	46·6	35·5	62·5	45·7	69·3	79·1
Kegalla ..	62,518	519	356	33·4	32·4	26·5	29·9	22·9	23·6	23·1	43·2
Colombo ..	13,377	156	116	46·9	38·6	35·2	27·8	34·9	27·0	29·1	53·5
Kalutara ..	30,768	386	236	50·5	41·5	43·5	35·2	30·9	28·8	33·2	43·4
Galle ..	6,295	67	65	42·8	44·1	46·4	35·9	41·5	39·1	36·1	34·6
Matara ..	3,191	37	49	46·6	53·5	38·1	35·4	61·8	44·8	50·8	52·3
Kurunegala ..	9,789	67	92	27·5	31·6	21·6	25·8	37·8	39·7	44·8	60·8
Total ..	507,667	5,572	4,548	44·1	38·8	38·9	31·9	36·0	31·3	37·4	37·3

Table V.—Number of Births and Deaths registered during the First Quarter of 1916, and their Proportion per 1,000 of the Population per Annum ; the Stillbirths ; the Deaths of Children under One Year and their Proportion per 1,060 Registered Births ; and the Mean Temperature and Rainfall, observed in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated of the Military at the middle of 1916 by Intercessional Increase.	Total Births.		Total Deaths.		Deaths of Non-residents registered in Towns.	Deaths of Persons in Towns in Hospitals and Jails.	Deaths of Persons in Towns Registered.	Birth-rate.		Death-rate.		Deaths of Children under One Year.	Deaths of Children under One Year, First Quarter, 1916.	Average First Quarter, 1916.	Mean Temperature, 1908-1915.						
		Males	Females	Males	Females				Average, First Quarter, 1916.	Crude, First Quarter, 1916.	Average, First Quarter, 1916.	Crude, First Quarter, 1916.										
All 33 Towns ..	517,877	601,045	2,248	2,089	4,387	2,490	4,524	141	129	270	815	3,700	28-02	31-93	24-76	26-99	32-96	878	228	264		
<i>Western Province.</i>																						
Colombo ..	219,657	259,451	738	733	1,531	920	1,648	49	46	95	177	1,465	23-73	27-22	22-71	26-35	30-57	299	224	79-4	4-85	
Negombo ..	13,045	25,998	124	137	261	85	204	6	3	9	38	166	46-65	46-65	26-86	35-02	36	151	186	10-20		
Moratuwa ..	27,256	29,630	195	173	368	111	162	273	8	6	14	—	273	50-12	49-04	37-18	41-01	35-74	70	225	167	
Kalutara ..	13,005	13,870	57	67	124	50	49	99	5	5	10	13	86	35-96	39-12	24-94	24-78	29-50	26	229	173	
Panadure ..	5,709	7,049	27	14	41	23	15	38	2	4	9	29	23-39	31-73	16-55	19-70	22-73	2	679	164	—	
<i>Central Province.</i>																						
Kandy ..	30,149	31,973	129	111	240	151	114	265	6	8	14	65	200	30-19	30-47	25-16	27-42	27-23	60	219	219	76-4
Gampola ..	6,521	6,745	33	24	57	39	33	72	4	3	7	20	62	33-99	36-61	31-01	32-18	38-14	13	261	296	9-65
Newalapitiya ..	3,767	3,955	20	13	33	28	42	70	3	2	5	57	13	33-56	31-04	13-22	14-37	26-09	11	330	292	—
Batticaloa and Dikoya ..	3,131	3,131	10	16	26	23	23	46	3	3	3	31	14	33-40	20-72	17-99	21-00	28-09	7	366	233	8-69
Matale ..	5,792	6,291	39	27	66	82	50	132	2	3	5	66	66	42-20	32-65	42-20	48-49	38-39	15	261	264	5-17
Nuwara Eliya ..	14,910	16,016	27	24	61	20	13	33	3	1	4	10	23	13-66	15-49	6-16	7-02	11-28	9	147	242	56-8
<i>Southern Province.</i>																						
Galle ..	39,936	41,610	168	176	344	160	117	267	9	11	20	23	244	33-33	34-54	23-64	23-15	31-75	62	191	215	79-3
Ambalangoda ..	—	4,277	14	13	27	9	14	23	—	—	—	—	23	25-39	—	21-63	—	5	—	—	—	—
Matale ..	13,861	15,040	82	83	165	36	41	77	7	3	10	7	70	44-12	42-57	18-34	27-07	22	159	213	7-20	
Welligama ..	8,672	9,304	54	63	107	26	28	54	—	—	—	—	57	46-26	34-16	24-64	22-20	27-25	13	158	127	7
Hambantota ..	3,092	3,235	14	11	25	13	12	25	2	1	3	4	21	31-08	38-35	26-11	29-19	39-78	6	244	296	79-3
Tangalle ..	3,605	4,351	29	11	40	18	10	28	1	1	2	4	24	36-98	36-07	22-19	22-68	28-28	10	296	189	—
<i>Northern Province.</i>																						
Jaffna ..	40,441	44,436	154	136	290	185	173	358	8	11	19	27	329	26-25	35-33	29-78	30-42	49-72	90	323	380	79-3
Mannar ..	3,777	4,038	17	13	30	22	22	44	1	—	1	3	41	29-88	39-77	40-84	44-97	55-64	10	353	310	80-9
Mullaitivu ..	1,392	1,439	9	10	19	9	5	14	1	—	1	—	14	53-11	36-92	39-13	51-87	64-95	9	823	435	—
Vavuniya ..	808	977	7	—	7	12	2	14	—	—	4	4	9	28-82	27-05	37-05	50-31	47-63	3	575	618	—
<i>Eastern Province.</i>																						
Batticaloa ..	10,871	11,062	44	40	84	61	49	110	6	3	9	8	102	30-54	24-82	37-08	36-57	30-78	34	261	338	78-8
Kalmunai ..	—	2,060	15	9	24	19	5	24	1	—	1	9	15	46-87	39-19	29-29	—	—	6	280	232	—
Trincomalee ..	8,840	10,248	29	23	52	32	25	57	—	2	2	2	55	20-41	30-89	21-59	23-69	43-04	12	184	341	81-4
<i>N.-Western Province.</i>																						
Kurunegala ..	8,167	9,263	36	36	72	81	49	130	3	3	6	58	72	31-26	30-01	31-26	32-11	55-20	18	258	388	79-7
Puttalam ..	5,990	6,516	21	23	44	32	22	54	1	2	6	6	48	27-16	35-51	29-63	31-70	34-57	11	253	310	78-9
Kalpitiya ..	1,591	1,656	7	4	11	10	10	20	—	1	1	—	20	26-72	27-91	48-68	—	3	326	628	—	
Chilaw ..	5,033	5,662	18	19	37	20	14	34	2	—	2	10	22	26-75	41-51	15-91	15-25	40-82	8	262	189	—
<i>N.-Central Province.</i>																						
Anuradhapura ..	5,361	6,567	12	18	30	34	27	61	1	1	2	—	61	18-37	23-84	37-36	45-77	61-00	10	327	375	79-4
<i>Province of Uva.</i>																						
Badulla ..	6,487	6,828	29	33	62	56	30	86	1	3	4	51	35	36-52	33-88	20-62	22-75	31-63	8	146	272	70-6
Lunugala ..	515	587	3	1	4	32	15	47	—	—	—	42	5	27-39	30-34	34-23	—	—	1	251	639	—
<i>Prov. of Sabaragamauva.</i>																						
Ratnapura ..	5,476	6,434	19	27	46	35	91	4	8	12	51	40	28-76	35-22	25-01	28-35	42-06	8	187	228	81-2	
Kegalle ..	2,636	2,647	8	11	19	11	15	26	2	1	3	20	6	28-87	33-02	9-12	8-36	16-07	1	536	162	—

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences for sex and age-constitution of the several populations in 1911 as compared with that of the Island.

† Calculated on the basis of the deaths during the year, ending the last day of the quarter and not on those during the quarters only, as in previous years.

‡ Anbalangoda proclaimed in January, 1915.

§ Rain gauges.

Table VI.—Causes of Deaths Registered in Ceylon and in each Province and District during the First Quarter of 1916.

	CAUSES OF DEATH.	CEYLON.										DEATHS AMONG ALL RACES.									
		WESTERN PROVINCE.	CENTRAL PROVINCE.	SOUTHERN PROVINCE.	NORTHERN PROVINCE.	EASTERN PROVINCE.	NORTH-WESTERN PROVINCE.	N.-C. PROVINCE.	UVA PROVINCE.	GANTHA PROVINCE.	SABARA PROVINCE.	N.-C. PROVINCE.	UVA PROVINCE.	GANTHA PROVINCE.	SABARA PROVINCE.	N.-C. PROVINCE.	UVA PROVINCE.	GANTHA PROVINCE.	SABARA PROVINCE.	N.-C. PROVINCE.	UVA PROVINCE.
All Causes	..	293074094	923179630721004	111931730147010372177	3341741116	2032501361	453901	195814471373	17	14318167	86911999	108	20	162							
1. Enteric Fever	..	110	68	4	7	—	1	15	4	3	1	1	1	1	6	79	14	6	1	—	4
2. Malaria and Malarial Cachexia	..	414	21	18	20	—	9	19	26	8	89	16	1	23	17	8	—	1	—	2	—
3. Smallpox	..	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
4. Measles	..	9	2	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
5. Whooping Cough	..	13	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Cholera	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Dystentery	..	692	53	22	13	161	41	90	8	9	5	53	9	8	7	6	76	27	2	133	517
8. Plague	..	56	53	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30	10
9. Chickenpox	..	9	5	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2
10. Other Epidemic Diseases	..	60	18	2	2	12	3	3	—	3	15	—	—	—	—	—	—	—	—	—	—
11. Septicæmia	..	29	12	1	—	5	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
12. Other Septic Diseases	..	9	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Hydrocephalus	..	13	5	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Tetanus	..	68	14	1	5	6	2	2	—	4	1	27	—	—	—	—	—	—	—	—	—
15. Phthisis	..	901	267	32	80	62	20	20	82	63	14	77	1	7	1	40	2	9	10	39	13
16. Other Tuberculous Diseases	..	87	14	1	10	10	1	1	1	1	5	—	—	—	—	—	32	3	7	60	210
17. Rickets	..	1026	158	25	154	150	36	47	6	1	36	25	17	80	15	22	4	4	12	92	136
18. Paranghi	..	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Cancer	..	120	20	8	15	14	1	7	5	3	1	7	9	5	2	—	—	—	—	—	—
20. Acute Rheumatic Fever	..	284	48	4	29	13	2	4	27	26	18	41	16	1	20	4	2	5	2	4	185
21. Diabetes	..	77	21	6	2	7	—	—	5	2	14	1	1	1	1	10	4	4	5	9	32
22. Anaemia	..	983	181	77	172	48	10	2	112	87	29	33	3	2	—	—	41	28	6	1	2
23. Alcoholism	..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
24. Other General Diseases	..	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Meningitis	..	22	12	—	1	9	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Cerebral Haemorrhage or Apoplexy	..	62	22	—	3	8	—	5	2	3	—	—	—	—	—	—	—	—	—	—	—
27. Paralysis	..	185	78	14	25	12	4	9	14	7	—	12	1	—	—	—	—	—	—	—	—
28. Epilepsy	..	38	11	—	11	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—
29. Convulsions (non-puerperal)	..	192	23	2	12	11	4	3	17	11	14	—	—	—	—	—	—	—	—	—	—
30. Infantile Convulsions	..	3377	443	32	417	155	37	80	431	445	192	298	9	11	49	16	143	52	46	130	87
31. Other Diseases of the Nervous System	..	53	9	4	4	7	2	2	2	2	—	1	1	1	1	1	5	4	1	—	16
32. Organic Diseases of the Heart	..	1356	240	13	36	176	57	144	12	7	145	9	24	41	20	65	18	1	10	88	42
33. Haemorrhoids	..	73	14	7	3	6	—	1	24	1	—	—	—	—	—	—	—	2	1	1	3
34. Other Diseases of the Circulatory System	..	44	18	—	13	30	6	35	13	1	3	6	—	—	—	—	4	—	1	2	1
35. Bronchitis	..	230	65	4	—	13	30	6	35	13	1	3	6	—	—	—	—	—	1	1	2
36. Pneumonia	..	1186	240	13	36	176	57	144	12	7	145	9	24	41	20	65	18	1	10	88	42
37. Pulmonary Congestion	..	111	6	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	24
38. Asthma	..	89	16	—	3	7	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
39. Other Diseases of the Respiratory System	..	813	18	5	7	96	34	35	8	1	22	49	9	42	4	113	43	6	4	38	4
40. Thrush, Stomatitis	..	185	15	10	4	46	5	13	—	—	—	—	—	—	—	—	—	—	—	133	98
41. Infantile Diarrhoea	..	256	20	7	12	13	4	13	34	—	31	39	14	2	—	—	26	1	12	27	6
42. Diarrhoea undefined	..	2250	111	56	99	289	106	107	229	136	158	32	8	6	73	161	13	2	40	254	16
43. Enteritis	..	192	121	1	2	13	—	—	—	—	—	—	—	—	—	—	—	—	—	1616	619
44. Anchylostomiasis	..	625	54	6	38	165	47	55	41	14	—	—	—	—	—	—	—	—	—	89	81
																3	1	5	1	69	54
																				69	532