

SUPPLEMENT  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,834 — FRIDAY, NOVEMBER 10, 1916.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS FOR  
THE SECOND QUARTER OF 1916.

I.—Population.

THE estimated population on the last day of the quarter was 4,482,810, showing an increase of 37,555 on that of the previous quarter, due to an excess of 9,596 births over deaths, and 27,959 arrivals over departures of Indian coolies. The births exceeded the deaths in all districts, except Puttalam and Ratnapura, and were nearly double in Chilaw.

2. There were 42,014 arrivals and 14,055 departures of Indian coolies, as against averages of 31,867 and 21,006 respectively in the corresponding quarters of the past decade.

II.—Marriages.

3. 4,918 marriages (3,791 General and 1,127 Kandyan) were registered, which, besides showing a marked decrease on 7,146 registered in the preceding quarter, was the lowest recorded in any quarter since the second quarter of 1912. The number of marriages registered in the second quarter of 1915 was 6,335, and the average number of marriages of the second quarters of the preceding decennium was 4,794.

III.—Births.

4. The births registered during the quarter numbered 41,283, and corresponded to an annual rate of 37·4 per 1,000 of the estimated population. This rate, though 5·6 less than that of the previous quarter, showed a slight improvement on the rate of the second quarter of 1915 and on the average of the second quarters of the past decade. All the Tamil districts excepting Mullaithivu, and the districts of Matale and Kurunegala, showed higher rates of birth than the previous quarter. The estate birth-rate corresponded to a rate of 40·1 and the urban, including those of Colombo, to 24·91. The Colombo rate was 18·31. For detailed statistics see Tables I. to V. in the Appendix. There were 265 twins and 2 triplets born during the quarter, as against 329 and 2 respectively in the previous quarter.

IV.—Deaths.

5. The number of deaths registered during the quarter was 31,687, corresponding to an annual rate of 28·7 per 1,000. This rate was about the average, but was 2·1 higher than that of preceding quarter and 5·4 than that of the second quarter of 1915. The Northern and North-Central Provinces appear to have enjoyed better health, in spite of the slight deterioration in health of the Island as a whole, and the Mullaithivu and Anuradhapura Districts, which usually rank among the unhealthiest, show a considerable improvement on the average rates as well as on the rates of the previous quarter and of the corresponding quarter of 1915. The most unhealthy district during the quarter was Ratnapura, where the rate rose to 51·4 from an average of 40·8, and the most healthy was Chilaw, with a rate of 19·7. The rate of mortality in estates was 41·1, which was 5·1 above that of the previous quarter, and 6·3 above the average. The estates of Ratnapura had the highest death-rate, 85·1, and those of Kegalla the lowest 24·1. The lowest rate of mortality in the towns was 9·47 in Nuwara Eliya, and the highest (81·51) in Mullaithivu. The rate in Colombo was 26·31. (For detailed Statistics see Tables I. to V.)

V.—Infantile Mortality.

6. The infantile mortality measured by the proportion of deaths under one year to 1,000 births registered during the year ended the last day of the quarter under review was 118 for all races, and was a distinct improvement on 207, the rate of the previous quarter. The highest district rate of infantile mortality among the Sinhalese was 349 in Batticaloa, and the lowest was 111 in Kalutara and Galle. The highest rate among the Tamils was 341 in Mannar, and among the Moors 390 in Puttalam. The lowest rate among the Tamils was 180 in Jaffna, and among the Moors 215 in Batticaloa. In the towns the infantile mortality was 222, and ranged from 546 in Kegalla to 37 in Ambalangoda. The rate of infantile mortality in estates was 217, and ranged from 353 in Kurunegala to 104 in Galle.

## VI.—Causes of Death.

7. Of the 31,687 deaths registered during the quarter, Pyrexia as usual contributed to the highest rate of mortality, viz., 18 per cent. The other causes which contributed to a high rate of mortality were Convulsions, 12 per cent.; Diarrhoea, 9 per cent.; Diseases of Skin and Cellular Tissue, 7 per cent.; Debility, 5 per cent.; Pneumonia and Dysentery, 4 per cent. each; Diseases of Pregnancy and of Childbirth, Rickets, Intestinal Parasites, Phthisis, Senility, and Anaemia, 3 per cent. each; and Dropsy, Anchylostomiasis, and Malaria and Malarial Cachexia, 2 per cent. each. Sixty-one deaths from Plague were registered (57 in Colombo, 3 in Kallutara, and 1 in Kegalla), as against 56 in the preceding quarter and 8 in the corresponding quarter of the previous year. Forty deaths from Cholera, as against 1 in the previous quarter, and 3 deaths from Smallpox, as against 1 in the previous quarter were registered. (For detailed statistics see Table VI.)

## 8. Affections caused by external causes—

(a) *Suicide*.—Fifty-five deaths from suicide were registered, as against 67 in the preceding quarter and 47 in the corresponding quarter of the previous year.

(b) *Homicide*.—Forty-four deaths were due to homicide, as against 51 in the previous quarter and 139 in the corresponding quarter of the previous year.

(c) *Executions*.—Four judicial executions took place during the quarter, against 6 in the previous quarter and 9 in the corresponding quarter of the previous year.

(d) Of the 452 deaths attributed to accidents and affections produced by external causes, 129 were due to drowning (39 in wells, 15 in pits), 99 to fall from trees, 39 to burns, and 21 to fall of heavy substances. Snake bite caused 48 deaths, and injuries by animals 18. Trains and motor cars were each responsible for 8 deaths, carts for 6, and rickshaw for 1.

9. *Causes of Deaths in Estates*.—The highest mortality in estates was due to Debility, which caused 16 per cent. of the total deaths. Diarrhoea caused 15 per cent., Dysentery, 14 per cent., Anchylostomiasis 10 per cent., Pneumonia and Convulsions 8 per cent. each, Senility, 4 per cent., Diseases of Pregnancy and of Childbirth 3 per cent., and Malaria and Malarial Cachexia and Premature Birth 2 per cent. each. (For detailed statistics see Table VII.)

10. *Causes of Deaths in Towns*.—In the 33 principal towns of the Island (inclusive of Colombo), 12 per cent. of the total number of deaths was due to Pneumonia, 8 per cent. to Convulsions, 7 per cent. each to Phthisis and Diarrhoea, 6 per cent. each to Malaria and Malarial Cachexia and Dysentery, 5 per cent. each to Anchylostomiasis and Infantile Debility, 3 per cent. each to Enteritis and Enteric Fever, 2 per cent. each to Bright's Disease and Nephritis and Bronchitis, and 1 per cent. to Puerperal Septicaemia. (For detailed statistics see Table VIII.)

Registrar-General's Office,  
Colombo, October 19, 1916.

W. L. KINDERSLEY,  
Registrar-General.

## APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Second Quarter of 1916.

Province and District.	Area in Square Miles.	Estimated Population on April 1, 1916.	MARRIAGES.			BIRTHS.			DEATHS.		
			Total.	General.	Kandyen.	Total.	Males.	Females.	Total.	Males.	Females.
CEYLON ..	25,481	4,445,255	4,918	3,791	1,127	41,283	21,238	20,045	31,687	15,772	15,915
Western ..	1,432	1,168,902	1,612	1,612	—	9,114	4,709	4,405	7,191	3,716	3,475
Central ..	2,279	698,211	495	167	328	7,692	3,964	3,728	6,115	2,951	3,164
Southern ..	2,146 $\frac{1}{2}$	664,415	893	892	1	6,524	3,285	3,239	4,358	2,102	2,256
Northern ..	3,519	374,371	553	545	8	3,747	1,995	1,752	2,396	1,250	1,146
Eastern ..	3,848 $\frac{1}{2}$	189,741	69	53	16	1,851	965	886	1,355	712	643
North-Western ..	3,016	436,615	613	334	279	4,753	2,436	2,317	3,712	1,828	1,884
North-Central ..	4,068	83,868	136	19	117	737	376	361	527	283	244
Uva ..	3,271 $\frac{1}{2}$	218,887	191	39	152	2,538	1,282	1,256	1,962	968	994
Sabaragamuwa ..	1,901	413,302	386	130	226	4,327	2,226	2,101	4,071	1,962	2,109
Western.											
Colembo ..	560 $\frac{1}{2}$	686,581	923	923	—	4,904	2,584	2,320	4,427	2,345	2,082
Negombo ..	247 $\frac{1}{2}$	182,184	265	265	—	1,599	814	785	948	480	468
Kalutara ..	623 $\frac{1}{2}$	300,137	424	424	—	2,611	1,311	1,300	1,816	891	925
Central.											
Kandy ..	911	426,729	295	111	184	4,662	2,413	2,249	3,697	1,762	1,935
Matale ..	905 $\frac{1}{2}$	106,694	138	27	111	1,400	690	710	1,077	491	586
Nuwara Eliya ..	462 $\frac{1}{2}$	164,788	62	29	33	1,630	861	769	1,341	698	643
Southern.											
Galle ..	652 $\frac{1}{2}$	311,959	423	422	1	2,527	1,271	1,256	1,747	867	880
Matare ..	481 $\frac{1}{2}$	243,526	335	335	—	2,566	1,281	1,285	1,505	700	805
Hambantota ..	1,012 $\frac{1}{2}$	108,930	135	135	—	1,431	733	698	1,106	535	571
Northern.											
Jaffna ..	1,147 $\frac{1}{2}$	333,202	510	510	—	3,288	1,751	1,537	2,027	1,058	969
Mannar ..	904 $\frac{1}{2}$	24,336	26	26	—	272	140	132	245	129	116
Mullaittivu ..	1,406 $\frac{1}{2}$	16,833	17	9	8	187	104	83	124	63	61
Eastern.											
Batticaloa ..	2,800 $\frac{1}{2}$	160,153	48	33	15	1,543	817	726	1,163	613	580
Trincomalee ..	1,048	29,588	21	20	1	308	148	160	192	99	93
North-Western.											
Kurunegala ..	1,843 $\frac{1}{2}$	305,759	446	179	267	3,603	1,824	1,779	2,976	1,432	1,544
Puttalam ..	909 $\frac{1}{2}$	38,387	50	38	12	261	131	130	284	159	125
Chilaw ..	262 $\frac{1}{2}$	92,469	117	117	—	889	481	408	452	237	215
North-Central.											
Anuradhapura ..	4,068	83,868	136	19	117	737	376	361	527	283	244
Uva.											
Badulla ..	3,271 $\frac{1}{2}$	218,887	191	39	152	2,538	1,282	1,256	1,962	968	994
Sabaragamuwa.											
Ratnapura ..	1,259	166,794	131	62	69	1,916	964	952	2,130	1,013	1,117
Kegalla ..	642	246,508	225	68	157	2,411	1,262	1,149	1,941	949	992

Table II.—Birth- and Death-rates in the Second Quarter of 1916, the corresponding Quarter of 1915, the First Quarter of 1916, and the Mean Rates for the Second Quarters of 1906-1915.

Province and District.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
	Second Quarter, 1916.	First Quarter, 1916.	Second Quarter, 1916.	Average for 2nd Quarters, 1906-1915.	Second Quarter, 1916.	First Quarter, 1916.	Second Quarter, 1915.	Average for 2nd Quarters, 1906-1915.
<b>CEYLON</b>	37·4	43·0	37·2	37·0	28·7	26·6	23·3	28·8
Western	31·4	44·0	35·3	32·8	24·7	23·6	18·2	22·5
Central	44·3	45·3	41·2	39·5	35·2	30·5	24·1	29·5
Southern	39·5	52·0	41·8	39·9	26·4	25·8	21·7	29·1
Northern	40·3	34·7	32·2	37·3	25·7	28·9	32·3	27·8
Eastern	39·2	34·1	35·6	40·4	28·7	28·0	31·2	34·5
North-Western	43·8	43·8	39·3	35·4	34·2	30·6	30·1	31·4
North-Central	35·3	42·0	36·4	36·6	25·3	43·2	41·3	39·3
Uva	46·6	49·8	40·0	40·3	36·1	36·1	28·7	34·7
Sabaragamuwa	42·1	50·1	43·1	39·7	39·6	27·6	20·8	35·2
Western.								
Colombo	28·7	41·6	32·0	30·8	25·9	24·1	18·7	23·1
Negombo	35·3	47·1	41·5	34·9	20·9	20·5	16·0	19·6
Kalutara	35·0	47·6	39·0	36·3	24·3	24·2	18·4	23·0
Central.								
Kandy	43·9	45·5	42·4	40·5	34·8	29·1	23·2	28·7
Matale	52·8	47·5	44·9	41·9	40·6	37·9	30·3	37·6
Nuwara Eliya	39·8	43·3	35·7	35·2	32·7	29·2	22·5	26·2
Southern.								
Galle	32·6	48·6	37·9	38·6	22·5	22·5	21·0	24·6
Matara	42·4	54·0	44·0	41·7	24·9	24·5	20·2	27·4
Hambantota	52·8	57·1	48·1	43·9	40·8	38·1	27·1	43·0
Northern.								
Jaffna	39·7	33·3	32·0	36·3	24·5	26·3	31·3	25·9
Mannar	45·0	43·7	31·0	38·5	40·5	55·0	44·1	35·9
Mullaittivu	44·7	48·6	36·5	37·3	29·6	41·7	33·4	38·9
Eastern.								
Batticaloa	38·8	33·7	35·0	40·7	29·2	28·1	29·8	33·8
Trincomalee	41·9	36·2	38·8	38·9	26·1	27·7	38·9	37·8
North-Western.								
Kurunegala	47·4	46·5	41·6	37·0	39·1	33·0	32·3	35·5
Puttalam	27·3	27·8	30·3	29·3	29·8	37·7	36·9	34·1
Chilaw	38·7	41·5	35·3	32·9	19·7	19·8	20·2	21·5
North-Central.								
Anuradhapura	35·3	42·0	36·4	36·6	25·3	43·2	41·3	39·3
Uva.								
Badulla	46·6	49·8	40·0	40·3	36·1	36·1	28·7	34·8
Sabaragamuwa.								
Ratnapura	46·2	52·9	50·4	40·9	51·4	35·1	27·0	40·8
Kegalla	39·3	48·2	38·1	38·9	31·7	22·6	16·6	31·3

**Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Second Quarter of 1916.**

Province and District.	Area in Square Miles.	Sinhalese.		Tamils.		Moors.	
		Estimated Population on April 1, 1916.		Birth-rate per Mille per Annum.		Death-rate per Mille per Annum.	
		Second Quarter, 1916.	Average for 1906-16.	Second Quarter, 1916.	Average for 1906-16.	Second Quarter, 1916.	Average for 1906-16.
Ceylon ..	25481	2862764	2838620131	39.9	38.9	28.3	26.7
Western ..	1432	964729	7731	5476	32.2	34.1	22.8
Colombo ..	5603	547450	41156	3260	30.5	33.5	20.3
Negombo ..	2471	164214	1505	856	36.9	35.2	24.0
Kalutara ..	6234	253065	2070	1360	32.9	36.1	21.0
Central ..	2279	359534	4366	2782	48.8	45.3	31.1
Kandy ..	911	234589	2801	1810	48.0	46.3	31.0
Matale ..	9054	685652	986	616	57.9	47.3	34.5
Nuwara Eliya ..	4628	56393	579	356	41.3	38.9	25.4
Southern ..	21461	632189	6190	4057	39.4	41.3	25.8
Galle ..	6524	294428	2351	1596	32.1	39.3	21.8
Matale ..	4814	232901	2449	1383	42.3	42.3	23.9
Hambantota ..	10124	104860	1390	1078	53.3	44.3	41.3
Northern ..	3519	—	—	—	—	—	—
Jaffna ..	11473	—	—	—	—	—	—
Mannar ..	9043	—	—	—	—	—	—
Mullaitivu ..	14662	—	—	—	—	—	—
Eastern ..	38484	6992	96	96	55.2	50.4	43.5
Batticaloa ..	28004	5963	87	93	58.7	62.7	43.0
Trincomalee ..	1048	—	—	—	—	—	—
North-Western ..	3016	377087	4230	3083	45.1	36.4	32.9
Kurunegala ..	18437	279518	3348	2631	48.2	37.7	34.7
Puttalam ..	9098	17656	87	89	19.8	24.4	20.3
Chilaw ..	2624	79913	795	363	40.0	34.6	18.3
North-Central ..	4068	64518	607	423	37.8	38.0	26.4
Anuradhapura ..	4068	64518	607	423	37.8	38.0	26.4
Uva ..	32711	136599	1677	1265	49.4	44.1	37.2
Badulla ..	32712	136599	1677	1265	49.4	44.1	37.2
Sabaragamuwa ..	1901	318447	3465	2912	43.8	42.1	26.8
Ratnapura ..	1259	138386	1488	1455	43.3	41.3	32.5
Kegalla ..	642	180061	1977	1457	44.2	40.9	26.2

Table IV.—Births, Deaths, and their Rates on Estates, Second Quarter, 1916, &c., and Average Rates, 1906-1915.

District.	Population at the Census of March 10, 1911.	Births registered during Second Quarter, 1916.	Deaths registered during Second Quarter, 1916.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
				Second Quarter, 1910.	First Quarter, 1916.	Second Quarter, 1915.	Average, Second Quarters, 1906-1915.	Second Quarter, 1916.	First Quarter, 1916.	Second Quarter, 1915.	Average Second Quarter, 1906-1915.
Kandy ..	147,738	1,518	1,533	41·3	43·9	35·9	33·3	41·7	36·4	27·5	30·5
Matale ..	31,186	327	373	42·2	41·7	26·1	29·8	48·1	35·3	36·5	41·5
Nuwara Eliya ..	100,393	1,042	982	41·7	43·3	35·6	34·1	39·3	36·8	25·3	28·1
Badulla ..	71,957	757	597	42·3	47·3	39·7	34·6	33·4	36·7	30·8	34·9
Ratnapura ..	30,455	401	644	53·0	63·1	47·4	36·1	85·1	62·5	48·5	69·4
Kegalla ..	62,518	349	374	22·5	33·4	26·5	31·8	24·1	22·9	18·5	41·3
Colombo ..	13,377	133	158	40·0	46·0	33·6	25·7	47·5	34·9	20·4	46·2
Kalutara ..	30,768	354	291	46·3	50·5	47·8	32·2	38·0	30·9	26·1	37·4
Galle ..	6,295	68	62	43·5	42·8	43·3	33·2	39·6	41·5	31·2	29·6
Matara ..	3,191	41	64	51·7	46·6	39·0	36·0	80·7	61·8	64·1	42·7
Kurunegala ..	9,789	67	113	27·5	27·5	29·5	21·9	46·4	37·8	36·9	36·4
Total ..	507,667	5,057	5,191	40·1	44·1	36·0	32·8	41·1	36·0	28·4	34·8

Table V.—Number of Births and Deaths registered during the Second Quarter of 1916, and their Proportion per 1,000 of the Population per Annum ; the Stillbirths ; the Deaths of Children under One Year and their Proportion per 1,000 Registered Births ; and the Mean Temperature and Rainfall, observed in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated to the middle of the Census of March 1916 by intercensal increase.	Deaths of Non-residents of Towns registered in Town Hospitals and Jails.										Deaths of Children under One Year of Age to 1,000 Births.													
		Total Births.					Total Deaths.					Total Stillbirths.					Deaths of Children under One Year.					Deaths of Children under One Year of Age to 1,000 Births.			
		Males	Females	Persons	Per cent.	Per cent.	Males	Females	Persons	Per cent.	Per cent.	Males	Females	Persons	Per cent.	Per cent.	Second Quarter, 1916.	Average, Second Quarter, 1908-1915.	Crude, Second Quarter, 1916.	Average, Second Quarter, 1908-1915.	Second Quarter, 1916.	Average, Second Quarter, 1908-1915.	Mean Temperature.	Rainfall in Inches.	
All 33 Towns	.. 517,877	602,115	1,999	1,724	3,723	2,685	2,130	4,815	131	110	2425	994	3,808	24,91	27,29	25,48	27,77	27,99	856	222	254	254	..	..	
Western Province.																									
Colombo	.. 219,557	259,451	641	540	1,181	1,006	687	1,693	41	40	81	226	1,463	18,31	22,32	22,68	26,31	27,69	285	216	309	309	50·13	50·13	
Negombo	.. 13,045	25,998	100	108	208	114	86	200	8	3	11	37	163	32,18	33,24	25,22	26,38	23,08	31	134	186	186	43·80	43·80	
Moratuwa	.. 27,256	29,530	143	135	273	96	132	223	11	3	14	3	225	37,86	37,41	30,64	33,80	25,16	60	199	173	173	..	..	
Kahitara	.. 13,005	13,870	61	39	100	51	45	96	5	10	23	7	24	29,00	30,84	21,17	21,03	21,62	9	80	166	166	59·09	59·09	
Paradure	.. 5,709	7,049	12	15	27	23	8	31	2	4	7	24	15,41	23,38	13,69	16,30	19,12	6	189	151	151	..	..		
Central Province.																									
Kandy	.. 30,149	31,973	122	93	215	163	158	321	4	5	9	69	252	27,05	28·83	31,70	34,55	28,12	50	225	250	250	78·3	78·3	
Gampola	.. 5,521	6,745	31	23	53	42	44	86	3	2	4	65	51	28,47	31,60	33,53	44,13	45,79	32,88	12	238	247	247	34·50	34·50
Nawalapitiya	.. 3,767	3,955	14	14	28	61	55	116	2	2	4	65	51	24,41	16,36	32,12	37,51	24,21	6	294	536	536	342	..	
Hatton and Dikoya	.. 3,025	3,131	9	10	19	39	24	63	1	1	2	38	25	31,99	31,55	20,38	38,36	37·94	15	233	242	242	41·27	41·27	
Matale	.. 6,782	6,291	38	39	77	74	75	149	3	1	4	89	60	49,23	30,10	12,69	8,30	9,47	12,40	13	272	256	256	20·84	20·84
Nuwara Eliya <sup>1</sup>	.. 14,910	15,016	24	23	47	29	12	41	2	3	5	10	31	2,60	11,17	29,29	34,56	28,66	10	268	274	274	18·31	18·31	
Southern Province.																									
Galle	.. 39,336	41,510	155	138	293	156	146	302	17	4	21	29	273	28,39	30,40	26,45	25,90	25,08	64	198	179	179	43·28	43·28	
Ambalangoda	.. 13,851	14,277	9	11	20	5	10	—	1	1	—	10	18,81	—	9,40	—	—	1	37	—	—	—	..	..	
Matale	.. 15,040	15,500	50	58	108	45	31	76	2	2	4	6	70	28,88	35,49	18,72	18,34	21,87	17	126	180	180	35·01	35·01	
Wellawaya	.. 8,672	9,304	44	30	74	22	25	47	1	2	4	5	—	31,99	31,55	20,32	18,31	16,27	13	153	124	124	..	..	
Hamantota	.. 3,092	3,235	16	13	29	11	14	15	1	1	4	—	16	36,47	36,47	20,85	32,85	32,85	8	290	288	288	87·3	87·3	
Tangalla	.. 3,505	5,421 <sup>1</sup>	26	27	53	16	19	35	2	1	3	4	31	48,99	35,46	28,66	28,66	29,29	34,56	10	268	274	274	18·52	18·52
Northern Province.																									
Jaffna	.. 40,441	44,436	182	150	332	172	146	318	9	13	233	26	290	30,05	34,91	26,81	26,81	31,69	70	238	265	265	85·8	85·8	
Manner	.. 3,777	4,038	20	8	28	19	17	36	—	1	—	4	32	27,89	34,95	31,88	35,10	44,35	8	287	360	360	5·77	5·77	
Mullaitivu	.. 1,392	1,439	17	5	22	11	11	22	—	1	—	—	22	61,49	36,53	61,49	59,94	61,51	6	416	324	324	4·85	4·85	
Vavuniya	.. 808	977	—	1	1	6	3	9	—	—	—	5	3	4,12	16,54	12,35	16,77	44,37	1	212	221	221	..	16·03	
Eastern Province.																									
Batticaloa	.. 10,671	11,062	52	40	92	55	49	104	1	3	4	8	93	33,45	28,48	33,81	33,35	37,27	29	305	436	436	84·7	84·7	
Kalmunai	..	2,060	15	6	21	17	6	23	—	1	1	10	13	41,01	44,72	25,39	—	—	5	205	325	325	..	..	
Trincomalee	.. 8,840	10,248	40	42	82	36	26	62	4	4	8	—	62	32,18	28,73	24,33	26,71	47,33	22	323	340	340	86·3	86·3	
N.-Western Province.																									
Kurunegala	.. 8,167	9,263	36	39	75	105	78	183	6	3	9	83	100	32,56	26,70	43,41	44,60	41,13	31	441	298	298	19·21	19·21	
Puttalam	.. 5,990	6,515	20	21	41	31	22	63	1	1	2	6	47	25,31	32,94	29,02	31,04	31,51	13	321	266	266	82·9	82·9	
Kalpitiya	.. 1,591	1,656	3	8	11	11	6	17	1	1	—	17	26,72	24,88	41,29	—	32,25	4	423	250	250	..	9·69		
Chilaw	.. 5,033	5,562	26	14	40	26	18	44	2	1	3	8	34	28,92	28,87	24,59	23,57	23,64	11	333	174	174	..	33·45	
N.-Central Province.																									
Anuradhapura	.. 5,361	6,567	18	18	36	38	13	51	2	—	2	—	51	22,05	20,58	31,23	38,27	56,44	5	158	408	408	84·0	84·0	
Province of Uva.																									
Badulla	.. 6,487	6,828	31	26	56	44	49	93	2	1	3	43	49	32,94	29,54	28,86	31,85	28,62	14	245	212	212	13·62	13·62	
Lunugala	.. 515	587	1	2	3	30	26	56	—	—	—	52	4	20,54	37,63	27,39	—	62,73	1	268	391	391	..	..	
Prov. of Sabaragamuwa.																									
Ratnapura	.. 5,446	6,434	27	19	46	100	81	181	—	3	3	90	91	28,76	30,97	66,89	64·49	45,64	19	458	305	305	81·1	81·1	
Kegala.	.. 2,536	2,647	16	11	27	31	23	64	—	—	—	41	13	41	13	41	13	18,70	11	546	177	177	37·40	37·40	

\* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences for sex- and age-constitution of the several populations in 1911 as compared with that of the Island.

+ Calculated on the basis of the births during the last day of the quarter and not on those during the quarters only, as in previous years.

§ Sex of one not known.

|| Ambalangoda proclaimed in January, 1916.

Table VI.—Causes of Death Registered in Ceylon and in each Province and District during the Second Quarter of 1916.

Table VI.—Causes of Death, &amp;c.—continued.

CAUSES OF DEATH.	CEYLON.	WESTERN PROVINCE.	CENTRAL PROVINCE.	SOUTHERN PROVINCE.	NORTHERN PROVINCE.	POVING.	NORTH-WESTERN PROVINCE.	PROV.	NORTH-C. UTA PROV.	N.-C. GAMWA PROV.	SARAWAK PROV.	DEATHS AMONG ALL RACES.																															
												Kandy.	Nuwara Eliya.	Galle.	Hambantota.	Jaffna.	Mullaitivu.	Batticaloa.	Kurunegala.	Putalam.	Chilaw.	Badulla.	Ratnapura.	Kegalla.	Kelella.	Europaeans.	Burmahers.	Sinhalese.	Moors.	Malays.	Veddas.	Others.											
45. Intestinal Parasites	1066	206	65	71	132	43	1	142	16	—	—	—	—	—	—	—	75	11	20	3	19	120	147	—	—	3	924	59	77	3	—	—	—										
46. Appendicitis and Typhilitis	1	—	—	2	—	—	—	1	4	2	—	—	—	—	—	—	16	7	2	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—							
47. Diseases of the Liver	69	8	1	—	—	—	—	5	—	1	—	—	—	—	—	—	11	—	8	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
48. Peritonitis	27	9	—	—	—	—	—	5	—	2	—	—	—	—	—	—	41	7	2	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	2						
49. Other Diseases of the Digestive System	300	42	5	9	40	13	18	6	5	9	27	19	1	—	—	—	41	7	16	3	3	4	14	7	11	—	6	1	—	—	—	—	—	—	—	—	3						
50. Bright's Disease and Nephritis	139	60	4	5	20	3	3	2	1	—	3	—	—	—	—	—	4	4	6	—	—	—	1	6	11	6	2	7	60	51	131	31	2	1	3								
51. Other Diseases of the Genito-Urinary System	34	12	2	1	4	—	2	5	1	—	1	—	—	—	—	—	1	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	2							
52. Diseases or Accidents of Pregnancy or of Childbirth	1089	99	25	54	104	45	26	28	36	31	110	20	14	62	10	198	18	27	31	55	46	60	—	4	660	338	87	7	2	1	—	—											
53. Diseases of the Skin and Cellular Tissue	2332	212	147	57	277	119	11	11	8	7	95	4	1	179	15	647	8	47	89	13	149	236	1	4	1864	264	197	1	1	—	—	—											
54. Congenital Malformations	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3						
55. Premature Birth	339	34	4	3	48	1	48	3	2	4	31	—	4	2	—	—	4	2	1	8	—	9	1	97	35	4	—	—	3	147	172	14	—	—	—	—							
56. Infantility Debility (under 3 months)	1169	81	19	43	241	58	149	12	12	67	61	45	20	21	7	31	18	1	25	95	90	73	—	5	335	700	69	6	—	—	—	—	—	—	—	4							
57. Senility	925	283	30	86	94	14	44	96	78	41	1	1	—	—	—	2	8	—	9	2	27	65	39	1	10	587	700	62	7	—	—	—	—	—	—	—	4						
58. Suicide	55	9	3	4	9	2	6	2	3	1	4	4	—	1	1	—	1	—	4	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1							
59. Homicide	44	10	3	3	3	2	—	3	1	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1						
60. Execution	4	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1						
61. Accidents and other affections produced by external causes	452	63	14	41	51	9	15	28	47	14	20	5	2	11	—	37	3	11	8	26	23	24	—	1	313	115	17	—	—	—	—	—	—	—	5								
62. Dropy	636	23	4	18	86	35	25	10	3	13	50	16	1	116	5	114	9	8	14	31	22	33	—	—	339	208	88	—	—	—	—	—	—	—	1								
63. Heart Failure	58	23	3	2	8	2	4	3	—	2	—	—	—	—	—	—	6	—	1	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
64. Debility (3 months and over)	498	82	8	19	95	15	41	38	10	1	8	—	1	1	—	3	15	—	1	5	57	70	28	—	4	146	313	24	6	—	—	—	—	—	—	6							
65. Pyrexia	570	642	235	238	286	180	65	242	324	440	616	20	11	262	17	777	33	109	116	245	374	528	—	2	4507	949	293	5	1	3	2	—	—	—	—	—	—	—	—	—	—	—	2
66. Diseases not specified or ill-defined	41	12	—	4	1	—	2	3	1	—	5	—	—	6	1	—	2	—	1	6	1	—	1	—	1	21	13	4	—	—	—	—	—	—	—	—	2						
67. Other causes	151	20	1	16	12	1	8	14	3	—	11	4	—	7	1	—	1	6	1	1	6	1	—	1	16	26	3	—	1	51	12	—	—	1	2								

Table VII.—Causes of Death Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the Second Quarter of 1918.

Causes of Death.	Ceylon.	Central Province.		Province of Uva.	Province of Sabaragamuwa.		Western Province.		Southern Province.		North-Western Province.	
		Kandy.	Matale.		Nuwara Eliya.	Bedduwa.	Ratnapura.	Kegalle.	Colombo.	Kalutara.		
ALL CAUSES ..	5,191	1,533	373	982	597	644	374	158	201	62	64	113
1. Enteric Fever ..	8	6	—	1	—	—	—	—	—	—	—	1
2. Malaria and Malarial Cachexia ..	138	28	20	7	—	10	25	22	6	7	3	10
3. Smallpox ..	4	1	1	3	—	—	—	—	—	—	—	—
4. Measles ..	1	—	1	—	—	—	—	—	—	—	—	—
5. Whooping Cough ..	—	—	—	—	—	—	—	—	—	—	—	—
6. Cholera ..	751	261	39	182	—	62	115	25	12	30	4	16
7. Dysentery ..	—	—	—	—	—	—	—	—	—	—	—	5
8. Plague ..	1	—	—	—	—	—	—	—	—	—	—	—
9. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Epidemic Diseases ..	11	4	1	3	—	3	—	—	—	—	—	—
11. Septicæmia ..	7	1	—	2	—	1	2	—	1	—	—	—
12. Other Septic Diseases ..	2	—	—	—	—	—	—	—	—	—	—	—
13. Hydrophobia ..	1	—	—	—	—	—	—	—	—	—	—	—
14. Tetanus ..	10	3	2	2	1	1	—	—	—	—	—	1
15. Phthisis ..	70	12	2	17	—	2	7	11	2	9	1	—
16. Other Tuberous Diseases ..	3	—	—	—	—	—	—	—	—	—	—	1
17. Rickets ..	20	11	—	8	—	—	1	—	4	—	—	—
18. Parangi ..	—	—	—	—	—	—	—	—	—	—	—	—
19. Cancer ..	5	4	—	—	—	—	—	—	—	—	—	—
20. Acute Rheumatic Fever ..	3	2	—	—	—	—	1	—	—	—	—	—
21. Diabetes ..	2	—	—	—	—	—	2	—	—	1	—	—
22. Anaemia ..	40	7	1	1	—	1	23	4	—	2	—	—
23. Alcoholism ..	1	—	—	1	—	—	—	—	—	—	—	—
24. Other General Diseases ..	28	9	—	3	—	5	3	2	3	2	1	1
25. Meningitis ..	10	1	1	1	—	—	3	1	—	1	1	—
26. Cerebral Haemorrhage or Apoplexy ..	15	3	1	6	—	1	1	1	—	2	—	—
27. Paralysis ..	16	6	2	4	—	1	1	1	—	2	—	1
28. Epilepsy ..	17	7	2	4	—	1	1	1	—	3	1	2
29. Convulsions (non-puerperal) ..	49	8	5	8	4	9	5	2	—	8	6	15
30. Infantile Convulsions ..	366	98	26	47	32	46	32	21	35	35	—	—
31. Other Diseases of the Nervous System ..	4	—	1	1	—	—	—	—	—	1	—	—
32. Organic Diseases of the Heart ..	12	7	—	2	—	2	—	—	—	1	—	—
33. Hemorrhoids ..	—	—	—	—	—	—	—	—	—	—	—	—
34. Other Diseases of the Circulatory System ..	5	2	—	—	—	—	—	—	—	1	2	—
35. Bronchitis ..	76	23	8	14	—	12	5	5	2	5	1	22
36. Pneumonia ..	438	126	47	99	57	43	20	3	14	7	1	—
37. Pulmonary Congestion ..	2	—	—	1	2	1	1	1	—	—	—	—
38. Asthma ..	10	4	1	2	—	1	1	—	1	—	—	—
39. Other Diseases of the Respiratory System ..	11	3	—	2	—	3	2	1	—	—	—	—
40. Thrush, Stomatitis ..	1	—	—	—	—	—	—	—	—	—	—	2
41. Infantile Diarrhoea ..	101	32	1	30	—	6	11	8	2	7	—	7
42. Diarrhoea undefined ..	696	205	56	139	91	83	41	20	32	13	9	—
43. Enteritis ..	59	11	—	22	5	4	17	—	—	—	9	8
44. Anchylostomiasis ..	502	143	43	41	66	83	52	15	30	2	12	1
45. Intestinal Parasites ..	42	12	2	—	6	3	4	6	4	2	—	2
46. Appendicitis and Typhilitis ..	—	—	—	—	—	—	—	—	—	—	—	—
47. Diseases of the Liver ..	3	1	1	—	—	1	—	—	—	—	—	—
48. Peritonitis ..	7	3	—	2	—	—	1	—	—	—	—	—
49. Other Diseases of the Digestive System ..	48	12	4	13	7	3	5	—	2	—	—	2
50. Bright's Disease and Nephritis ..	29	8	3	2	3	4	2	—	4	1	—	2
51. Other Diseases of the Genito-Urinary System ..	2	1	—	1	—	—	—	—	—	—	—	5
52. Diseases or Accidents of Pregnancy or of Childbirth ..	134	46	16	16	16	10	12	4	8	1	—	—
53. Diseases of the Skin and Cellular Tissue ..	25	4	3	6	4	2	3	1	2	—	—	—
54. Congenital Malformations ..	—	—	—	—	—	—	—	—	—	—	—	3
55. Premature Birth ..	119	34	1	42	16	16	2	1	3	1	—	4
56. Infantile Debility (under 3 months) ..	535	187	33	129	69	27	33	12	37	—	1	3
57. Senility ..	192	66	12	39	17	23	10	12	8	1	—	2
58. Suicide ..	21	4	2	4	2	3	2	—	2	—	1	—
59. Homicide ..	4	2	—	—	—	—	—	—	—	1	—	1
60. Execution ..	—	—	—	—	—	—	—	—	—	—	—	—
61. Accidents and other affections produced by external causes ..	51	15	3	11	9	3	3	2	3	—	2	3
62. Dropsy ..	77	25	8	17	7	10	2	3	2	—	—	2
63. Heart Failure ..	25	8	2	4	—	—	3	4	2	—	—	3
64. Debility (3 months and over) ..	286	70	13	39	50	53	26	11	16	3	2	7
65. Pyrexia ..	70	1	7	5	9	13	11	11	5	1	—	—
66. Diseases not specified or ill-defined ..	1	—	—	1	—	—	—	—	—	—	—	—
67. Other causes ..	24	7	—	5	5	1	2	1	2	1	—	—

Table VIII.—Causes of Death registered during the Second Quarter of 1916 in each Town of the Island proclaimed under Sections 31-36 of the Ordinance of No. 1 of 1895.

Table VIII.—Causes of Death, &c.—continued.

Causes of Death.	All 33 Towns.	Western Province.			Central Province.			Southern Province.			Northern Province.			North-Western Province.			North-Central Province.			Province of Uva.			Province of Sabaragamuwa.			Deaths among all Races.				
		Colombo.	Negombo.	Moratuwa.	Kalutara.	Gampola.	Hatton and Dikoya.	Matara.	Galle.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Puthalam.	Kalpitiya.	Chitaw.	Anuradhapura.	Badulla.	Lunugalgala.	Burghers.	Sinhalese.	Moles.	Others.					
10a. Enteritis	..	96	59	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Dysentery	268	48	13	6	1	—	25	15	32	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Ankylostomiasis or Doenitzius Duodenalis	231	18	5	1	8	—	20	9	12	2	39	31	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Cancer	20	8	1	—	—	4	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Phthisis	336	212	2	13	14	—	27	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15. Other tubercular diseases	23	14	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16. Anaemia	22	5	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17. Diabetes Mellitus	31	15	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18. Convulsions	104	28	7	3	—	—	5	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19. Tetanus	15	9	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20. Bronchitis	53	29	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21. Pneumonia	511	189	13	31	8	2	47	4	2	5	18	3	15	2	11	2	4	30	2	1	23	3	11	32	8	2	3	12	9	3
22. Other Diseases of the Respiratory System.	32	15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23. Bright's Disease and Nephritis	106	56	4	3	—	—	1	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Puerperal Eclampsia	16	8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Septicemia	66	11	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Miscarriage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Other and undefined accidents of Childbirth	25	14	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Starvation or Negligence	3	—	21	2	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Accidents or Negligence	72	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Homicide	17	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Suicide	8	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Execution	405	43	—	70	31	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. All other causes	..	1,068	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..