

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 6,851 — FRIDAY, FEBRUARY 2, 1917.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS FOR THE THIRD QUARTER OF 1916.

I.—Population.

THE estimated population on the last day of the quarter was 4,517,261, showing an increase of 34,451 on that of the previous quarter, due to an excess of 8,469 births over deaths, and 25,982 arrivals over departures of Indian coolies. The births exceeded the deaths in all districts, except Hambantota.

2. There were 37,102 arrivals and 11,120 departures of Indian coolies, as against averages of 31,851 and 16,235 respectively in the corresponding quarters of the past decade.

II.—Marriages.

3. 6,439 marriages (5,091 General and 1,348 Kandyan) were registered, as against 4,918 in the preceding quarter, 10,138 in the corresponding quarter of the previous year, and 6,280 the mean of the ten preceding third quarters. Table I. in the Appendix gives their distribution by Provinces and districts.

III.—Births.

4. The births registered during the quarter numbered 39,482, and corresponded to an annual rate of 35·0 per 1,000 of the estimated population. This rate is 2·4 below that of the previous quarter, but 1·1 above the average of the third quarters of the past decade. Though the Island, as a whole, showed a lower rate than in the preceding quarter, the rates in the Districts of Nuwara Eliya, Jaffna, Batticaloa, Trincomalee, and Anuradhapura showed an increase. The estate births corresponded to a rate of 43·4 and the urban, including those of Colombo, to 25·46. (See Tables I. to V. for detailed statistics.)

There were 272 twins and 3 triplets born during the quarter, against 265 and 2 respectively in the previous one.

IV.—Deaths.

5. The number of deaths registered during the quarter was 31,014, corresponding to an annual rate of 27·5 per 1,000. This rate was an improvement both on the average (29·6) and on the rate of the previous quarter (28·7), but a deterioration on 22·6, the rate of the third quarter of 1915. The healthiest of the districts was Negombo, with a rate of 19·3, and the unhealthiest was Hambantota, with 52·2. The rate of mortality in estates was 41·9, and ranged from 23·0 in Kegalla to 81·7 in Kurunegala. The rate of mortality in the towns was 28·85. Matale town recorded the highest rate (42·15), and Nuwara Eliya the lowest (9·97). The rate in Colombo town was 29·49. (See Tables I. to V. for detailed statistics.)

280 stillbirths (136 males and 124 females) were registered in the 33 principal towns, as against 242 in the previous quarter and 192 in the corresponding quarter of the previous year. (See Table V.)

V.—Infantile Mortality.

6. The infantile mortality measured by the proportion of deaths under one year to 1,000 births registered during the year ended the last day of the quarter under review was 194 for all races, against 118 in the previous quarter. The highest district rate of infantile mortality among the Sinhalese was 264 in Hambantota, among the Tamils 337 in Puttalam, and among the Moors 262, also in Puttalam. The lowest rate among the Sinhalese was 104 in Kalutara, among the Tamils 195 in Trincomalee, and among the Moors 243 in Batticaloa. In the towns the infantile mortality was 244, and ranged from 470 in Mannar to 94 in Weligama. The rate of mortality in estates was 256, and ranged from 459 in Kurunegala to 182 in Kegalla.

VI.—Causes of Death.

7. Of the 31,014 deaths registered during the quarter, Pyrexia, as usual, contributed to the highest rate of mortality, viz., 16 per cent. The other causes which contributed to a high rate of mortality were Convulsions, 11 per cent.; Diarrhoea, 10 per cent.; Diseases of Skin and Cellular Tissue, 7 per cent.; Debility, 6 per cent.; Rickets and Pneumonia, 4 per cent. each; Dysentery, Phthisis, Senility, Diseases of Pregnancy and of Childbirth, Intestinal Parasites, and Anaemia, 3 per cent. each; and Dropsy, Anchylostomiasis, and Malaria and Malarial Cachexia, 2 per cent. each. Ninety-seven deaths from Plague were registered (87 in Colombo, 5 in Kalutara, 4 in Mannar, and 1 in Kurunegala).

against 61 in the preceding quarter and 38 in the corresponding quarter of the previous year. The number is the highest recorded since the fourth quarter of 1914. Three deaths from Cholera were registered in Kalutara, against 40 in the previous quarter and 6 in the corresponding quarter of the previous year. Two deaths from Smallpox were registered in Jaffna, against 3 in the previous quarter and 62 in the corresponding quarter of the previous year. (For detailed statistics see Table VI.)

8. Affections caused by external causes—

(a) *Suicide*.—Fifty-seven deaths from suicide were registered, as against 55 in the preceding quarter and 51 in the corresponding quarter of the previous year.

(b) *Homicide*.—Thirty-eight deaths were due to homicide, as against 44 in the previous quarter and 96 in the corresponding quarter of the previous year.

(c) *Executions*.—Three judicial executions took place during the quarter, against 4 in the previous one and 38 in the corresponding one of the previous year.

(d) Of the 491 deaths produced by accidents and other external causes, 125 were due to drowning (32 in wells, 10 in pits), 84 to fall from trees, 39 to burns, and 29 to fall of heavy substances. Snake-bite caused 62 deaths, and injuries by animals 15. Trains were responsible for 20 deaths, carts 11, motor cars 5, and tram car 1.

9. *Causes of Deaths in Estates*.—The highest mortality in estates was due to Debility, which caused 18 per cent. of the total number of deaths, Diarrhoea caused 14 per cent., Dysentery 12 per cent., Anchyllostomiasis 11 per cent., Pneumonia 9 per cent., Convulsions 8 per cent., Senility 4 per cent., Malaria and Malarial Cachexia 3 per cent., Prematurity, Diseases or Accidents of Pregnancy and of Childbirth 2 per cent. each, and Pyrexia 1 per cent. (For detailed statistics see Table VII.)

10. *Causes of Deaths in Towns*.—In the 33 principal towns, inclusive of Colombo, 10 per cent. of the total number of deaths was due to Pneumonia, 7 per cent. each were due to Phthisis, Convulsions, and Diarrhoea, 6 per cent. to Infantile Debility, 5 per cent. each to Anchyllostomiasis, Malaria and Malarial Cachexia, and Dysentery, 4 per cent. to Enteritis, 3 per cent. to Enteric Fever, 2 per cent. each to Bright's Disease and Nephritis, Bronchitis, and Prematurity, and 1 per cent. each to Puerperal Septicaemia and Tetanus. (For detailed statistics see Table VIII.)

Registrar-General's Office,
Colombo, January 11, 1917.

W. L. KINDERSLEY,
Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Third Quarter of 1916.

Province and District.	Area in Square Miles.	Estimated Population on July 1, 1916.	Marriages.			Births.			Deaths.		
			Total.	General.	Kandyam.	Total.	Males.	Females.	Total.	Males.	Females.
Ceylon ..	25,481	4,482,810	6,439	5,091	1,348	39,482	20,247	19,235	31,014	15,925	15,089
Western ..	1,432	1,170,825	2,006	2,006	—	8,058	4,068	3,990	6,626	3,518	3,108
Central ..	2,279	699,788	568	187	381	7,467	3,773	3,694	5,898	2,968	2,930
Southern ..	2,146 ¹	667,581	1,691	1,690	1	6,169	3,202	2,967	5,084	2,457	2,627
Northern ..	3,519	375,722	577	574	3	3,996	2,131	1,865	2,873	1,523	1,350
Eastern ..	3,848 ¹	190,237	86	76	10	2,515	1,324	1,191	1,434	750	684
North-Western ..	3,016	437,056	690	337	353	4,192	2,165	2,027	3,436	1,813	1,623
North-Central ..	4,068	84,078	131	22	109	834	430	404	518	280	238
Uva ..	3,271 ¹	219,463	209	49	160	2,389	1,202	1,187	2,159	1,120	1,039
Sabaragamuwa ..	1,901	413,558	481	150	331	3,862	1,952	1,910	2,986	1,496	1,490
Western.											
Colombo ..	560 ¹	687,058	1,136	1,136	—	4,343	2,168	2,175	3,919	2,147	1,772
Negombo ..	247 ¹	182,835	387	387	—	1,358	712	646	888	461	427
Kalutara ..	623 ¹	300,932	483	483	—	2,357	1,188	1,169	1,819	910	909
Central.											
Kandy ..	911	427,694	358	126	232	4,532	2,283	2,249	3,366	1,724	1,642
Matale ..	905 ¹	107,017	120	25	95	1,150	576	574	1,145	567	578
Nuwara Eliya ..	462 ¹	165,077	90	36	54	1,785	914	871	1,387	677	710
Southern.											
Galle ..	652 ¹	312,739	994	993	1	2,530	1,315	1,215	2,069	994	1,075
Matara ..	481 ¹	245,587	444	444	—	2,295	1,176	1,119	1,581	767	814
Hambantota ..	1,012 ¹	109,255	253	253	—	1,344	711	633	1,434	696	738
Northern.											
Jaffna ..	1,147 ¹	334,463	515	515	—	3,553	1,900	1,653	2,488	1,298	1,190
Mannar ..	904 ¹	24,363	47	47	—	273	140	133	253	145	108
Mullaittivu ..	1,466 ¹	16,896	15	12	3	170	91	79	132	80	52
Eastern.											
Batticaloa ..	2,800 ¹	160,533	65	55	10	2,170	1,142	1,028	1,250	662	588
Trincomalee ..	1,048	29,704	21	21	—	345	182	163	184	88	96
North-Western.											
Kurunegala ..	1,843 ¹	306,386	487	145	342	3,241	1,698	1,543	2,723	1,420	1,303
Puttalam ..	909 ¹	38,364	38	27	11	236	116	120	235	129	106
Chilaw ..	262 ¹	92,906	165	165	—	715	351	364	478	264	214
North-Central.											
Anuradhapura ..	4,068	84,078	131	22	109	834	430	404	518	280	238
Uva.											
Badulla ..	3,271 ¹	219,463	209	49	160	2,389	1,202	1,187	2,159	1,120	1,039
Sabaragamuwa.											
Ratnapura ..	1,259	166,580	201	66	135	1,656	845	811	1,425	741	684
Kegalla ..	642	246,978	280	84	196	2,206	1,107	1,099	1,561	755	806

Table II.—Birth- and Death-rates in the Third Quarter of 1916, the corresponding Quarter of 1915, the Second Quarter of 1916, and the Mean Rates for the Third Quarters of 1906-1915.

Province and District	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.				Average for 3rd Quarters, 1906-1915.
	Third Quarter, 1916.	Second Quarter, 1916.	Third Quarter, 1915.	Average for 3rd Quarters, 1906-1915.	Third Quarter, 1916.	Second Quarter, 1916.	Third Quarter, 1915.	Average for 3rd Quarters, 1906-1915.	
Ceylon ..	35·0	37·4	33·5	33·9	27·5	28·7	22·6	29·6	
Western	27·4	31·4	28·7	28·2	22·5	24·7	19·9	24·1	
Central	42·5	44·3	38·9	36·5	33·5	35·2	27·3	33·7	
Southern	36·8	39·5	34·7	35·0	30·3	26·4	21·5	27·3	
Northern	42·3	40·3	33·5	37·7	30·4	25·7	24·5	25·0	
Eastern	52·6	39·2	44·2	43·1	30·0	28·7	32·3	31·5	
North-Western	38·1	43·8	34·4	34·5	31·2	34·2	22·9	33·9	
North-Central	39·5	35·3	35·5	36·8	24·5	25·3	27·8	31·3	
Uva	43·3	46·6	38·1	37·7	39·1	36·1	28·7	36·8	
Sabaragamuwa	37·2	42·1	39·3	35·5	28·7	39·6	21·5	40·4	
Western.									
Colombo ..	25·2	28·7	26·4	26·4	22·7	25·9	21·3	24·5	
Negombo ..	29·6	35·3	33·6	30·7	19·3	20·9	13·5	22·7	
Kalutara ..	31·2	35·0	31·1	31·1	24·1	24·3	20·8	24·2	
Central.									
Kandy ..	42·2	43·9	37·8	35·8	31·3	34·8	26·3	32·8	
Matale ..	42·8	52·8	36·7	36·9	42·6	40·6	27·8	43·6	
Nuwara Eliya ..	43·0	39·8	43·1	38·2	33·4	32·7	29·4	29·6	
Southern.									
Galle ..	32·2	32·6	30·9	32·5	26·3	22·5	20·6	24·7	
Matara ..	37·2	42·4	35·7	36·0	25·6	24·9	19·8	22·4	
Hambantota ..	48·9	52·8	43·7	39·4	52·2	40·8	27·6	36·0	
Northern.									
Jaffna ..	42·3	39·7	33·6	36·8	29·6	24·5	23·8	23·6	
Mannar ..	44·6	45·0	28·6	37·9	41·3	40·5	32·6	36·4	
Mullaittivu ..	40·0	44·7	37·0	36·6	31·1	29·6	27·5	34·8	
Eastern.									
Batticaloa ..	53·8	38·8	44·8	44·1	31·0	29·2	32·0	31·5	
Trincomalee ..	46·2	41·9	41·3	37·7	24·6	26·1	34·0	28·0	
North-Western.									
Kurunegala ..	42·1	47·4	37·7	36·8	35·4	39·1	25·0	37·8	
Puttalam ..	24·5	27·3	21·0	28·4	24·4	29·8	24·0	31·4	
Chilaw ..	30·6	38·7	29·2	29·7	20·5	19·7	15·4	21·4	
North-Central.									
Anuradhapura ..	39·5	35·3	35·5	36·8	24·5	25·3	27·8	31·3	
Uva.									
Bedulla ..	43·3	46·6	38·1	37·7	39·1	36·1	28·7	36·8	
Sabaragamuwa.									
Ratnapura ..	39·6	46·2	40·8	36·9	34·0	51·4	27·7	40·1	
Kegalla ..	35·5	39·3	38·3	36·5	25·1	31·7	17·3	40·7	

Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Third Quarter of 1916.

Provinces and Districts.	Area in Square Miles.	Sinhalese.		Tamils.		Moors.	
		Birth-rate per Mille per Annum.	Death-rate per Mille per Annum.	Birth-rate per Mille per Annum.	Death-rate per Mille per Annum.	Birth-rate per Mille per Annum.	Death-rate per Mille per Annum.
Ceylon ..	25681	28710192531018685	35.1	34.0	25.9	28.0	151
Western ..	1432	966984	6602	4790	27.2	28.9	111
Colombo ..	5602	548346	3564	27.3	25.9	21.9	115
Negombo ..	2471	164863	1238	772	29.9	30.7	24.0
Kalutara ..	6234	253775	1800	1306	28.2	30.4	20.5
Central ..	2279	361118	3828	42.2	38.1	28.6	31.5
Kandy ..	911	235580	2482	1634	41.9	37.9	27.6
Matale ..	9056	68922	760	594	43.9	38.6	34.3
Nuwara Eliya ..	4622	56616	586	364	41.2	38.1	25.6
Northern ..	21461	634322	5885	4729	36.9	35.3	29.7
Galle ..	6524	295183	2395	1382	32.3	32.9	25.4
Matura ..	4814	233967	2184	1453	37.1	36.2	24.8
Hambantota ..	10124	105172	1306	1389	49.4	39.4	52.5
Northern ..	3519	—	—	—	—	—	—
Jaffna ..	11472	—	—	—	—	—	—
Mannar ..	9044	—	—	—	—	—	—
Mullaitivu ..	14661	—	—	—	—	—	—
Eastern ..	38484	6992	95	71	54.1	50.1	40.4
Batticaloa ..	28004	5957	81	64	54.1	52.7	42.5
Trincomalee ..	1048	—	—	—	—	—	—
Orth.-Western ..	3016	378234	3695	2802	38.9	35.5	29.5
Kurunegala ..	184434	280235	2970	2339	42.2	37.5	33.2
Puttalam ..	9097	17654	91	71	20.5	25.1	16.0
Chilaw ..	2024	80345	634	392	31.4	30.7	19.4
Orth-Central ..	4068	64702	676	385	41.6	38.3	23.7
Anuradhapura ..	4068	64702	676	385	41.6	38.3	23.7
Jva ..	32711	137011	1453	1284	42.2	40.4	37.3
Bedulla ..	32712	137011	1453	1284	42.2	40.4	37.3
Iabaragamuwa ..	1901	319000	3059	2008	38.2	36.1	25.0
Ratnapura ..	1259	138419	1309	904	37.6	35.8	26.0
Kegalla ..	642	180551	1750	1104	38.6	36.4	24.3

Details of Children registered under 1 Year to 1,000

Deaths registered for 1906-15.

Average for 1916.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Average for 1906-15.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Average for 1906-15.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Average for 1906-15.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Average for 1906-15.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Average for 1906-15.

Third Quarter, 1916.

Deaths.

Births.

Estimated Population on July 1, 1916.

Estimate of Deaths per 1,000 registered Births.

Table IV.—Births, Deaths, and their Rates on Estates, Third Quarter, 1916, &c., and Average Rates, 1906–1915.

District.	Population at the Census of March 10, 1911.	Births registered during Third Quarter, 1916.	Deaths registered during Third Quarter, 1916.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
				Third Quarter, 1916.	Second Quarter, 1916.	Third Quarter, 1915.	Average, Third Quarters, 1906–1915.	Third Quarter, 1916.	Second Quarter, 1916.	Third Quarter, 1915.	Average Third Quarters, 1906–1916
Kandy ..	147,738	1,756	1,467	47·3	41·3	41·3	34·7	39·5	41·7	35·0	33·8
Matale ..	31,186	299	466	38·1	42·2	34·9	33·0	59·5	48·1	31·4	50·6
Nuwara Eliya ..	100,393	1,179	1,019	46·8	41·7	48·6	39·1	40·4	39·3	35·7	32·2
Badulla ..	71,957	844	742	46·7	42·3	35·5	33·3	41·0	33·4	28·3	34·7
Ratnapura ..	30,455	340	477	44·4	53·0	51·7	34·4	62·3	85·1	50·9	73·0
Kegalla ..	62,518	367	362	23·4	22·5	28·1	30·7	23·0	24·1	17·8	48·8
Colombo ..	13,377	105	127	31·2	40·0	37·4	27·1	37·8	47·5	30·0	52·1
Kalutara ..	30,768	436	351	56·4	46·3	48·0	34·4	45·4	38·0	28·2	41·2
Galle ..	6,295	67	85	42·3	43·5	41·6	28·1	53·7	39·6	35·9	38·1
Matara ..	3,191	47	51	58·6	51·7	29·8	40·2	63·6	80·7	59·7	44·8
Kurunegala ..	9,789	100	201	40·6	27·5	20·3	17·6	81·7	46·4	28·4	37·5
Total ..	507,667	5,540	5,348	43·4	40·1	40·4	34·0	41·9	41·1	32·3	38·9

Table V.—Number of Births and Deaths registered during the Third Quarter of 1916, and their Proportion per 1,000 of the Population per Annum; the Stillbirths; the Deaths of Children under One Year and their Proportion per 1,000 Registered Births; and the Mean Temperature and Rainfall, observed in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Total Births.			Total Deaths.			Deaths of Non-residents of Towns registered in Town Hospitals and Jails.			Deaths of Children under One Year of Age to 1,000 Births.			
	Population estimated to the middle of March 1916 by the Census of 1911.			Persons.			Deaths of Children under One Year.			Deaths of Children under One Year.			
	Males.	Females.	Males.	Males.	Females.	Males.	Persons.	Persons.	Persons.	First Quarter, 1916.	Second Quarter, 1916.	Third Quarter, 1916.	
All 33 Towns ..	517,877	602,446	2,023	1,837	3,860	2,820	2,167	4,987	136	124	260	952	
Western Province.													
Colombo ..	259,451	650	613	1,263	1,065	764	1,829	40	42	82	167	1,658	
Negombo ..	25,938	117	91	208	83	214	5	3	8	31	173	31	
Moratuwa ..	27,256	119	121	240	146	119	265	13	6	19	4	261	32
Kalutara ..	13,005	43	43	74	59	133	4	2	6	25	108	24	67
Panadure ..	5,709	17	16	33	23	16	39	2	—	2	8	31	18
Central Province.													
Kandy ..	30,149	111	95	206	147	114	261	4	13	17	72	189	25
Gampola ..	6,745	40	58	33	32	65	1	1	2	18	47	34	11
Naavapitiya ..	3,955	15	15	30	40	29	69	—	2	2	46	23	30
Jaffon and Dikoya ..	3,131	10	15	15	28	30	58	2	—	4	124	17	27
Matale ..	5,792	6,391	28	56	86	96	182	4	—	4	124	58	41
Nuwara Eliya ..	14,910	15,016	30	22	52	23	22	45	1	3	12	33	13
Southern Province.													
Jalle ..	39,936	41,510	121	92	213	140	159	299	12	12	31	268	21
Amabalangoda ..	—	4,277	11	9	20	5	14	19	2	—	19	18	16
Matara ..	13,851	15,040	53	59	112	53	34	87	3	2	5	—	—
Welligama ..	8,672	9,304	40	41	81	20	12	32	2	1	3	73	19
Hambantota ..	3,092	3,235	21	13	34	24	7	31	2	2	7	32	13
Langalla ..	3,505	5,421	32	24	56	28	28	56	—	1	1	9	47
Northern Province.													
Taffna ..	40,441	44,436	228	182	410	210	175	385	16	13	29	7	376
Fanner ..	3,777	4,038	15	26	41	27	20	47	1	1	2	8	38
Puttulaitivu ..	1,392	1,439	9	5	14	4	9	13	1	—	1	2	9
Avuraya ..	808	977	—	4	4	8	2	10	—	1	1	6	4
Eastern Province.													
Batticaloa ..	10,671	11,062	84	74	158	74	45	119	1	2	3	6	110
Kelumnaai ..	—	2,060	12	23	35	8	10	18	—	—	7	11	67
Trincomalee ..	8,840	10,248	47	51	98	29	35	64	6	2	8	2	38
V.-Western Province.													
Karunegala ..	8,167	9,263	32	64	96	66	162	5	2	7	88	74	27
Puttalam ..	5,990	6,515	27	30	57	41	21	62	3	3	6	—	50
Chilawiyiya ..	1,591	1,656	4	6	10	6	3	9	—	—	12	34	81
V.-Central Province.													
Unrachhapura ..	5,361	6,567	23	20	43	33	24	57	2	2	4	1	56
Province of Uva.													
Badulla ..	6,487	7,169	46	36	82	54	34	88	3	6	47	41	45
Junugala ..	515	587	—	2	44	24	68	1	1	2	63	5	13
Prov. of Sabaragamuwa.													
Ratnapura ..	5,476	6,434	14	14	28	67	36	93	2	—	50	43	16
Kegalla ..	2,536	2,647	7	6	13	33	23	56	—	1	27	29	19

* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences for sex and age-constitution of the several populations in 1911 as compared with that of the Island.

† Calculated on the basis of the births during the year ending the last day of the quarter and not on those during the quarters only, as in previous years.

|| Ambalangoda proclaimed in January, 1915.

|| Increase of population is due to the extension of the town limits.

‡ Blanks under these columns indicate that there are no observations or rain gauges.

§ The mean temperature and rainfall figures given in the table are the average of the three quarters, 1908-1915.

|| The mean temperature and rainfall figures given in the table are the average of the three quarters, 1908-1915.

Table VI.—Causes of Death Registered in Ceylon and in each Province and District during the Third Quarter of 1916.

Causes of Death.	Ceylon.	Western Province.	Central Province.	Southern Province.	Northern Province.	Eastern Province.	North-Western Province.	N.C.Uva Prov.	Uva Prov.	Sabaragamuwa Province.	Deaths among all Races.	
All Causes	31014	3919	888	1819	3366	1145	1387	2069	1581	1434	2488
1. Enteric Fever	152	99	4	10	8	2	15	1	1	1	2
2. Malaria and Malarial Cachexia	523	38	34	18	52	47	6	28	45	14	58
3. Smallpox	2	—	—	—	—	—	—	—	—	—	—
4. Measles	82	10	—	—	1	—	—	1	—	—	—
5. Whooping Cough	15	3	—	—	1	—	—	—	—	—	—
6. Cholera	1061	3	—	3	—	—	—	—	—	—	—
7. Dysentery	86	7	41	217	70	147	14	9	21	150	4
8. Plague	97	87	5	—	—	—	—	—	—	—	—
9. Chickenpox	1	—	—	—	1	—	—	—	—	—	—
10. Other Epidemic Diseases	71	17	3	3	9	1	10	3	—	—	—
11. Septicemia	27	16	—	—	2	—	1	—	—	—	—
12. Other Septic Diseases	10	1	—	4	—	1	—	—	—	—	—
13. Hydrophobia	14	1	2	2	1	—	—	3	—	—	—
14. Tetanus	77	20	2	3	7	2	6	—	—	—	—
15. Phthisis	1059	313	18	92	77	16	18	89	53	30	100
16. Other Tuberculous Diseases	64	16	1	6	4	—	1	—	—	—	—
17. Rickets	1255	197	45	184	205	37	62	3	1	—	—
18. Parangi	24	—	1	—	1	—	2	1	—	—	—
19. Cancer	104	19	8	5	3	2	5	13	5	4	—
20. Acute Rheumatic Fever	289	34	9	33	18	3	2	43	16	4	—
21. Diabetes	52	17	2	2	3	—	1	7	4	—	—
22. Anæmia	887	136	59	125	45	15	7	116	99	39	26
23. Aleholism	4	1	—	1	—	—	—	—	—	—	—
24. Other General Diseases	58	18	—	2	10	1	6	6	—	—	—
25. Meningitis	28	7	—	—	5	2	3	—	—	—	—
26. Cerebral Haemorrhage or Apoplexy	43	14	1	1	6	1	3	2	1	—	—
27. Paralysis	178	64	10	31	15	5	16	6	11	—	—
28. Epilepsy	29	10	—	5	—	2	2	—	—	—	—
29. Convulsions (non-puerperal)	205	23	5	27	13	5	9	14	23	23	—
30. Infantile Convulsions	3250	346	63	342	167	52	95	405	397	279	311
31. Other Diseases of the Nervous System	43	10	2	2	6	2	1	6	—	—	—
32. Organic Diseases of the Heart	126	37	2	25	1	2	8	16	1	—	—
33. Hemorrhoids	80	29	6	7	3	2	18	3	1	—	—
34. Other Diseases of the Circulatory System	40	16	1	1	6	3	1	1	—	—	—
35. Bronchitis	240	58	13	18	10	33	19	5	12	—	—
36. Pneumonia	1178	223	26	45	190	62	122	19	12	8	131
37. Pulmonary Congestion	8	1	—	1	2	1	—	—	—	—	—
38. Asthma	101	31	3	6	9	3	3	10	4	—	—
39. Other Diseases of the Respiratory System	733	19	12	11	106	35	38	8	2	—	—
40. Thrush, Stomatitis	279	10	19	2	88	10	9	1	—	—	—
41. Infantile Diarrhea	410	33	1	17	27	14	31	71	45	34	—
42. Diarrœa undefined	2802	108	53	130	420	151	344	249	210	71	6
43. Enteritis	255	143	10	2	11	1	20	1	2	13	—
44. Anchylotomiasis	694	47	5	30	168	70	54	40	12	10	—

Table VI.—Causes of Death, &c.—*continued.*

Table VII.—Causes of Death Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the Third Quarter of 1916.

Causes of Death.	Ceylon.	Central Province.		Province of Uva.	Province of Sabaragamuwa.		Western Province.		Southern Province.		North-Western Province.	
		Kandy.	Matale.		Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.		
All Causes	5,348	1,467	466	1019	742	477	362	127	351	85	51	201
1. Enteric Fever	8	3	—	—	2	—	—	—	—	—	—	1
2. Malaria and Malarial Cachexia	150	26	32	6	27	11	25	1	4	2	—	16
3. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	2	—	1	1	—	—	—	—	—	—	—	—
5. Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—
6. Cholera	1	—	—	—	—	—	—	—	1	—	—	—
7. Dysentery	629	177	62	145	78	80	22	8	31	11	4	11
8. Plague	—	—	—	—	—	—	—	—	—	—	—	—
9. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Epidemic Diseases	19	8	—	7	3	—	—	—	1	—	—	—
11. Septicaemia	6	2	—	2	—	—	1	—	1	—	—	—
12. Other Septic Diseases	3	2	—	1	—	—	—	—	—	—	—	—
13. Hydrophobia	1	1	—	—	—	—	—	—	—	—	—	—
14. Tetanus	17	3	—	4	3	7	3	2	—	—	—	—
15. Phthisis	72	9	6	11	8	10	3	3	11	1	3	3
16. Other Tuberculous Diseases	1	—	—	—	—	—	—	—	—	—	—	—
17. Rickets	30	14	—	—	1	3	1	—	2	—	1	—
18. Parangi	—	—	—	—	—	—	—	—	—	—	—	—
19. Cancer	2	—	—	1	—	1	—	—	—	—	—	—
20. Acute Rheumatic Fever	8	2	—	1	—	1	—	—	2	—	—	1
21. Diabetes	4	2	—	1	—	1	—	—	4	—	—	1
22. Anaemia	35	8	1	2	1	15	2	1	4	—	—	—
23. Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—
24. Other General Diseases	19	5	1	4	6	1	2	—	—	—	—	—
25. Meningitis	7	3	—	2	1	1	—	—	—	—	—	1
26. Cerebral Haemorrhage or Apoplexy	10	3	—	3	—	1	—	—	—	—	—	—
27. Paralysis	16	1	—	—	—	—	—	—	2	—	1	—
28. Epilepsy	11	4	—	2	3	2	—	—	1	—	—	1
29. Convulsions (non-puerperal)	33	5	4	2	1	4	2	1	9	1	4	4
30. Infantile Convulsions	412	108	30	61	42	33	26	15	58	15	7	17
31. Other Diseases of the Nervous System	2	—	—	1	—	—	—	—	—	—	—	—
32. Organic Diseases of the Heart	9	1	—	6	1	1	—	—	1	—	—	—
33. Haemorrhoids	—	—	—	—	—	—	—	—	—	—	—	—
34. Other Diseases of the Circulatory System	11	4	2	2	—	—	2	—	—	—	—	—
35. Bronchitis	84	11	6	33	10	8	5	4	6	—	—	1
36. Pneumonia	498	132	46	117	96	27	18	8	23	4	1	26
37. Pulmonary Congestion	2	—	—	—	1	—	—	1	—	—	—	—
38. Asthma	19	7	3	1	3	—	1	3	1	—	—	—
39. Other Diseases of the Respiratory System	12	3	2	—	1	1	2	—	—	—	—	1
40. Thrush, Stomatitis	5	3	—	—	1	1	1	—	1	—	—	—
41. Infantile Diarrhoea	61	15	4	17	14	2	3	—	2	—	—	29
42. Diarrhoea undefined	671	193	67	127	91	60	31	16	34	11	12	10
43. Enteritis	58	7	—	17	8	3	19	1	—	—	—	—
44. Ankylostomiasis	585	157	62	54	96	63	69	19	27	18	10	—
45. Intestinal Parasites	30	9	3	4	6	3	2	2	—	—	—	—
46. Appendicitis and Typhilitis	2	1	—	1	—	—	—	—	—	—	—	2
47. Diseases of the Liver	12	1	—	—	2	—	—	1	4	—	—	—
48. Peritonitis	11	3	2	3	—	—	—	—	1	—	1	—
49. Other Diseases of the Digestive System	55	13	7	8	13	2	5	—	4	—	—	2
50. Bright's Disease and Nephritis	51	14	2	7	10	4	5	1	4	—	—	4
51. Other Diseases of the Genito-Urinary System	5	1	1	1	—	—	1	—	—	—	—	—
52. Diseases or Accidents of Pregnancy or of Childbirth	103	20	12	16	8	4	9	5	14	5	1	9
53. Diseases of the Skin and Cellular Tissue	16	3	3	2	2	1	1	1	2	—	—	—
54. Congenital Malformations	—	—	—	—	—	—	—	—	—	—	—	—
55. Premature Birth	131	37	—	36	18	22	5	3	—	—	—	3
56. Infantile Debility (under 3 months)	670	240	44	171	76	29	36	11	41	2	3	17
57. Senility	222	68	16	43	26	22	19	4	17	—	3	7
58. Suicide	19	3	1	2	9	1	—	—	—	—	—	2
59. Homicide	3	—	—	—	—	—	—	—	—	—	—	1
60. Execution	1	1	—	2	1	—	—	—	—	—	—	—
61. Accidents and other affections produced by external causes	54	23	—	12	4	6	1	2	1	—	—	3
62. Drowsy	56	12	8	14	8	2	3	2	3	—	1	4
63. Heart Failure	24	8	1	—	—	—	—	—	—	—	—	4
64. Debility (3 months and over)	280	78	20	40	43	46	21	4	18	2	1	4
65. Pyrexia	64	5	13	7	14	—	—	5	8	1	1	11
66. Diseases not specified or ill-defined	4	2	—	1	—	—	—	—	—	—	—	—
67. Other causes	21	6	3	2	1	—	1	1	4	1	2	—

Table VIII.—Causes of Death registered during the Third Quarter of 1916 in each Town of the Island proclaimed under Sections 31-36 of the Ordinance of No. 1 of 1895.

Table VIII.—Causes of Death, &c.—*continued.*

Causes of Death.	All 33 Towns.	Western Province.			Central Province.			Southern Province.			Northern Province.			Eastern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.			Deaths among all Races.						
		Colombo.	Negombo.	Moratuwa.	Kaduwela.	Panadura.	Gampola.	Hatton and Dikoya.	Tangalle.	Galle.	Jaffna.	Mannar.	Kalmunai.	Kurunegala.	Badulla.	Lunugalle.	Ratnapura.	Kegalle.	Burghers.	Sinhalese.	Malays.	Moors.	Chinese.	Others.	(12)							
10a. Enteritis	146	97	10	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
11. Dysentery	225	57	15	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
12. Anchylostomiasis or Dochmias Duodenalis	251	22	5	3	4	1	23	13	12	1	45	32	2	—	—	—	1533	24	7	—	—	—	—	—	—	—	—	—	—			
13. Cancer	15	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
14. Phthisis	372	222	6	20	12	2	19	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
15. Other tubercular diseases	25	10	—	1	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
16. Anaemia	40	12	6	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
17. Diabetes Mellitus	20	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
18. Convulsions	39	6	6	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
19. Tetanus	28	12	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
20. Bronchitis	51	32	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
21. Pneumonia	413	127	21	19	8	6	40	4	—	5	8	3	11	9	—	2	6	25	5	3	23	2	9	19	15	1	9	11	7			
22. Other Diseases of the Respiratory System	47	24	1	2	1	1	2	—	—	1	—	1	—	1	—	—	—	3	1	—	2	—	1	—	—	—	—	—	—	—		
23. Bright's Disease and Nephritis	124	55	3	4	—	—	13	—	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24. Puerperal Eclampsia	10	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25. Puerperal Septicæmia	70	23	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27. Other undefined accidents of Childbirth	22	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28. Starvation	18	14	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
29. Accidents or Negligence	83	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
30. Homicide	8	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31. Suicide	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
32. Execution	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
33. All other causes	1,153	479	28	70	55	11	51	11	6	9	2711	142	8	1815	510	59	3	10	2	4	3710	10	12	9	5	21	10	8	36	619	257188	2718