

**SUPPLEMENT**  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 6,864 — FRIDAY, MARCH 30, 1917.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF FEBRUARY, 1917.**

**REPORT OF THE REGISTRAR-GENERAL.**

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

**Births.**

2. The births numbered 1,542 (752 males and 790 females), and were equal to an annual rate of 32·51 per 1,000, against 34·45 in the preceding month, 27·97 in the corresponding month of last year, and 31·29 the average of the corresponding months since 1908. The rate ranged from 13·85 in Nuwara Eliya to 54·02 in Mullaittivu.

3. In the city of Colombo the births numbered 535 (275 males and 260 females), and were equal to an annual rate\* of 26·03 per 1,000, against 29·71 in the preceding month, 24·18 in the corresponding month of last year, and 27·48 the average of the corresponding months since 1908. The rate ranged from 12·38 in Kollupitiya to 37·52 in Wellawatta.

**Deaths.**

4. The total deaths registered during the month were 1,520 (836 males and 684 females). There were 1,263 deaths of residents, equivalent to an annual rate of 29·02 per 1,000, against 28·48 in the preceding month, 26·53 in the corresponding month of last year, and 32·85 the average for the month of February in each year since 1908. The rate ranged from 56·88 in Puttalam to 5·92 in Nuwara Eliya.

5. In the city of Colombo the deaths numbered 580 (336 males and 244 females). There were 515 deaths of residents, equivalent to an annual rate\* of 29·07 per 1,000, against 25·65 in the preceding month, 25·28 in the corresponding month of last year, and 31·36 the average for the month of February in each year since 1908. The lowest rate, 8·74, was, as usual, in Kollupitiya, and the highest, 31·27, was observed both in Kotahena and Wellawatta.

6. Stillbirths numbered 92 (60 males and 32 females), against 108 in the preceding month.

**Infantile Mortality.**

7. The infantile mortality was equal to a rate of 270 per 1,000 births registered during the year ended the last day of February, 1917. Reckoned on the births registered during the month only the rate was 229, against 207 in the preceding month, 185 in the corresponding month of last year, and 259 the average of the corresponding months since 1908.

8. In the city of Colombo the infantile mortality was 303 per 1,000 births registered during the year ended the last day of February, 1917. Reckoned on the births registered during the month only the rate was 249, against 191 in the preceding month, 191 in the corresponding month of last year, and 288 the average of the corresponding months since 1908.

**Causes of Death.**

9. The highest mortality was from *Pneumonia*, to which 10 per cent. of the total deaths was due, 9 per cent. were due to *Debility*, 8 per cent. to *Convulsions*, 6 per cent. to *Diarrhoea*, 5 per cent. each to *Phthisis* and *Malaria* and *Malarial Cachexia*, 4 per cent. to *Anchylostomiasis*, 3 per cent. each to *Enteritis*, *Prematurity*, *Bright's Disease* and *Nephritis*, and *Dysentery*, and 2 per cent. each to *Enteric Fever*, *Puerperal Septicæmia*, and *Bronchitis*.

10. In the city of Colombo the highest mortality was also from *Pneumonia*, which accounted for 10 per cent. of the total deaths, *Phthisis* caused 8 per cent., *Debility* and *Convulsions* 7 per cent. each, *Enteritis* 6 per cent., *Bright's Disease* and *Nephritis*, *Diarrhoea*, and *Enteric Fever* 3 per cent. each, and *Prematurity*, *Bronchitis*, and *Dysentery* 2 per cent. each. Thirty-six deaths from *Plague* were registered, against 19 in the preceding month and 14 in the corresponding month of last year. This number is the highest recorded after July, 1914. One death from *Smallpox* also was registered.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Chickenpox*, of which 402 cases were reported (280 in Colombo, 46 in Kandy, 14 each in Moratuwa and Campola, 12 in Galle), followed by *Measles* 270 (154 in Colombo, 31 in Mannar, 23 in Badulla, 14 in Anuradhapura, 12 in Ratnapura), *Phthisis* 62 (58 in Colombo, 3 in Ratnapura), *Enteric Fever* 58 (39 in Colombo, 9 in Galle), *Plague* 41 (40 in Colombo and 1 in Nawalapitiya), *Smallpox* 24 (23 in Jaffna and 1 in Colombo), *Continued Fever* 23 (7 in Moratuwa, 6 each in Colombo and Galle), *Dysentery* 6 (5 in Moratuwa), *Diarrhoea* 4 (in Colombo), and *Mumps* 3 (2 in Colombo).

**Meteorology.**

12. *Rainfall.*—Badulla recorded the highest rainfall (11·44 inches), followed by Nuwara Eliya (10·80 inches). In the other towns the rainfall ranged from 10·68 inches in Matale to 1·02 inch in Jaffna. Colombo recorded 5·57 inches.

13. *Temperature.*—The mean temperature varied from 58·0° in Nuwara Eliya to 79·9° in Mannar, and was 78·7° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,  
Colombo, March 16, 1917.

N. W. MORGAPPAH,  
for Registrar-General.

\* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during February, 1917, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, Children born in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

\* The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island.

† Estimated to the end of December, 1916, by natural increase method.

‡ Population enumerated in 1911 by age and sex, while the town of Kalmunis was created a registration division only in January, 1914, and Languang, Lungsang, Amblangcoda, in January, 1915, the death-rate given for "All Towns" is therefore independent of these towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during February, 1917 in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

\* These are due to *Atelestocesis* 3 (in Colombo), *Stomatitis* 1 (in Negombo), *Abscess* 1 and *Erysipelas* 1 (in Jaffna), *Sepicæmia* 1 (in Colombo), and *Congenital Disease* of *H.-art* 1 (in Colombo). This includes, besides 22 deaths mentioned in Table IV, 1 from *Malaria* (3 in Jaffna and 1 in Puttalam), 3 from *Moratuwa*, *Nawalapitiya*, and *Jaffna*, 2 from *Worms* (1 each in *Moratuwa* and *Jaffna*), 1 from *Neuritis* (1 each in *Matale* and *Kandy*), 1 from *Leucorrhœa* (1 each in *Colombo* and *Kandy*), 1 from *Urticaria* (1 each in *Colombo* and *Kandy*), 1 from *Pharyngitis* (1 each in *Colombo* and *Kandy*), 1 from *Diarrhoea* (1 each in *Colombo* and *Kandy*), 1 from *Urinary Disease* (1 each in *Colombo* and *Kandy*), 1 from *Jaundice* (1 each in *Colombo* and *Kandy*), 1 from *Cholera* (1 each in *Colombo* and *Kandy*), 1 from *Measles* (1 each in *Colombo* and *Kandy*), 1 from *Small-pox* (1 each in *Colombo* and *Kandy*), 1 from *Tuberculosis* (1 each in *Colombo* and *Kandy*), 1 from *Scabies* (1 each in *Colombo* and *Kandy*), 1 from *Trachoma* (1 each in *Colombo* and *Kandy*), 1 from *Rat-bite* (1 each in *Colombo* and *Kandy*), and 1 from *Putrid Ulcer* (1 each in *Colombo* and *Kandy*).

(1 each in Puttalam and Ratnapura), and 1 each from QEdema (in Moratuwa), Burns (in Nuwara Eliya), Malaria Cachexia (in Batticaloa), Rickets (in Anuradhapura), Snake Bite (in Anuradhapura), Asthma (in Jaffna), Abscess (in Negombo), and Syphilis (in Galle).

Table II.—Causes of Deaths registered during February, 1917, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 33 Towns.	Western Province.			Central Province.			Southern Province.			Northern Province.			North-Western Province.			North-Central Province.			Province of Sabaragamuwa.			Deaths among all Races.						
		Colombo.	Negombo.	Moratuwa.	Kandy.	Gampola.	Hattoruwa.	Nuwara Eliya.	Galle.	Jaffna.	Vavuniya.	Mullaitivu.	Kaduna.	Batticaloa.	Kurunegala.	Trincomalee.	Puttalam.	Chilaw.	Badulla.	Ratnapura.	Kegalla.	Matara.	Europaeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
<b>I.—General Mortality—contd.</b>																													
4. Influenza ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Pyrexia or Fever ..	7	1	2	3	1	1	1	2	1	2	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2
6. Enteric Fever ..	27	16	1	3	6	2	1	1	2	4	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
7. Malaria ..	46	6	2	—	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria, Cachexia ..	31	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Diarrhoea ..	85	13	8	3	2	1	2	1	2	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1
10a. Enteritis ..	33	25	—	—	1	4	—	1	5	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Dysentery ..	41	9	1	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Anthrolyomatosis or Doehnius Duodenalis ..	61	6	3	1	2	—	—	—	3	2	1	6	—	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
13. Cancer ..	10	5	—	5	—	3	1	3	—	2	1	2	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
14. Phthisis ..	83	46	2	—	5	3	1	3	—	1	1	2	—	2	1	2	3	1	2	3	1	3	1	3	1	3	1	3	1
15. Other Tuberulous Diseases ..	8	5	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16. Anæmia ..	12	2	—	4	—	—	—	—	—	1	2	2	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Diabetes Mellitus ..	5	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Convulsions ..	27	7	3	2	—	—	—	—	—	1	2	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. Tetanus ..	7	5	—	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
20. Bronchitis ..	12	6	—	1	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
21. Pneumonia ..	141	52	8	12	3	2	8	1	6	1	4	1	5	—	5	1	3	7	2	1	2	1	1	1	1	1	1	1	1
22. Other Diseases of the Respiratory System ..	14	5	—	1	1	—	—	—	1	1	—	—	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23. Bright's Disease and Nephritis ..	44	17	5	2	—	—	—	3	7	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24. Purpural Eclampsia ..	7	2	—	1	—	—	—	1	—	1	—	—	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25. Miscarriage ..	27	4	—	—	3	2	—	—	2	—	—	—	—	3	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
26. Other undefined Accidents of Childbirth ..	15	4	—	1	—	—	—	1	—	1	—	—	1	2	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Accidents or Negligence ..	19	5	2	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30. Homicide ..	3	1	—	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31. Suicide ..	4	2	—	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32. Execution ..	4	4	—	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33. All other causes ..	350*	155	7	20	21	5	13	8	2	7	14	1	3	5	2	1	1	4	2	13	3	2	11	199	72	55	6	5	

\* Here are included 96 from Old Age (43 in Colombo), 41 from Worms (12 in Colombo), 35 from Debility (6 in Gallo), and 24 from Paralysis (10 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of February, 1917, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for February, 1908 to 1916, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at Census of 1911.	Population estimated to Middle of 1917 by Intercensal Increase.	Total Births registered.		Stillbirths.		Total Deaths including Deaths in Hospitals and Jails.		Deaths of Non-residents.		Deaths of Residents.		Birth-rate, February, 1917.	Average for Feb., 1908 to 1916.	Per Mille per Annum, February, 1917.	Mortality of Children under one Year.			
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.							
<b>City of Colombo ..</b>	<b>219,557</b>	<b>267,888†</b>	<b>275</b>	<b>260</b>	<b>535</b>	<b>28</b>	<b>17</b>	<b>45</b>	<b>336</b>	<b>244</b>	<b>580</b>	<b>85</b>	<b>515</b>	<b>26.03</b>	<b>27.48</b>	<b>29.07</b>	<b>133</b>	<b>249</b>	<b>303</b>
Fort and Galle Face	3,612‡	3,612‡	—	—	—	—	—	—	2	—	—	2	—	3.32	7.42	5.14	—	—	—
Pettah ..	7,974	7,974‡	—	3	1	—	1	3	—	—	3	—	3	4.90	5.53	4.90	12.24	—	—
San Sebastian ..	11,646	13,207	11	11	22	—	—	12	7	19	—	19	21.71	24.19	18.75	24.70	—	12	
St. Paul's ..	24,736	28,068	24	10	34	1	—	1	27	26	63	—	53	15.79	20.02	24.62	23.60	—	18
Kotahena ..	40,771	46,274	57	56	113	—	5	5	64	47	111	—	111	31.83	25.70	31.27	24.18	—	31
New Bazaar ..	22,309	26,055	32	22	54	2	2	4	22	19	41	—	41	27.02	27.94	20.52	28.29	—	16
Maredana Hospitals ..	41	38	79	16	4	20	92	58	150	51	99	—	—	—	—	—	—	13	—
Maredana (exclusive of Hospitals) ..	48,093	64,374	43	63	96	5	1	6	52	41	93	7	86	19.44	22.65	17.41	24.61	—	25
Slave Island ..	21,984	26,958	25	27	52	2	3	5	20	17	37	—	37	26.11	23.95	18.58	21.58	—	8
Kollupitiya ..	26,410	35,791	17	17	34	1	—	1	13	18	31	7	24	12.38	15.77	8.74	13.61	—	6
Wellawatta ..	13,223	16,675§	25	23	48	—	2	2	29	11	40	—	40	37.52	35.90	31.27	28.98	—	4
																		83	106

\* For explanation of "standardized death-rate" see note \*, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercensal increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1917. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercensal increase method (as it was not a separate division at the Census of 1901) and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| For four months, February, 1913, 1914, 1915, and 1916.

Table IV.—Causes of Deaths registered during the Month of February, 1917, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	City of Colombo.	Deaths among all Races.											
		All Causes	Port and Grille-Face.	St. Paul's.	New Bazaar.	Mardena Hospitals	Sleve Island.	Kollupitiya.	Wellawatta.	Burghers.	Sinhalese.	Mosrs.	Others.
I.—Infantile Mortality ..	183	—	—	12	18	31	16	13	25	8	6	4	—
A.—One Week and under.													
1. Prematurity ..	11	—	—	—	—	—	2	3	1	1	—	—	—
2. Debility ..	18	—	—	4	2	1	6	1	1	—	5	2	1
3. Convulsions ..	11	—	—	1	—	—	—	1	—	—	2	7	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	4	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	5*	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.													
1. Prematurity ..	3	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	18	—	—	3	2	—	—	—	—	5	2	—	4
3. Convulsions ..	22	—	—	4	6	—	—	—	—	1	2	—	5
4. Diarrhoea ..	3	—	—	—	1	1	—	—	—	1	1	—	7
4a. Enteritis ..	11	—	—	—	—	—	—	—	—	1	1	—	4
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	5	—	—	—	—	—	—	—	—	2	—	—	—
7. Pneumonia ..	4	—	—	—	—	—	—	—	—	1	—	—	—
8. Other Causes ..	22†	—	—	—	—	—	—	—	—	2	1	—	1
II.—General Mortality (1 Year and over) ..	447	2	3	7	35	80	25	137	68	29	36	1	27
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	26
2. Smallpox ..	36	—	—	1	3	7	2	—	3	—	—	—	3
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	1

\* Three were due to Atelectasis, 1 to Congenital Disease of Heart, and 1 to Septicemia.

† This includes 7 from Rickets, 3 from Thirst, 3 from Want of Breast Milk, 1 from Worms, 1 from Stomatitis, 1 from Syphilis, 1 from Anchylostomiasis, 1 from Improper Feeding, and 1 from Asthma.

Table IV.—Causes of Deaths registered during the Month of February, 1917, in each Ward and of each Race in the City of Colombo—*continued.*

\* Here are included 43 from Old Age, 12 from Worms, 10 from Paralysis, and 4 from Debility.