

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,906 — FRIDAY, NOVEMBER 2, 1917.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF SEPTEMBER, 1917.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,210 (613 males and 597 females), and was equal to an annual rate of 22·27 per 1,000, against 25·46 in the preceding month, 26·12 in the corresponding month of last year, and 27·48 the average of the corresponding months since 1908. The rate ranged from 10·43 in Gampola to 75·62 in Mullaittivu.

3. In the city of Colombo the births registered numbered 396 (196 males and 200 females), and were equal to an annual rate* of 17·99 per 1,000, against 21·62 in the preceding month, 19·42 in the corresponding month of last year, and 22·77 the average of the corresponding months since 1908. The rate ranged from 11·22 in Kollupitiya to 22·62 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,288 (688 males and 600 females). There were 1,045 deaths of residents in towns, equivalent to an annual rate of 21·90 per 1,000, against 25·65 in the preceding month, 28·34 in the corresponding month of last year, and 28·50 the average for the month of September in each year since 1908. The rate ranged from 53·04 in Nawalapitiya to 6·17 in Chilaw.

5. In the city of Colombo the deaths registered were 379 (208 males and 171 females). There were 328 deaths of residents, equivalent to an annual rate* of 17·28 per 1,000, against 22·84 in the preceding month, 26·84 in the corresponding month of last year, and 29·22 the average for the month of September in each year since 1908. Wellawatta showed the highest rate (26·27) and Kollupitiya the lowest (6·46).

6. The stillbirths registered were 101 (52 males and 49 females). In the preceding month too a similar number was registered.

Infant Mortality.

7. The mortality of infants was equal to a rate of 182 per 1,000 births registered during the twelve months ending September 30, 1917. Reckoned on the births registered during the month only the rate was 217, against 232 in the preceding month, 250 in the corresponding month of last year, and 244 the average of the corresponding months since 1908.

8. In the city of Colombo the mortality of infants was equal to a rate of 169 per 1,000 births registered during the twelve months ending September 30, 1917. Reckoned on the births registered during the month only the rate was 210, against 209 in the preceding month, 245 in the corresponding month of last year, and 272 the average of the corresponding months since 1908.

Causes of Death.

9. The highest death-rate was attributed to *Pneumonia* and *Debility*, to each of which 9 per cent. of the total deaths was due, 7 per cent. each was due to *Convulsions* and *Anchylostomiasis*, 6 per cent. each to *Phthisis* and *Diarrhoea*, 5 per cent. to *Dysentery*, 4 per cent. each to *Enteritis* and *Malaria* and *Malarial Cachexia*, 3 per cent. each to *Bright's Disease* and *Nephritis* and *Prematurity*, 2 per cent. each to *Enteric Fever*, *Tetanus*, *Bronchitis*, and *Puerperal Septicæmia*, and 1 per cent. to *Anæmia*.

10. In Colombo the highest death-rate was from *Debility*, to which 12 per cent. of the total deaths was due, *Phthisis* caused 10 per cent., *Pneumonia* 8 per cent., *Convulsions* 7 per cent., *Enteritis* 4 per cent., *Dysentery* and *Bright's Disease* and *Nephritis* 3 per cent. each, and *Enteric Fever*, *Cancer*, *Diarrhoea*, *Tetanus*, *Bronchitis*, *Anchylostomiasis*, and *Prematurity* 2 per cent. each. Four deaths from *Plague* were registered, against 2 in the preceding month and 21 in the corresponding month of last year.

11. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Measles*, of which 107 cases were reported (70 in Colombo, 26 in Kandy), followed by *Phthisis* 68 (56 in Colombo, 10 in Galle), *Chickenpox* 56 (20 in Colombo, 14 in Badulla, 7 in Kandy), *Enteric Fever* 43 (15 in Colombo, 6 in Kandy, 6 in Galle, 5 in Matara), *Continued Fever* 23 (7 in Panadura, 6 in Moratuwa, 5 in Colombo), *Mumps* 10 (5 in Colombo), *Dysentery* 7 (4 in Moratuwa), *Plague* 3 (in Colombo), *Diphtheria* 1 (in Colombo), and *Tonsilitis* 1 (in Batticaloa).

Meteorology.

12. *Rainfall.*—Ratnapura recorded the highest rainfall (18·89 inches), followed by Gampola and Kegalla (18·11 inches, each). In the other towns the rainfall ranged from 17·95 inches in Hatton and Dikoya to 1·31 inches in Kalpitiya. Colombo recorded 12·74 inches.

13. *Temperature.*—The mean temperature varied from 60·8° in Nuwara Eliya to 83·4° in Trincomalee, and was 79·9° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, October 20, 1917.

W. L. KINDERSLEY,
Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during September, 1917, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated to the Middle of 1917 by Intercessional Increase.	Total Births.	Total Deaths.	Total Stillbirths.	Birth-rate.	Death-rate excluding non-residents		Mortality of Children under One Year.	Mean Temperature.	Rainfall in inches.											
						Persons.	Males.														
All 33 Towns ..	517,877	618,347	618,597	1,210	658,600	1,288	52	49	101	239	1,045	22.27	27.48	20.09	21.90	23.50	262	217	182		
Western.																					
Colombo	219,557	267,888	196,200	396	208,171	379	21	18	39	51	328	17.99	22.77	14.90	17.28	29.22	83	210	169		
Negombo	13,045	26,336	32,29	61	25	27	52	—	1	6	46	28.18	33.54	21.25	22.23	25.72	10	164	123		
Moratuwa	27,256	29,980	41,55	96	29	41	70	2	2	4	69	33.96	38.85	28.00	39.85	31.03	16	167	143		
Kalutara	13,005	14,039	16,11	27	13	14	27	2	3	5	22	23.40	25.74	24.00	23.85	23.48	6	222	149		
Panadure	6,709	7,333	5	8	12	3	15	—	—	2	13	13.27	25.58	21.57	25.67	26.95	3	375	259		
Central.																					
Kandy	30,149	32,376	33,31	64	46	35	81	1	2	3	30	61	24.05	25.80	19.17	20.89	30.78	13	2.3	180	
Gampola	5,521	7,003	5,1	6	4	5	9	—	1	1	—	9	10.43	20.65	15.64	16.23	30.66	167	59	—	
Nawalapitiya	3,990	3,767	13,7	20	8	8	16	—	1	1	—	16	60.98	32.50	48.79	53.04	22.59	2	100	193	
Hatton and Dikoya	3,149	3,025	3	3	10	15	25	—	1	1	20	5	11.59	21.64	19.32	22.56	18.29	2	—	286	
Matale	6,792	7,825	10	7	17	19	11	30	2	2	19	11	26.43	26.30	17.11	19.66	38.25	2	118	94	
Nuwara Eliya	14,910	15,066	5	13	18	8	11	19	—	1	2	17	14.54	16.75	13.73	15.66	11.02	7	389	411	
Southern.																					
Galle	39,936	41,810	40	29	69	45	47	92	5	—	9	83	20.08	24.31	24.15	23.65	23.73	16	217	164	
Ambalangoda	—	4,384	4	2	6	1	3	4	1	2	—	4	16.65	—	11.10	—	—	—	—	—	
Matara	13,851	15,276	17,18	35	27	20	47	—	1	1	2	45	27.88	34.28	35.84	35.11	22.3	6	171	142	
Welligama	8,672	9,428	6	10	16	15	8	23	—	—	—	23	20.65	32.37	29.68	26.74	24.13	2	125	74	
Hambantota	3,992	3,263	2	2	4	7	4	11	—	—	—	11	14.92	46.39	41.03	45.87	33.80	3	266	80.4	
Tangalle	3,505	6,704	10	8	18	2	4	6	—	—	6	38.40	42.85	12.80	13.08	28.43	3	167	197		
Northern.																					
Jaffna	40,441	45,289	57	61	118	62	60	122	6	5	11	5	11.5	31.74	35.16	30.94	31.60	30.80	41	347	335
Maner	3,777	4,088	14	2	16	8	3	11	—	—	—	1	10	47.62	44.39	29.76	32.77	36.13	5	313	376
Mullaitivu	1,392	1,448	4	5	9	1	2	4	—	1	—	2	75.62	43.68	16.81	23.28	31.54	—	—	—	
Vavuniya	—	808	2	—	2	3	1	4	—	1	—	1	24.04	21.64	12.02	16.32	44.18	—	—	—	
Eastern.																					
Batticaloa	10,671	11,138	29	16	45	16	20	36	3	—	3	35	49.16	41.44	38.23	37.71	37.51	13	289	318	
Kalmunai	—	2,081	3	9	12	5	5	10	—	—	2	8	70.16	43.24	46.78	—	—	6	600	641	
Trincomalee	8,840	10,557	7	15	22	6	9	15	1	2	1	14	25.41	35.68	16.17	17.75	38.73	4	182	153	
North-Western.																					
Kurunegala	8,167	9,482	12	18	30	25	22	47	1	2	3	18	29	38.50	29.03	37.21	33.23	36.67	5	167	208
Puttalam	6,990	6,618	10	6	15	11	6	17	2	1	3	14	27.58	30.59	25.74	27.53	28.30	3	200	169	
Kalpitiya	1,591	1,667	—	—	11	—	—	1	1	—	1	—	22.23	7.30	—	—	—	—	—	1.31	
Chilaw	—	5,033	5,668	7	4	11	—	5	3	2	4	—	6	44	6.17	31.50	—	—	—	3.62	
North-Central.																					
Anuradhapura.	6,361	6,821	12	6	18	13	6	19	2	1	3	5	14	32.11	21.86	24.97	30.60	46.74	3	167	182
Uva.																					
Badulla	6,487	7,226	10	19	29	17	16	33	1	2	3	22	11	49.83	30.63	18.52	20.44	32.32	3	103	112
Lunugala	615	601	1	2	3	13	8	21	—	—	20	1	60.75	36.37	20.25	—	—	1	760	—	
Sabaragamuwa.																					
Ratnapura	5,476	7,215	6	6	12	18	7	25	—	—	8	17	20.24	23.69	28.67	32.50	31.37	4	333	258	
Kegalle	2,536	2,669	1	3	4	6	5	11	—	—	—	11	18.24	24.34	5.15	46.00	31.67	—	—	18.11	

^a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex and age-constitution of the several populations as compared with that of the Island.

^b Blanks indicate that there are no observatories or rain gauges.

^c Includes population of the Negombo Local Board and registration area.

^d This increase in population is due to the extension of the town limits as from July, 1915.

^e Estimated to the end of December, 1916, by natural increase method.

^f Population enumerated at the beginning of 1915.

^g Standardized death-rates for Kalkytiya and Lunugala towns not available, as the population of these towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915.

^h Increase of population is due to the extension of the town limits.

Table II.—Causes of Deaths registered during September, 1917, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

* This is due to Protracted Labour in Kandy.

This includes, besides 7 deaths mentioned in Table IV, footnote †, 2 deaths from Thrush (in Moratuwa), 2 from Dysentery (1 in Jaffna, and 1 in Anuradhapura), 2 from Malaria Fever (1 in Jaffna and 1 in Puttalam), 2 from Rickets (1 in Galle and 1 in Jaffna), 1 from Anchylostomiasis (in Mannar), 1 from Spina Bifida (in Galle), and 1 from Worms (in Puttalam).

Table II.—Causes of Deaths registered during September, 1917, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 33 Towns.	Western Province.			Central Province.			Southern Province.			Northern Province.			North-Western Province.			Eastern Province.			Province of Sabaragamuwa.			Deaths among all Races.					
		Colombo.	Negombo.	Moratuwa.	Kadawatha.	Panadura.	Hatton & Dikoya.	Nuwara Eliya.	Galle.	Matara.	Vavuniya.	Mullaitivu.	Jaffna.	Kantunegala.	Arundaspura.	Kegalla.	Europerans.	Bulgarians.	Sinhalese.	Tamile.	Moors.	Malays.	Others.					
II.—General Mortality—contd.																												
4. Influenza ..	6	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Pyrexia or Fever ..	24	9	—	4	2	1	—	—	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Enteric Fever ..	29	2	1	—	—	1	—	1	1	2	17	1	1	—	—	—	—	20	1	3	—	—	—	—	—	—	—	
7. Malaria ..	19	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	4	17	6	1	—	—	—	—	—	
8. Malaria! Cachexia ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	4	10	4	—	—	—	—	—	—	
9. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Diarrhoea ..	65	7	6	4	—	1	—	13	2	5	5	2	—	9	—	—	—	—	—	—	22	40	3	—	—	—	—	—
10a. Enteritis ..	39	8	1	2	—	—	—	—	—	—	—	—	—	3	1	1	1	1	1	1	7	29	3	—	—	—	—	—
11. Dysentery ..	58	13	3	—	—	—	—	2	1	1	6	1	—	7	2	1	1	2	5	—	—	—	—	—	—	—	—	
12. Ankylostomiasis or Duochasmus Duodenalis ..	85	7	2	1	3	2	4	—	5	14	4	—	—	3	1	—	4	11	3	2	—	—	23	55	6	—	1	
13. Cancer ..	12	9	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	8	4	—	—	—		
14. Phthisis ..	37	3	4	—	1	—	4	—	—	—	—	4	—	—	5	1	1	1	1	1	—	3	48	16	9	2	5	
15. Other Tuberculous Diseases ..	83	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	
16. Anaemia ..	15	1	3	2	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	7	2	4	—	—	
17. Diabetes Mellitus ..	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	
18. Convulsions ..	27	7	1	2	—	—	2	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	17	7	2	—	—	
19. Tetanus ..	9	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2	1	—	1	
20. Bronchitis ..	15	6	—	2	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	5	3	2	—	—	
21. Pneumonia ..	100	28	6	6	4	1	—	12	1	1	4	—	—	4	—	2	5	2	3	7	1	3	—	—	—	—	—	
22. Other Diseases of the Respiratory System ..	14	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	7	1	—	—	
23. Bright's Disease and Nephritis ..	36	10	3	1	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	
24. Puerperal Endometritis ..	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	13	7	—	—	
25. Puerperal Septicemia ..	23	3	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	—	
26. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	12	4	—	—	
27. Other undefined Accidents of Childbirth ..	10	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
28. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25	5	3	—	—	
29. Accidents or Negligence ..	33	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	1	—	—	
30. Homicide ..	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Suicide ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32. Execution ..	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	1	—	—	—	
33. All other causes ..	288*	112	9	20	5	4	17	4	3	4	32	1	9	9	1	19	1	2	1	5	2	1	6	4	2	6	1	

* Here are included 85 deaths from Old Age (32 in Colombo, 10 in Moratuwa), 38 from Debility (12 in Colombo, 26 from Worms (6 in Colombo, 10 in Galle, 4 in Jaffna), 15 from Anæmia (4 in Matara), 14 from Paralysis (4 in Kandy), 6 from Rickets (3 in Galle), and 10 from Cirrhosis of the Liver (6 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of September, 1917, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for September, 1908 to 1916, in each Ward of the City of Colombo.

Wards.	Population (Inclusive of Military) at Census of 1911.	Population estimated to March of 1917 by Intercensal Increase.	Total Births registered.	Stillbirths.		Total Deaths including Deaths in Hospitals and Jails.		Deaths of Non- residents.	Deaths of Resi- dents.	Per Mille per Annum.		Its propo- r tion per annum to 1000 births registered during the Year ended September, last day of Sept., 1917.	
				Males.	Females.	Persons.	Males.			Birth-rate.	Death-rate.		
										Average for Sept., 1908 to 1916.	September, 1917.	Standard- ized Death- Rate.*	
City of Colombo ..	219,557	267,888†	196	200	396	21	18	39	208	171	879	51	328
Fort and Galle Face Pettah ..	3,612	3,612‡	1	—	1	—	—	—	—	—	2.14	—	6.43
San Sebastian ..	7,974	7,974‡	2	1	3	—	—	3	3	3	4.58	5.03	4.58
St. Paul's ..	11,546	13,207	9	7	16	2	2	4	7	5	12	14.74	17.59
Kotahena ..	24,735	28,068	13	15	28	2	2	9	11	20	—	20	12.14
New Bazaar ..	40,771	46,274	39	28	67	—	—	28	22	50	—	50	17.62
Maradana Hospitals ..	22,309	26,055	16	17	33	1	1	2	11	10	21	15.41	21.75
Maradana (exclusive of Hospitals) ..	48,093	64,374	38	34	72	7	4	11	81	44	39	86	—
Slave Island ..	21,984	25,958	16	23	39	3	3	6	13	11	24	—	10.77
Kollupitiya ..	25,410	35,791	17	16	33	2	1	3	17	14	31	12	19
Wellawatta ..	13,223	16,675§	16	15	31	1	2	3	16	20	36	—	36

* For explanation of "standardized death-rate" see note*, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

[†] Estimated partly on the natural increase method and partly on the intercensal increase method (i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1917. Hence the Census figures are retained. This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta, on the former method (as it was not a

separate division at the Census of 1901 and that of the part of Kountumya taken over to Wellawatta on the latter method.
|| For five months, September, 1912, 1913, 1914, 1915, and 1916.

Table IV.—Causes of Deaths registered during the Month of September, 1917, in each Ward and of each Race in the City of Colombo.

* This includes 3 from Rickets, 2 from Syphilis, 1 from Thrush, and 1 from Colitis.

† Here are included 32 from Headache, 2 from Syphilis, 1 from Thrush, and 1 from Colitis.