

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,954 — FRIDAY, JULY 5, 1918.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF MAY, 1918.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,339 (688 males and 651 females), and was equivalent to an annual rate of 24·85 per 1,000, against 27·14 in the preceding month, 26·62 in the corresponding month of last year, and 27·60 the average for the corresponding months since 1908. The rate ranged from 7·01 in Kalpitiya to 45·61 in Kandy.

3. In the city of Colombo the births registered numbered 453 (236 males and 217 females), and were equal to an annual rate* of 19·28 per 1,000, against 23·04 in the preceding month, 19·56 in the corresponding month of last year, and 22·21 the average for the corresponding months since 1908. The rate ranged from 5·30 in Kollupitiya to 29·92 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,277 (676 males and 601 females). There were 1,031 deaths of residents in towns, equivalent to an annual rate of 20·86 per 1,000, against 20·76 in the preceding month, 24·68 in the corresponding month of last year, and 27·51 the average for the month of May in each year since 1908. The rate ranged from 50·12 in Mannar to 4·01 in Kegalla.

5. In the city of Colombo the deaths numbered 422 (224 males and 198 females). There were 369 deaths of residents, equivalent to an annual rate* of 18·22 per 1,000, against 18·01 in the preceding month, 23·56 in the corresponding month of last year, and 27·19 the average for the month of May in each year since 1908. The lowest rate, 7·48, was in Kollupitiya, and the highest, 17·45, in San Sebastian.

6. The stillbirths registered numbered 87 (46 males and 41 females), against 88 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 206 per 1,000 births registered during the twelve months ending May 31, 1918. Reckoned on the births registered during the month only the rate was 221, against 189 in the preceding month, 240 in the corresponding month of last year, and 240 the average for the corresponding months since 1908.

8. In the city of Colombo the mortality of infants was equal to a rate of 223 per 1,000 births registered during the twelve months ending May 31, 1918. Calculated on the births registered during the month only the rate was 243, against 183 in the preceding month, 297 in the corresponding month of last year, and 286 the average for the corresponding months since 1908.

Causes of Death.

9. The highest mortality was attributed to *Pneumonia*, to which 12 per cent. of the total deaths was due, 9 per cent. each was due to *Debility* and *Convulsions*, 6 per cent. to *Phthisis*, 5 per cent. each to *Anchylostomiasis* and *Malaria* and *Malarial Cachexia*, 4 per cent. each to *Enteritis*, *Diarrhœa*, and *Bright's Disease and Nephritis*, 3 per cent. each to *Dysentery* and *Enteric Fever*, 2 per cent. each to *Prematurity* and *Bronchitis*, and 1 per cent. to *Puerperal Septicæmia*.

10. In Colombo too the highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths was due, 9 per cent. was due to *Debility*, 7 per cent. each to *Phthisis* and *Convulsions*, 5 per cent. to *Enteritis*, 4 per cent. each to *Bright's Disease and Nephritis* and *Dysentery*, 2 per cent. each to *Bronchitis*, *Enteric Fever*, *Puerperal Septicæmia*, and *Anchylostomiasis*, and 1 per cent. each to *Diarrhœa* and *Tetanus*. One death from *Smallpox* was registered.

11. The number of deaths registered from *Plague* was 9 (1 in Colombo, 1 in Gampola, and 7 in Nawalapitiya), as against 24 in the preceding month and 11 in the corresponding month of last year.

12. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Chickenpox*, of which 175 cases were reported (76 in Colombo, 24 in Mannar, 17 in Moratuwa, 15 each in Kandy, Galle, and Trincomalee), followed by *Phthisis* 85 (77 in Colombo, 4 in Galle, 3 in Nuwara Eliya), *Plague* 70 (67 in Nawalapitiya, 2 in Colombo, and 1 in Gampola), *Enteric Fever* 49 (19 in Colombo, 9 in Kandy, 5 in Moratuwa, 4 in Galle, 3 in Weligama), *Measles* 39 (17 in Colombo, 13 in Kandy, 5 in Badulla), *Continued Fever* 20 (12 in Colombo, 5 in Galle), *Mumps* 6 (in Colombo), *Diphtheria* 4 (2 in Kandy), *Dysentery* 1 (in Moratuwa), and *Smallpox* 1 (in Colombo).

Meteorology.

13. *Rainfall.*—Hatton recorded the highest rainfall (22·90 inches), followed by Ratnapura (18·93 inches). In the other towns the rainfall ranged from 14·35 inches in Kalutara to 0·32 of an inch in Mullaittivu. Colombo recorded 12·14 inches.

14. *Temperature.*—The mean temperature varied from 61·4° in Nuwara Eliya to 85·9° in Trincomalee, and was 81·3° in Colombo.

15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, June 19, 1918.

W. L. KINDERSLEY,
Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Deaths registered during May, 1918, their Proportion per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (inclusive of the Militia) at the Census of March 10, 1911.	Population estimated to the Middle of 1918 by Increase.		Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town Residents in Town Hospitals and in Towns.	Deaths of Town Residents.	Birth-rate.		Death-rate excluding non-residents.		Mortality of Children under One Year.			Mean Temperature.	Rainfall in Inches.
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			Males.	Females.	Average Birth-rate for May, 1908-1917.	Crude, May, 1918.	Standardized, May, 1918.	Average Death-rate for May, 1908-1917.	Number registered during May, 1918.		
All 33 Towns	517,877	688,651	1,339	676,601	1,277	46	87	241	1,031	24-85	27-60	19-13	20-86	27-51	296	221	206	81-3	12-14	
<i>Western.</i>																				
Colombo	219,557	286,217	453	224,198	422	15	31	53	369	19-28	22-21	15-70	18-22	27-19	110	243	223	81-3	12-14	
Negombo	13,045	35,211	56	27,211	48	2	2	6	42	24-71	35-04	18-53	19-38	22-59	10	179	128	—	12-47	
Moratuwa	27,256	53,411	94	33,481	81	1	2	2	79	38-07	38-70	30-56	33-70	25-71	20	213	195	—	—	
Kalutara	13,005	14,212	12	16,925	9	1	1	9	16	20-71	29-90	13-25	13-17	23-41	4	160	112	—	14-35	
Panadura	5,709	7,629	4	8,614	6	—	—	3	11	10-80	21-00	16-98	20-21	19-67	—	—	—	—	—	
<i>Central.</i>																				
Kandy	30,149	32,785	63	56,34	90	5	2	6	68	45-61	32-05	24-42	26-62	29-09	25	197	289	75-6	10-97	
Gampola	7,271	11,151	26	13,821	8	2	2	6	15	42-10	32-73	24-29	25-21	33-07	4	154	211	—	13-50	
Nawalapitiya	3,767	4,026	3	6,152	21	—	—	6	15	29-25	28-04	43-87	47-67	38-79	3	300	256	—	—	
Ratton and Dikoya.	3,025	3,168	4	15,10	25	—	—	19	5	29-72	15-48	18-58	21-70	36-54	2	250	280	—	22-90	
Matale	5,792	7,943	12	17,21	38	—	—	20	18	35-55	30-97	26-66	30-64	38-11	10	417	460	—	10-20	
Nuwara Eliya	14,910	15,129	10	17,2	9	—	—	4	5	10-90	12-19	3-89	4-44	13-76	1	71	50	61-4	11-21	
<i>Southern.</i>																				
Galle	39,936	42,113	53	45,46	91	4	3	10	81	26-84	32-38	22-65	22-17	24-05	24	250	237	80-7	10-62	
Ambalangoda	—	4,492	2	2,1	3	1	1	—	3	15-73	—	7-86	—	—	—	—	—	—	—	—
Matara	13,851	17,258	15	12,19	31	—	—	3	28	27-29	33-12	19-10	18-71	20-39	7	175	140	—	12-41	
Weligama	8,672	9,555	8	5,7	12	2	—	—	12	25-87	28-33	14-79	13-32	13-38	5	238	186	—	—	
Hambantota	3,092	3,290	5	6,1	7	—	—	1	6	35-79	24-12	21-47	24-01	29-80	2	200	177	81-1	3-53	
Tangalla	3,505	5,940	9	7,16	4	—	—	—	5	31-71	37-07	9-91	10-13	35-36	3	188	196	—	5-55	
<i>Northern.</i>																				
Jaffna	40,441	46,036	58	50,54	104	3	4	4	100	28-13	37-01	25-58	26-13	30-71	22	200	181	85-2	1-22	
Mannar	3,777	4,139	3	7,10	17	—	—	1	16	22-76	38-49	45-51	50-12	51-37	5	625	400	85-4	1-41	
Mullaitivu	1,392	1,457	4	1,1	4	—	—	—	1	32-32	40-44	8-08	10-71	57-73	—	—	—	—	0-32	
Vavuniya	808	1,049	—	2,2	4	—	—	2	1	—	10-50	11-22	15-24	45-74	—	—	—	—	5-04	
<i>Eastern.</i>																				
Baticaloa	10,671	11,213	16	10,14	24	2	4	—	23	30-45	29-30	24-15	23-82	34-94	8	276	226	84-8	0-62	
Kulnurai	—	2,102	4	7,2	9	—	—	6	3	44-80	66-03	16-80	—	—	1	125	100	—	—	
Trincomealee	8,840	10,832	6	11,13	24	2	3	2	22	15-22	28-27	23-91	26-25	43-52	5	357	223	85-9	1-25	
<i>North-Western.</i>																				
Kurunegala	8,167	9,704	9	23,10	33	2	3	12	21	29-12	25-42	25-48	26-18	41-59	7	292	245	81-0	11-65	
Puttalam	5,990	6,723	6	10,11	11	2	4	2	9	28-02	34-99	15-76	16-86	31-61	3	188	172	82-4	2-81	
Kalpitiya	1,591	1,679	1	4,3	7	—	—	—	7	7-01	15-10	49-08	—	—	—	—	—	—	2-89	
Chilaw	5,033	5,775	13	7,2	9	—	—	—	9	40-77	25-95	18-35	17-59	22-69	4	200	257	—	6-87	
<i>North-Central.</i>																				
Anuradhapura	5,361	7,085	13	18,8	26	1	—	4	22	34-90	24-83	36-56	44-80	49-31	5	238	324	82-4	5-53	
<i>Uva.</i>																				
Badulla	6,487	7,293	8	7,11	18	1	4	9	9	35-52	31-88	14-53	16-03	28-98	1	45	40	75-4	1-80	
Lunugala	515	614	2	6,4	10	—	—	9	1	38-32	23-22	19-16	—	—	—	—	—	—	—	
<i>Sabaragamuwa.</i>																				
Ratnapura	5,476	7,377	8	10,10	26	—	—	18	8	28-73	30-84	12-77	14-48	43-86	4	222	232	80-4	18-93	
Kegalla	2,536	2,690	3	7,4	11	—	—	10	1	39-31	29-25	4-38	4-01	15-10	1	111	114	—	11-71	

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island.
 b Blanks indicate that there are no observations or rain gauges.
 c Includes population of the Negombo Local Board and registration area.
 d This increase of population is due to the extension of the town limits as from July, 1915.
 e Estimated to the end of December, 1916, by natural increase method.
 f Population enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rate given for "All Towns" is therefore independent of the towns, but is scarcely affected by their rates.
 g Increase of population is due to the extension of the town limits.

Table II.—Causes of Deaths registered during May, 1918, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	Western Province.				Central Province.				Southern Province.				Northern Province.				Eastern Provinces.				North-Western Province.				North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.												
	Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Nawalapitiya.	Hattton & Dikoya.	Matara.	Wellagama.	Hambantota.	Tangalla.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Puttalam.	Kalpitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.					
																																					422	48	81	25	14
All Causes	1,277	422	48	81	25	14	90	21	25	38	9	331	12	7	5	104	17	1	4	24	9	24	33	11	7	9	26	18	10	26	11	7	35	606	419	162	30	18			
I.—Infantile Mortality	296	110	10	20	4	—	25	4	3	2	10	1	24	7	5	2	3	22	5	—	8	1	5	—	7	3	4	5	1	—	4	1	—	10	140	77	57	9	3		
A.—One Week and under.	18	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity ..	51	25	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility ..	65	13	2	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions ..	6	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea ..	15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus ..	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis ..	36	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia ..	29†	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
II.—General Mortality (1 Year and over)	981	312	38	61	21	14	65	17	18	23	28	8	67	324	7	5	2	82	12	1	4	16	8	19	26	8	7	5	—	21	17	10	22	10	7	25	466	342	105	21	15
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1a. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* These are due to Malformation 1 (in Colombo) and Atelectasis 1 (in Moratuwa).

† This includes, besides 14 deaths mentioned in Table IV, footnote 1, 3 deaths from Syphilis (2 in Kandy and 1 in Anuradhapura), 2 from Gastritis (1 each in Negombo and Jaffna), 2 from Stomatitis (1 each in Negombo and Kandy), and 1 each from Intestinal Parasites (in Kalutara), Abdominal Tuberculosis (in Kandy), Abscess (in Wellagama), Nephritis (in Jaffna), Chickentox (in Mannar), Malarial Cachexia (in Batticaloa), and Toxæmia (in Ratnapura).

Table III.—Number of Births and Deaths registered during the Month of May, 1918, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for May, 1908 to 1917, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population estimated to Middle of 1918 by Inter-censal Increase.	Total Births registered.			Stillbirths.			Total Deaths including Deaths in Hospitals and Jails.			Deaths of Non-residents.	Deaths of Residents.	Per Mille per Annum.			Mortality of Children under one Year.					
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.			Birth-rate.	Death-rate.		Standardized Death-rate.*	Number registered during May, 1918.	Its proportion to 1000 births registered during May, 1918.	Its proportion per annum to 1000 births registered during the Year ended last day of May, 1918.		
															Average for May, 1908 to 1917.	May, 1918.					Average for May, 1908 to 1917.	
City of Colombo ..	219,557	276,865†	236	217	453	15	16	31	224	198	422	53	369	19.28	22.21	15.70	24.01	18.22	110	243	223	
Fort and Galle Face	3,512	3,512‡	1	—	1	—	—	—	2	—	2	—	2	3.35	2.06	6.70	11.31	—	—	—	—	
Pettah ..	7,974	7,974‡	1	—	1	—	—	—	2	1	3	—	3	1.48	4.44	4.43	8.63	—	1	—	368	
San Sebastian ..	11,546	13,491	14	5	19	—	—	—	12	8	20	—	20	16.58	17.07	17.45	18.09	—	9	474	459	
St. Paul's ..	24,735	28,633	15	13	28	—	—	2	19	20	39	—	39	11.51	15.79	16.04	19.57	—	12	429	353	
Kotahena ..	40,771	47,212	39	49	88	2	2	4	25	37	62	—	62	21.95	19.55	15.46	20.94	—	17	193	196	
New Bazaar ..	22,309	26,700	18	17	35	3	2	5	15	19	34	—	34	15.43	20.28	14.99	22.85	—	12	343	292	
Maradana Hospitals			52	48	100	4	5	9	75	46	121	46	75	—	—	—	—	—	15	—	—	—
Maradana (exclusive of Hospitals) ..	48,093	67,403	38	42	80	1	3	4	32	25	57	—	57	13.97	19.16	9.96	20.98	—	19	238	213	
Slave Island ..	21,984	26,646	22	18	40	3	—	3	15	21	36	—	36	17.67	22.52	15.91	21.72	—	13	325	265	
Kollupitiya ..	25,410	37,779	10	7	17	1	1	2	16	12	28	4	24	5.30	12.91	7.48	11.60	—	4	235	128	
Wellawatta ..	13,223	17,315§	26	18	44	1	1	2	11	9	20	3	17	29.92	35.81	11.56	29.75	—	8	182	201	

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.
 † Estimated partly on the intercensal increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).
 ‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1918. Hence the Census figures are retained.
 § This population is estimated partly on the natural increase method and partly on the intercensal increase method, i.e., population of Wellawatta on the former method and that of the part of Kollupitiya taken over to Wellawatta on the latter method.
 || Average for months of May, 1912-1917.

Table IV.—Causes of Deaths registered during the Month of May, 1918, in each Ward and of each Race in the City of Colombo.

Causes of Deaths.	Wards.											Deaths among all Races.							
	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals)	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes ..	422	2	3	20	39	62	34	121	57	36	28	20	5	22	205	90	67	17	16
I.—Infantile Mortality ..	110	—	1	9	12	17	12	15	19	13	4	8	—	7	50	19	25	6	3
A.—One Week and under.																			
1. Prematurity ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
2. Debility ..	9	—	—	1	1	1	1	3	1	1	—	—	—	—	4	3	1	1	—
3. Convulsions ..	8	—	—	1	3	—	2	—	1	—	—	1	—	1	1	2	4	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	2	—	—	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	1*	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
B.—Over 1 Week and under 1 Year.																			
1. Prematurity ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
2. Debility ..	25	—	—	1	1	5	3	4	6	3	1	1	—	—	12	3	7	2	1
3. Convulsions ..	13	—	—	2	1	2	3	—	2	—	2	1	—	1	5	3	3	—	1
4. Diarrhoea ..	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
4a. Enteritis ..	7	—	—	—	1	—	—	3	3	—	—	—	—	1	5	—	1	—	—
5. Tetanus ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	5	—	—	1	2	—	1	—	1	—	—	—	—	—	1	—	3	1	—
7. Pneumonia ..	22	—	1	1	1	5	2	3	3	4	—	2	—	3	13	1	3	1	1
8. Other Causes ..	14†	—	—	1	2	2	—	2	2	3	1	1	—	1	5	5	3	—	—
II.—General Mortality (1 Year and over) ..	312	2	2	11	27	45	22	106	33	23	24	12	5	15	155	71	42	11	13
1. Plague ..	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	—	—
2. Smallpox ..	2	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
6. Pyrexia or Fever ..	3	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
7. Enteric Fever ..	9	—	—	—	1	—	1	5	1	—	1	—	—	2	3	2	—	1	1
8. Malaria ..	2	—	—	—	—	—	—	1	1	—	—	—	—	—	2	—	—	—	1
9. Malarial Cachexia ..	2	—	—	—	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	5	—	—	1	2	—	1	1	—	—	—	—	—	—	1	3	1	—	—
11a. Enteritis ..	13	—	—	1	2	1	1	5	1	—	2	—	—	—	8	4	—	—	1
12. Dysentery ..	15	1	—	—	2	2	—	4	2	—	4	—	1	1	7	4	1	—	1
13. Anchylostomiasis or Doehmuis																			
Duodenalis ..	7	—	—	—	—	—	1	6	—	—	—	—	—	—	3	1	—	—	2
14. Cancer ..	6	—	—	1	—	—	—	4	1	—	—	—	2	1	1	—	2	—	—
15. Phthisis ..	30	—	—	2	3	1	1	10	5	4	4	—	—	—	15	9	3	1	2
16. Other Tuberculous Diseases ..	3	—	—	—	—	1	—	2	—	—	—	—	—	2	1	—	—	—	—
17. Anæmia ..	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
18. Diabetes Mellitus ..	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
19. Convulsions ..	7	—	—	—	1	—	2	—	2	—	—	—	—	—	3	2	2	—	—
20. Tetanus ..	3	—	—	—	—	1	—	—	1	—	—	—	—	—	2	—	—	—	—
21. Bronchitis ..	4	—	—	—	1	1	—	—	2	—	1	—	—	—	2	1	1	—	1
22. Pneumonia ..	30	—	—	—	1	8	2	12	2	2	1	2	—	1	16	9	4	—	—
23. Other Diseases of the Respiratory System ..	8	—	—	—	1	—	—	3	2	—	—	2	—	1	3	2	2	—	—
24. Bright's Disease and Nephritis ..	14	—	—	—	1	1	3	8	1	—	—	—	—	—	9	2	3	—	—
25. Puerperal Eclampsia ..	4	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—	—	—
26. Puerperal Septicæmia ..	8	—	—	1	1	2	1	2	—	1	—	—	—	—	3	2	2	1	—
27. Miscarriage ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
28. Other undefined Accidents of Childbirth ..	2	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence ..	8	—	—	—	—	1	—	6	1	—	—	—	—	1	1	4	1	—	1
31. Homicide ..	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
32. Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
34. All other causes ..	119‡	1	2	4	9	23	9	30	15	10	11	5	2	5	64	20	16	8	1

* Due to Malformation.

† This includes 3 from Rickets, 3 from Nephritis, 3 from Congenital Syphilis, and 1 each from Jaundice, Bright's Disease, Asthma, Pemphigus, and Smallpox.

‡ Here are included 34 deaths from Old Age, 9 from Rickets, 5 from Debility, and 4 from Worms.