

SUPPLEMENT

TO

The Ceylon Government Gazette,

PART I.

FRIDAY, NOVEMBER 13, 1903.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE SECOND QUARTER OF 1903.

I.—Population.

THE estimated population of the Island on the last day of the quarter was 3,729,129, an increase of 26,325 on the previous quarter, due to an excess of 13,183 births over deaths, and a further excess of 13,142 arrivals over departures of Indian coolies. Table I. in the Appendix gives the area of each Province and district of the Island with its estimated population on the first day of the quarter, and the number of marriages, births, and deaths registered in the quarter.

2. *Arrivals and Departures of Indian Coolies.*—The number of Indian coolies who arrived in the Island during the quarter was 28,875, and formed 66 per cent. of the average for the corresponding quarter of the last five years (44,894). The departures numbered 15,733, and were 60 per cent. of the average (27,096).

II.—Marriages.

3. *Marriages.*—The number of general marriages (*i.e.*, marriages other than Kandyan or Mohammedan) registered during the quarter was 3,448 and of Kandyan marriages 2,263.

4. Table VI. in the Appendix shows the marriages solemnized in the general community in each Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who signed the register with marks, &c.

5. Table VII. in the Appendix gives similar information in respect of the Kandyans.

6. *First Marriages; Re-marriages.*—Of the 3,448 general marriages, 3,031 (equal to 88 per cent.) were between bachelors and spinsters, 265 between widowers and spinsters, 92 between bachelors and widows, 48 between widowers and widows, 6 between bachelors and divorced women, 5 between divorced men and spinsters, and 1 between a divorced woman and a widower. Of the 2,263 Kandyan marriages, 1,693 (equal to 75 per cent.) were between bachelors and spinsters, 244 between widowers and spinsters, 123 between bachelors and widows, 93 between widowers and widows, 42 between divorced women and bachelors, 35 between divorced men and spinsters, 14 between divorced women and widowers, 13 between divorced men and divorced women, and 6 between divorced men and widows.

7. *Age at Marriage.*—The mean age at marriage among the general community for males was 27·3 and for females 20·7, and among the Kandyans 25·1 for males and 19·7 for females.

8. *Minors.*—In the general community 5 per cent. of the bridegrooms and 51 per cent. of the brides, and among Kandyans 13 per cent. of the bridegrooms and 68 per cent. of the brides, were under 21 years of age.

9. *Mixed Marriages.*—There were 27 mixed marriages in the quarter: 15 between Sinhalese and Tamils, 8 between Burghers and Sinhalese, 2 between Europeans and Burghers, 1 between a Burgher and a Tamil, and 1 other mixed marriage.

10. *Signatures in Marriage Register.*—Of the 6,896 persons married in the general community during the quarter, 827 men and 2,454 women signed the register with marks; that is to say, 76 per cent. of the men and 29 per cent. of the women were able to write their names. Of the 4,526 Kandyans married, 808 men and 2,182 women signed the register with marks; in other words, only 64 per cent. of the men and not even 4 per cent. of the women were able to write their names.

III.—Births and Deaths.

11. *Births.*—The births registered during the quarter numbered 36,459 (52 Europeans, 172 Burghers, 25,978 Sinhalese, 7,853 Tamils, 2,259 Moors, 91 Malays, and 54 Others), and were in the proportion of 39·5 to 1,000 persons living per annum, as against 37·5, the average for the corresponding quarter of the period 1898–1902.

12. *Deaths.*—The deaths registered in the quarter numbered 23,276 (34 Europeans, 157 Burghers, 13,981 Sinhalese, 7,146 Tamils, 1,787 Moors, 89 Malays, and 82 Others), and corresponded to an annual rate of 25·2 per 1,000, as against 26·8, the average for the five second quarters of the period 1898–1902.

13. The births and deaths in this quarter are compared in the following Table A with the figures for the previous quarter, the second quarter of the previous year, and the average for the second quarters in 1898–1902, from which it will be seen that the birth-rate shows an improvement on the average of 2 per 1,000 and the death-rate a decline of 1·6 per 1,000:—

TABLE A.

	Births.	Deaths.	Per Mille per Annum.	
			Birth-rate.	Death-rate.
Average for the second quarters in 1898–1902	32,533	23,275	37·5	26·8
Second quarter, 1902	33,345	23,799	37·0	26·4
First quarter, 1903	38,869	25,885	43·5	29·0
Second quarter, 1903	36,459	23,276	39·5	25·2

14. *Sex.*—Of the total number of births (36,459), 18,642 were of males and 17,817 were of females, *i.e.*, 1,046 males to 1,000 females. Of the total number of deaths (23,276), 11,974 were of males and 11,302 were of females. Out of equal numbers living of each sex, there died 933 males to 1,000 females.

15. *Infant Mortality.*—The deaths of infants under one year of age numbered 5,484, and were in the proportion of 150 to 1,000 registered births. The rate of infant mortality varied in different districts from 426 (for Tamils) in Mannar District, 295 (for Tamils) in Trincomalee District, 279 (for Sinhalese) in Anuradhapura District, 263 (for Tamils) in Mullattivu District, 260 (for Sinhalese), 242 for Tamils, and 241 for Moors in Puttalam District to 116 (for Sinhalese) in Colombo District, 103 (for Sinhalese) in Kalutara District, 101 (for Sinhalese) in Matara District, 84 (for Sinhalese) in Chilaw District, and 81 (for Sinhalese) in Negombo District.

16. Forty-four deaths (21 males and 23 females) were reported to be of centenarians.

IV.—State of Public Health.

17. The general health of the population during the quarter was satisfactory, the birth-rate showing an increase of 2 per 1,000 and the death-rate a decline of 1.6 per 1,000 on the average of the second quarters of the period 1898–1902. Five of the nine Provinces showed diminished death-rates, while all the Provinces, with the exception of the North-Central Province, showed enhanced birth-rates.

18. Tables III., IV., and V. in the Appendix show the births and deaths, the birth-rates and death-rates for all ages in the several Provinces and districts of the Island and in the revenue subdivisions of those districts for the quarter under review, for the preceding quarter, and for the corresponding quarter of the previous year, and the average rates for the corresponding quarter in the period 1898–1902. The rates shown are for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for the Tamils only where the Tamils form the bulk of the population. In the Puttalam District, where the Sinhalese and Mohammedans are found in equal numbers, and in the Batticaloa District, which is inhabited in almost equal numbers by Tamils and Moors, the rates are given for the different sections of the population.

19. The healthiest Province was, as usual, the Western, the death-rate being 20.4. The healthiest district was Chilaw (14.2), and the healthiest division was the Nuwara Eliya Local Board (10.0), followed by the Pitigal korale south (10.8).

20. *Western Province.*—The Western Province showed an improvement in health during the quarter, its death-rate falling to 18.3 from an average of 19.2 and its birth-rate rising to 36.9 from an average of 35.7. Of its three districts, Negombo and Kalutara shared in the improvement, and the Colombo District maintained normal health.

21. In the Colombo District the death-rate for the quarter (19.1) was the same as the average, and the birth-rate (34.9) was an improvement on the average by 1.2 per 1,000. Three of its subdivisions showed higher death-rates than the average and the other three lower. Siyane korale east showed the lowest death-rate in the Province (13.2), followed by Siyane korale west (13.7), an improvement on their respective averages 16.0 and 14.5. The Colombo Municipality showed a death-rate of 35.1, as against an average of 32.1. The other two divisions which fared worse than the average were the Salpiti korale (18.6) and Alutkuru korale south (18.1). The division of Colombo Municipality is dealt with at greater length in chapter VII.

22. The Negombo District showed a death-rate of 14.7, more than 4 per 1,000 less than the average, while the birth-rate showed a rise of 3 per 1,000 on the average 38.1. Each of its three subdivisions showed lower death-rates than the average, notably the Negombo Local Board, 18.0, as against 29.9. Alutkuru korale north and Hapitigam korale both showed the same death-rate, 14.3.

23. The death-rate in the Kalutara District was in the proportion of 18.8 per 1,000 persons living, against an average of 19.7. All its subdivisions, except Rayigam korale, showed improved death-rates during the quarter. The rate of mortality in Rayigam korale was 3.5 per 1,000 in excess of the average, 15.1. The healthiest division in the district was Pasdun korale east, 15.7. Kalutara Local Board showed the highest death-rate, 22.4, but this division can hardly be considered the unhealthiest in the district, as the hospital and jail deaths add to its normal mortality. As appears from Table G, the death-rate, exclusive of hospital and jail deaths, for the quarter is 19.6, a rate lower than in the Kalutara totamune division (19.9). The highest birth-rate in the district was in Pasdun korale west (42.2), and the lowest in the Kalutara Local Board (28.7).

24. *Central Province.*—The Central Province, with a Sinhalese population of nearly 298,000, showed a Sinhalese death-rate of 26.0 during the quarter. The rate was an improvement on the average (27.7) as well as the rates for the previous quarter (29.3) and the corresponding quarter of 1902 (26.9). Each of its three districts shared in the improvement. The births registered in the Province were equal to a rate of 50.4 per mille per annum, a rise of nearly 2 per 1,000 on the average.

25. The inhabitants of the Kandy District enjoyed better health than usual, their death-rate (25.3) being 2 per 1,000 less than the average for the period 1898–1902. The birth-rate (51.7) was also an improvement on the average (49.2). Seven of its ten subdivisions showed better death-rates than the average, the exceptions being Harispattu (29.5), Uda Dumbara (27.1), and Uda Bulatgama (24.1). The healthiest division in the District was Pata Dumbara (20.3), and the greatest improvement during the quarter was in Yatinuwara, where the death-rate declined to 21.3 from its average, 30.0. The birth-rates in the subdivisions ranged between 60.0 in Harispattu and 36.4 in Uda Bulatgama.

26. The Matale District recorded a mortality rate of 30.8 during the quarter and fared slightly better than the average (31.0), the rate in the previous quarter (34.4) and the rate for the corresponding quarter of the previous year (32.8). The Matale Local Board, with the smallest population in the district (2,009), showed the lowest death-rate (22.0) and Matale south (population 26,137 Sinhalese) the highest (33.1).

27. In the Nuwara Eliya District the death-rate in the quarter (22.8) showed an improvement on the average (24.0) and the birth-rate an increase of 1.1 per 1,000 on the average (40.7). Of its subdivisions, the healthiest was Nuwara Eliya Local Board (10.0) and the unhealthiest Kotmale (29.0). The decline in the death-rate of the Nuwara Eliya Local Board division from an average of 29.9 to 10.0 in the quarter, while the birth-rate rose to 32.0 from an average of 26.0 is particularly noticeable. In the Kotmale division both the birth-rate and the death-rate showed an increase on the average, the former by 7.2 and the latter by 4.1 per 1,000. In Walapane division the birth- and death-rates diminished from the average by 1.9 and 3.4 respectively. In Uda Hewaheta the birth-rate was lower than the average by 2.8 and the death-rate by 2.1.

28. *Northern Province.*—The Tamil inhabitants of the Northern Province, who at the beginning of the quarter were estimated to be 334,213, showed a death-rate of 32.0 during the quarter and fared considerably worse than usual, their average death-rate being 27.6. The Mannar District, where the death-rate rose about 60 per cent., is chiefly responsible for this deterioration in health.

29. The Jaffna District, which contains more than 91 per cent. of the Tamils in the Province, showed a death-rate of 29.2 for the quarter, a rise of 3 per 1,000 on the average. All the subdivisions, except Vadamaradchi west, showed higher death-rates than usual. In Vadamaradchi west the death-rate 23.0 was 4.4 per 1,000 less than the average. The healthiest division in the district was Valikamam north (21.5), and the unhealthiest Vadamaradchi east (70.3).

30. The Mannar District shows a considerable deterioration in health in the quarter, its death-rate (70.6) being 26.3 above the average. All its subdivisions fared worse than usual, notably the Nanaddan division, where the death-rate rose to 109.2 from an average of 43.4. The abnormal death-rate in this division appears to be due to the prevalence of fever and dysentery at Marichchikaddi, especially among the temporary residents attracted thither by the pearl fishery held in this quarter.

31. The health of the inhabitants in the Mullaitivu District showed an improvement in the quarter, their death-rate falling to 48.0 from an average of 51.2, and their birth-rate rising to 48.3 from an average of 46.4. The healthiest division in the district was Maritime pattus (42.6), and the unhealthiest Vavuniya south (59.3).

32. *Southern Province.*—The Sinhalese of the Southern Province, who number considerably over half a million, showed a death-rate (21.4) slightly higher than the average (20.8), but lower than the rates for the preceding quarter (24.9) and for the second quarter of last year (23.6). A similar change in the rates is noticeable in each of the districts composing the Province, of which the Matara District was the healthiest. The birth-rate of the Province (42.6) was almost double the death-rate.

33. The Galle District, containing nearly a quarter of a million Sinhalese, showed a Sinhalese death-rate of 22.3, as against the average of 22.1. The unhealthiest division was Hinidum pattu with a death-rate of 28.5, followed by the Galle Municipality with 27.9 and Walallawiti korale with 25.6. The last-mentioned division used to be the unhealthiest in the district, as may be seen from the average death-rate. The healthiest division in the district (as well as in the Province) was the Four Gravets of Galle (beyond Municipal limits) and Akkimana with a death-rate of 16.0.

34. The death-rate of the Matara District showed a slight rise of .6 per 1,000 from its average, 19.0. Except the Local Board, whose rate (17.6) showed a large reduction from the average 28.1, and Kandaboda pattu, where the reduction is slight (22.2 against the average 22.7), the other subdivisions show increased rates as compared with the average. The highest rate was in Morawak korale 25.6, and the lowest in the three divisions: Four Gravets beyond Local Board limits, Wellaboda pattu, and the Local Board which show the same rate 17.6.

35. The death-rate of Hambantota District rose from an average of 21.1 to 22.5. The unhealthiest division was as usual Magam pattu with a death-rate of 43.8, and the healthiest Giruwa pattu west with a death-rate of 20.2. This division contains more than four-fifths of the population of the district.

36. *Eastern Province.*—The Eastern Province, with a Tamil population of over 99,000, showed a death-rate of 31.2 for the Tamils, revealing an improvement as compared with the average (35.5), but a slight deterioration when compared with the previous quarter (30.4) and the corresponding quarter of last year (30.8). The birth-rate in the Province was 47.1, nearly the same as the average, 47.6. The improvement in the death-rate in the Province was due to the Batticaloa District, the Trincomalee District having showed enhanced rates.

37. In the Batticaloa District the death-rate declined to 28.5 from the average 33.8. Each of its subdivisions showed diminished death-rates during the quarter. The healthiest division in the district was Akkarai pattu 21.1 (average 33.9), and the unhealthiest Koralai pattu 41.3 (average 47.2). The highest birth-rate among the subdivisions was in Koralai pattu (70.7) and the lowest in Karavaku, 34.6. The Sinhalese in the district showed a death-rate of 55.3 and a birth-rate of 39.5, as against the respective averages 34.0 and 41.7, and the Moors showed a death-rate of 27.5, an improvement on the average 32.0. The healthiest division for the Sinhalese was Akkarai pattu (20.6) and for the Moors Panawa pattu (13.3).

38. In the Trincomalee District the Tamils showed a death-rate of 43.9 per mille per annum, an increase of 8 per mille on the average 35.9. All the subdivisions, except Kaddukulam pattu, contributed to the increase. Among the subdivisions the highest death-rate was in Trincomalee town (48.2). This division also showed a high infant mortality rate of 374 per 1,000 births registered. The healthiest division in the district was Tampalakamam, 34.6 (average 28.3). The birth-rate in the district (48.3) showed a rise of 12.7 on the average. The highest birth-rate was in Koddigar pattu (76.8 average 45.9).

39. *North-Western Province.*—The North-Western Province showed considerably improved health, its death-rate having fallen to 24.1 from an average of 31.0. The improvement was shared by the Kurunegala and Chilaw Districts, but in the Puttalam District the death-rate was slightly higher than the average.

40. In the District of Kurunegala the death-rate fell 8 per 1,000 (from an average of 34.4 to 26.4) during the quarter. Every one of the seven divisions of the district contributed to the decrease in the death-rate. As usual the healthiest division was Katugampola hatpattu (death-rate 18.9), and next to the small division of the town which usually shows an abnormally high death-rate, the unhealthiest was Wannai hatpattu (37.2).

41. The increase in the Sinhalese death-rate of Puttalam District from an average of 33.3 to 33.9 was due to the increased mortality in Demala hatpattu, which claims more than half of the Sinhalese population of the district. Here the death-rate rose to 46.0 from an average of 40.1. The other two divisions of Kalpitiya and Puttalam showed low death-rates 14.1 and 16.6 respectively for Sinhalese, but high death-rates for Tamils and Moors, viz., 47.1 and 30.2 respectively for Tamils, and 41.8 and 51.3 respectively for Moors.

42. The Chilaw District was the healthiest district in the Island during the quarter with as low a death-rate as 13.8 (average 18.4). Two of its divisions, Pitigal korale south and Pitigal korale central, showed, next to the Nuwara Eliya town, which had a population of only about 2,000 Sinhalese, the lowest death-rate (10.8 and 12.9) respectively of all the divisions in the Island.

43. *North-Central Province.*—The health of the Anuradhapura District constituting the North-Central Province deteriorated much, the death-rate having risen to 48.8 from an average of 35.3. The highest death-rate next to that of the town was in Hurulupalata (52.5) and the lowest in Kalagampalata (40.5), closely followed by Tamankaduwa (40.6). All the divisions show higher death-rates as compared with the average, except Tamankaduwa, whose average rate was 9 per 1,000 higher.

44. *Province of Uva.*—The death-rate of Badulla District constituting the Province of Uva (35.4) was nearly the same as the average (35.3). Four out of the eight divisions of the district showed lower rates as compared with the average and the other four higher rates. The healthiest division was Wiyaluwa (death-rate 25.4) followed by Yatikinda (26.2), and the unhealthiest Bintenna (46.0) followed by Wellassa (45.9).

45. *Province of Sabaragamuwa.*—The Province of Sabaragamuwa showed improved health, its death-rate having fallen to 24.9 from an average of 29.3, a result shared by both the Districts Ratnapura and Kegalla. The reduction in the death-rate in the former district is about 1 per 1,000 and in the latter 7 per 1,000.

46. The improvement in health in the Ratnapura District was shared by all except three of its divisions. The exceptions are Kadawat korale (death-rate 41.5 average 32.0), the unhealthiest division in the district and in the Province; Kukulu korale (30.5); and Atakalan korale (29.1). The healthiest division in the district was as usual Kuruwiti korale (26.8).

47. In Kegalla District the decline in the death-rate (from an average of 30.2 to 23.2) was shared by all its divisions, except the Local Board and Paranakuru korale. The healthiest division in the district and in the Province was Atulugam korale (death-rate 15.4), and next to the Kegalla town the unhealthiest in the district Galboda korale (26.7). In the remaining divisions the death-rates ranged between 22.4 in Dehigampal korale and 24.0 in Paranakuru korale.

V.—Causes of Deaths.

48. The causes of deaths registered in the Island during the quarter are given in Table X., and are summarized below :—

TABLE B.

District.	Cholera.	Small-pox.	Diarrhoea & Dysentery.	Fevers.	Violence.				All other Causes.	Total.
					Accident.	Suicide.	Homicide.	Execution.		
CEYLON ...	—	3	4,943	4,527	405	45	34	9	13,310	23,276
Colombo ...	—	1	515	478	44	12	7	2	1,946	3,005
Negombo ...	—	—	59	166	11	—	3	—	368	607
Kalutara ...	—	—	235	166	25	2	—	—	770	1,198
Kandy ...	—	2	726	220	43	3	—	3	1,478	2,475
Matale ...	—	—	147	131	10	1	—	—	433	722
Nuwara Eliya ...	—	—	301	44	11	4	—	—	412	772
Jaffna ...	—	—	200	782	33	3	1	—	1,246	2,265
Mannar ...	—	—	128	85	5	—	—	—	245	463
Mullaitivu ...	—	—	24	45	1	—	—	—	113	183
Galle ...	—	—	326	208	31	5	2	—	939	1,511
Matara ...	—	—	366	138	26	3	1	—	542	1,076
Hambantota ...	—	—	73	307	13	1	1	—	213	608
Batticaloa ...	—	—	197	382	12	1	3	—	491	1,086
Trincomalee ...	—	—	48	77	3	1	—	1	166	296
Kurunegala ...	—	—	242	327	38	3	4	—	1,134	1,748
Puttalam ...	—	—	38	96	—	—	4	—	168	306
Chilaw ...	—	—	21	47	7	1	1	3	192	272
Anuradhapura ...	—	—	127	357	9	2	1	—	456	952
Badulla ...	—	—	582	199	25	2	3	—	766	1,567
Ratnapura ...	—	—	311	128	34	—	1	—	492	966
Kegalla ...	—	—	277	144	24	1	2	—	750	1,198

49. *Fever and Diarrhoeal Diseases.*—Of the 23,276 deaths registered in the Island, 4,527 were reported as due to various forms of fever and 4,943 to diarrhoeal diseases, i.e., fever and diarrhoeal diseases contributed 40 per cent. of the total number of deaths.

50. *Cholera.*—There were no deaths from cholera during the quarter.

51. There were only 3 cases of smallpox this quarter (2 in Kandy and 1 in Colombo); 40 deaths were due to measles (28 in Jaffna, 4 in Kalutara, 3 in Anuradhapura, 2 in Ratnapura, and 1 each in Matara, Chilaw, and Colombo). Twenty-two deaths resulted from whooping cough (7 each in Colombo and Kalutara, 5 in Galle, and 1 each in Negombo, Chilaw, and Badulla). Mumps and diphtheria were responsible for 1 death each. Influenza caused 7 deaths, of which 3 occurred in Nuwara Eliya, 2 in Kandy, and 1 each in Matale and Matara.

52. The other chief causes of deaths were infantile convulsions 2,269, debility (mostly of infants from inability to suck) 1,117, pneumonia 867, phthisis 794, worms 770, general dropsy 666, anæmia 525, old age 489, puerperal convulsions 244, thrush 230, malarial cachexia 202, premature birth 167, bronchitis 157, tetanus 140, rheumatism 131, puerperal fever 130, paralysis 95, doehmius duodenalis 70, and cancer 53.

53. *Deaths by Violence.*—Of the 405 deaths attributed to accidents, 102 were due to falls from trees, 93 to drowning, 58 to snake bite, 27 to burns or scalds, 18 to falls of heavy substances, 15 to injuries at birth, 12 to gunshot wounds, 8 to lightning, 6 to suffocation, 6 to falls, 4 to falls from heights other than trees, 3 to injuries caused by bulls, 3 to injuries caused by elephants, 3 to injuries caused by crocodiles, 3 to being run over by cart, 3 to explosions of gunpowder, 2 to being run over by train, 2 to falls into pits, 2 to cutting, 2 to poison, 1 to injuries caused by a buffalo, 1 to explosion of firearms, 1 to injuries caused by wasp, 1 to a railway accident, 1 to injuries caused by a fish, 1 death was caused by the bite of a Brahmin lizard.

54. *Suicide.*—Forty-five deaths were attributed to suicide, of which 25 were by hanging, 8 by drowning, 6 by poison, 2 by gunshot wounds, and 4 otherwise.

55. *Homicide.*—Thirty-four deaths were attributed to homicide (7 in Colombo, 4 each in Kurunegala and Puttalam, 3 each in Negombo, Batticaloa, and Badulla, 2 each in Galle and Kegalla, and 1 each in Jaffna, Matara, Hambantota, Chilaw, Anuradhapura, and Ratnapura).

56. *Executions.*—Deaths from judicial executions registered during the quarter numbered 9 (3 each in Kandy and Chilaw, 2 in Colombo, and 1 in Trincomalee).

VI.—Health of the Estate Population.

57. The total number of births reported for registration from the estates of the Central, Uva, and Sabaragamuwa Provinces, and the Colombo and Kalutara Districts of the Western Province was 2,730 (6 Europeans, 3 Burghers, 68 Sinhalese, 2,618 Tamils, 29 Moors, 4 Malays, and 2 Others) and the total number of deaths was 2,493 (1 European, 2 Burghers, 47 Sinhalese, 2,420 Tamils, 17 Moors, 4 Malays, and 2 Others), corresponding to an annual birth-rate of 26.1 and a death-rate of 23.8 per mille, as against the respective averages of 20.5 and 28.8 for 1898–1902. The causes of death are given in Table XI., and are summarized as follows :—

TABLE C.

Dysentery ...	496	General dropsy ...	112	Childbirth ...	29
Debility ...	472	Malarial cachexia ...	89	Epilepsy ...	18
Diarrhoea ...	447	Old age ...	56	Anæmia ...	16
Pneumonia ...	154	Doehmius duodenalis ...	39	Premature birth ...	13
Fevers ...	132	Phthisis ...	31	All other causes ...	234
Infantile convulsions ...	125	Bronchitis ...	30		

58. The following Table D gives the estate population as enumerated at the Census of 1901 in each district, its birth- and death-rates for the second quarter of 1903, the first quarter of 1903, the second quarter of 1902, and the average of the five second quarters of 1898-1902 :—

TABLE D.

District.	Population at the Census of 1901.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
		Average of Second Quarters, 1898-1902.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1903.	Average of Second Quarters, 1898-1902.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1903.
Kandy ...	155,444	20.3	22.1	25.6	27.4	30.9	28.9	20.8	23.3
Matale ...	26,136	21.3	23.0	20.0	22.2	32.0	32.1	27.6	26.6
Nuwara Eliya ...	103,564	18.6	19.0	27.4	23.5	18.3	18.6	19.4	18.0
Badulla ...	51,788	22.6	24.9	31.1	29.4	23.9	22.5	28.2	25.9
Ratnapura ...	16,642	22.5	13.3	24.6	25.1	38.2	30.6	29.7	32.8
Kegalla ...	41,499	24.8	24.7	11.3	28.4	41.4	32.6	14.6	29.2
Colombo ...	8,302	19.5	19.3	20.0	16.9	52.4	53.1	25.9	29.5
Kalutara ...	16,965	15.3	17.2	27.7	24.6	37.4	30.7	36.9	28.8
Total ...	420,340	20.5	21.4	26.0	26.1	28.8	26.7	23.6	23.8

59. *Kandy District.*—The total number of deaths reported for registration from the estates in the Kandy District was 1,063 (4 Europeans, 1 Burgher, 24 Sinhalese, 1,013 Tamils, 20 Moors, and 1 Other), and the deaths numbered 901 (1 Burgher, 20 Sinhalese, 871 Tamils, 7 Moors, 1 Malay, and 1 Other). The birth-rate during the quarter was 27.4, as against 20.3, the mean rate for the corresponding quarters of 1898-1902; and the death-rate was 23.3, as against 30.9, the average for the corresponding period of 1898 to 1902. The most fatal causes of death were, as usual, diarrhoeal diseases 303 (154 dysentery and 149 diarrhoea), forming 33 per cent. of the total number of deaths (901). The other chief causes of deaths were debility 202 (mostly of infants from inability to suck), pneumonia 57, infantile convulsions 51, general dropsy 47, fevers 37, old age 28, malarial cachexia 22, dochmius duodenalis 20, brouchitis 11, and premature birth 11.

60. *Matale District.*—The total number of births reported for registration from the estates in the Matale District was 145 (1 Burgher, 2 Sinhalese, 141 Tamils, and 1 Malay), and the deaths numbered 173 (4 Sinhalese, 164 Tamils, 3 Moors, and 2 Malays). The birth-rate recorded for the quarter (22.2) was in excess of the corresponding quarters of 1898-1902 (21.3), and the death-rate was 26.6, as against the mean rate 32.0 for the second quarters of 1898-1902. Dysentery and diarrhoea were responsible for 49 deaths. The other chief causes of death were debility 23 (mostly of infants from inability to suck), malarial cachexia 20, pneumonia 17, fevers 16, general dropsy 13, infantile convulsions 9, and old age 4.

61. *Nuwara Eliya District.*—The total number of births reported for registration from the estates in the Nuwara Eliya District was 606 (2 Europeans, 1 Burgher, 8 Sinhalese, 591 Tamils, 3 Moors, and 1 Malay), and the deaths numbered 464 (1 European, 1 Burgher, 7 Sinhalese, 453 Tamils, and 2 Moors). The birth-rate during the quarter was 23.5, as against the average 18.6 for the corresponding quarters of 1898-1902; and the death-rate was 18.0, as against the average (18.3) for the period 1898-1902. The chief causes of death were diarrhoeal diseases 199 (105 dysentery and 94 diarrhoea), which caused nearly 43 per cent. of the total number of deaths (464). Debility caused 84 deaths (mostly of infants from inability to suck), pneumonia 36, infantile convulsions 27, general dropsy 24, fevers 12, and bronchitis 7.

62. *Badulla District.*—The total number of births reported for registration from the estates in the Badulla District was 379 (5 Sinhalese, 373 Tamils, and 1 Moor), and the deaths numbered 334 (2 Sinhalese, 329 Tamils, 2 Moors, and 1 Malay). The birth-rate for the quarter was 29.4, as against the average for the corresponding quarters of 1898-1902, 22.6; and the death-rate was 25.9, as against the average 23.9. The chief causes of death were diarrhoeal diseases, which caused 122 deaths (75 dysentery and 47 diarrhoea), or nearly 37 per cent. of the total number of deaths (334). Debility caused 75 deaths (mostly of infants from inability to suck), pneumonia 23, fevers 23, infantile convulsions 17, general dropsy 12, malarial cachexia 10.

63. *Ratnapura District.*—The total number of births reported for registration from the estates in the Ratnapura District was 104 (4 Sinhalese, 99 Tamils, and 1 Moor), and the deaths numbered 136 (1 Sinhalese and 135 Tamils). The birth-rate for the quarter was 25.1, as against the average for the corresponding quarters of 1898-1902, 22.5; and the death-rate was 32.8, as against the average 38.2. The chief causes of death were diarrhoeal diseases, which caused 63 deaths (52 dysentery and 11 diarrhoea), or 46 per cent. of the total number of deaths (136). Debility caused 26 deaths (mostly of infants from inability to suck), dochmius duodenalis 7, pneumonia 6, phthisis 5, old age 5, and infantile convulsions 5.

64. *Kegalla District.*—The total number of births reported for registration from the estates in the Kegalla District was 294 (17 Sinhalese, 271 Tamils, 4 Moors, and 2 Malays), and the deaths numbered 302 (7 Sinhalese, 294 Tamils, and 1 Moor). The birth-rate for the quarter was 28.4, as against the average for the corresponding quarters of 1898-1902 (24.8); and the death-rate was 29.2, as against the average 41.4. Here, too, as elsewhere, the chief causes of death were diarrhoeal diseases, which caused 129 deaths, or nearly 43 per cent. of the total number of deaths (302). The other chief causes were debility 35 (mostly of infants from inability to suck), malarial cachexia 27, fevers 18, infantile convulsions 11, general dropsy 11, pneumonia 10, phthisis 7, and old age 7.

65. *Colombo District.*—The total number of births reported for registration from the estates in the Colombo District was 35 (3 Sinhalese 31 Tamils, and 1 Other), and the deaths numbered 61 (2 Sinhalese, 58 Tamils, and 1 Moor). The birth-rate during the quarter was 16.9, as against the average for the corresponding quarters of 1898-1902, 19.5; and the death-rate was 29.5, as against the average 52.4. Here, too, as elsewhere, diarrhoeal diseases caused the largest number of deaths, i.e., 25 or nearly 38 per cent. of the total number of deaths (61). The other chief natural causes of death were fevers 16, ascites 6, phthisis 3, and old age 2.

66. *Kalutara District.*—The total number of births reported for registration from the estates in the Kalutara District was 104 (5 Sinhalese and 99 Tamils), and the deaths numbered 122 (4 Sinhalese and 116 Tamils, 1 Moor, and 1 Other). The birth-rate recorded for the quarter was 24.6, as against the average for the corresponding quarters of 1898-1902, 15.3; and the death-rate was 28.8, as against the average 37.4. As usual, the most fatal causes of death were diarrhoeal diseases 55 (45 diarrhoea and 10 dysentery), debility 26, fevers 5, pneumonia 5, infantile convulsions 4, and malarial cachexia 4.

75. The low birth- and death-rates of the Fort and Galle Face and the Pettah Wards are due to their population being chiefly a floating male adult one. Excluding these two divisions, the healthiest division in the town was, as usual, the Kollupitiya Ward, with a death-rate of 20·0 per 1,000 per annum, and the unhealthiest the New Bazaar Ward, where the death-rate was 32·0. The highest birth-rate was in the New Bazaar Ward (21·9), and the next highest in Slave Island (21·5), followed by Maradana (20·3).

76. There were no deaths from cholera, smallpox, or measles. Phthisis, bronchitis, and pneumonia were fatal in 304 cases (against an average of 258 in the corresponding period of the last five years), diarrhoea and dysentery in 283 (average 194), fever in 142, including 24 of enteric fever (average 26), and 67 of remittent fever (average 41), infantile convulsions in 110 (average 108), old age in 60 (average 52), tetanus in 49 (average 30), premature birth in 13 (average 17), diseases of the circulatory system in 20 (average 22), worms in 11 (average 29), doehmius duodenalis in 10 (average 13), malarial cachexia in 4 (average 19), parturition in 10 (average 16).

77. Thirteen deaths were attributed to accidents, of which 4 were due to being run over by carts, 3 to drowning, 3 to the fall of heavy substances, 1 to burn, and 1 to explosion.

78. Five deaths were attributed to homicide and three to suicide.

VIII.—Health of other Towns.

79. The following Table G shows the birth- and death-rates in each of the principal towns of the Island for the second quarters of 1903 and 1902, and the average rates for the second quarters in 1898–1902:—

TABLE G.

Towns.	Population (inclusive of the Military) at the Census of 1901.	Second Quarter, 1903.			Birth-rate per Mille per Annum			Death-rate per Mille per Annum.			
		Total Births.	Total Deaths.	Deaths in Hospitals and Jails.	Average of Second Quarters 1898–1902.	Second Quarter, 1902.	Second Quarter, 1903.	Average of Second Quarters, 1898–1902.	Second Quarter, 1902.	2nd Quarter, 1903.	
										Inclusive of Hospitals and Jail Deaths.	Exclusive of Hospitals and Jail Deaths.
<i>Western Province.</i>											
Colombo ...	155,869	880	1,364	350	20·8	20·1	21·7	31·0	30·4	32·7	25·0
Negombo ...	19,819	200	119	17	36·2	38·9	40·1	30·3	42·9	23·9	20·4
Moratuwa ...	29,600	290	169	—	36·1	39·0	37·9	20·3	21·8	22·1	22·1
Kalutara ...	11,500	79	76	19	35·3	31·2	27·2	28·0	31·2	26·2	19·6
Panadure ...	3,845	39	38	1	37·6	34·8	36·2	37·0	46·1	35·3	34·3
<i>Central Province.</i>											
Kandy ...	26,511	207	243	99	27·3	30·0	29·9	39·7	42·1	35·0	20·8
Gampola ...	3,791	29	80	40	29·0	24·3	30·4	84·9	82·4	84·0	42·0
Nawalapitiya ...	3,454	29	66	41	27·2	23·6	31·6	97·6	66·3	71·9	27·2
Matale ...	4,951	46	80	51	29·5	35·0	36·0	88·1	98·7	62·6	22·7
Nuwara Eliya ...	5,072	32	36	7	16·2	16·4	22·2	40·9	29·9	25·0	20·2
<i>Northern Province.</i>											
Jaffna ...	33,879	368	292	24	39·2	43·4	43·6	30·2	29·2	34·6	31·7
Mannar ...	5,332	22	31	4	24·7	24·2	14·9	22·4	25·0	21·0	18·3
Mullaittivu ...	1,308	21	14	6	44·2	36·2	62·4	59·8	60·3	41·6	23·8
Vavuniya ...	566	4	24	18	31·8	13·9	27·2	57·1	83·3	163·4	40·9
<i>Southern Province.</i>											
Galle ...	37,165	313	281	31	25·3	26·5	33·1	22·4	25·8	29·7	26·4
Matara ...	11,848	114	56	9	35·4	41·5	37·4	23·9	26·0	18·4	15·4
Hambantota ...	2,843	25	22	4	31·6	26·5	34·6	24·2	11·2	30·4	24·9
Tangalla ...	2,333	27	8	4	31·9	48·9	42·0	28·6	22·8	12·4	6·2
<i>Eastern Province.</i>											
Batticaloa ...	9,969	98	72	—	34·9	32·3	38·9	32·6	31·5	28·6	28·6
Trincomalee ...	11,887	120	144	11	29·4	38·8	40·5	42·7	33·6	48·6	44·9
<i>North-Western Province.</i>											
Kurunegala ...	6,483	53	115	76	23·4	28·1	30·7	70·5	83·7	66·7	22·6
Puttalam ...	5,115	50	75	21	34·4	37·6	39·1	34·6	40·7	58·6	42·2
Chilaw ...	4,168	39	28	6	23·1	25·7	36·7	25·8	36·1	26·3	20·7
<i>North-Central Province.</i>											
Anuradhapura ...	3,672	18	58	33	18·9	9·4	18·2	50·8	59·7	58·5	25·2
<i>Province of Uva.</i>											
Badulla ...	5,924	41	78	41	31·2	35·9	26·8	48·5	43·2	51·0	24·2
<i>Province of Sabaragamuwa.</i>											
Ratnapura ...	4,084	21	45	28	31·9	29·0	20·0	60·9	46·4	42·9	16·2
Kegalla ...	2,340	21	29	21	41·7	24·8	34·1	65·8	51·0	47·0	13·0

80. The death-rates are given inclusive of hospital and jail deaths as well as exclusive. In some of the towns which attract large numbers of estate coolies and destitute poor to the hospitals the difference between the two rates is striking, e.g., Gampola 84·0 and 42·0, Nawalapitiya 71·9 and 27·2, Matale 62·6 and 22·7, Anuradhapura 58·5 and 25·2, Badulla 51·0 and 24·2, Ratnapura 42·9 and 16·2, and Kegalla 47·0 and 13·0. Exclusive of deaths in hospitals and jails, the lowest death-rate was in Tangalla 6·2, followed by Kegalla 13·0, Matara 15·4, Ratnapura 16·2, and Mannar 18·3.

Registrar-General's Office,
Colombo, September 10, 1903.

H. WHITE,
Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Second Quarter of 1903.

Province and District.	Area in Square Miles.	Estimated Population on April 1, 1903.*	MARRIAGES.			BIRTHS.			DEATHS.		
			Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Females.
CEYLON ...	25321½	3,650,471	5,711	3,448	2,263	36,459	18,642	17,817	23,276	11,974	11,302
Western ...	1,432	943,962	1,430	1,430	—	8,142	4,213	3,929	4,810	2,469	2,351
Central ...	2,299½	630,283	503	182	371	6,010	3,076	2,934	3,969	1,992	1,977
Northern ...	3,363	348,907	474	474	—	5,530	1,778	1,752	2,911	1,478	1,433
Southern ...	2,146	587,611	884	880	4	6,184	3,123	3,011	3,195	1,572	1,623
Eastern ...	4,036	178,553	94	89	5	2,087	1,080	1,007	1,382	755	627
North-Western ...	2,996	364,022	1,358	336	1,022	4,170	2,142	2,028	2,326	1,243	1,083
North-Central ...	4,002½	79,208	141	32	109	708	353	355	952	509	443
Uva ...	3,154½	187,999	391	31	360	2,070	1,025	1,045	1,567	846	721
Sabarasgamuwa ...	1,901	329,924	436	44	392	3,608	1,852	1,756	2,164	1,120	1,044
Western.											
Colombo ...	560½	552,908	845	845	—	4,370	2,304	2,066	3,005	1,543	1,462
Negombo ...	247½	155,050	296	296	—	1,590	809	781	607	307	300
Kalutara ...	623½	236,004	289	289	—	2,182	1,100	1,082	1,198	609	589
Central.											
Kandy ...	911	382,181	350	95	255	3,871	2,017	1,854	2,475	1,248	1,227
Matale ...	925½	93,334	98	11	87	1,022	532	490	722	354	368
Nuwara Eliya ...	462½	154,768	55	26	29	1,117	527	590	772	390	382
Northern.											
Jaffna ...	1,265	309,251	449	449	—	3,118	1,574	1,544	2,265	1,097	1,168
Mannar ...	943½	24,628	20	20	—	245	117	128	463	283	180
Mullaittivu ...	1,154½	15,028	5	5	—	167	87	80	183	98	85
Southern.											
Galle ...	652½	266,406	376	372	4	2,697	1,401	1,296	1,511	749	762
Matara ...	481½	212,536	362	362	—	2,341	1,173	1,168	1,076	520	556
Hambantota ...	1,012½	108,669	146	146	—	1,096	549	547	608	303	305
Eastern.											
Batticaloa ...	2,871½	149,533	55	50	5	1,756	897	859	1,086	590	496
Trincomalee ...	1,165	29,022	39	39	—	331	183	148	296	165	131
North-Western.											
Kurunegala ...	1,844½	257,359	1,143	150	993	3,170	1,598	1,572	1,748	897	851
Puttalam ...	889½	29,624	59	30	29	286	168	118	306	182	124
Chilaw ...	262½	77,039	156	156	—	714	376	338	272	164	108
North-Central.											
Anuradhapura ...	4,002½	79,208	141	32	109	708	353	355	952	509	443
Uva.											
Badulla ...	3,154½	187,999	391	31	360	2,070	1,025	1,045	1,567	846	721
Sabarasgamuwa.											
Ratnapura ...	1,259	185,525	195	17	178	1,436	750	686	966	508	458
Kegalla ...	642	194,399	241	27	214	2,172	1,102	1,070	1,198	612	586

* The estimate of the population in this Table and in Tables III., IV., and V. is based on the Census of March 1, 1901, and the returns of births and deaths registered.

Table II.—Birth and Death-rates in the First and Second Quarters of 1903, the Second Quarter of 1902, and the Mean Rates for the Second Quarters of 1893-1902.

Province and District.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
	Average of Second Quarters, 1898-1902.	Second Quarter, 1902.	First Quarter, 1903.	Second Quarter, 1903.	Average of Second Quarters, 1898-1902.	Second Quarter, 1902.	First Quarter, 1903.	Second Quarter, 1903.
CEYLON	37.5	37.0	43.5	39.5	26.8	26.4	29.0	25.2
Western	33.3	31.6	40.5	34.6	21.0	21.5	23.0	20.4
Central	34.3	35.9	39.9	38.2	28.1	27.7	26.1	25.3
Northern	40.1	41.1	41.3	40.6	27.9	24.3	49.9	33.4
Southern	38.6	39.5	47.3	41.9	21.2	23.9	25.3	21.8
Eastern	46.1	43.5	42.5	46.9	34.2	29.9	29.0	31.0
North-Western	38.2	39.4	44.5	46.0	31.6	33.1	25.0	25.6
North-Central	38.7	33.2	45.3	35.9	37.1	39.6	59.5	48.2
Uva	59.7	42.9	45.2	44.2	31.9	32.9	36.6	33.4
Sabaragamuwa	40.6	37.9	50.8	43.9	32.2	29.3	27.2	26.3
Western.								
Colombo	31.2	29.0	38.2	31.7	21.4	22.1	23.9	21.8
Negombo	37.5	36.7	44.4	41.1	19.4	18.4	17.7	15.7
Kalutara	37.5	34.8	43.4	37.1	21.7	22.1	24.4	20.4
Central.								
Kandy	36.0	37.5	41.7	40.6	30.0	28.9	25.7	26.0
Matale	42.6	44.3	42.6	43.9	30.5	34.9	34.8	31.0
Nuwara Eliya	25.2	27.1	33.6	28.9	20.8	20.5	21.7	20.0
Northern.								
Jaffna	40.1	41.3	40.8	40.4	26.2	22.5	46.4	29.4
Mannar	39.8	37.9	46.7	39.9	41.9	36.9	80.7	75.4
Mullaivittu	39.2	42.9	43.7	44.6	40.4	41.3	71.5	48.8
Southern.								
Galle	35.3	36.3	45.4	40.6	22.4	25.7	26.8	22.7
Matara	41.8	44.0	50.4	44.2	19.7	21.7	23.2	20.3
Hambantota	37.2	38.6	45.9	40.5	21.2	23.8	25.7	22.5
Eastern.								
Batticaloa	47.6	44.1	43.7	47.1	33.4	29.3	28.5	29.1
Trincomalee	38.0	40.3	36.2	45.7	37.7	33.1	31.8	40.9
North-Western.								
Kurunegala	36.3	42.1	46.5	49.4	34.9	35.5	25.2	27.2
Puttalam	36.0	33.1	37.9	38.7	34.6	40.2	40.4	41.4
Chilaw	31.6	33.0	40.3	37.2	17.3	22.1	18.2	14.2
North-Central.								
Anuradhapura	38.7	33.2	45.3	35.9	37.1	39.6	59.5	48.2
Uva.								
Badulla	39.7	42.9	45.2	44.2	31.9	32.9	36.6	33.4
Sabaragamuwa.								
Ratnapura	41.6	34.2	51.9	42.5	30.1	30.3	30.6	28.6
Kegalla	39.7	40.4	50.1	44.8	33.5	28.5	24.9	24.7

Table III.—Sinhalese Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in Sinhalese Districts in the First and Second Quarters of 1903, the Second Quarter of 1902, and the Mean Rates for the Second Quarters of 1898-1902.

Province, District, and Division.	Area in Square Miles.	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.				Deaths to children under 1 Year to 1,000 Births registered in the Second Quarter, 1903.
					Average of Second Quarters of 1898-1902.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1903.	Average of Second Quarters of 1898-1902.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1903.	
CEYLON ...	25331½	2,414,710	25,978	13,981	40.4	39.9	48.1	43.1	24.6	25.0	25.7	23.2	23.2
WESTERN ...	1,432	788,571	7,265	3,590	35.7	33.2	43.1	36.9	19.2	18.7	20.7	18.3	106
Colombo ...	561¼	446,516	3,889	2,128	33.7	31.5	42.4	34.9	19.1	19.2	21.4	19.1	116
Colombo Municipality*	10	67,553	519	619	25.1	23.7	31.7	29.4	32.1	28.6	37.6	35.1	341
Alutkuru Korale South	72	69,332	619	312	35.7	26.1	38.8	35.8	17.3	16.9	19.0	18.1	77
Hewagam Korale...	167	66,926	602	254	38.5	32.9	50.2	36.1	17.1	18.5	17.8	15.3	98
Salpiti Korale ...	75	97,998	822	455	31.0	31.2	40.7	33.6	17.5	17.7	20.3	18.6	115
Siyane Korale East†	116½	52,019	515	171	35.5	35.8	45.4	39.7	16.0	18.8	17.2	13.2	40
Siyane Korale West†	120¼	92,686	812	317	30.4	30.4	46.4	35.1	14.5	15.6	16.0	13.7	65
Negombo ...	247½	138,753	1,441	508	38.7	36.2	44.8	41.7	18.8	15.6	16.5	14.7	81
Negombo Local Board	7¼	14,077	121	63	41.5	31.5	33.8	34.5	29.9	26.9	25.1	18.0	124
Alutkuru Korale North	159	92,230	940	329	37.9	37.1	45.2	40.9	16.4	14.5	14.9	14.3	76
Hapitigam Korale	81¼	32,446	380	116	39.8	35.9	48.5	47.0	20.6	13.7	17.2	14.3	78
Kalutara ...	623¾	203,302	1,935	954	38.2	35.0	43.6	38.2	19.7	19.6	22.2	18.8	103
Kalutara Local Board	1½	8,938	64	50	34.8	29.3	38.7	28.7	26.2	25.7	24.1	22.4	125
Kalutara Totanune	8¾	94,357	868	461	43.8	35.1	41.8	36.9	23.0	20.5	23.9	19.9	109
Pasdun Korale East†	280½	24,822	257	97	28.9	29.1	40.9	41.5	16.3	16.6	19.1	15.7	62
Pasdun Korale West †	123¼	23,926	252	101	39.5	45.5	47.8	42.2	22.4	23.3	22.0	16.9	79
Rayigam Korale ...	130	51,259	494	237	31.8	33.6	46.9	38.7	15.1	16.7	20.1	18.6	121
CENTRAL ...	2,299½	297,179	3,735	1,927	48.5	50.2	53.9	50.4	27.7	26.9	29.3	26.0	146
Kandy ...	911	190,896	2,461	1,204	49.2	50.9	55.5	51.7	27.5	26.0	28.2	25.3	137
Kandy Municipality	11	13,895	134	107	35.5	36.6	40.1	38.7	37.5	34.9	27.8	30.9	186
Harispattu ...	50¾	30,165	451	222	55.9	60.2	68.1	60.0	26.6	22.7	29.2	29.5	148
Pata Dumbara ...	107½	36,739	504	186	50.5	54.9	59.2	55.0	26.1	26.9	26.6	20.3	99
Pata Hewaheta ...	57¼	12,573	173	78	54.3	60.5	57.8	55.2	26.6	28.3	27.9	24.9	127
Tampane ...	46¾	11,735	171	73	53.3	45.3	60.6	58.4	32.3	30.2	28.6	25.0	134
Uda Bulatgama ...	230	12,127	110	73	32.3	36.1	36.9	36.4	20.4	17.4	20.5	24.1	232
Uda Dumbara ...	238¼	20,593	257	139	47.2	59.7	48.4	50.1	26.0	26.4	36.3	27.1	152
Uda Nuwara ...	34¾	13,820	170	86	53.8	49.4	60.4	49.3	25.6	22.3	24.3	25.0	106
Uda Palata ...	106	21,699	264	147	45.1	43.3	49.4	48.8	28.4	27.8	28.3	27.2	121
Yati Nuwara ...	29	17,550	227	93	55.1	45.6	58.4	51.9	30.0	25.6	28.9	21.3	132
Matale ...	925½	59,419	786	457	52.2	53.2	52.9	53.1	31.0	32.8	34.4	30.8	172
Matale Local Board	1¼	2,009	19	11	35.7	30.2	58.9	37.9	35.3	40.2	36.5	22.0	52
Matale South ...	163	26,137	389	216	57.4	58.7	61.1	59.7	30.3	31.1	30.2	33.1	185
Matale East ...	373¾	14,329	167	94	48.6	55.7	47.7	46.7	29.4	31.8	37.7	26.3	150
Matale North ...	388½	16,944	211	136	49.5	45.6	43.9	49.9	27.2	35.3	37.9	32.2	175
Nuwara Eliya ...	462¼	46,864	438	266	40.7	43.7	48.4	41.8	24.0	22.8	27.2	22.8	152
Nuwara Eliya Local Board	4¾	2,004	16	5	26.0	24.1	22.3	32.0	29.9	26.1	16.2	10.0	125
Kotmale ...	236	14,656	163	106	37.4	44.1	44.6	44.6	24.9	27.1	17.8	29.0	209
Uda Hewaheta ...	108¾	17,808	179	86	43.1	44.6	54.5	40.3	21.5	17.4	33.2	19.4	106
Walapane ...	113¼	12,396	130	69	44.0	45.3	48.3	42.1	25.7	25.1	31.5	22.3	146
SOUTHERN ...	2,146¼	556,622	5,903	2,967	39.5	40.3	48.2	42.6	20.8	23.6	24.9	21.4	103
Galle ...	652¼	249,493	2,583	1,387	38.3	37.3	46.6	41.5	22.1	25.4	26.2	22.3	134
Galle Municipality	6¼	27,213	243	189	27.3	28.6	43.6	35.8	20.8	23.7	31.7	27.9	181
Four Gravets beyond Municipal limits and Akmimana	24¾	19,832	181	79	37.6	37.1	53.7	36.6	20.8	23.4	26.8	16.0	99
Gangaboda Pattuwa	128	31,906	309	158	36.8	38.3	46.3	38.3	21.3	20.6	20.5	19.9	143
Wellaboda Pattuwa	83¼	67,450	648	355	37.5	34.6	42.2	38.5	21.2	26.7	23.0	21.1	134
Talpe Pattuwa ...	97	53,065	620	282	42.5	40.1	51.1	46.9	22.0	24.4	28.4	21.3	111
Walallawiti Korale	146	43,694	495	279	41.5	42.6	47.6	45.4	25.3	30.1	28.8	25.6	142
Hinidum Pattuwa	166	6,333	87	45	38.2	38.0	41.1	55.1	22.3	25.7	28.3	28.5	172
Matara ...	481¼	202,278	2,250	991	42.0	44.9	51.2	44.6	19.0	21.2	22.9	19.6	101
Matara Local Board	1½	10,051	100	44	41.8	39.9	39.3	39.9	28.1	26.6	21.1	17.6	160
Four Gravets beyond Local Board limits	7¾	15,719	160	69	38.0	39.7	52.2	40.8	16.3	18.8	23.1	17.6	106
Wellaboda Pattuwa	51¾	43,646	466	192	40.9	45.2	54.4	42.8	16.8	18.6	21.9	17.6	96
Weligam Korale ...	111	54,012	594	268	40.2	41.5	47.3	44.1	17.3	19.1	22.6	19.9	103
Morawak Korale ...	160	16,287	195	104	50.8	55.2	53.1	48.0	24.5	24.7	26.1	25.6	118
Kandaboda Pattuwa	70	26,368	343	146	45.3	53.2	53.3	52.2	22.7	25.3	24.6	22.2	103
Gangaboda Pattuwa	79¾	36,195	392	168	41.6	42.7	53.4	43.4	18.1	22.2	22.4	18.6	79

*The rates for this division are calculated on the population estimated at the intercensal rate of increase (1891-1901).

See also Table B in the report.

† Statistics for this division being separately available for the years 1901 and 1902 only, the average birth- and death-rate are for the corresponding quarter of these two years.

Table III.—continued.

Province, District, and Division.	Area in Square Miles.	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.				Deaths of Children under 1 Year to 1,000 Births registered in the Second Quarter, 1903.
					Average of the Second Quarters of 1902-1903.		1903.		Average of Second Quarters of 1902-1903.		1903.		
					Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1902.	First Quarter of 1903.			
Hambantota ...	1,012 ³ / ₄	104,851	1,070	589	37.6	38.7	46.2	40.9	21.1	23.7	25.8	22.5	135
Hambantota Four Gravets ...	1 ¹ / ₄	1,101	10	9	32.4	14.4	33.1	36.4	25.8	3.6	40.4	32.8	300
Magam Pattu, excl. of Four Gravets ...	641	6,776	67	74	42.7	35.3	32.2	39.6	38.2	35.3	48.9	43.8	298
Giruwa Pattu East ...	122 ¹ / ₂	11,833	137	78	42.4	40.9	57.5	46.4	24.7	24.8	36.9	26.5	131
Giruwa Pattu West ...	247 ¹ / ₂	85,141	856	428	36.2	39.0	45.9	40.3	19.3	22.9	21.6	20.2	121
EASTERN ...	4,036 ¹ / ₂	8,861	85	112	41.0	31.3	47.6	38.5	32.6	39.0	44.4	50.7	188
Batticaloa ...	2,871 ¹ / ₂	7,621	75	105	41.7	30.6	49.5	39.5	34.0	43.7	46.9	55.3	187
Batticaloa Local Board †	1 ¹ / ₄	264	1	4	—	—	—	—	—	—	—	—	—
Manmunai Pattu North †	148	30	—	1	—	—	—	—	—	—	—	—	—
Manmunai Pattu South †	74	15	—	—	—	—	—	—	—	—	—	—	—
Bintenna Pattu ...	677 ¹ / ₂	3,302	45	69	38.7	28.0	50.5	54.7	31.6	48.6	40.6	83.8	200
Chammanturai †	160	612	8	12	—	—	—	—	—	—	—	—	—
Eravur and Rukam Pattu †	372 ¹ / ₂	171	1	1	—	—	—	—	—	—	—	—	—
Koralai Pattu †	290	161	1	—	—	—	—	—	—	—	—	—	—
Eravil and Porativu Pattu †	247	770	3	4	—	—	—	—	—	—	—	—	—
Karavaku and Nintavur Pattu †	41	121	1	—	—	—	—	—	—	—	—	—	—
Akkarai Pattu ...	374	1,168	8	6	26.9	30.9	73.1	27.5	20.1	24.1	62.7	20.6	—
Panawa Pattu ...	486 ¹ / ₂	1,017	7	8	48.8	31.6	35.8	27.6	32.2	27.4	51.6	31.6	429
NORTH-WESTERN ...	2,906 ¹ / ₂	307,538	3,694	1,871	39.6	41.0	46.0	47.5	31.0	32.0	23.6	24.1	143
Kurunegala ...	1,844 ¹ / ₂	235,017	2,976	1,548	41.2	43.2	48.1	50.8	34.4	34.9	24.8	26.4	151
Kurunegala Local Board	1 ¹ / ₂	3,863	35	58	30.9	40.0	48.3	36.3	63.8	60.5	46.2	60.2	229
Hiriyala Hatpattuwa	387 ¹ / ₂	28,871	388	20	49.2	43.2	43.2	53.9	36.3	40.2	31.6	28.9	155
Weudawili do.	177	40,841	588	259	43.8	47.4	56.7	57.7	33.1	33.1	24.4	25.4	156
Dambadeni do.	164 ¹ / ₂	42,161	581	280	42.4	50.6	54.8	55.3	37.0	25.9	21.3	26.6	170
Dewamedi do.	186 ¹ / ₂	31,851	394	171	43.7	45.3	49.7	49.6	35.4	35.1	26.0	21.5	127
Katugampola do.	358 ¹ / ₂	52,264	602	246	30.4	37.6	43.5	46.2	25.2	27.3	14.8	18.9	74
Wanni do.	569 ¹ / ₂	35,166	388	326	45.1	36.3	39.3	44.2	40.0	51.0	35.0	37.2	242
Puttalam ...	889 ¹ / ₂	11,728	104	99	36.6	33.8	29.0	35.6	33.3	43.0	33.5	33.9	260
Puttalam Local Board †	8 ¹ / ₂	760	5	7	—	—	—	—	—	—	—	—	—
Demnia Hatpattu	441 ¹ / ₂	6,458	75	74	46.6	37.3	36.4	46.6	40.1	50.3	38.3	46.0	307
Kalpitiya Division	315	1,134	4	4	17.2	17.5	10.6	14.1	20.8	28.0	35.5	14.1	—
Puttalam Division	124 ¹ / ₂	3,376	20	14	34.9	26.2	24.1	23.8	20.3	34.5	16.8	16.6	200
Chilaw ...	262 ¹ / ₂	65,023	614	224	34.3	34.3	41.5	37.9	18.4	21.0	17.6	13.8	84
Chilaw Town ...	3 ¹ / ₂	2,508	20	18	25.0	22.7	45.5	32.0	22.0	29.2	22.8	28.8	100
Pitigal Korale North	132 ¹ / ₂	6,981	63	42	31.3	29.6	33.2	36.2	27.8	34.3	21.0	24.1	79
Pitigal Korale Central †	89 ¹ / ₂	28,091	265	90	29.3	33.6	41.5	38.0	18.2	20.9	17.8	12.9	86
Pitigal Korale South †	40	27,533	266	74	33.0	37.2	43.1	38.7	16.1	16.8	16.0	10.8	82
NORTH-CENTRAL ...	4,002 ¹ / ₂	62,593	570	763	38.6	35.7	45.9	36.5	35.3	40.1	58.1	48.8	279
Anuradhapura ...	4,002 ¹ / ₂	62,593	570	760	38.6	35.7	45.9	36.5	35.3	40.1	58.1	48.8	279
Anuradhapura Town	5 ¹ / ₂	1,119	8	19	17.2	17.3	25.2	28.7	41.3	72.6	50.5	71.7	375
Nuwaraagala Palata	1,490 ¹ / ₂	26,239	228	326	33.2	31.4	47.9	34.8	33.7	37.5	58.9	49.7	311
Hurulu Palata ...	1,040	19,789	188	259	40.0	39.9	49.2	38.1	34.8	38.1	67.5	52.5	330
Kalagam Palata ...	311	13,965	133	141	36.9	37.8	38.8	38.2	38.9	46.4	46.4	40.5	150
Tamankaluwa Palata	1,155	1,481	13	15	59.4	49.0	46.7	35.2	49.6	30.0	35.7	40.6	231
Uva ...	3,154 ¹ / ₂	125,302	1,600	1,106	49.0	52.0	52.2	51.2	35.3	36.0	38.3	35.4	154
Badulla ...	3,154 ¹ / ₂	125,302	1,600	1,106	49.0	52.0	52.2	51.2	35.3	36.0	38.3	35.4	154
Badulla Local Board	3 ¹ / ₂	3,741	28	35	36.2	43.5	41.3	30.0	34.2	30.5	32.6	37.5	143
Yatikinda Division	183 ¹ / ₂	21,266	302	139	51.7	53.0	46.5	57.0	32.0	29.7	29.5	26.2	99
Bintenna do.	359	9,755	108	112	37.8	38.4	49.2	44.4	34.5	42.2	40.4	46.0	148
Buttala do.	667 ¹ / ₂	14,832	173	146	49.4	47.2	44.6	46.8	44.6	36.2	46.5	39.5	220
Wellawaya do.	1,019 ¹ / ₂	7,514	100	63	40.6	49.9	44.1	53.4	40.9	55.2	57.0	33.6	170
Udunkinda do.	188 ¹ / ₂	29,518	392	258	50.7	50.1	55.7	53.3	34.7	40.7	29.6	35.1	135
Wellasa do.	645 ¹ / ₂	21,151	312	242	53.3	64.5	59.2	59.2	34.8	38.9	47.7	45.9	186
Wiyaluwa do.	187 ¹ / ₂	17,525	185	111	50.5	53.4	58.4	42.3	31.3	21.0	37.5	25.4	162
SABARAGAMUWA ...	1901	262,273	3,117	1,627	48.7	42.0	57.3	47.7	29.3	26.3	26.3	24.9	148
Ratnapura ...	1259	116,744	1,307	786	44.3	37.3	56.0	44.9	28.1	29.7	29.8	27.0	163
Ratnapura Local Board	2 ¹ / ₂	3,312	20	24	33.4	27.9	45.4	24.2	36.8	41.3	36.8	29.1	150
Buruwiti Korale ...	211 ¹ / ₂	29,828	304	155	40.1	29.7	53.5	40.9	25.3	24.1	25.2	20.8	155
Nawadun do.	193 ¹ / ₂	24,255	275	164	45.2	38.4	64.1	45.5	29.2	32.7	30.8	27.1	175
Atakalana do.	171 ¹ / ₂	18,052	216	131	51.5	42.4	58.8	48.0	28.4	27.9	28.5	29.1	162
Kadawata do.	130 ¹ / ₂	9,672	140	100	48.1	46.0	63.7	58.1	32.0	42.6	37.1	41.5	186
Kolona do.	169	10,517	103	61	39.4	38.6	40.9	39.3	25.1	24.3	35.9	23.3	146
Kukula do.	224 ¹ / ₂	7,898	100	60	41.6	29.3	48.6	50.8	26.9	26.8	22.2	30.5	200
Meda do.	156 ¹ / ₂	13,210	149	90	49.7	45.3	56.8	45.2	30.2	33.2	32.4	27.3	128
Kegalla ...	642	145,529	1,810	842	44.1	45.9	58.2	49.9	30.2	23.5	23.5	23.2	136
Kegalla Local Board †	7 ¹ / ₂	1,818	18	13	36.3	35.4	46.8	39.7	25.3	28.7	46.8	28.7	167
Paranakuru Korale	56 ¹ / ₂	25,767	355	154	43.7	49.8	61.4	55.3	20.0	20.2	26.8	24.0	130
Beligal do.	162 ¹ / ₂	38,975	512	224	41.4	48.1	56.3	52.7	26.5	19.5	18.7	23.1	135
Galboda do.	56 ¹ / ₂	20,123	265	134	51.8	46.6	69.0	52.8	34.5	29.3	28.9	26.7	147
Kinigoda do.	42	16,324	189	94	50.2	54.8	64.2	46.4	40.6	27.9	25.3	23.1	159
Atulugam do.	125 ¹ / ₂	11,192	126	43	42.8	39.9	54.4	45.2	25.4	22.3	21.9	15.4	63
Dehigampal do.	74 ¹ / ₂	15,921	163	89	38.8	37.4	45.0	41.1	26.6	26.9	25.6	22.4	153
Panawal do.	40	6,509	79	38	39.5	30.0	48.4	48.7	24.6	21.3	14.4	28.4	208
Lower Butteera	84 ¹ / ₂	8,900	103	53	39.2	43.3	60.3	46.4	25.8	26.7	18.9	23.9	107

* For Tamil Statistics see Table IV. and for Mohammedan Statistics see Table V.

† Rates omitted, as the population is too small.

‡ See note marked † on page 11.

Table IV.—Tamil Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Tamil Districts, in the First and Second Quarters of 1903, in the Second Quarter of 1902, and the Mean Rates for the Second Quarters of 1898-1902.

Province, District, and Division,	Area in Square Miles.	Estimated Population at the beginning of the Second Quarter, 1903.	Births.	Deaths.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.				Deaths of Infants under 1 Year to 1,000 Births Registered in the Second Quarter of 1903.
					Average of the Second Quarters, 1898-1902.	Second Quarter, 1902.	First Quarter, 1903.	Second Quarter, 1903.	Average of the Second Quarters, 1898-1902.	Second Quarter, 1902.	First Quarter, of 1903.	Second Quarter, 1903.	
NORTHERN ...	3363½	334,213	3,381	2,666	39.9	40.9	41.1	40.6	27.6	24.1	48.7	32.0	179
<i>Jaffna</i> ...	1265	305,130	3,074	2,225	40.3	41.4	42.7	40.4	26.2	22.6	46.6	29.2	163
<i>Jaffna Division</i> ...	18½	42,898	471	319	38.8	46.0	49.9	44.0	29.0	28.8	47.0	29.8	193
<i>Valikamam East</i> ...	40	25,208	227	144	38.2	32.4	34.4	36.1	18.1	14.0	42.1	22.9	172
<i>Valikamam North</i> ...	36½	45,834	462	246	36.4	41.7	34.3	40.4	20.1	19.1	35.8	21.5	132
<i>Valikamam West</i> ...	38½	47,490	410	274	40.4	42.0	38.6	34.6	22.4	20.7	31.0	23.1	159
<i>Vadam-radchi East</i> ...	34½	4,110	59	72	55.9	54.7	48.8	57.6	57.8	50.0	92.7	70.3	322
<i>Vadamaradchi West</i> ...	55	49,983	454	287	37.2	33.8	40.5	36.4	27.4	21.1	34.1	23.0	96
<i>Tenmaradchi</i> ...	80	38,113	466	466	45.0	45.5	42.9	49.0	28.2	28.4	83.7	49.0	197
<i>Pachchilippalli</i> ...	87	5,956	51	77	37.0	39.5	37.1	34.3	42.2	35.4	76.9	51.8	216
<i>Karaichechi</i> ...	123½	2,798	25	30	19.9	22.6	35.9	35.8	21.8	25.5	73.2	43.0	400
<i>Punakari</i> ...	226½	4,771	52	63	47.0	61.4	38.1	43.7	37.7	31.3	49.2	53.0	365
<i>Islands</i> ...	597½	33,232	353	218	49.3	46.6	50.3	42.6	23.2	18.5	48.6	26.3	105
<i>Delft</i> ...	18½	4,118	41	24	39.5	32.9	71.4	39.9	16.7	14.0	40.7	23.4	298
<i>Tunukkai †</i> ...	446½	619	3	5	—	—	—	—	—	—	—	—	—
Mannar ...	943½	16,471	155	290	34.6	29.9	47.2	37.7	44.3	37.6	71.2	70.6	426
<i>Mannar Island Division</i> ...	47½	5,876	42	86	36.0	37.5	32.7	28.7	46.1	39.4	79.8	58.7	429
<i>Mantai Division</i> ...	644½	5,820	51	74	32.4	22.0	59.9	35.1	45.6	31.6	58.6	51.0	451
<i>Nanaddan Division</i> ...	251	4,775	62	130	36.5	31.0	49.8	52.1	43.4	42.7	76.0	109.2	403
Mullaivivu ...	1154½	12,612	152	151	46.4	42.6	43.1	48.3	51.2	41.7	70.3	48.0	263
<i>Maritime Pattus</i> ...	393½	6,117	99	65	45.1	50.6	43.7	64.9	46.1	44.1	52.9	42.6	222
<i>Vavuniya North</i> ...	316	2,436	23	26	37.9	39.3	41.4	37.9	38.9	40.9	61.3	42.8	304
<i>Vavuniya South</i> ...	445	4,059	30	60	27.0	32.8	43.8	29.6	30.0	38.6	102.4	59.3	367
EASTERN ...	4036½	99,397	1,168	773	47.6	44.9	43.6	47.1	35.5	30.8	30.4	31.2	184
Batticaloa ...	2871½	82,209	961	585	50.3	46.3	45.4	46.9	33.8	29.6	28.8	28.5	160
<i>Batticaloa Local Board</i> ...	1½	8,466	90	59	36.1	35.3	41.8	42.6	32.9	35.3	29.3	27.9	122
<i>Manmunai Pattu North*</i> ...	148	13,640	183	109	46.0	45.2	46.6	53.8	41.2	34.1	26.3	32.0	197
<i>Manmunai Pattu South*</i> ...	74	8,452	95	70	63.5	63.0	52.0	45.1	35.0	25.4	34.2	33.2	168
<i>Bintenna Pattu †</i> ...	677½	684	10	6	—	—	—	—	—	—	—	—	—
<i>Chammanturai Pattu</i> ...	160	3,102	33	21	39.1	36.8	59.3	42.7	28.9	34.2	30.3	27.3	90
<i>Eravur and Bukam Pattus*</i> ...	372½	8,293	102	55	47.5	48.7	37.2	49.3	42.1	33.0	32.8	26.6	147
<i>Koralai Pattu*</i> ...	290	5,731	101	59	63.9	62.5	61.9	70.7	47.2	48.3	37.0	41.3	119
<i>Eruvil and Porativu Pattus*</i> ...	247	13,405	157	80	56.8	50.3	40.7	47.0	33.3	23.6	20.4	24.0	146
<i>Karavaku and Nintavur Pattus*</i> ...	41	14,892	124	94	40.6	41.4	39.8	34.6	27.4	27.5	29.4	26.2	185
<i>Akkarai Pattu*</i> ...	374	5,317	56	28	51.7	35.4	52.1	42.2	33.9	21.6	30.7	21.1	143
<i>Panawa Pattu †</i> ...	486½	724	10	4	—	—	—	—	—	—	—	—	—
Trincomalee ...	1165	17,188	207	188	35.6	38.2	35.1	48.3	35.9	37.0	38.0	43.9	295
<i>Trincomalee Town</i> ...	1	9,321	99	112	30.6	42.3	29.9	42.6	38.2	36.3	40.4	48.2	874
<i>Kaddukkulam Pattu</i> ...	490½	1,924	15	22	45.9	16.5	37.9	31.3	51.3	45.3	40.0	45.9	267
<i>Koddiyar Pattu</i> ...	223	3,970	76	37	45.9	44.9	45.0	76.8	27.0	39.3	37.9	37.4	197
<i>Tampalakamam Pattu</i> ...	450½	1,973	17	17	29.1	26.5	37.1	34.6	28.3	26.5	24.7	34.6	294
NORTH-WESTERN ...	2996½	25,938	181	228	19.8	22.3	25.6	28.0	34.3	38.5	33.9	35.3	188
Puttalam ...	889½	7,498	66	89	28.1	25.9	34.6	35.3	32.5	35.5	40.5	47.6	242
<i>Puttalam Local Board</i> ...	8	1,202	9	26	37.0	29.1	80.0	30.0	45.2	51.8	80.0	86.8	556
<i>Demala Hatpattu †</i> ...	441½	369	2	8	—	—	—	—	—	—	—	—	—
<i>Kalpitiya Division</i> ...	315	2,205	17	27	37.9	28.7	44.1	30.9	45.6	35.8	47.8	49.1	353
<i>Puttalam Division</i> ...	124½	3,722	38	28	23.8	23.7	31.6	41.0	21.1	30.2	25.1	30.2	105

* See note marked † on page 11.

† See note marked † on page 12.

Table V.—Moor Births and Deaths, with their Rates per 1,000 of the estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in Batticaloa and Puttalam Districts, in the First and Second Quarters of 1903, the Second Quarter of 1902, and the Mean Rates for the Second Quarters of 1898-1902.

Province, District, and Division.	Area in Square Miles.	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Birth-rate per Mille per Annum.			Death-rate per Mille per Annum.			Deaths of Children under 1 Year to 1,000 Births in the Second Quarter of 1903.		
					Average of the Second Quarters 1898-1902.	Second Quarter of 1902.	First Quarter of 1903.	Second Quarter of 1903.	Average of the Second Quarters of 1898-1902.	Second Quarter of 1902.		First Quarter of 1903.	Second Quarter of 1903.
EASTERN ...	4,036½	64,805	795	463	47.0	45.1	42.0	49.2	33.1	28.4	26.0	28.7	196
<i>Batticaloa</i> ...	2,871½	56,177	706	385	43.6	44.8	42.4	50.4	32.0	28.3	26.4	27.5	177
Batticaloa Local Board*	1½	353	1	2	—	—	—	—	—	—	—	—	—
Manmunai Pattu North†	148	11,646	232	133	52.9	56.9	65.1	79.9	59.1	39.3	47.2	45.8	211
Manmunai Pattu South*	74	47	—	—	—	—	—	—	—	—	—	—	—
Bintenna Pattu*	677½	122	—	—	—	—	—	—	—	—	—	—	—
Chammanturai Pattu†	160	5,706	86	46	44.9	42.5	45.7	60.5	30.6	23.8	27.8	32.3	151
Eravur and Rukam Pattus†	372½	6,114	60	48	50.7	60.2	23.9	39.4	35.1	44.2	14.6	31.5	217
Koralai Pattu† ...	290	3,797	47	25	33.6	42.6	35.2	49.7	19.8	21.8	20.4	26.4	128
Erivil and Porativu Pattus*	247	183	—	—	—	—	—	—	—	—	—	—	—
Karavaku and Nintavur Pattus†	41	17,737	176	82	40.2	36.5	38.1	39.8	25.5	21.5	21.3	18.5	119
Akkarai Pattu ...	374	8,655	92	43	48.7	45.1	35.7	42.6	26.7	23.3	20.2	19.9	217
Panawa Pattu ...	486½	1,817	11	6	36.2	15.7	51.7	24.3	25.3	25.1	24.7	13.3	273
NORTH-WESTERN ...	2,996½	311,768	278	208	42.1	40.0	47.3	46.2	33.2	21.5	32.1	34.6	169
<i>Puttalam</i> ...	889½	9,879	112	114	41.7	36.9	51.8	45.5	37.9	41.4	48.9	46.3	241
Puttalam Local Board	8	2,750	32	39	37.1	30.9	65.2	46.7	29.1	38.3	43.0	56.9	344
Demala Hatpattu*	441½	439	4	1	—	—	—	—	—	—	—	—	—
Kalpitiya Division	315	4,893	44	51	45.0	34.9	41.3	36.1	45.0	45.4	53.8	41.8	273
Puttalam Division	124½	1,797	32	23	58.6	58.7	52.1	71.4	41.2	36.1	34.1	51.3	125

* See note marked † on page 12.

† See note marked † on page 11.

Table VII. — Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c.,
in the Second Quarter of 1903.

Province and District.	Total Marriages.	Contracted between.										Persons not 21 Years of Age.		Highest Male Age.			Highest Female Age.			Signed the Register with Marks.	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women and Widows.	Divorced Men and Widows.	Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
CEYLON ...	2263	1693	123	244	98	35	6	42	14	13	303	1547	76	25.1	17	60	19.7	13	808	2182	
Central	371	285	13	38	8	8	2	7	5	5	42	290	55	22.2	18	53	19.3	13	127	332	
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Southern	4	4	—	—	—	—	—	—	—	—	—	2	30	25.2	22	25	21.5	20	2	4	
Eastern	5	3	—	2	—	—	—	—	—	—	1	2	40	33.4	20	28	22.4	18	4	5	
North-Western	1022	729	69	110	72	11	2	21	6	2	158	654	75	26.7	17	50	20.7	14	341	1066	
North-Central	109	83	10	9	3	2	—	1	—	1	6	66	45	27.8	20	39	21.5	15	20	109	
Uva	360	284	20	49	2	2	1	2	—	—	18	213	76	29.0	18	60	22.7	15	169	358	
Sabaragamuwa	392	305	11	36	8	12	1	11	3	5	78	320	60	25.8	17	48	19.2	13	145	368	
Central.																					
Kandy	255	202	9	23	4	7	1	4	3	2	27	200	55	19.9	18	53	19.0	13	93	224	
Matale	87	62	2	12	4	—	1	3	2	1	13	70	55	28.3	18	50	19.9	15	23	83	
Nuwara Eliya	29	21	2	3	—	1	—	—	—	2	2	20	43	25.2	20	30	19.4	19	11	26	
Northern.																					
Mullaittivu	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Southern.																					
Galle	4	4	—	—	—	—	—	—	—	—	—	2	30	25.2	22	25	21.5	20	2	4	
Matara	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Eastern.																					
Batticaloa	5	3	—	2	—	—	—	—	—	—	1	2	40	33.4	20	28	22.4	18	4	5	
Trincomalee	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
North-Western.																					
Kurunegala	993	710	64	106	71	11	2	21	6	2	155	631	75	26.8	17	50	20.8	14	329	977	
Puttalam	29	19	5	4	1	—	—	—	—	—	3	23	49	24.5	19	40	18.9	15	12	29	
North-Central.																					
Anuradhapura	109	83	10	9	3	2	—	1	—	1	6	66	45	27.8	20	39	21.5	15	20	109	
Uva.																					
Badulla	360	284	20	49	2	2	1	2	—	—	18	213	76	29.0	18	60	22.7	15	169	358	
Sabaragamuwa.																					
Ratnapura	178	136	5	17	8	3	1	2	2	1	30	140	60	26.8	18	48	19.5	13	76	169	
Kegalla	214	169	3	19	—	9	—	9	1	4	48	180	60	25.1	17	45	19.0	14	69	199	

Table VIII.—Return of Births of each Nationality in each Province and District in the Island registered during the Second Quarter of 1903.

Province and District.	All Races.			Europeans.			Burghers.			Sinhalese.			Tamils.			Moors.			Malays.			Others.			
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	
CEYLON ...	36,459	18,642	17,817	52	26	26	172	89	83	25,978	13,286	12,692	7,853	3,985	3,868	2,259	1,173	1,086	91	55	36	54	28	26	
Western ...	8,142	4,213	3,929	26	13	13	108	55	53	7,265	3,765	3,500	366	188	178	328	159	169	35	26	9	14	7	7	
Central ...	6,010	3,076	2,934	19	8	11	15	8	7	3,735	1,916	1,819	1,878	947	931	332	183	149	21	10	11	10	4	6	
Northern ...	3,530	1,778	1,752	—	—	—	5	2	3	9	3	6	3,381	1,711	1,670	134	61	73	1	1	—	—	—	—	
Southern ...	6,134	3,123	3,011	3	3	—	16	8	8	5,903	3,000	2,903	52	24	28	153	84	69	6	3	3	1	1	—	
Eastern ...	2,087	1,080	1,007	2	2	—	15	7	8	85	40	45	1,168	600	568	795	421	374	11	4	7	11	6	5	
North-Western ...	4,170	2,142	2,028	—	—	—	5	4	1	3,694	1,873	1,821	181	107	74	278	160	128	9	8	1	1	—	1	
North-Central ...	708	353	355	—	—	—	—	—	—	570	279	291	40	23	17	94	47	47	—	—	—	4	4	—	
Uva ...	2,070	1,025	1,045	—	—	—	5	2	3	1,600	807	793	395	185	210	54	25	29	4	1	3	12	5	7	
Sabaragamuwa ...	3,608	1,852	1,756	—	—	—	3	3	—	3,117	1,603	1,514	392	200	192	91	43	48	4	2	2	1	1	—	
Western.																									
Colombo ...	4,370	2,304	2,066	24	11	13	98	48	50	3,889	2,051	1,838	146	74	72	166	87	79	34	26	8	13	7	6	
Negombo ...	1,590	809	781	1	1	—	3	2	1	1,441	730	711	113	58	56	31	18	13	1	—	1	—	—	—	
Kalutara ...	2,182	1,100	1,082	1	1	—	7	5	2	1,935	984	951	107	56	51	131	54	77	—	—	—	1	—	1	
Central.																									
Kandy ...	3,871	2,017	1,854	14	6	8	12	7	5	2,461	1,278	1,183	1,099	577	522	261	139	122	15	6	9	9	4	5	
Matale ...	1,022	532	490	1	—	1	1	1	—	786	404	382	177	95	82	52	29	23	4	3	1	1	—	—	
Nuwara Eliya ...	1,117	527	590	4	2	2	2	—	2	488	234	254	602	275	327	19	15	4	2	1	1	—	—	—	
Northern.																									
Jaffna ...	3,118	1,574	1,544	—	—	—	4	2	2	1	—	1	3,074	1,553	1,521	38	18	20	1	1	—	—	—	—	
Mannar ...	245	117	128	—	—	—	—	—	—	—	—	—	155	74	81	90	43	47	—	—	—	—	—	—	
Mullaittivu ...	167	87	80	—	—	—	1	—	1	8	3	5	152	84	68	6	—	6	—	—	—	—	—	—	
Southern.																									
Galle ...	2,697	1,401	1,296	3	3	—	14	8	6	2,583	1,336	1,247	24	15	9	72	39	33	1	—	1	—	—	—	
Matara ...	2,341	1,173	1,168	—	—	—	2	—	2	2,250	1,134	1,116	23	6	17	66	33	33	—	—	—	—	—	—	
Hambantota ...	1,096	549	547	—	—	—	—	—	—	1,070	530	540	5	3	2	15	12	3	5	3	2	1	1	—	
Eastern.																									
Batticaloa ...	1,756	897	859	—	—	—	9	5	4	75	33	42	961	484	477	706	372	334	1	1	—	4	2	2	
Trincomalee ...	331	183	148	2	2	—	6	2	4	10	7	3	207	116	91	89	372	40	10	3	7	7	4	3	
North-Western.																									
Kurunegala ...	3,170	1,598	1,572	—	—	—	4	3	1	2,976	1,504	1,472	57	26	31	129	61	68	4	4	—	—	—	—	
Puttalam ...	286	168	118	—	—	—	—	—	—	104	53	51	66	44	22	112	69	43	3	2	1	—	—	—	
Chilaw ...	714	376	338	2	—	2	1	1	—	614	316	298	58	37	21	37	20	17	2	2	—	—	—	—	
North-Central.																									
Anuradhapura ...	708	353	355	—	—	—	—	—	—	570	279	291	40	23	17	94	47	47	—	—	—	4	4	—	
Uva.																									
Badulla ...	2,070	1,025	1,045	—	—	—	5	2	3	1,600	807	793	395	185	210	54	25	29	4	1	3	12	5	7	
Sabaragamuwa.																									
Ratnapura ...	1,436	750	686	—	—	—	—	—	—	1,307	677	630	111	63	48	17	9	8	—	—	—	1	1	—	
Kegalla ...	2,172	1,102	1,070	—	—	—	3	3	—	1,810	926	884	281	137	144	74	34	40	4	2	2	—	—	—	

Table IX.—Deaths among the various Races registered in Ceylon, and in each Province and District, in each Month of the Second Quarter of 1903.

Province and District.	APRIL.							MAY.							JUNE.									
	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.	Others.
CEYLON ...	7,494	857	4389	2401	585	25	29	8026	1459	4811	2451	626	37	28	7756	1241	4781	2294	576	27	26			
Western	1,532	633	1124	211	130	9	19	1633	939	1225	211	114	19	16	1645	626	1241	215	132	12	13			
Central	1,286	3	628	516	79	7	3	1382	110	672	611	73	14	1	1351	35	627	640	67	6	3			
Northern	1,105	4	4	1005	91	1	1	977	1	8	893	75			829		9	768	51	1				
Southern	967	4	897	34	31	1	1	1081	24	1012	19	41	3		1147	15	1058	25	56	1				
Eastern	419	2	8	29	247	130	3	523	24	42	294	174	2	6	440	2	41	232	159	3	1			
North-Western	782	2	631	66	78	4	1	776	1	614	87	71	2	1	768		626	74	64	3	1			
North-Central	335	1	271	32	29	1	1	332		257	37	38			285	1	232	32	18	1	1			
Uva	419	2	272	139	4	1	1	569		408	143	17	1	1	579	1	426	129	18	1	4			
Sabaragamuwa	699		538	151	18		2	753		573	156	23	1		712	1	521	179	11					
Western.																								
Colombo	945	632	644	143	93	9	18	1030	938	741	128	80	18	16	1030	626	743	140	91	11	13			
Negombo	214	1	182	22	9			205	1	167	34	2	1		188		159	25	3	1				
Kalutara	373		298	46	28		1	398		317	49	32			427		339	50	38					
Central.																								
Kandy	773	2	383	324	54	7	3	864	7	435	354	57	10	1	838	25	386	382	55	5	3			
Matale	236	1	155	57	23			252		154	81	14	3		234		148	75	10	1				
Nuwara Eliya	227		90	135	2			266	13	83	176	2	1		279	1	93	183	2					
Northern.																								
Jaffna	863	4	1	844	14			758	1	1	749	7			644		2	632	9	1				
Mannar	189			117	72			147			85	62			127			88	39					
Mullaittivu	53		3	44	5		1	72		7	59	6			58		7	48	3					
Southern.																								
Galle	453	3	412	12	25	1		494	24	457	7	23	1		564	14	518	9	32					
Matara	332		307	20	5			373		348	11	14			371	1	336	13	21					
Hambantota	182	1	178	2	1			214		207	1	4	2		212		204	3	3	1	1			
Eastern.																								
Batticaloa	314	3	26	181	104			420	3	40	230	144	3		352	2	39	174	137					
Trincomalee	105	2	5	3	66	26	3	103	2	1	2	64	30	2	88	2	2	58	22	3	1			
North-Western.																								
Kurunegala	558	1	512	21	21	2	1	574	1	504	39	29	1		616		532	43	38	2	1			
Puttalam	132		46	31	53	2		109		32	36	40	1		65		21	22	21	1				
Chilaw	92	1	73	14	4			93		78	12	2	1		87		73	9	5					
North-Central.																								
Anuradhapura	335	1	271	32	29	1	1	332		257	37	38			285	1	232	32	18	1	1			
Uva.																								
Badulla	419	2	272	139	4	1	1	569		408	143	17	1		579	1	426	129	18	1	4			
Sabaragamuwa.																								
Ratnapura	334		277	54	2	1	1	330		262	64	4			302	1	246	52	3					
Kegalla	365		256	97	11		1	423		311	92	19	1		410		275	127	8					

Table X.—Causes of Deaths registered in Ceylon, and in each Province and District, during the Second Quarter of 1903.

CAUSES OF DEATH.	CEYLON.												DEATHS AMONG ALL RACES.															
	WESTERN PROVINCE.			CENTRAL PROVINCE.			NORTHERN PROVINCE.			SOUTHERN PROVINCE.			EASTERN PROVINCE.		NORTH-WESTERN PROVINCE.		NORTH-CENTRAL PROVINCE.		UVA PROV.		SABARA-GAMUWA PROV.		Others.					
	Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaitivu.	Galle.	Matura.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura.	Badulla.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	
All Causes ...	23276	3005	607	1198	2475	722	2265	463	188	1511	1076	608	1086	296	1748	306	272	952	1567	966	1198	84	187	13981	7146	1787	89	82
I. Specific, Febrile, or Zymotic diseases ...	9968	1045	229	423	1005	308	355	1189	78	552	510	381	589	133	576	189	74	496	808	448	457	10	45	5612	3471	773	32	25
II. Parasitic diseases ...	1070	186	78	73	165	76	19	1	4	94	14	—	8	—	113	9	21	12	8	54	133	—	2	877	117	71	2	1
III. Diabetic diseases ...	46	3	4	—	3	—	3	—	—	—	—	—	11	—	1	4	—	—	6	1	5	—	2	14	27	3	—	—
IV. Constitutional diseases ...	1764	389	68	180	130	46	31	102	12	208	126	45	12	10	89	9	23	47	74	79	82	5	22	1339	259	129	3	7
V. Developmental diseases ...	663	154	16	35	97	9	16	42	4	56	48	14	—	—	—	—	—	—	103	19	21	2	10	428	156	51	9	7
VI. Local diseases ...	7364	1002	174	407	650	206	191	794	181	504	324	115	330	104	795	109	127	292	414	229	369	2	10	428	166	51	9	7
VII. Violence ...	493	65	14	27	49	11	15	37	5	38	30	15	16	5	45	4	12	12	30	35	27	3	2	350	119	16	1	2
VIII. Ill-defined and not specified causes ...	1908	161	24	51	376	71	142	147	59	22	59	24	37	32	120	32	10	92	124	101	104	6	15	730	996	140	11	10
I. Miasmatic diseases ...	4035	418	158	175	222	125	47	456	78	41	204	136	302	359	41	318	96	48	191	128	137	2	11	2578	1048	375	12	9
2 Diarrhoeal do. ...	4943	515	59	235	726	147	301	200	128	24	326	366	73	197	48	242	38	21	582	311	277	5	27	2917	1661	309	13	11
3 Malarial do. ...	768	73	11	12	41	29	3	382	7	8	16	7	6	27	39	15	3	13	28	7	39	1	4	73	612	67	7	4
4 Zoonogenic do. ...	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Venereal do. ...	19	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Septic do. ...	198	31	1	1	12	2	4	97	16	5	4	—	1	4	5	1	2	1	5	2	3	1	3	31	140	22	—	1
Parasitic diseases ...	1070	186	78	75	165	76	19	1	4	—	94	14	8	—	113	9	21	12	8	54	133	—	2	877	117	71	2	1
III. Diabetic diseases ...	46	3	4	—	3	—	3	—	—	—	—	—	11	—	1	4	—	1	6	1	5	—	2	14	27	3	—	—
IV. Constitutional diseases ...	1764	389	68	180	130	46	31	102	12	208	126	45	12	10	89	9	23	47	74	79	82	5	22	1339	259	129	3	7
V. Developmental diseases ...	663	154	16	35	97	9	16	42	4	56	48	14	—	—	—	—	—	—	103	19	21	2	10	428	156	51	9	7
Diseases of—	2674	433	49	281	118	17	56	340	28	17	388	263	77	22	36	108	26	34	187	88	79	2	23	1789	684	160	10	6
1 Nervous system ...	4	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Organs of special sense ...	189	62	11	19	22	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Circulatory system ...	1876	233	14	21	183	54	90	255	106	50	30	7	6	116	37	216	55	38	140	19	65	2	3	139	26	17	1	1
4 Digestive do. ...	305	79	4	10	30	2	14	25	6	6	27	18	8	1	5	1	2	1	22	15	15	3	8	169	106	15	1	3
5 Lymphatic system and Ductless Glands ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Urinary system ...	78	28	1	4	7	1	4	1	2	1	7	5	1	—	—	—	—	—	5	7	1	—	—	—	—	—	—	—
7 Reproductive system: (a) Organs of Generation ...	17	5	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Parturition ...	522	42	18	32	75	26	—	8	3	1	14	18	3	6	102	7	13	27	39	26	40	—	—	—	—	—	—	—

Table XI.—Causes of Deaths registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, during the Second Quarter of 1903.

Cause of Death.	Central Province.			Prov. of Uva.	Province of S'gamuwa.			Western Province.	
	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	
ALL CAUSES ...	901	178	464	334	136	302	61	192	
I.—Specific, Febrile, or Zymotic diseases ...	379	88	221	160	71	176	40	66	
II.—Parasitic diseases ...	30	3	4	2	7	7	—	3	
III.—Dietetic diseases ...	1	—	2	—	—	4	—	—	
IV.—Constitutional diseases ...	11	5	9	9	6	11	3	6	
V.—Developmental diseases ...	39	5	4	7	5	7	2	—	
VI.—Local diseases ...	178	35	104	63	18	45	14	17	
VII.—Violence ...	9	1	11	5	1	6	—	2	
VIII.—Ill-defined and not specified causes ...	254	36	109	88	28	46	2	28	
I.									
Miasmatic diseases ...	39	14	15	21	4	12	16	6	
Diarrhoeal do. ...	303	49	199	122	63	129	23	55	
Malarial do. ...	25	23	3	14	3	33	—	4	
Zoogenous do. ...	—	—	—	2	—	—	—	—	
Venereal do. ...	2	—	—	—	—	—	—	—	
Septic do. ...	10	2	4	1	1	2	1	1	
II.									
Parasitic diseases ...	30	3	4	2	7	7	—	3	
III.									
Dietetic diseases ...	1	—	2	—	—	4	—	—	
IV.									
Constitutional diseases ...	11	5	9	9	6	11	3	6	
V.									
Developmental diseases ...	39	5	4	7	5	7	2	—	
VI.									
Diseases of—									
Nervous system ...	65	10	39	22	5	16	2	8	
Organs of special sense ...	—	—	—	—	—	—	—	—	
Circulatory system ...	6	—	1	—	—	—	—	2	
Respiratory system ...	70	19	44	31	7	16	2	6	
Digestive system ...	16	1	9	5	1	6	6	1	
Lymphatic system and ductless glands ...	—	—	—	—	—	—	—	—	
Urinary system ...	2	—	4	—	3	—	—	—	
Reproductive system:									
(a) Organs of generation ...	—	—	—	—	—	—	—	—	
(b) Parturition ...	19	4	6	3	2	6	1	—	
Organs of Locomotion ...	—	—	—	1	—	—	—	—	
Integumentary system ...	—	1	1	1	—	1	3	—	
VII.									
Accident or negligence ...	3	1	8	2	1	5	—	2	
Homicide ...	—	—	—	1	—	—	—	—	
Suicide ...	1	—	3	2	—	1	—	—	
Execution ...	—	—	—	—	—	—	—	—	
VIII.									
Ill-defined and not specified causes	254	36	109	88	28	46	2	28	
Miasmatic Diseases.									
Smallpox ...	2	—	—	—	—	—	—	—	
Chickenpox ...	—	—	—	—	—	—	—	—	
Measles ...	—	—	—	—	—	—	—	1	
Whooping Cough ...	—	—	—	1	—	—	—	—	
Diphtheria ...	1	—	—	—	—	—	—	—	
Simple and ill-defined Fever ...	33	13	12	19	2	11	16	5	
Enteric Fever ...	1	—	—	1	2	1	—	—	
Influenza ...	2	1	3	—	—	—	—	—	
Diarrhoeal Diseases.									
Cholera ...	—	—	—	—	—	—	—	—	
Diarrhoea ...	149	22	94	47	11	64	15	45	
Dysentery ...	154	27	105	75	52	65	8	10	
Malarial Diseases.									
Remittent Fever ...	3	1	—	1	—	6	—	—	
Ague ...	—	2	—	3	—	—	—	—	
Malarial Cachexia ...	22	20	3	10	3	27	—	4	
Zoogenous Diseases.									
Hydrophobia ...	—	—	—	—	—	—	—	—	
Cowpox and other effects of Vaccination ...	—	—	—	2	—	—	—	—	
Venereal Diseases.									
Syphilis ...	1	—	—	—	—	—	—	—	
Gonorrhoea, stricture of Urethra ...	1	—	—	—	—	—	—	—	

Table XI.—Causes of registered Deaths, &c.—*continued.*

Causes of Death.	Central Province.			Prov. of Province of S'gamuwa.			Western Province.	
	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.
<i>Septic Diseases.</i>								
Erysipelas ...	2	1	—	—	—	—	—	—
Pyæmia, Septicæmia ...	1	—	1	—	1	—	—	1
Puerperal Fever ...	7	1	3	1	—	2	1	—
<i>Parasitic Diseases.</i>								
Thrush ...	—	—	—	—	—	—	—	—
Worms (animal) ...	10	—	2	1	—	1	—	3
Dochmius Duodenalis ...	20	3	2	1	7	6	—	—
<i>Dietetic Diseases.</i>								
Starvation, want of breast-milk ...	1	—	2	—	—	4	—	—
Intemperance, Delirium Tremens ...	—	—	—	—	—	—	—	—
<i>Constitutional Diseases.</i>								
Rheumatism ...	—	—	—	—	—	—	—	—
Rickets ...	1	—	—	—	—	—	—	—
Cancer ...	1	—	—	—	—	—	—	1
Tabes Mesenterica ...	—	—	3	—	—	—	—	1
Tubercular Meningitis (hydrocephalus) ...	—	—	—	1	—	—	—	1
Phthisis ...	3	3	3	5	5	7	3	2
Other forms of Tuberculosis, Scrofula ...	—	—	1	1	—	—	—	—
Anæmia, Chlorosis, Leucocythæmia ...	5	2	2	1	1	4	—	1
Diabetes Mellitus ...	—	—	—	1	—	—	—	—
Leprosy ...	—	—	—	—	—	—	—	—
Parangi ...	—	—	—	—	—	—	—	—
Other and undefined constitutional diseases ...	1	—	—	—	—	—	—	—
<i>Developmental Diseases.</i>								
Premature Birth ...	11	1	1	—	—	—	—	—
Imperforate Anus ...	—	—	—	—	—	—	—	—
Other congenital defects ...	—	—	—	—	—	—	—	—
Old age ...	28	4	3	7	5	7	2	—
<i>Nervous System.</i>								
Inflammation of Brain or its Membranes ...	1	—	—	—	—	—	—	1
Apoplexy ...	—	—	2	—	—	1	—	—
Paralysis ...	2	1	—	2	—	—	—	1
Epilepsy ...	7	—	7	2	—	2	—	—
Convulsions ...	—	—	1	—	—	1	—	—
Infantile Convulsions ...	51	9	27	17	5	11	1	4
Collapse ...	—	—	—	—	—	—	—	—
Tetanus ...	3	—	1	1	—	—	1	2
Mania ...	—	—	—	—	—	1	—	—
Paraplegia, diseases of the Spinal Cord ...	1	—	1	—	—	—	—	—
Other and undefined diseases of Brain or Nervous System ...	—	—	—	—	—	—	—	—
<i>Organs of Special Sense.</i>								
Conjunctivitis and other diseases of Eye ...	—	—	—	—	—	—	—	—
Otitis and other diseases of Ear ...	—	—	—	—	—	—	—	—
<i>Circulatory System.</i>								
Valve disease of Heart ...	1	—	—	—	—	—	—	—
Hypertrophy of Heart ...	—	—	—	—	—	—	—	—
Angina pectoris, Syncope ...	2	—	—	—	—	—	—	1
Aneurism ...	—	—	—	—	—	—	—	—
Varicose veins ...	—	—	—	—	—	—	—	—
Other and undefined diseases of Heart or Circulatory System ...	3	—	1	—	—	—	—	1
<i>Respiratory System.</i>								
Laryngitis ...	—	—	—	—	—	—	—	—
Croup ...	—	1	—	1	—	—	—	—
Bronchitis ...	11	1	7	6	1	2	1	1
Asthma ...	1	—	—	—	—	—	—	—
Pneumonia ...	57	17	36	23	6	10	—	5
Pleurisy ...	—	—	—	1	—	1	—	—
Other and undefined diseases of Respiratory System ...	1	—	1	—	—	3	—	—
<i>Digestive System.</i>								
Dentition ...	1	—	—	—	—	—	—	—
Sore Throat ...	1	—	—	—	—	—	—	—
Dyspepsia ...	—	—	—	—	—	—	—	—
Hamatemesis ...	1	—	—	—	—	—	—	—
Diseases of Stomach ...	1	—	1	1	—	—	—	—

Table XI.—Causes of Deaths, registered &c.—*continued.*

Causes of Death.	Central Province.			Prov. of	Province of S'gamuwa.		Western Province.	
	Kandy.	Matale.	Nuwara Eliya.	Uva.	Ratnapura.	Kegalla.	Colombo.	Kalutara.
Enteritis ...	—	—	—	1	—	1	—	—
Ulceration of Intestines ...	—	—	—	—	—	—	—	—
Ileus, obstruction of Intestine ...	5	—	1	—	—	1	—	—
Stricture or Strangulation of Intestine ...	—	—	—	—	—	—	—	—
Peritonitis ...	—	—	2	—	1	—	—	1
Ascites ...	1	—	—	1	—	1	6	—
Cirrhosis of Liver ...	2	—	—	—	—	—	—	—
Other diseases of Liver ...	1	1	1	1	—	2	—	—
Other and undefined diseases of Digestive System ...	3	—	4	1	—	1	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>								
Diseases of the Lymphatic System ...	—	—	—	—	—	—	—	—
Diseases of Spleen ...	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>								
Nephritis ...	—	—	1	—	—	—	—	—
Bright's Disease ...	2	—	2	—	1	—	—	—
Uræmia ...	—	—	1	—	—	—	—	—
Suppression of Urine ...	—	—	—	—	—	—	—	—
Calculus (Stone) ...	—	—	—	—	—	—	—	—
Diseases of Bladder ...	—	—	—	—	—	—	—	—
Other and undefined diseases of Urinary System ...	—	—	—	—	2	—	—	—
<i>Diseases of Organs of Generation.</i>								
Diseases of Uterus and Vagina... ..	—	—	—	—	—	—	—	—
Disorders of Menstruation ...	—	—	—	—	—	—	—	—
Diseases of Testes, Penis, Scrotum, &c. ...	—	—	—	—	—	—	—	—
<i>Diseases of Parturition.</i>								
Abortion, Miscarriage ...	2	—	1	—	—	—	—	—
Puerperal Mania ...	1	—	—	—	—	1	—	—
Puerperal Convulsions ...	6	—	1	—	—	—	—	—
Pneumonia Dolens ...	—	—	—	—	—	—	—	—
Other and undefined accidents of Childbirth ...	10	4	4	3	2	5	1	—
<i>Diseases of Organs of Locomotion.</i>								
Caries Necrosis ...	—	—	—	1	—	—	—	—
Other and undefined diseases of Organs of Locomotion ...	—	—	—	—	—	—	—	—
<i>Diseases of Integumentary System.</i>								
Carbuncle ...	—	—	—	—	—	—	—	—
Ulcer, Bed sore ...	—	1	—	—	—	—	1	—
Other and undefined diseases of Integumentary System ...	—	—	1	1	—	1	2	—
<i>Accident or Negligence.</i>								
Fractures, Contusions ...	1	—	1	1	—	2	—	—
Gun-shot wounds ...	—	1	—	—	—	—	—	—
Burn, Scald ...	4	—	—	—	—	1	—	—
Poison ...	—	—	—	—	—	—	—	—
Drowning ...	3	—	—	—	1	—	—	2
Suffocation ...	—	—	1	—	—	—	—	—
Snake-bite ...	—	—	—	1	—	—	—	—
Otherwise ...	—	—	6	—	—	2	—	—
<i>Homicide.</i>								
Murder, Manslaughter ...	—	—	—	1	—	—	—	—
<i>Suicide.</i>								
Gun-shot wounds ...	—	—	—	—	—	—	—	—
Drowning ...	1	—	—	—	—	—	—	—
Hanging ...	—	—	3	2	—	1	—	—
Otherwise ...	—	—	—	—	—	—	—	—
<i>Execution.</i>								
Hanging ...	—	—	—	—	—	—	—	—
<i>Ill-defined and not specified Causes.</i>								
General Dropsy ...	47	13	24	12	2	11	1	2
Debility ...	202	23	84	75	26	35	1	26
Sudden deaths (causes unascertained) ...	—	—	—	—	—	—	—	—
Abscess ...	2	—	—	1	—	—	—	—
Tumour ...	—	—	—	—	—	—	—	—
Hæmorrhage ...	1	—	—	—	—	—	—	—
Other ill-defined and not specified causes ...	2	—	1	—	—	—	—	—

Table XII.—Causes of Deaths registered in the Colombo Municipality in the Second Quarter of 1903.

CAUSES OF DEATH.	WARD.											NATIONALITY.						
	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
ALL CAUSES ...	1364	1	31	56	142	232	145	341	201	118	97	21	93	619	312	240	36	43
I.—Specific, Febrile, or Zymotic Diseases ...	462	—	11	20	42	65	43	136	58	46	41	8	32	191	118	88	16	9
II.—Parasitic Diseases	21	—	1	—	—	1	3	10	3	2	1	—	2	6	7	5	—	1
III.—Dietetic Diseases	3	—	1	—	2	—	—	—	—	—	—	—	2	—	1	—	—	—
IV.—Constitutional Diseases	147	—	2	6	14	36	17	26	29	9	8	5	15	70	27	23	2	5
V.—Developmental Diseases	78	—	—	3	3	21	3	13	14	14	7	1	2	44	9	18	1	3
VI.—Local Diseases	513	—	13	22	62	85	68	115	87	31	30	3	32	244	118	86	12	18
VII.—Violence	21	—	1	—	1	3	1	9	3	1	2	1	—	9	7	3	1	—
VIII.—Ill-defined and not specified causes	119	1	2	5	18	21	10	32	7	15	8	3	8	55	25	17	4	7
I.																		
Miasmatic Diseases ...	77	—	—	1	2	13	1	18	6	22	14	1	6	41	8	13	6	2
Diarrhoeal do.	253	—	5	13	18	42	22	104	40	16	23	4	20	114	94	41	6	4
Malarial do.	71	—	6	4	15	3	20	6	11	4	2	1	4	20	13	27	4	2
Zoogenous do.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Venereal do.	6	—	—	—	—	—	—	2	1	3	—	1	—	5	—	—	—	—
Septic do.	25	—	—	2	7	7	—	6	—	1	2	1	2	11	3	7	—	1
II.—Parasitic Diseases ...	21	—	1	—	—	1	3	10	3	2	1	—	2	6	7	5	—	1
III.—Dietetic Diseases ...	3	—	1	—	2	—	—	—	—	—	—	—	2	—	1	—	—	—
IV.—Constitutional Diseases ...	147	—	2	6	14	36	17	26	29	9	8	5	15	70	27	23	2	5
V.—Developmental Diseases ...	78	—	—	3	3	21	3	13	14	14	7	1	2	44	9	18	1	3
VI.																		
Diseases of Nervous System ...	195	—	5	6	33	35	34	13	43	14	12	1	13	87	44	42	5	3
Do. Organs of Special Sense	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Do. Circulatory System	20	—	1	1	1	1	2	6	1	2	5	—	2	10	4	3	—	1
Do. Respiratory System	201	—	6	10	21	41	23	56	26	12	6	—	8	104	47	29	5	8
Do. Digestive System	52	—	1	2	1	6	4	17	15	2	4	2	5	27	14	5	1	2
Do. Lymphatic System and Ductless Glands	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Do. Urinary System	19	—	—	1	3	2	3	9	—	—	1	—	1	9	3	3	—	3
Do. Reproductive System :—																		
(a) Organs of Generation	2	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—
(b) Parturition	10	—	—	1	2	—	—	5	2	—	—	—	2	4	3	1	—	—
Do. Organs of Locomotion	3	—	—	—	—	—	—	2	—	—	1	—	—	1	1	1	—	—
Do. Integumentary System	11	—	—	1	1	—	2	6	—	—	1	—	1	2	5	2	—	1
VII.																		
Accident or Negligence ...	13	—	1	—	1	3	1	4	3	—	—	—	—	4	7	2	—	—
Homicide ...	5	—	—	—	—	—	—	5	—	—	—	—	—	4	—	1	—	—
Suicide ...	3	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	1	—
Execution ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.																		
Ill-defined and not specified Causes ...	119	1	2	5	18	21	10	32	7	15	8	3	8	55	25	17	4	7
Miasmatic Diseases.																		
Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—
Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple and ill-defined Fever	51	—	—	—	—	12	—	—	3	22	14	1	1	24	7	11	6	1
Enteric Fever	24	—	—	—	1	1	1	18	3	—	—	—	5	17	1	—	—	1
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoeal Diseases.																		
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	175	—	3	5	5	23	10	77	29	8	15	3	16	75	57	20	4	—
Dysentery	108	—	2	8	13	19	12	27	11	8	8	1	4	39	37	21	2	4

Table XII. — Causes of Deaths, &c. — continued.

CAUSES OF DEATH.	WARD.											NATIONALITY.						
	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
<i>Malarial Diseases.</i>																		
Remittent Fever ...	67	—	6	4	15	3	19	4	10	4	2	1	4	20	10	26	4	2
Ague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malarial Cachexia ...	4	—	—	—	—	—	1	2	1	—	—	—	—	—	3	1	—	—
<i>Zoogenous Diseases.</i>																		
Cowpox and other effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Venereal Diseases.</i>																		
Syphilis ...	6	—	—	—	—	—	—	2	1	3	—	1	—	5	—	—	—	—
Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Septic Diseases.</i>																		
Phagedæna ...	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas ...	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Pyæmia, Septicæmia ...	9	—	—	—	2	4	—	3	—	—	—	—	—	5	3	—	—	1
Puerperal Fever ...	13	—	—	2	3	3	—	—	—	1	1	—	1	5	—	7	—	—
<i>Parasitic Diseases.</i>																		
Worms (animal) ...	11	—	—	—	—	1	2	2	3	2	1	—	—	4	3	4	—	—
Dochmius Duodenalis ...	10	—	1	—	—	—	1	8	—	—	—	—	2	2	4	1	—	1
<i>Dietetic Diseases.</i>																		
Starvation, want of breast milk	3	—	1	—	2	—	—	—	—	—	—	—	2	—	1	—	—	—
Delirium Tremens ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Constitutional Diseases.</i>																		
Rheumatism ...	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Cancer ...	10	—	—	1	—	4	1	1	2	—	1	—	—	2	4	1	3	—
Tabes Mesenterica ...	2	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—
Tubercular Meningitis (hydrocephalus)	2	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	1	—
Phthisis ...	116	—	2	4	12	23	15	20	25	8	7	4	10	54	24	17	2	5
Other forms of Tuberculosis, Scrofula	2	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—
Anæmia, Chlorosis, Leucocythæmia	8	—	—	—	—	5	—	3	—	—	—	—	—	6	1	1	—	—
Diabetes Mellitus ...	5	—	—	—	2	1	—	—	2	—	—	1	—	3	1	—	—	—
Leprosy ...	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
<i>Developmental Diseases.</i>																		
Premature Birth ...	13	—	—	—	—	1	1	8	—	1	2	—	—	10	1	2	—	—
Atelectasis ...	4	—	—	—	—	4	—	—	—	—	—	—	—	1	1	2	—	—
Spina Bifida ...	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Old Age ...	60	—	—	3	3	16	2	5	13	13	5	—	2	33	7	14	1	3
<i>Nervous System.</i>																		
Inflammation of Brain or its Membranes	10	—	—	1	1	1	1	3	2	—	1	—	1	3	4	2	—	—
Apoplexy ...	9	—	—	—	1	—	1	1	4	2	—	—	2	2	4	—	—	1
Paralysis ...	8	—	—	—	—	2	2	2	1	1	—	—	—	3	2	3	—	—
Epilepsy ...	2	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—	—
Convulsions ...	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Infantile Convulsions ...	110	—	3	2	15	22	16	—	31	10	11	—	9	57	23	15	5	1
Laryngismus Stridulus ...	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Tetanus ...	49	—	2	3	16	7	14	3	3	1	—	—	1	15	15	17	—	1
Mania ...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Other and undefined diseases of Brain or Nervous System	4	—	—	—	—	2	—	2	—	—	—	1	—	3	—	—	—	—
<i>Organs of Special Sense.</i>																		
Conjunctivitis and other diseases of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Circulatory System.</i>																		
Pericarditis ...	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Valve disease of Heart ...	2	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
Angina pectoris, Syncope	3	—	—	—	1	—	2	—	—	—	—	—	—	—	1	2	—	—
Phlebitis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other and undefined diseases of Heart or Circulatory System	14	—	1	1	—	—	—	6	1	1	4	—	1	8	3	1	—	1

Table XII.—Causes of Deaths, &c.—continued.

CAUSES OF DEATH.	Colombo Municipality.	WARD.										NATIONALITY.						
		Fort and Galle Face.	Pettiah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burgbers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
<i>Respiratory System.</i>																		
Laryngitis ...	2	—	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—
Bronchitis ...	49	—	2	3	7	8	13	7	7	—	2	—	3	24	9	12	1	—
Asthma ...	5	—	—	—	—	1	1	1	1	—	—	—	—	2	1	—	1	1
Pneumonia ...	139	—	3	5	14	31	9	45	17	11	4	—	4	73	35	17	3	7
Pleurisy ...	2	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—
Other and undefined diseases of Respiratory System ...	4	—	—	2	—	—	—	1	1	—	—	—	—	2	2	—	—	—
<i>Digestive System.</i>																		
Stomatitis ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Sore Throat ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Dyspepsia ...	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Diseases of Stomach ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Enteritis ...	22	—	—	—	—	2	2	7	9	1	1	2	3	8	7	1	—	1
Ileus, obstruction of Intestine ...	5	—	—	1	—	3	—	—	1	—	—	—	—	5	—	—	—	—
Stricture or Strangulation of Intestine ...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Hernia ...	3	—	—	—	—	—	—	1	1	—	—	—	—	1	2	—	—	—
Peritonitis ...	5	—	1	—	1	—	1	1	—	—	1	—	1	2	—	1	—	1
Cirrhosis of Liver ...	4	—	—	1	—	—	—	3	—	—	—	—	—	4	—	—	—	—
Other diseases of Liver ...	2	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—
Other and undefined diseases of Digestive System ...	6	—	—	—	—	—	—	3	2	—	1	—	1	4	—	1	—	—
<i>Diseases of Urinary System.</i>																		
Nephritis ...	10	—	—	—	3	—	3	3	—	—	1	—	—	3	3	2	—	2
Bright's Disease ...	6	—	—	1	—	1	—	4	—	—	—	—	1	—	—	1	—	1
Suppression of Urine ...	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Hæmaturia ...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Diseases of Baldder ...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
<i>Diseases of Organs of Generation.</i>																		
Diseases of Uterus and Vagina ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Disorder of Menstruation ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
<i>Diseases of Parturition.</i>																		
Abortion, Miscarriage ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerperal Convulsions ...	2	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
Placenta Prævia, Flooding ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Other and undefined accidents of Cildbirth ...	6	—	—	1	1	—	—	3	1	—	—	—	1	3	1	—	—	—
<i>Diseases of Organs of Locomotion.</i>																		
Caries, Necrosis ...	3	—	—	—	—	—	—	2	—	—	1	—	—	1	1	1	—	—
<i>Diseases of Integumentary System.</i>																		
Carbuncle ...	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Phlegmon, Cellulitis ...	4	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1	—	1
Ulcer, Bed sore ...	3	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—	—
Eczema ...	2	—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	—
Other and undefined diseases of Integumentary System ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
<i>Accident or Negligence.</i>																		
Fractures, Contusions ...	8	—	1	—	—	3	1	3	—	—	—	—	—	3	4	1	—	—
Burn, Scald ...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Drowning ...	3	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
Otherwise ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
<i>Homicide.</i>																		
Murder, Manslaughter... ..	5	—	—	—	—	—	—	5	—	—	—	—	—	4	—	1	—	—
<i>Suicide.</i>																		
Hanging ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Otherwise ...	2	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
<i>Ill-defined and not specified Causes.</i>																		
General Dropsy ...	6	—	—	—	1	—	—	—	1	1	3	—	2	2	2	—	—	—
Debility ...	101	1	2	5	17	18	10	24	5	14	5	1	5	46	22	17	4	6
Abscess ...	6	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—	—	1
Tumour ...	2	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—
Hæmorrhage ...	3	—	—	—	—	2	—	—	1	—	—	—	—	2	—	—	—	—
Other ill-defined and not specified causes	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—

