

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 6,977 — THURSDAY, NOVEMBER 14, 1918.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF SEPTEMBER, 1918.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,315 (698 males and 617 females), and was equivalent to an annual rate of 25·22 per 1,000, against 26·82 in the preceding month, 22·27 in the corresponding month of last year, and 26·96 the average for the corresponding months since 1908. The rate ranged from 12·09 in Nawalapitiya to 53·17 in Batticaloa.

3. In the city of Colombo the births registered numbered 454 (242 males and 212 females), and were equivalent to an annual rate* of 19·97 per 1,000, against 21·70 in the preceding month, 17·99 in the corresponding month of last year, and 22·29 the average for the corresponding months since 1908. The rate ranged from 8·12 in St. Sebastian to 20·38 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 2,073 (1,138 males and 935 females). There were 1,680 deaths of residents in towns, equivalent to an annual rate of 35·12 per 1,000, against 21·38 in the preceding month, 21·90 in the corresponding month of last year, and 27·84 the average for the month of September in each year since 1908. The rate ranged from 78·53 in Ratnapura to 12·40 in Hambantota.

5. In the city of Colombo the deaths numbered 741 (405 males and 336 females). There were 650 deaths of residents, equivalent to an annual rate* of 33·16 per 1,000, against 19·40 in the preceding month, 17·28 in the corresponding month of last year, and 28·03 the average for the month of September in each year since 1908. The rate ranged from 32·21 in Kotahena to 8·70 in Kollupitiya.

6. The stillbirths registered numbered 90 (44 males and 46 females), as against 74 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 240 per 1,000 births registered during the twelve months ended September 30, 1918. Reckoned on the births registered during the month only the rate was 267, against 206 in the preceding month, 217 in the corresponding month of last year, and 238 the average for the corresponding months since 1908.

8. In the city of Colombo the mortality of infants was equal to a rate of 288 per 1,000 births registered during the twelve months ended September 30, 1918. Reckoned on the births registered during the month only the rate was 308, against 192 in the preceding month, 210 in the corresponding month of last year, and 262 the average for the corresponding months since 1908.

Causes of Death.

9. The highest mortality was attributed to *Pneumonia*, to which 29 per cent. of the total deaths was due. Probably most of these deaths were due to the recent outbreak of *Influenza*, the monthly average of deaths from *Pneumonia* being not more than 10 per cent. 5 per cent. of the total deaths was actually attributed to *Influenza*. 7 per cent. was due to *Debility*, 6 per cent. to *Convulsions*, 5 per cent. to *Phthisis*, 3 per cent. each to *Malaria* and *Malarial Cachexia*, *Ankylostomiasis*, *Diarrhoea*, *Enteric Fever*, and *Dysentery*, 2 per cent. each to *Enteritis*, *Bright's Disease* and *Nephritis*, *Prematurity*, and *Bronchitis*, and 1 per cent. to *Puerperal Septicæmia*.

10. In Colombo, too, the highest mortality was from *Pneumonia*, to which 25 per cent. of the total deaths was due (against an average of 10 per cent.), 10 per cent. was due to *Influenza*, 7 per cent. each to *Debility* and *Phthisis*, 5 per cent. to *Convulsions*, 3 per cent. each to *Enteric Fever*, *Bright's Disease* and *Nephritis*, and *Enteritis*, 2 per cent. each to *Bronchitis* and *Dysentery*, and 1 per cent. each to *Diarrhoea*, *Ankylostomiasis*, and *Prematurity*. Two deaths from *Smallpox* were registered in Mannar.

11. *Infectious Diseases reported.*—The most prevalent infectious disease during the month was *Phthisis*, of which 123 cases were reported (103 in Colombo, 7 in Galle, 4 in Batticaloa), followed by *Enteric Fever* 59 (43 in Colombo), *Chickenpox* 47 (27 in Colombo, 7 in Kandy, 5 in Nuwara Eliya), *Continued Fever* 19 (11 in Colombo), *Measles* 17 (11 in Nuwara Eliya), *Diphtheria* 4 (2 in Panadure), *Dysentery* 4 (2 in Kalutara), *Mumps* 2, and *Whooping Cough* 1.

Meteorology.

12. *Rainfall.*—Ratnapura recorded the highest rainfall (6·33 inches), followed by Tangalla (3·75 inches). In the other towns it ranged from 3·58 inches in Hatton to 0·04 inch in Puttalam. Colombo recorded 1·06 inches.

13. *Temperature.*—The mean temperature varied from 60·4° in Nuwara Eliya to 86·6° in Trincomalee, and was 81·7° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, October 30, 1918.

N. W. MORGAPPAH,
for Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during September, 1918, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1908, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

| Provinces and Towns. | Population estimated to the Middle of 1918 by Intercessional Increase. | Total Deaths. | Total Births. | Total Stillbirths. | | | | Death-rate excluding non-residents | | | | Mortality of Children under One Year. | | | | | | | | | |
|----------------------|--|---------------|---------------|--------------------|----------|----------|--------|------------------------------------|----------|----------|--------|--|-------------------------|--|-----------------------|-------------------|-------|-------|-----|------|------|
| | | | | Males. | Females. | Persons. | Males. | Males. | Females. | Persons. | Males. | Average Birth-rate for Sept., 1908–1917. | Crude, September, 1918. | Its proportion to per annum to 1000 births registered during the year ended last day of Sept., 1918. | Mean Temperature, °F. | Rainfall, Inches. | | | | | |
| All 33 Towns .. | 517,877 | 634,752 | 698,617 | 1,315 | 1,128 | 935 | 2,073 | 44 | 46 | 90 | 378 | 1,680 | 25.22 | 26.96 | 32.22 | 35.12 | 27.84 | 351 | 267 | 240 | |
| Western. | | | | | | | | | | | | | | | | | | | | | |
| Colombo | 219,557 | 276,665 | 242,212 | 454 | 405 | 336 | 741 | 16 | 12 | 28 | 86 | 650 | 19.97 | 22.29 | 28.58 | 33.16 | 28.03 | 308 | 288 | 81.7 | |
| Negombo | 13,043 | 26,633 | 27,29 | 56 | 31 | 32 | 63 | 1 | 1 | — | — | 63 | 25.53 | 33.00 | 28.73 | 50.05 | 25.37 | 13 | 167 | — | |
| Morakawa | 27,046 | 30,433 | 46 | 36 | 54 | 55 | 109 | 3 | 3 | — | 107 | 32.77 | 38.86 | 42.77 | 47.17 | 31.05 | 17 | 173 | — | | |
| Kalutara | 13,006 | 14,212 | 18 | 13 | 31 | 26 | 27 | 53 | 3 | 5 | 9 | 44 | 26.60 | 25.50 | 37.67 | 37.42 | 22.52 | 10 | 323 | 261 | |
| Panadura | 6,759 | 7,629 | 7 | 5 | 12 | 15 | 12 | 27 | — | 2 | 4 | 23 | 19.14 | 24.34 | 36.68 | 43.66 | 26.83 | 3 | 250 | 244 | |
| Central. | | | | | | | | | | | | | | | | | | | | | |
| Kandy | 30,149 | 32,765 | 34 | 34 | 85 | 62 | 147 | 1 | 2 | 3 | 34 | 113 | 25.24 | 25.63 | 41.94 | 45.71 | 29.80 | 17 | 250 | 190 | |
| Gampola | 5,521 | 7,271 | 9 | 10 | 19 | 17 | 15 | 32 | 1 | 1 | 9 | 23 | 31.79 | 28.63 | 38.48 | 39.94 | 29.22 | 4 | 211 | 203 | |
| Nawalapitiya | 3,767 | 4,026 | 3 | 1 | 4 | 5 | 7 | 12 | — | — | — | 6 | 12.09 | 35.35 | 18.13 | 19.71 | 25.63 | — | — | — | |
| Hatton and Dikoya, | 3,025 | 3,168 | 6 | 3 | 8 | 13 | 12 | 25 | — | — | 1 | 17 | 7 | 30.72 | 20.63 | 26.88 | 31.40 | 19.14 | 3 | 375 | 353 |
| Matale | 6,792 | 7,943 | 12 | 11 | 23 | 31 | 25 | 66 | — | 1 | 24 | 30 | 35.21 | 26.31 | 45.92 | 52.77 | 36.39 | 2 | 87 | 83 | |
| Nuwara Eliya | 14,910 | 15,123 | 11 | 8 | 19 | 10 | 13 | 23 | — | — | 6 | 17 | 15.28 | 16.53 | 13.67 | 15.59 | 11.28 | 1 | 53 | 51 | |
| Southern. | | | | | | | | | | | | | | | | | | | | | |
| Galle | 39,936 | 42,113 | 33 | 46 | 79 | 62 | 72 | 134 | 3 | 5 | 8 | 12 | 12.22 | 22.82 | 23.88 | 35.25 | 34.51 | 23.78 | 16 | 203 | 156 |
| Ambalangoda | 4,492 | 4,492 | 4 | 2 | 4 | 4 | 5 | 5 | — | — | — | 5 | 16.25 | — | 13.54 | — | — | 3 | 500 | 388 | |
| Matara | 13,851 | 17,258 | 23 | 48 | 16 | 16 | 32 | — | — | — | 3 | 29 | 33.84 | 33.64 | 20.44 | 20.03 | 23.43 | 5 | 104 | 86 | |
| Welligama | 8,672 | 9,555 | 17 | 12 | 29 | 9 | 7 | 16 | — | 1 | 1 | — | 16 | 36.92 | 31.20 | 20.37 | 18.35 | 24.66 | 1 | 34 | 36 |
| Hamantota | 3,092 | 3,290 | 3 | 3 | 6 | 2 | 2 | 4 | — | — | 1 | 3 | 22.19 | 43.25 | 11.09 | 12.40 | 35.01 | — | — | 81.5 | |
| Tangalla | 3,505 | 5,945 | 2 | 6 | 8 | 10 | 11 | 21 | 1 | 1 | 3 | 18 | 16.38 | 42.41 | 36.87 | 37.68 | 26.89 | 3 | 376 | 196 | |
| Northern. | | | | | | | | | | | | | | | | | | | | | |
| Jaffna | 40,441 | 46,036 | 70 | 55 | 125 | 68 | 57 | 125 | 4 | 7 | 11 | 3 | 121 | 33.04 | 34.82 | 31.95 | 32.67 | 30.88 | 49 | 392 | 397 |
| Mannar | 3,777 | 4,139 | 6 | 6 | 12 | 14 | 6 | 20 | — | 1 | 1 | 10 | 10 | 35.27 | 44.71 | 29.39 | 32.37 | 35.79 | 2 | 167 | 174 |
| Mullaitivu | 1,392 | 1,457 | 4 | 1 | 5 | 4 | 2 | 6 | — | — | 2 | 3 | 41.75 | 46.88 | 25.05 | 33.21 | 30.62 | — | — | — | |
| Vavuniya | 808 | 1,049 | — | 2 | 2 | 4 | 2 | 6 | — | — | 4 | 2 | 23.20 | 21.88 | 23.20 | 31.50 | 41.40 | — | — | 0.57 | |
| Eastern. | | | | | | | | | | | | | | | | | | | | | |
| Batticaloa | 10,871 | 11,213 | 22 | 27 | 49 | 11 | 20 | 31 | 3 | — | 3 | — | 31 | 53.17 | 42.21 | 33.63 | 33.17 | 37.53 | 10 | 204 | 306 |
| Kalmunai | — | 2,102 | 8 | 1 | 9 | 5 | 2 | 7 | — | — | 3 | — | 3 | 52.08 | 54.82 | 17.36 | — | — | 2 | 222 | 207 |
| Trincomalee | 8,840 | 10,832 | 13 | 13 | 26 | 17 | 8 | 25 | 2 | 1 | 3 | — | 25 | 29.20 | 34.65 | 28.08 | 30.82 | 36.63 | 7 | 269 | 321 |
| North-Western. | | | | | | | | | | | | | | | | | | | | | |
| Kurunegala | 8,167 | 9,704 | 12 | 11 | 23 | 55 | 30 | 85 | 1 | 1 | 2 | 26 | 58 | 28.84 | 29.98 | 72.72 | 74.71 | 36.83 | 6 | 261 | 210 |
| Puttalam | 6,990 | 6,723 | 11 | 7 | 18 | 26 | 17 | 43 | 1 | 1 | 2 | 4 | 39 | 32.57 | 30.29 | 70.57 | 75.48 | 28.23 | 6 | 333 | 298 |
| Kalpitiya | 1,591 | 1,679 | 5 | 4 | 13 | 6 | 0 | 6 | — | — | 1 | 6 | 43.47 | 20.01 | 44.47 | — | 46.67 | 991 | — | 260 | |
| Chilaw | 6,033 | 6,157 | 9 | 4 | 17 | 8 | 25 | 2 | 1 | 3 | — | 21 | 27.39 | 27.60 | 44.24 | 42.41 | 29.97 | 4 | 308 | 260 | |
| North-Central. | | | | | | | | | | | | | | | | | | | | | |
| Anuradhapura | 6,361 | 7,085 | 12 | 11 | 23 | 15 | 2 | 17 | — | 1 | 1 | 3 | 14 | 39.49 | 22.89 | 23.50 | 28.79 | 45.13 | 3 | 130 | 190 |
| Uva. | | | | | | | | | | | | | | | | | | | | | |
| Badulla | 6,487 | 7,203 | 16 | 15 | 31 | 16 | 12 | 28 | 1 | — | 1 | 13 | 14 | 51.72 | 32.45 | 23.36 | 25.77 | 31.40 | 7 | 226 | 271 |
| Lunugala | 515 | 614 | — | — | 12 | 20 | 32 | 1 | — | 1 | 31 | 1 | — | 38.81 | 19.80 | — | — | — | 3 | — | 75.1 |
| Sabaragamuwa. | | | | | | | | | | | | | | | | | | | | | |
| Ratnapura | 5,476 | 7,377 | 9 | 9 | 18 | 45 | 30 | 75 | — | 1 | 1 | 33 | 42 | 29.69 | 23.34 | 69.27 | 78.53 | 31.49 | 9 | 500 | 493 |
| Kegalle | 2,536 | 2,690 | 3 | 3 | 28 | 14 | 42 | — | 1 | 1 | 27 | 14 | 13.57 | 23.73 | 63.32 | 68.07 | 33.10 | 1 | 33 | 119 | |

^a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex and age constitution of the several populations in 1911 as compared with that of the Island. ^b Banks indicate that there are no observatories or rain gauges. ^c Includes population of the Negombo Local Board and registration area. ^d Estimated to the end of December, 1915. ^e Natural increase method. ^f Standardized death-rates for Kalutara and Lunugala towns. ^g Deaths rates given for "All Towns" is therefore independent of the towns, but is scarcely affected by their rates. ^h Increase of population in due to the extension of the town limits. ⁱ January, 1914, and Ambalangoda in January, 1915.

Table II.—Causes of Deaths registered during September, 1918, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

| Causes of Deaths. | Western Province. | | | Central Province. | | | Southern Province. | | | Northern Province. | | | Eastern Province. | | | Provinces of Sabaragamuwa. | | | Deaths among all Races. | | | | | | | | | | | | | | | | | | | | |
|--|-------------------|-----------|-----|-------------------|----|----|--------------------|-----|----|--------------------|----|----|-------------------|-----|---|----------------------------|----|---|-------------------------|-----|----|---|-----|-----|----|----|-----|----|----|----|----|----|----|----|-----|-----|-----|----|----|
| | All 33 Towns. | All 2,073 | 741 | All 109 | 63 | 53 | 27 | 147 | 32 | 12 | 25 | 56 | 23 | 134 | 5 | 32 | 16 | 4 | 21 | 125 | 20 | 6 | 631 | 725 | 95 | 43 | 625 | 17 | 28 | 32 | 75 | 42 | 8 | 59 | 990 | 645 | 302 | 37 | 32 |
| I.—Infantile Mortality | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A.—One Week and under. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity .. | 37 | 9 | — | 1 | 1 | 2 | — | 2 | — | 1 | — | 10 | 2 | 1 | 3 | — | 2 | 1 | 1 | 3 | — | 2 | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | | | | |
| 2. Debility .. | 65 | 21 | — | 6 | — | 1 | — | 6 | — | 1 | — | 9 | 2 | — | 2 | 2 | 2 | 1 | 1 | 2 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | | | |
| 3. Convulsions .. | 23 | 7 | — | 1 | 2 | 3 | — | — | — | — | — | 1 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 4. Diarrhoea .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 4a. Enteritis .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 5. Tetanus .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 6. Bronchitis .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 7. Pneumonia .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 8. Other Causes.. | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| B.—Over 1 Week and under 1 Year. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity .. | 4 | — | — | 2 | — | — | — | 2 | — | — | — | 3 | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 2 | — | 1 | — | 1 | — | | | |
| 2. Debility .. | 48 | 23 | — | 1 | 4 | 3 | — | — | — | — | — | 6 | 1 | 1 | 3 | 1 | 1 | 2 | — | 2 | 1 | 2 | — | 6 | 1 | — | 1 | — | 1 | — | 2 | 17 | 20 | 8 | 1 | — | | | |
| 3. Convulsions .. | 63 | 22 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 33 | 16 | 13 | — | 1 | — | | | |
| 4. Diarrhoea .. | 9 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 4a. Enteritis .. | 6 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 5. Tetanus .. | 3 | — | — | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 6. Bronchitis .. | 19 | 10 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 7. Pneumonia .. | 32 | 21 | 3 | 1 | — | — | — | — | — | — | — | 1 | — | — | 4 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | | |
| 8. Other Causes.. | 32† | 17 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| II.—General Mortality (1 Year and over) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Plague .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 1a. Smallpox .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 2. Chickenpox .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 3. Measles .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |

* These are due to three deaths from Atelectasis (2 in Colombo and 1 in Moratuwa), 1 each from Syphilis (in Tangalle), and 1 from Dysentery (in Batticaloa).

† This includes, besides, 17 deaths mentioned in Table IV, footnote †, 4 deaths from Malaria Fever (1 each in Kalutara, Weligama, Kalpitiya, and Anuradhapura), 2 deaths from Nephritis (in Kandy), 2 deaths from Dysentery (in Batticaloa), 2 deaths from Intestinal Parasites (1 each in Moratuwa and Kalutara), 2 deaths from Pneumonia (in Ratnapura), and 1 each from Typhus (in Negombo), and 1 from Malaria (in Negombo).

Table II.—Causes of Deaths registered during September, 1918, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

| Causes of Deaths. | All 33 Towns. | Western Province. | | | Central Province. | | | Southern Province. | | | Northern Province. | | | Eastern Province. | | | North-Western Province. | | | North-Central Province. | | | Province of Sabaragamuwa. | | | Province of Uva. | | | Deaths among all Races. | | | | | | | | | | |
|--|---------------|-------------------|----------|-----------|-------------------|----------|---------------|--------------------|---------|--------|--------------------|-------------|-----------|-------------------|-------------|--------------|-------------------------|---------------|---------|-------------------------|-----------|--------------|---------------------------|--------------|------------|------------------|------------|----------|-------------------------|------------|-----------|-------------|-----------|-----------|-----------|-------------|---------|--------|---------|
| | | Colombo. | Negombo. | Moratuwa. | Kelutawela. | Gampola. | Nuwara Eliya. | Tangalle. | Matale. | Galle. | Jaffna. | Mullaitivu. | Vavuniya. | Batticaloa. | Kurunegala. | Lunugalgoda. | Ratnapura. | Anuradhapura. | Chilaw. | Kalpitiya. | Puttalam. | Titicomaale. | Batticaloa. | Trincomalee. | Kalpitiya. | Chilaw. | Otherwise. | Malayas. | Tamilis. | Sinhalese. | Burghers. | Kuropetans. | Kegegala. | Baldulla. | Udumbara. | Thimbalese. | Tamils. | Moors. | Malays. |
| II.—General Mortality—<i>contd.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Influenza | 93 | 66 | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 5. Pyrexia or Fever | 11 | 3 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 6. Enteric Fever | 23 | 6 | 11 | 5 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 7. Malaria | 39 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 8. Malaria Cachexia | 29 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 9. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 10. Diarrhoea | 52 | 10 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 10a. Enteritis | 44 | 16 | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 11. Dysentery | 51 | 13 | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 12. Anchylostomiasis or Hookworm | 68 | 11 | 2 | — | — | 7 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 13. Cancer | 11 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 14. Phthisis | 109 | 49 | — | — | 7 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 15. Other Tuberculous Diseases | 7 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 16. Anaemia | 10 | 4 | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 17. Diabetes Mellitus | 8 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 18. Convulsions | 39 | 11 | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 19. Tetanus | 12 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| 20. Bronchitis | 14 | 8 | — | 45 | 13 | 6 | 68 | 14 | 32 | 26 | 13 | 22 | 1 | 1 | 25 | 7 | 6 | 2 | 1 | 3 | 38 | 17 | 6 | 6 | 7 | 15 | 33 | 7 | 2 | 18 | 274 | 197 | 61 | 13 | 9 | | | | |
| 21. Pneumonia | 574 | 165 | 10 | 45 | 13 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 22. Other Diseases of the Respiratory System | 27 | 13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 23. Bright's Disease and Nephritis | 46 | 22 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 24. Puerperal Endarnpsis | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 25. Puerperal Septicemia | 28 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 26. Miscarriage | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 27. Other undefined Accidents of Childbirth | 8 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 28. Starvation | — | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 29. Accidents or Negligence | 23 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 30. Homicide | 10 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 31. Suicide | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 32. Execution | 6 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 33. All Other Causes | 342* | 147 | 10 | 14 | 6 | 7 | 21 | 3 | 2 | 5 | 5 | 47 | 11 | 3 | 2 | 5 | 7 | 2 | 3 | — | 12 | 6 | 4 | 2 | 3 | — | 12 | 6 | 4 | 2 | 3 | — | 12 | 6 | 4 | 2 | 3 | | |

* Here are included 101 deaths from Old Age (44 in Colombo), 29 from Worms (7 in Colombo), 42 from Debility (12 in Colombo), and 25 from Paralysis (13 in Colombo).

Table III.—Number of Births and Deaths registered during the Month of September, 1918, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for September, 1908 to 1917, in each Ward of the City of Colombo.

| Wards. | Population (inclusive of Military) at the Census of 1911. | Population estimated to Middle of 1913 by Intercessional Increase. | Per Mille per Annum. | | | | | | | | | | | | Mortality of Children under one Year. | | | | |
|-----------------------------------|---|--|--------------------------|----------|--------|----------|--------|----------|--------------|----------|--------|----------|--------|----------|---|--|---|-----|----|
| | | | Total Births registered. | | | | | | Stillbirths. | | | | | | Number of Children registered during Sept., 1918. | Its proportion to 1000 births registered during Sept., 1918. | Its proportion per annum to 1000 births registered during the Year ended last day of Sept., 1918. | | |
| | | | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | | | | | |
| City of Colombo .. | 219,557 | 276,665† | 242 | 454 | 16 | 12 | 28 | 405 | 336 | 744 | 91 | 650 | 19.97 | 22.29 | 28.58 | 24.76 | 33.16 | 308 | |
| Fort and Galle Face | 3,512 | 3,512‡ | — | 1 | — | — | — | 3 | — | 3 | — | 3 | 3.46 | 2.27 | 10.39 | 5.79 | — | — | |
| Pettah | 7,974 | 7,974‡ | 3 | 1 | 4 | — | — | 5 | — | 5 | — | 5 | 6.10 | 4.99 | 7.63 | 9.53 | — | — | |
| San Sebastian | 11,546 | 13,491 | 5 | 4 | 9 | 1 | 2 | 3 | 13 | 8 | 21 | — | 21 | 8.12 | 17.31 | 18.94 | 21.48 | — | 3 |
| St. Paul's | 24,735 | 28,633 | 22 | 9 | 31 | 1 | — | 1 | 37 | 29 | 66 | — | 66 | 13.17 | 14.59 | 28.04 | 19.87 | — | 23 |
| Kotahena | 40,771 | 47,212 | 40 | 33 | 73 | 1 | 2 | 3 | 56 | 69 | 125 | — | 125 | 18.81 | 20.26 | 32.21 | 20.17 | — | 25 |
| New Bazaar | 22,309 | 26,700 | 19 | 22 | 41 | 1 | 1 | 2 | 25 | 21 | 46 | — | 46 | 18.68 | 21.11 | 20.96 | 25.24 | — | 12 |
| Maradana Hospitals | 68 | 62 | 130 | 9 | 6 | 14 | 135 | 68 | 203 | 78 | 125 | — | — | — | — | — | — | 16 | |
| Maradana (exclusive of Hospitals) | 48,093 | 67,403 | 35 | 25 | 60 | — | 1 | 1 | 72 | 66 | 138 | 2 | 136 | 10.83 | 17.69 | 24.55 | 19.63 | — | 34 |
| Slave Island | 21,984 | 26,646 | 23 | 21 | 44 | 3 | 1 | 4 | 25 | 34 | 59 | 2 | 57 | 20.09 | 22.54 | 26.03 | 20.20 | — | 12 |
| Kollupitiya | 25,410 | 37,779 | 10 | 22 | 32 | — | — | 18 | 18 | 36 | 9 | 27 | 10.31 | 13.86 | 8.70 | 14.41 | — | 8 | |
| Wellawatta | 13,223 | 17,315§ | 17 | 12 | 29 | — | — | 16 | 23 | 39 | — | 39 | 20.38 | 27.83 | 27.40 | 31.45 | — | 7 | |
| | | | | | | | | | | | | | | | | | 288 | | |

* For explanation of "standardized death-rate" see note *, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† Estimated partly on the intercessional increase method and partly on the natural increase method, i.e., population exclusive of Wellawatta Ward on the former method and that of Wellawatta added to the town on January 1, 1912, on the latter method (as it was not a separate division at the Census of 1901).

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1918. Hence the Census figures are retained.

§ This population is estimated partly on the natural increase method and partly on the intercessional increase method, i.e., population of Wellawatta on the former method and that of the part of Kollupitiya taken over to Wellawatta on the latter method.

|| Average for months of September, 1912-1917.

Table IV.—Causes of Deaths registered during the Month of September, 1918, in each Ward and of each Race in the City of Colombo.

| Causes of Death. | | City of Colombo. | Wards. | | | | | | | | | | | | Deaths among all Races. | | | | | |
|---|----|------------------|----------------------|---------|----------------|-------------|-----------|-------------|------------------------------------|---------------------|---------------|--------------|-------------|------------|-------------------------|------------|---------|--------|---------|---------|
| | | | Fort and Galle Face. | Pettah. | San Sebastian. | St. Paul's. | Kotahena. | New Bazaar. | Maradana (exclusive of Hospitals). | Maradana Hospitals. | Slave Island. | Kollupitiya. | Wellawatta. | Europeans. | Burgers. | Sinhalese. | Tamils. | Moors. | Malays. | Others. |
| All Causes | .. | 741 | 3 | 5 | 21 | 66 | 125 | 46 | 203 | 138 | 59 | 36 | 39 | 5 | 39 | 369 | 167 | 115 | 22 | 24 |
| I.—Infantile Mortality | .. | 140 | — | — | 3 | 23 | 25 | 12 | 16 | 34 | 12 | 8 | 7 | — | — | 64 | 35 | 32 | 4 | 2 |
| A.—One Week and under. | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity .. | .. | 9 | — | — | — | 1 | 3 | 1 | 1 | 2 | — | — | — | — | — | 4 | 3 | 3 | 2 | 1 |
| 2. Debility .. | .. | 21 | — | — | — | 4 | 1 | 4 | 4 | 7 | — | — | — | — | — | 7 | 9 | 9 | 4 | 4 |
| 3. Convulsions .. | .. | 7 | — | — | — | 3 | 2 | — | — | 1 | — | — | — | — | — | 1 | 1 | 1 | 4 | 4 |
| 4. Diarrhoea .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Tetanus .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8. Other Causes .. | .. | 4* | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| B.—Over 1 Week and under 1 Year. | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility .. | .. | 23 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 | 8 | 8 | 1 |
| 3. Convulsions .. | .. | 22 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 6 | 6 | 6 | 2 |
| 4. Diarrhoea .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 4a. Enteritis .. | .. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 2 | 2 | 1 |
| 5. Tetanus .. | .. | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 | 4 | 3 | 4 |
| 6. Bronchitis .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 15 | 15 | 14 | 14 |
| 7. Pneumonia .. | .. | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 3 | 3 | 4 |
| 8. Other Causes .. | .. | 21 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 10 | 10 | 10 | 1 |
| II.—General Mortality (1 Year and over) | .. | 601 | 3 | 5 | 18 | 43 | 100 | 34 | 187 | 104 | 47 | 23 | 32 | 5 | 36 | 305 | 132 | 83 | 18 | 22 |
| 1. Plague .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Smallpox .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Chickenpox .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza .. | .. | 66 | — | — | 2 | 5 | 10 | 12 | 6 | — | 20 | 5 | 4 | — | — | 23 | 2 | 17 | 15 | 1 |
| 6. Pyrexia or Fever .. | .. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | 7 | 1 | 1 | 1 | 1 |
| 7. Enteric Fever .. | .. | 23 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 11 | 2 | 1 | 1 | 1 |
| 8. Malaria .. | .. | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 1 |
| 9. Malarial Cachexia .. | .. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10. Cholera .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 11. Diarrhoea .. | .. | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 | 5 | 5 | 1 |
| 11a. Enteritis .. | .. | 16 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 6 | 6 | 5 | 2 |
| 12. Dysentery .. | .. | 13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 10 | 10 | 5 | 1 |
| 13. Anchylostomiasis or Dochmiasis .. | | | | | | | | | | | | | | | | | | | | |
| Duoendalis .. | .. | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 | 3 | 3 | 1 |
| 14. Cancer .. | .. | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 |
| 15. Phthisis .. | .. | 49 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 29 | 8 | 7 | 7 |
| 16. Other Tuberculous Diseases .. | .. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 17. Anaemia .. | .. | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 18. Diabetes Mellitus .. | .. | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 2 | 2 | 2 |
| 19. Convulsions .. | .. | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 7 | 7 | 1 | 1 |
| 20. Tetanus .. | .. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 21. Bronchitis .. | .. | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 3 | 4 | 1 |
| 22. Pneumonia .. | .. | 165 | 1 | 1 | 3 | 4 | 26 | 6 | 81 | 19 | 11 | 2 | 11 | 1 | 1 | 92 | 41 | 8 | 1 | 1 |
| 23. Other Diseases of the Respiratory System .. | .. | 13 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 5 | 6 | 1 | 2 |
| 24. Bright's Disease and Nephritis .. | .. | 22 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 12 | 6 | 6 | 2 |
| 25. Puerperal Eclampsia .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 26. Puerperal Septicæmia .. | .. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27. Miscarriage .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28. Other undefined Accidents of Childbirth .. | .. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 29. Starvation .. | .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 |
| 30. Accidents or Negligence .. | .. | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 | 4 | 1 | 1 |
| 31. Homicide .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 32. Suicide .. | .. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 | 4 | 1 | 1 |
| 33. Execution .. | .. | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 28 | 28 | 4 | 3 |
| 34. All Other Causes .. | .. | 147† | 1 | 1 | 4 | 13 | 28 | 10 | 27 | 37 | 11 | 8 | 7 | 1 | 1 | 73 | 29 | 28 | 4 | 3 |

* Two deaths from Atelectasis and 1 each from Injuries at Birth and Malformation.

* Two deaths from Atelectasis and 1 each from Injuries at Birth and Malformation.
 † Six deaths from Influenza, 5 from Rickets, and 1 each from Thrush, Whooping Cough, Intestinal Obstruction, Enteric Fever, Pyæmia, and Want of Breast Milk.

~~1, Years, and Want of Breast Milk.~~
† Here are included 44 deaths from Old Age, 13 from Paralysis, 12 from Debility, 8 from Rickets, and 7 from Worms.