

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 7,039 — FRIDAY, JULY 18, 1919.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF MAY, 1919.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,491 (761 males and 730 females), and was equivalent to an annual rate of 27·03 per 1,000, against 27·31 in the preceding month, 24·85 in the corresponding month of last year, and 27·02 the average for the corresponding months since 1909. The rate ranged from 6·96 in Kalpitiya to 56·44 in Kegalla.

3. In the city of Colombo the births registered numbered 553 (297 males and 256 females), and were equivalent to an annual rate* of 22·78 per 1,000, against 21·97 in the preceding month, 19·28 in the corresponding month of last year, and 21·68 the average for the corresponding months since 1909. The rate ranged from 9·67 in St. Paul's to 28·15 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,997 (1,086 males and 911 females). There were 1,600 deaths of residents in towns, equivalent to an annual rate of 35·62 per 1,000, against 26·97 in the preceding month, 20·86 in the corresponding month of last year, and 26·39 the average for the month of May in each year since 1909. The rate ranged from 88·45 in Batticaloa to 12·36 in Panadure.

5. In the city of Colombo the deaths numbered 716 (410 males and 306 females). There were 637 deaths of residents, equivalent to an annual rate* of 30·44 per 1,000, against 24·15 in the preceding month, 18·22 in the corresponding month of last year, and 25·57 the average for the month of May in each year since 1909. The rate ranged from 25·42 in Kotahena to 7·97 in Kollupitiya.

6. The stillbirths registered numbered 62 (30 males and 32 females), against 76 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 237 per 1,000 births registered during the twelve months ended May 31, 1919. Reckoned on the births registered during the month only the rate was 235, against 230 in the preceding month, 221 in the corresponding month of last year, and 258 the average for the corresponding months since 1909.

8. In the city of Colombo the mortality of infants was equal to a rate of 255 per 1,000 births registered during the twelve months ended May 31, 1919. Reckoned on the births registered during the month only the rate was 237, against 248 in the preceding month, 243 in the corresponding month of last year, and 299 the average for the corresponding months since 1909.

Causes of Death.

9. The highest mortality was attributed to *Pneumonia*, to which 21 per cent. of the total deaths was due, 8 per cent. was due to *Influenza*, 7 per cent. each to *Debility* and *Convulsions*, 6 per cent. to *Phthisis*, 5 per cent. to *Anchylostomiasis*, 4 per cent. each to *Diarrhœa*, *Malaria* and *Malarial Cachexia*, and *Dysentery*, 3 per cent. each to *Enteritis* and *Bright's Disease and Nephritis*, 2 per cent. to *Enteric Fever*, and 1 per cent. each to *Puerperal Septicæmia* and *Prematurity*.

10. In the city of Colombo too the highest mortality was attributed to *Pneumonia*, to which 22 per cent. of the total deaths was due, 10 per cent. was due to *Influenza*, 9 per cent. to *Phthisis*, 6 per cent. to *Debility*, 5 per cent. to *Convulsions*, 3 per cent. each to *Anchylostomiasis* and *Enteritis*, 2 per cent. each to *Bright's Disease and Nephritis* and *Enteric Fever*, and 1 per cent. each to *Diarrhœa*, *Prematurity*, *Dysentery*, and *Puerperal Septicæmia*.

11. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 137 cases were reported (118 in Colombo, 8 in Galle), followed by *Chickenpox* 68 (34 in Colombo, 13 in Kandy, 6 in Panadure, 6 in Nuwara Eliya), *Enteric Fever* 46 (34 in Colombo), *Measles* 19 (13 in Colombo), *Dysentery* 18 (11 in Puttalam and 7 in Moratuwa), *Mumps* 17 (8 in Colombo, 7 in Kandy), *Continued Fever* 14 (11 in Colombo), *Smallpox* 6 (in Colombo), *Acute Diarrhœa* 2 (in Batticaloa), *Whooping Cough* 1 (in Colombo), and *Diphtheria* 1 (in Colombo).

Meteorology.

12. *Rainfall.*—Ratnapura recorded the highest rainfall (26·40 inches), followed by Hatton (23·55 inches). In the other towns the rainfall ranged from 20·01 inches in Colombo to 1·03 inches in Hambantota.

13. *Temperature.*—The mean temperature varied from 62·3° in Nuwara Eliya to 87·0° in Trincomalee, and was 82·2° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, June 24, 1919.

W. L. KINDERSLEY,
Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during April, 1919, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1909, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (inclusive of the Military) at the Census of March 10, 1911.	Population estimated to the Middle of 1919 by Interannual Increase.	Total Births.			Total Deaths.			Total Stillbirths.			Deaths of Town and Village Residents.			Birth-rate.			Death-rate excluding non-residents.				Mortality of Children under One Year.	Mean Temperature.	Rainfall in Inches.
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Non-residents of Towns registered in the Census of 1911.	Deaths of Town and Village Residents.	Persons.	Persons.	Crude, May, 1919.	Standardized, May, 1919.	Average Death-rate for May, 1909-1918.	Number registered during May, 1919.	Its proportion to 1,000 births registered during the year ended the last day of May, 1919.				
All 33 Towns	517,877	649,472	761,730	1,491	1,086	911	1,997	80	32	62	390	1,600	27.03	27.02	29.01	31.62	26.39	351	235	237	82.2	20.01		
<i>Western.</i>																								
Colombo	219,557	285,795	397,256	553	410	306	716	12	13	25	74	637	23.78	21.68	26.24	30.44	25.57	131	237	255	82.2	20.01		
Negombo	13,045	27,038	38	73	35	30	65	1	1	2	16	49	31.79	33.30	21.34	22.32	22.59	8	109	101	14.28			
Moratuwa	27,256	30,902	41	77	41	71	112				1	111	29.34	39.32	42.29	46.64	26.66	36	467	374				
Kalutara	18,005	14,386	27	17	44	30	54	2		2	11	43	36.01	28.80	35.19	34.97	21.57	4	91	103				
Panadura	5,709	7,936	2	4	4	8	12	1		1	5	7	8.90	20.15	10.38	12.36	19.64	1	166	78				
<i>Central.</i>																								
Kandy	30,149	33,197	32	52	84	51	110	1	2	3	36	74	29.79	33.00	26.25	28.61	29.06	19	226	220	78.3	10.04		
Gampola	5,521	7,560	8	15	18	5	23	1	1	2	6	17	23.39	33.60	26.51	27.51	31.80	2	133	111				
Nawalapitiya	3,767	4,061	2	5	7	10	16	1		1	1	15	20.29	28.04	43.49	47.27	41.47	2	286	357				
Hatton and Dikoya.	3,025	3,187	3	5	5	15	32				19	13	18.47	17.82	43.03	56.09	27.98	5	1,000	640				
Matale	5,792	8,078	8	18	26	23	19	42			17	25	37.92	31.35	36.46	41.90	37.08	7	269	286				
Nuwara Eliya	14,910	15,131	16	9	25	11	13	24		1	7	15	19.45	11.81	11.67	13.31	12.66	4	160	186				
<i>Southern.</i>																								
Galle	39,936	42,418	67	52	119	63	115	3	4	7	22	93	33.03	31.26	25.81	25.28	23.41	20	168	200	81.8	7.05		
Ambalangoda	—	4,604	4	6	10	6	10				—	10	25.57	—	25.57	—	—	1	100	112				
Matara	13,851	17,529	26	27	53	21	48				7	41	35.60	31.39	27.54	26.97	19.84	5	94	88				
Weigama	8,672	9,684	15	24	39	8	12	20			—	20	47.40	30.92	24.32	21.91	13.37	8	205	265				
Hambantota	3,092	3,318	2	6	8	7	13	20			4	16	28.39	26.54	56.78	63.49	28.16	2	250	180				
Tangalla	3,505	6,187	14	12	26	13	14	27		1	6	21	49.48	36.19	39.97	40.85	33.63	6	231	357				
<i>Northern.</i>																								
Jaffna	40,441	46,888	51	57	108	55	48	101	3	4	8	93	27.14	34.65	23.37	23.87	30.87	21	194	169	85.8	2.08		
Mannar	3,777	4,191	4	3	7	5	7	12			5	7	19.67	36.17	19.67	21.65	51.54	2	286	193				
Mulleitivu	1,392	1,466	—	—	—	—	—	—			—	7	—	42.00	56.22	74.52	63.28	2	—	413				
Vavuniya	808	1,087	1	—	—	—	—	—			—	3	10.83	10.41	32.49	44.12	42.48	2	—	—				
<i>Eastern.</i>																								
Batticaloa	10,671	11,290	24	22	46	53	39	92	2	4	6	86	47.97	29.18	89.69	88.45	34.18	16	348	420	85.2	2.30		
Kalmunai	—	2,124	6	4	10	14	15	29	2	2	14	15	55.43	61.78	83.14	—	—	3	300	250				
Trincomalee	8,840	11,136	11	16	27	15	13	28	1	—	—	28	28.55	27.60	29.60	32.50	41.29	4	148	158	87.0	6.04		
<i>North-Western.</i>																								
Kurunegala	8,157	9,931	15	12	27	57	29	86	—	—	45	41	32.01	25.99	48.61	49.94	37.66	8	296	311	82.0	10.80		
Puttalam	5,990	6,830	11	8	19	22	12	34	1	—	10	24	32.75	33.04	41.37	44.25	28.90	7	368	322	83.1	6.85		
Kelptiya	1,591	1,691	1	—	—	3	2	5	—	—	5	5	6.06	15.80	34.81	—	—	1	—	287				
Chilaw	5,033	6,274	4	8	12	19	12	31	—	—	10	21	22.62	27.15	39.41	37.78	22.85	5	417	289				
<i>North-Central.</i>																								
Anuradhapura	5,361	7,358	8	6	14	20	10	30	—	—	5	25	22.40	24.92	40.00	49.01	45.11	5	357	315	83.0	2.04		
<i>Uva.</i>																								
Badulla	6,487	7,361	10	12	22	14	17	31	—	—	10	21	35.19	31.20	33.59	37.06	27.15	10	455	377	75.9	7.08		
Lunugala	515	629	1	—	—	6	5	11	—	—	11	—	18.73	27.05	—	—	—	—	—	—				
<i>Sabaragamuwa.</i>																								
Ratnapura	5,476	7,543	7	6	13	18	11	29	—	—	17	12	20.29	30.07	18.73	21.23	41.54	2	154	121	81.4	26.40		
Kegalla	2,536	2,712	6	7	13	8	10	18	—	—	13	5	56.44	27.67	21.71	19.91	13.59	2	154	264				

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-consideration of the several populations in 1911 as compared with that of the Island.
b Blanks indicate that there are no observations or rain gauges.
c Includes population of the Negombo Local Board and registration area.
d This increase of population is due to the extension of the town limits.
e Estimated to the end of December, 1918, by natural increase method.
f Standardized death-rates for Kelptiya and Lunugala towns not available, as the populations of these towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rates given for "All Towns" is, therefore, independent of the towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during May, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 33 Towns.	Western Province.				Central Province.			Southern Province.				Northern Province.				Eastern Province.			North-Western Province.			North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.																										
		Negombo.		Moratuwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Navalapitiya.	Horton & Dikoya.	Matale.	Navara Eliya.	Galle.	Ambalangoda.	Matara.	Waligama.	Hambantota.	Tangalle.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Batnapura.	Kegalla.	Kurupians.	Burgbers.	Sinhalese.	Tamilis.	Moors.	Malays.	Others.													
		716	65	112	54	12	28	16	32	42	24	115	10	48	20	27	101	12	8	6	92	29	28	86	54	31	30	31	11	18	7	45	1062	598	219	33	33																
All Causes	1,997	8	36	4	1	19	2	5	7	4	20	1	5	8	2	6	21	2	2	2	2	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2									
I.—Infantile Mortality	351	8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1								
A.—One Week and under.																																																					
1. Prematurity	20																																																				
2. Debility	46	12	1			3	1	1	2	1	2	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
3. Convulsions	38	10				3	1	1	1	1	4	2	5	2			5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
4. Diarrhoea																																																					
4a. Enteritis																																																					
5. Tetanus	2																																																				
6. Bronchitis																																																					
7. Pneumonia																																																					
8. Other Causes.	8*	6	1																																																		
B.—Over 1 Week and under 1 Year.																																																					
1. Prematurity	3	1																																																			
2. Debility	46	20	1																																																		
3. Convulsions	80	27	8	3																																																	
4. Diarrhoea	19	5	4																																																		
4a. Enteritis	13	5	7																																																		
5. Tetanus	3		2																																																		
6. Bronchitis	5																																																				
7. Pneumonia	28	19	1																																																		
8. Other Causes.	40†	18	3																																																		
II.—General Mortality (1 Year and over)	1,646	585	57	50	11	91	21	14	27	35	20	95	9	43	12	18	21	80	10	6	47	26	24	78	27	426	7	41	867	510	169	23	29																				
1. Plague																																																					
1a. Smallpox																																																					
2. Chickenpox																																																					
3. Measles																																																					

* These are due to 2 deaths from Atelectasis (in Colombo) and 1 each from Thrush, Hemorrhage, Umbilical Hernie, and Enlarged Thyms (in Colombo), Pyrexia (in Negombo), and Infanticide (in Galle).
† This includes, besides 18 deaths mentioned in Table IV., footnote 1, 5 deaths from Stomatitis (3 in Moratuwa and 2 in Negombo), 4 deaths from Influenza (in Moratuwa), 4 deaths from Malaria (2 in Anuradhapura and 1 each in Chilaw and Mannar), and 1 each from Other Diseases of the Ear (in Negombo), Worms (in Moratuwa), Abscess (in Kandy), Pyæmia (in Jaffna), Dysentery (in Kurunegala), Whooping Cough (in Jaffna), Diseases of the Bladder (in Puttalam), Nephritis (in Jaffna), and Erysipelas (in Badulla).

Table III.—Number of Births and Deaths registered during the Month of May, 1919, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for May, 1909 to 1918, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population Estimated to Middle of 1919 by Inter-censal Increase.	Total Births registered.			Stillbirths.			Total Deaths including Deaths in Hospitals and Vials.			Per Mille per Annum.			Mortality of Children under one Year.							
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Non-residents.	Deaths of Residents.	Average for May, 1909 to 1918.	Death-rate.	Standardized Death-rate.*	Number registered during May, 1919.	Its proportion to 1000 births registered during May, 1919.				
																			Mortality of Children under one Year.			
			Number registered during May, 1919.	Its proportion to 1000 births registered during May, 1919.	Number registered during May, 1919.	Its proportion to 1000 births registered during May, 1919.																
City of Colombo ..	219,557	285,795	297	256	553	42	13	25	410	308	716	79	687	22.78	21.68	26.24	22.39	30.44	131	237	255	
Fort and Galle Face	3,612	3,612†	—	—	—	—	—	—	7	—	7	4	3	—	1.37	10.05	—	—	—	—	—	—
Pettah ..	7,974	7,974†	3	2	5	—	—	—	5	—	5	—	5	7.38	3.34	7.38	8.13	—	1	200	356	
Sain Sebastian ..	11,546	13,780	16	11	27	—	—	1	11	9	20	—	20	23.07	16.37	17.08	18.37	—	6	222	294	
St. Paul's ..	24,735	29,210	11	13	24	—	—	—	24	20	44	—	44	9.67	15.24	17.73	19.29	—	10	417	289	
Kotahena ..	40,771	48,168	47	46	93	2	1	3	54	50	104	—	104	22.73	19.00	25.42	19.22	—	26	280	300	
New Bazaar ..	22,309	27,302	22	22	44	1	1	2	20	29	49	—	49	18.94	19.58	21.08	21.28	—	16	364	366	
Maradana Hospitals			76	63	139	4	5	9	161	99	260	64	196	—	—	—	—	—	22	—	—	—
Maradana (exclusive of Hospitals) ..	48,093	70,574	55	44	99	2	2	4	75	50	125	—	125	16.51	18.36	20.85	18.88	—	26	263	314	
Slave Island ..	21,984	27,353	21	22	43	2	1	3	18	19	37	2	35	18.50	22.32	15.06	20.21	—	7	163	162	
Kollupitiya ..	25,410	39,878	22	14	36	1	—	1	24	12	36	9	27	10.62	11.43	7.97	9.93	—	9	250	296	
Wellawatta ..	13,223	17,984	24	19	43	—	2	2	11	18	29	—	29	28.15	34.96†	18.98	27.15†	—	8	186	178	

* For explanation of "standardized death-rate" see note a, Table I. The population of the several wards of the city not being available by age- and sex-consentation, their standardized death-rates cannot be calculated.

† The population of these wards being a fluctuating one, their population cannot be estimated to the middle of 1919. Hence the Census figures are retained.

‡ Average for months of May, 1912-1918.

Table IV.—Causes of Deaths registered during the Month of May, 1919, in each Ward and of each Race in the City of Colombo.

Causes of Death.	Wards.												Deaths among all Races.						
	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	716	7	5	20	44	104	49	260	125	37	36	29	8	25	416	130	100	15	27
I.—Infantile Mortality	131	—	1	6	10	28	16	22	26	7	9	8	—	2	77	21	25	4	2
A.—One Week and under.																			
1. Prematurity ..	8	—	—	—	1	1	—	4	—	2	—	—	—	—	6	2	—	—	—
2. Debility ..	12	—	—	1	3	3	2	2	4	—	—	—	—	2	7	1	2	—	—
3. Convulsions ..	10	—	—	1	3	3	1	—	1	—	—	—	—	—	1	5	2	1	1
4. Diarrhœa ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	6*	—	—	—	—	—	—	4	—	—	1	1	—	—	4	—	1	1	—
B.—Over 1 Week and under 1 Year.																			
1. Prematurity ..	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
2. Debility ..	20	—	—	—	1	6	2	3	6	1	1	—	—	—	14	3	3	—	—
3. Convulsions ..	27	—	1	1	2	5	6	—	7	1	2	—	—	—	15	4	7	1	—
4. Diarrhœa ..	5	—	—	—	—	2	—	—	—	—	—	—	—	—	4	—	—	—	—
4a. Enteritis ..	5	—	—	1	—	—	1	2	1	—	—	—	—	—	3	—	2	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	19	—	—	1	1	3	3	4	5	—	1	1	—	—	11	3	5	—	—
8. Other Causes ..	18†	—	—	1	2	3	1	2	2	3	4	—	—	—	11	3	3	1	—
II.—General Mortality (1 Year and over)	585	7	4	14	34	78	33	238	99	30	27	21	3	23	339	109	75	11	25
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox ..	2	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5. Influenza ..	70	—	2	7	12	16	6	5	7	7	1	7	—	2	36	23	9	—	—
6. Pyrexia or Fever ..	4	—	—	—	1	—	—	—	1	1	1	—	—	1	—	2	1	—	—
7. Enteric Fever..	11	—	—	—	—	4	1	4	—	2	—	—	—	—	7	1	—	1	2
8. Malaria ..	2	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—
9. Malarial Cachexia ..	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhœa ..	5	1	—	—	2	1	—	—	—	—	—	1	—	—	1	4	—	—	—
11a. Enteritis ..	16	—	—	—	—	2	1	11	1	—	—	—	—	1	8	3	3	—	1
12. Dysentery ..	8	—	—	—	1	—	—	4	—	—	3	—	—	—	7	1	—	—	—
13. Anchylostomiasis or Dochmius Duodenalis ..	23	—	—	—	—	1	—	21	1	—	—	—	—	1	17	4	1	—	—
14. Cancer ..	5	—	—	—	—	—	—	2	1	—	1	1	1	1	3	—	—	—	—
15. Phthisis ..	62	2	—	1	2	8	6	33	3	2	4	1	—	2	34	15	6	3	2
16. Other Tuberculous Diseases ..	2	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—
17. Anæmia ..	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
18. Diabetes Mellitus ..	4	—	1	—	—	—	—	—	3	—	—	—	—	—	4	—	—	—	—
19. Convulsions ..	2	—	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—
20. Tetanus ..	3	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—	—	—
21. Bronchitis ..	4	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	2	—	1
22. Pneumonia ..	139	—	—	—	3	14	2	73	37	6	1	3	—	5	86	27	10	2	9
23. Other Diseases of the Respiratory System ..	10	—	—	1	—	2	—	5	1	1	—	—	—	—	5	2	1	—	2
24. Bright's Disease and Nephritis ..	17	—	—	—	—	5	2	6	2	—	1	1	—	1	13	—	2	—	1
25. Puerperal Eclampsia ..	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
26. Puerperal Septicæmia ..	7	—	—	—	—	2	1	2	1	1	—	—	—	—	3	1	3	—	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	4	—	—	—	—	—	—	2	1	1	—	—	—	—	3	—	1	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence ..	11	2	—	—	—	—	—	7	2	—	—	—	—	—	7	2	1	—	1
31. Homicide ..	4	1	—	—	—	1	—	2	—	—	—	—	—	—	4	—	—	—	—
32. Suicide ..	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1
33. Execution ..	3	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—	—
34. All Other Causes ..	161†	—	1	5	10	22	12	53	33	8	13	4	1	8	87	23	33	5	4

* Two deaths from Atelectasis and 1 each from Hæmorrhage, Umbilical Hernia, Enlarged Thymus, and Thrush.

† Five deaths from Influenza, 3 from Thrush, 2 from Syphilis, 2 from Worms, and 1 each from Rickets, Dropsy, Nephritis, Enteric Fever, Want of Breast Milk, and Gastritis.

‡ Here are included 39 deaths from Old Age, 15 from Worms, 14 from Debility, and 11 each from Rickets and Marasmus.