

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 7,044 — FRIDAY, AUGUST 15, 1919.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF JUNE, 1919.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,176 (623 males and 553 females), and was equivalent to an annual rate of 22·03 per 1,000, against 27·03 in the preceding month, 24·57 in the corresponding month of last year, and 25·50 the average for the corresponding months since 1909. The rate ranged from 5·29 in Ambalangoda to 60·35 in Batticaloa.

3. In the city of Colombo the births registered numbered 438 (233 males and 205 females), and were equivalent to an annual rate* of 18·65 per 1,000, against 22·78 in the preceding month, 18·34 in the corresponding month of last year, and 20·96 the average for the corresponding months since 1909. The rate ranged from 6·41 in Kollupitiya to 24·36 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,940 (1,067 males and 873 females). There were 1,566 deaths of residents in towns, equivalent to an annual rate of 31·98 per 1,000, against 31·62 in the preceding month, 22·56 in the corresponding month of last year, and 27·02 the average for the month of June in each year since 1909. The rate ranged from 99·90 in Batticaloa to 12·84 in Nuwara Eliya.

5. In the city of Colombo the deaths numbered 706 (398 males and 308 females). There were 633 deaths of residents, equivalent to an annual rate* of 31·26 per 1,000, against 30·44 in the preceding month, 20·56 in the corresponding month of last year, and 27·43 the average for the month of June in each year since 1909. The rate ranged from 32·47 in Wellawatta to 11·90 in Kollupitiya.

6. The stillbirths registered numbered 48 (22 males and 26 females), against 62 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 223 per 1,000 births registered during the twelve months ended June 30, 1919. Reckoned on the births registered during the month only the rate was 270, against 235 in the preceding month, 232 in the corresponding month of last year, and 257 the average for the corresponding months since 1909.

8. In the city of Colombo the mortality of infants was equal to a rate of 241 per 1,000 births registered during the twelve months ended June 30, 1919. Reckoned on the births registered during the month only the rate was 274, against 237 in the preceding month, 271 in the corresponding month of last year, and 302 the average for the corresponding months since 1909.

Causes of Death.

9. The highest mortality was attributed to *Pneumonia*, to which 22 per cent. of the total deaths was due, 10 per cent. was due to *Influenza*, 7 per cent. to *Debility*, 6 per cent. to *Convulsions*, 5 per cent. each to *Diarrhœa* and *Phthisis*, 4 per cent. each to *Enteritis* and *Anchylostomiasis*, 3 per cent. each to *Dysentery* and *Malaria* and *Malarial Cachexia*, 2 per cent. to *Bright's Disease* and *Nephritis*, and 1 per cent. each to *Enteric Fever*, *Bronchitis*, *Puerperal Septicæmia*, and *Prematurity*.

10. In the city of Colombo too the highest mortality was attributed to *Pneumonia*, to which 21 per cent. of the total deaths was due, 15 per cent. was due to *Influenza*, 7 per cent. each to *Debility* and *Phthisis*, 5 per cent. each to *Convulsions* and *Enteritis*, 3 per cent. to *Dysentery*, 2 per cent. each to *Diarrhœa* and *Enteric Fever*, and 1 per cent. each to *Bronchitis* and *Prematurity*.

11. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 113 cases were reported (103 in Colombo), followed by *Enteric Fever* 52 (41 in Colombo), *Chickenpox* 35 (22 in Colombo, 5 in Gampola), *Continued Fever* 14 (7 in Colombo, 6 in Kandy), *Mumps* 12 (8 in Colombo), *Measles* 9 (8 in Colombo), *Diphtheria* 5 (in Colombo), *Acute Diarrhœa* 4 (3 in Batticaloa), *Dysentery* 1 (in Moratuwa), and *Whooping Cough* 1 (in Batticaloa).

Meteorology.

12. *Rainfall.*—Nawalapitiya recorded the highest rainfall (29·76 inches), followed by Hatton (26·55 inches). In the other towns the rainfall ranged from 11·12 inches in Gampola to 0·35 of an inch in Lunugala. Colombo recorded 3·59 inches.

13. *Temperature.*—The mean temperature varied from 60·6° in Nuwara-Eliya to 85·6° in Batticaloa, and was 81·9° in Colombo.

14. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, July 23, 1919.

W. L. KINDERSLEY,
Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during June, 1919, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1909, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population of (inclusive of the Military at the Census of March 10, 1911).	Population estimated to the Middle of 1919 by Inter-censal Increase.		Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town Residents.	Birth-rate.		Death-rate excluding non-residents.		Mortality of Children under One Year.			Rainfall in Inches.	Mean Temperature.
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		Persons.	Persons.	June, 1919.	Average Birth-rate for June, 1909-1918.	Crude, June, 1919.	Standardized, June, 1919.	Average Death-rate for June, 1909-1918.		
All 33 Towns	517,377	649,472	623,553	1,067	873	1,940	48	364	1,566	22.03	25.50	29.34	31.98	27.02	317	270	223	81.9	3.59
<i>Western.</i>																			
Colombo	219,557	285,795	233,205	398	308	706	10	68	633	18.65	20.96	26.95	31.26	27.43	120	274	241	81.9	3.79
Negombo	13,045	27,033 ^c	34	35	74	2	2	7	67	28.35	30.36	30.15	31.54	22.03	14	222	188	—	—
Moratuwa	27,256	30,902	46	23	69	1	1	3	122	27.17	35.37	48.03	62.97	28.01	32	464	347	—	—
Kalutara	13,005	14,386	22	17	39	1	1	10	36	32.98	30.24	30.44	30.25	23.57	3	77	80	—	—
Panadura	5,709	7,936	4	2	6	1	1	5	10	9.20	17.69	15.33	16.96	16.96	1	167	84	—	—
<i>Central.</i>																			
Kandy	30,149	33,197	42	31	73	—	—	31	77	26.75	27.67	28.22	30.76	28.99	23	315	274	76.6	7.32
Gampola	5,521	7,580	7	9	16	—	—	9	23	25.78	33.80	37.06	33.46	33.28	5	313	287	11.12	11.12
Nawalapitiya	3,767	4,051	3	9	12	—	—	—	28	35.95	28.45	83.88	91.19	51.55	2	167	325	—	—
Hatton and Dikoya.	3,025	3,187	3	1	4	—	—	30	10	15.27	21.55	38.18	44.59	31.94	3	750	419	20.76	20.76
Matale	5,732	8,073 ^d	9	10	19	—	—	26	26	28.63	35.90	39.18	45.03	34.39	4	211	176	—	—
Nuwara Eliya	14,910	16,131 ^e	7	7	14	—	—	6	14	11.26	14.37	11.26	12.84	10.59	6	429	285	60.6	9.36
<i>Southern.</i>																			
Galle	39,936	42,418	46	51	97	3	2	22	94	27.82	26.68	26.96	26.40	23.38	22	227	227	80.6	6.48
Ambalangoda	4,604	4,604	1	1	2	—	—	3	3	5.29	—	7.93	—	—	—	—	—	—	—
Matara	13,851	17,529 ^d	14	14	28	—	—	10	38	19.43	33.81	26.38	25.84	21.62	4	143	77	—	—
Weligama	8,672	9,884	8	8	16	—	—	—	21	20.10	26.79	26.38	23.77	17.05	5	313	176	—	—
Hambantota	3,092	3,318	5	5	10	—	—	3	9	36.67	32.03	33.00	36.90	28.21	2	200	188	—	—
Tangalla	3,505	6,187 ^d	7	13	20	—	—	3	11	39.33	35.73	22.63	22.11	32.90	2	100	118	82.3	2.88
<i>Northern.</i>																			
Jaffna	40,441	46,858	42	35	77	4	3	6	84	19.99	32.45	21.81	22.28	27.47	20	260	170	83.0	3.38
Mannar	3,777	4,191	4	1	5	—	—	2	8	14.52	35.70	23.23	25.57	33.61	1	200	103	83.6	1.59
Mullaitivu	1,392	1,466	3	2	5	—	—	—	4	41.49	30.51	33.19	14.00	44.53	3	600	675	—	—
Vavuniya	808	1,087	—	—	—	—	—	—	6	—	14.03	67.15	91.19	37.19	—	—	—	—	—
<i>Eastern.</i>																			
Batticaloa	10,671	11,290	26	30	56	1	2	3	94	60.35	33.91	101.30	99.90	41.92	18	321	461	85.6	1.51
Kalmunai	—	2,124	3	3	6	—	—	7	10	17.18	37.79	57.27	—	—	—	—	—	—	—
Trincomalee	8,840	11,136	9	10	19	2	2	—	13	20.75	26.15	14.20	15.59	35.50	3	158	123	85.0	2.23
<i>North-Western.</i>																			
Kurunegala	8,167	9,931	13	9	22	—	—	30	45	26.95	25.44	55.13	56.64	36.44	12	545	488	80.5	5.55
Puttalam	5,990	6,830	4	7	11	—	—	5	9	19.59	26.08	16.00	17.15	30.26	1	91	50	82.0	1.59
Kalpiya	1,591	1,691	1	1	2	—	—	—	1	7.19	18.99	7.19	—	—	—	—	—	—	—
Chilaw	5,033	6,274 ^d	3	1	4	—	—	3	18	7.76	31.14	34.90	33.46	22.95	4	—	248	—	—
<i>North-Central.</i>																			
Anuradhapura	5,361	7,358	3	6	9	—	—	4	19	14.88	18.55	31.41	38.49	52.37	1	111	66	81.8	2.76
<i>Uva.</i>																			
Badulla	6,487	7,361 ^d	9	9	18	—	—	21	17	29.75	30.62	28.10	31.00	27.80	3	167	118	75.4	0.88
Lunugala	515	629	—	—	—	—	—	12	—	—	29.93	—	—	—	—	—	—	—	—
<i>Sabaraгамuwa.</i>																			
Ratnapura	5,476	7,543 ^d	11	5	16	—	—	25	10	25.80	26.20	16.13	18.28	44.04	2	125	122	80.8	10.31
Kegalla	2,536	2,712	1	3	4	—	—	12	6	17.94	25.85	26.92	24.69	27.26	1	140	140	—	—

^a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the island. ^b Blank indicates that there are no observatories or rain gauges. ^c Includes population of the Negombo Local Board and registration area. ^d This increase of population is due to the extension of the town limits. ^e Estimated to the end of December, 1918, by natural increase method. ^f Standardized death-rates for Kalpiya and Lunugala towns not available, as the populations of these towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rates given for "All Towns" is, therefore, independent of the towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during June, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	Western Province.				Central Province.				Southern Provinces.				Northern Province.				Eastern Province.				North-Western Provinces.				North-Central Provinces.		Province of Sabaragamuwa.		Deaths among all Races.												
	Colombo.	Negombo.	Moratuwa.	Katara.	Panadura.	Kandy.	Gampola.	Nawalapitiya.	Hatton & Dikroya.	Matale.	Nuwara Eliya.	Galle.	Ambalangoda.	Matale.	Wiligama.	Hambantota.	Tangalla.	Jafna.	Mannar.	Mullaitivu.	Batticaloa.	Kalmunai.	Tincomalee.	Kurunegala.	Puttalam.	Kapitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
All Causes	706	74	125	46	15109	3228	40	5221	116	348	2112	14	9110	4	797	17	18	75	14	121	23	38	12	36	18	3	54	994	601	215	87	81	8	54	994	601	215	87	81		
I.—Infantile Mortality	120	14	32	8	1	23	5	2	3	4	6	22	4	5	2	2	20	1	3	18	3	12	1	3	2	1	8	174	75	43	12	5	—	—	—	—	—	—	—		
A.—One Week and under.	15	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity ..	42	10	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes.	6*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1. Prematurity ..	58	25	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility ..	53	16	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions ..	12	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea ..	16	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus ..	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis ..	35	20	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia ..	43†	21	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and over)	1,623	586	60	93	43	14	86	27	26	37	48	15	94	34	16	10	12	71	9	1	77	17	10	63	13	117	22	38	12	34	17	8	46	820	526	172	25	26	—	—	—
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1a. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* These are due to 2 deaths from Malformation (in Colombo), 1 each from Intestinal Obstruction (in Moratuwa), Atelectasis (in Matara), Influenza (in Weligama), and Cancer (in Colombo).
 † This includes, besides 21 deaths mentioned in Table IV, footnotes †, 4 deaths from Malaria (3 in Negombo and 1 in Chilaw), 4 deaths from Stomatitis (in Moratuwa), 3 deaths from Dysentery (1 each in Hambantota, Mannar, and Batticaloa), 3 deaths from Infinitenza (in Moratuwa), 2 deaths from Syphilis (1 each in Kandy and Galle), 2 deaths from Marasmus (in Moratuwa), and 1 each from Pyrexia (in Negombo), Nephritis (in Jafna), and Abdominal Tuberculosis (in Kandy).

Table III.—Number of Births and Deaths registered during the Month of June, 1919, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for June, 1909 to 1918, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population Estimated to Middle of 1919 by Inter-censal Increase.	Total Births registered.			Stillbirths.			Total Deaths including Deaths in Hospitals and Jails.			Deaths of Non-residents.	Deaths of Residents.	Per Mille per Annum.						Mortality of Children under one Year.		
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.			Average for June, 1909 to 1918.	Death-rate.		Standardized Death-rate.*	Number registered during June, 1919.	Its proportion to 1000 births registered during June, 1919.	Its proportion to 1000 births registered during the year ended June, 1919.		
															June, 1919.	Average for June, 1909 to 1918.					June, 1919.	Average for June, 1909 to 1918.
			283	205	488	10	9	19	398	308	706			73	633	18.65	20.96	26.95	24.14	81.26	120	274
City of Colombo ..	219,557	285,795	283	205	488	10	9	19	398	308	706	73	633	18.65	20.96	26.95	24.14	81.26	120	274	241	
Fort and Gale Face ..	3,512	3,512†	—	1	1	—	—	—	1	—	1	1	—	3.46	1.21	—	9.92	—	—	—	—	
Pettah ..	7,974	7,974†	—	1	1	—	—	—	2	—	2	—	2	1.53	3.72	3.06	7.36	—	—	—	—	
San Sebastian ..	11,546	13,780	8	8	16	1	—	1	18	5	23	—	23	14.13	17.23	20.31	18.36	—	7	438	352	
St. Paul's ..	24,755	29,210	12	15	27	1	1	2	28	24	52	—	52	11.25	13.36	21.66	20.03	—	9	333	272	
Kotahena ..	40,771	48,168	34	27	61	—	1	1	52	51	103	—	103	15.48	20.25	20.02	20.15	—	24	393	322	
New Bazaar ..	22,309	27,362	28	7	35	1	—	1	29	25	54	—	54	15.56	19.56	24.01	21.02	—	11	314	264	
Maradana Hospitals			59	63	122	3	5	8	137	79	216	65	151	—	—	—	—	—	14	—	—	
Maradana (exclusive of Hospitals) ..	48,093	70,574	41	34	75	2	—	2	53	54	107	1	106	12.93	17.16	18.27	21.19	—	21	280	262	
Slave Island ..	21,984	27,353	23	20	43	2	—	2	26	30	56	1	55	19.13	19.15	24.46	22.33	—	12	279	287	
Kollupitiya ..	25,410	39,878	7	14	21	—	—	—	20	24	44	5	39	6.41	11.85	11.90	11.49	—	7	333	243	
Weilawatta ..	13,223	17,984	21	15	36	—	2	2	32	16	48	—	48	24.36	28.14†	32.47	30.50†	—	15	417	348	

* For explanation of "standardized death-rate" see note a, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1919. Hence the Census figures are retained.

‡ Average for months of June, 1913-1918.

Table IV.—Causes of Deaths registered during the Month of June, 1919, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.	Wards.											Deaths among all Races.						
		Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	706	1	2	23	52	103	54	216	107	56	44	48	8	34	358	143	110	28	25
I.—Infantile Mortality	120	—	—	7	9	24	11	14	21	12	7	15	—	3	60	22	22	9	4
<i>A.—One Week and under.</i>																			
1. Prematurity ..	6	—	—	1	—	—	—	2	—	2	1	—	—	—	2	3	—	—	1
2. Debility ..	10	—	—	1	1	2	1	3	1	—	1	—	—	—	4	4	—	1	1
3. Convulsions ..	9	—	—	2	2	3	—	1	—	—	1	—	—	—	2	1	6	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	3*	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																			
1. Prematurity ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
2. Debility ..	25	—	—	—	—	7	3	2	8	3	—	2	—	—	13	2	6	4	—
3. Convulsions ..	16	—	—	1	1	3	3	—	4	—	1	3	—	1	7	2	5	1	—
4. Diarrhoea ..	2	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
4a. Enteritis ..	4	—	—	—	1	2	—	—	—	—	—	1	—	—	1	3	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	3	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	1	1
7. Pneumonia ..	20	—	—	1	—	6	1	2	2	4	2	2	—	1	13	3	1	2	—
8. Other Causes ..	21†	—	—	2	4	2	2	3	3	—	3	2	—	1	11	4	4	—	1
II.—General Mortality (1 Year and over)	586	1	2	16	43	79	43	202	86	44	37	33	8	31	298	121	88	19	21
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	96	—	1	7	17	21	10	4	12	4	12	8	—	5	52	14	19	1	5
6. Pyrexia or Fever ..	2	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—
7. Enteric Fever..	13	—	—	—	—	—	—	11	1	—	1	—	1	2	7	1	1	1	1
8. Malaria ..	5	—	—	—	1	—	1	3	—	—	—	—	—	—	2	2	1	—	—
9. Malarial Cachexia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	11	—	—	—	1	5	2	1	—	—	1	1	—	—	3	5	2	—	—
11a. Enteritis ..	30	—	—	—	—	3	2	21	1	1	2	—	—	1	16	8	4	—	1
12. Dysentery ..	18	—	—	1	—	2	1	2	4	3	4	1	1	2	8	4	3	—	—
13. Anchylostomiasis or Doohmius																			
Duodenalis ..	6	—	—	—	1	—	—	5	—	—	—	—	—	—	4	1	1	—	—
14. Cancer ..	4	—	—	—	—	—	—	3	—	—	1	—	1	—	2	1	—	—	—
15. Phthisis ..	46	—	1	1	3	8	4	18	3	5	1	2	—	1	28	9	4	1	3
16. Other Tuberculous Diseases ..	2	—	—	—	—	1	—	1	—	—	—	—	—	—	2	—	—	—	—
17. Anæmia ..	3	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	2	—	—
18. Diabetes Mellitus ..	5	—	—	—	—	1	2	—	2	—	—	—	—	1	3	—	—	1	—
19. Convulsions ..	12	—	—	1	2	2	3	—	1	1	1	1	—	1	8	2	1	—	—
20. Tetanus ..	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
21. Bronchitis ..	8	—	—	—	—	3	—	—	2	1	1	1	—	1	3	2	1	1	—
22. Pneumonia ..	127	—	—	3	5	14	5	68	19	9	1	3	1	6	54	36	16	6	8
23. Other Diseases of the Respiratory System	9	—	—	—	1	—	—	6	—	1	1	—	1	—	5	2	—	—	1
24. Bright's Disease and Nephritis ..	5	—	—	—	1	—	1	3	—	—	—	—	—	—	4	1	—	—	—
25. Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicæmia ..	2	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	1	—	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	2	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence ..	11	—	—	—	—	2	—	7	—	—	—	2	—	—	5	5	—	—	—
31. Homicide ..	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	1
32. Suicide ..	2	—	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—	—	—
33. Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes ..	162‡	1	—	2	11	16	9	44	40	17	8	14	3	9	85	25	31	8	1

* Two deaths from Malformation and 1 from Cancer.

† Ten deaths from Influenza, 3 from Syphilis, 2 from Ricketts, and 1 each from Gonococcus Infection, Starvation, Meningitis, Ulcer, other General Diseases, and Catarrh.

‡ Here are included 55 deaths from Old Age, 9 from Intestinal Parasites, 12 from Paralysis, 11 from Marasmus, 5 from Ricketts, 16 from Debility, and 1 from Syphilis.