

SUPPLEMENT  
TO THE  
**Ceylon Government Gazette**  
PART I.

No. 7,105 — FRIDAY, MAY 28, 1920.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF MARCH, 1920.**

**REPORT OF THE REGISTRAR-GENERAL.**

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

**Births.**

2. The number of births registered was 1,495 (789 males and 706 females), and was equivalent to an annual rate of 26·56 per 1,000, against 27·95 in the preceding month, 28·08 in the corresponding month of last year, and 30·00 the average for the corresponding months since 1910. The rate ranged from 2·50 in Ambalangoda to 44·01 in Kalmunai.

3. In the city of Colombo the births registered numbered 560 (300 males and 260 females), and were equivalent to an annual rate of 22·39 per 1,000, against 22·44 in the preceding month, 22·00 in the corresponding month of last year, and 24·98 the average for the corresponding months since 1910. The rate ranged from 10·94 in Kollupitiya to 36·65 in Wellawatta.

**Deaths.**

4. The total deaths registered during the month numbered 1,924 (1,074 males and 850 females). There were 1,460 deaths of residents in towns, equivalent to an annual rate of 28·27 per 1,000, against 34·05 in the preceding month, 28·69 in the corresponding month of last year, and 28·44 the average for the month of March in each year since 1910. The rate ranged from 95·48 in Mullaitivu to 7·89 in Hambantota.

5. In the city of Colombo the deaths numbered 579 (335 males and 244 females). There were 493 deaths of residents, equivalent to an annual rate of 22·87 per 1,000, against 28·35 in the preceding month, 24·33 in the corresponding month of last year, and 26·23 the average for the month of March in each year since 1910. The rate ranged from 23·13 in Slave Island to 8·13 in Kollupitiya.

6. The stillbirths registered numbered 85 (50 males and 35 females), as against 90 in the preceding month.

**Infant Mortality.**

7. The mortality of infants under one year of age was equal to a rate of 255 per 1,000 births registered during the twelve months ended March 31, 1920. Reckoned on the births registered during the month only the rate was 233, against 232 in the preceding month, 240 in the corresponding month of last year, and 220 the average for the corresponding months since 1910.

8. In the city of Colombo the mortality of infants was equal to a rate of 269 per 1,000 births registered during the twelve months ended March 31, 1920. Reckoned on the births registered during the month only the rate was 238, against 211 in the preceding month, 264 in the corresponding month of last year, and 237 the average for the corresponding months since 1910.

**Causes of Death.**

9. Ten per cent. each (of the total deaths) was due to *Pneumonia* and *Debility*, 7 per cent. each to *Convulsions*, *Anchylostomiasis*, and *Diarrhœa*, 5 per cent. each to *Dysentery*, *Enteritis*, *Phthisis*, and *Malaria* and *Malarial Cachexia*, 3 per cent. each to *Enteric Fever* and *Bright's Disease* and *Nephritis*, 2 per cent. to *Influenza*, and 1 per cent. each to *Prematurity* and *Bronchitis*.

10. In Colombo the largest number of deaths was due to *Pneumonia*, which caused 13 per cent. of the total deaths, 10 per cent. was due to *Debility*, 9 per cent. to *Phthisis*, 8 per cent. to *Convulsions*, 6 per cent. each to *Enteritis* and *Enteric Fever*, 3 per cent. each to *Diarrhœa*, *Influenza*, and *Bright's Disease* and *Nephritis*, and 2 per cent. each to *Bronchitis*, *Dysentery*, *Cancer*, and *Anchylostomiasis*.

11. Three deaths from *Plague* were registered in Colombo, as against 18 in the preceding month and 4 in the corresponding month of last year. There were registered 1 death from *Smallpox* and 4 from *Measles* in Colombo.

12. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Measles*, of which 272 cases were reported (215 in Colombo, 27 in Kandy, 7 in Moratuwa). *Chickenpox* followed with 210 cases (175 in Colombo, 10 in Galle, 7 in Hatton and Dikoya), *Phthisis* 118 (102 in Colombo, 6 in Kandy), *Enteric Fever* 89 (56 in Colombo, 9 in Galle, 5 in Moratuwa), *Continued Fever* 38 (10 in Colombo, 9 in Galle, 8 each in Moratuwa and Kandy), *Mumps* 8 (4 in Kandy), *Dysentery* 6 (5 in Kurunegala), *Smallpox* 5 (in Colombo), *Whooping Cough* 5 (4 in Mannar), *Diphtheria* 4 (in Colombo), *Plague* 2 (in Colombo), and *Acute Diarrhœa* 1 (in Colombo).

**Meteorology.**

13. *Rainfall.*—Ratnapura recorded the highest rainfall (11·66 inches), followed by Kurunegala (10·40 inches). In other towns it ranged from 10·34 inches in Negombo to 0·30 of an inch in Mullaitivu. Colombo recorded 5·95 inches.

14. *Temperature.*—The mean temperature varied from 58·8° in Nuwara Eliya to 84·3° in Trincomalee, and was 81·4° in Colombo.

15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,  
Colombo, April 30, 1920.

N. W. MORGAPPAH,  
Acting Registrar-General.







Table III.—Number of Births and Deaths registered during the Month of March, 1920, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for March, 1910 to 1919, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population Estimated to Middle of 1920 by Inter-censal Increase.	Total Births registered.			Stillbirths.			Total Deaths (including Deaths in Hospitals and Jails).			Per Mile per Annum.				Mortality of Children under one Year.				
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Birth-rate.*	Death-rate.*		Standardized Death-rate.†	Number registered during March, 1920.	Its proportion to 1,000 births registered during March, 1920.	Its proportion to annum to 1,000 births registered during the year ended last day of Mar., 1920.		
													Average for Mar., 1910 to 1919.	March, 1920.					Average for Mar., 1910 to 1919.	
			300.	260.	560.	26.	18.	44.	835.	244.	579.	493.	22.89.	24.98.	19.71.	22.93.	22.87.	133.	238.	269.
City of Colombo ..	219,557	295,292	300	260	560	26	18	44	835	244	579	493	22.89	24.98	19.71	22.93	22.87	133	238	269
Fort and Galle Face	3,512	3,512†	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pettah ..	7,974	7,974†	—	3	3	2	1	3	7	3	10	10	4.44	4.96	14.81	8.22	—	2	—	787
San Sebastian ..	11,546	14,075	16	10	26	1	—	1	7	5	12	12	21.81	19.71	10.07	17.12	—	7	269	383
St. Paul's ..	24,735	29,799	21	10	31	1	—	1	23	18	41	41	12.28	16.45	16.24	20.65	—	15	484	440
Kotahena ..	40,771	49,143	51	58	109	5	2	7	47	34	81	81	26.19	25.13	19.46	22.31	—	17	156	202
New Bazaar ..	22,309	28,040	27	23	50	1	3	4	30	18	48	48	21.05	23.96	20.21	22.14	—	17	340	429
Maradana Hospitals			54	42	96	12	10	22	109	71	180	103	—	—	—	—	—	16	—	—
Maradana (exclusive of Hospitals) ..	48,093	73,894	66	44	110	2	—	2	43	40	83	83	17.58	20.04	13.26	18.24	—	27	245	319
Slave Island ..	21,984	28,078	20	18	38	1	2	3	32	23	55	55	15.98	21.94	23.13	20.38	—	13	342	302
Kollupitiya ..	25,410	42,092	20	19	39	—	—	—	21	17	38	29	10.94	13.50	8.13	10.87	—	9	231	309
Wellawatta ..	13,223	18,685	25	33	58	1	—	1	16	15	31	31	36.65	32.96§	19.59	27.03§	—	10	172	227

\* The city rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† For explanation of "standardized death-rate" see note a, Table I.

‡ The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

§ Average for months of March, 1912-1919.

The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated. Hence the Census figures are retained.

Table IV.—Causes of Deaths registered during the Month of March, 1920, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.	Wards.										Deaths among all Races.							
		Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	579	—	10	12	41	81	48	180	83	55	38	31	2	29	316	94	92	17	29
<b>I.—Infantile Mortality</b>	<b>133</b>	<b>—</b>	<b>2</b>	<b>7</b>	<b>15</b>	<b>17</b>	<b>17</b>	<b>16</b>	<b>27</b>	<b>13</b>	<b>9</b>	<b>10</b>	<b>2</b>	<b>11</b>	<b>65</b>	<b>18</b>	<b>33</b>	<b>2</b>	<b>2</b>
<i>A.—One Week and under.</i>																			
1. Prematurity ..	5	—	—	—	—	—	—	2	—	—	2	1	2	1	2	—	—	—	—
2. Debility ..	16	—	—	—	2	4	1	1	4	2	2	1	—	1	5	4	6	1	—
3. Convulsions ..	13	—	—	2	1	2	2	—	1	1	2	2	—	1	7	2	3	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	2	—	—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	1*	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																			
1. Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	28	—	1	2	3	5	4	4	5	3	—	1	—	3	14	3	8	—	—
3. Convulsions ..	28	—	1	1	7	1	4	—	10	2	2	—	—	1	10	3	12	—	2
4. Diarrhoea ..	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
4a. Enteritis ..	14	—	—	—	—	1	3	3	2	3	—	2	—	3	9	1	1	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	2	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—
7. Pneumonia ..	12	—	—	—	1	3	1	2	1	2	1	1	—	2	8	1	1	—	—
8. Other Causes ..	10†	—	—	2	1	—	2	3	1	—	—	1	—	—	6	2	2	—	—
<b>II.—General Mortality (1 Year and over)</b>	<b>446</b>	<b>—</b>	<b>8</b>	<b>5</b>	<b>26</b>	<b>64</b>	<b>31</b>	<b>164</b>	<b>56</b>	<b>42</b>	<b>29</b>	<b>21</b>	<b>—</b>	<b>18</b>	<b>251</b>	<b>76</b>	<b>59</b>	<b>15</b>	<b>27</b>
1. Plague ..	3	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—
2. Smallpox ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	4	—	—	—	1	5	2	1	1	3	1	1	—	—	4	—	—	—	—
5. Influenza ..	15	—	2	—	1	5	2	1	1	1	1	1	—	1	8	2	2	1	1
6. Pyrexia or Fever ..	2	—	—	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—
7. Enteric Fever..	31	—	—	—	3	3	4	13	4	2	—	2	—	3	16	3	5	2	2
8. Malaria ..	4	—	—	—	—	—	—	3	1	—	—	—	—	1	1	1	1	—	—
9. Malarial Cachexia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	15	—	—	—	1	10	1	2	1	—	—	—	—	—	9	2	4	—	—
11a. Enteritis ..	20	—	—	—	—	—	4	8	4	2	1	1	—	—	11	5	2	—	2
12. Dysentery ..	11	—	—	1	2	1	—	4	—	1	2	—	—	—	5	2	—	1	3
13. Anchylostomiasis or Dochmius Duodenalis ..	10	—	—	—	—	—	—	10	—	—	—	—	—	—	7	3	—	—	—
14. Cancer ..	11	—	—	—	1	—	—	8	1	—	1	—	—	—	7	1	—	—	1
15. Phthisis ..	50	—	—	—	3	4	4	27	4	2	4	2	—	1	34	8	4	1	2
16. Other Tuberculous Diseases ..	2	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
17. Anæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus ..	3	—	—	—	—	2	1	—	—	—	—	—	—	—	2	—	1	—	—
19. Convulsions ..	8	—	—	—	1	—	2	—	3	2	—	—	—	—	5	—	3	—	—
20. Tetanus ..	4	—	—	—	1	—	—	2	1	—	—	—	—	—	1	2	—	—	1
21. Bronchitis ..	9	—	1	—	1	3	2	1	—	—	1	—	—	—	3	3	1	1	1
22. Pneumonia ..	64	—	1	—	5	7	—	28	10	8	3	2	—	1	28	14	9	4	8
23. Other Diseases of the Respiratory System ..	5	—	—	—	1	1	—	1	1	1	—	—	—	—	2	3	—	—	—
24. Bright's Disease and Nephritis ..	14	—	—	—	1	—	—	5	1	3	4	—	—	—	7	4	2	1	—
25. Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
26. Puerperal Septicæmia ..	5	—	—	—	—	1	—	3	—	—	—	—	—	—	2	2	1	—	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence ..	8	—	—	—	—	1	1	5	—	—	—	1	—	—	7	1	—	—	—
31. Homicide ..	2	—	—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	—
32. Suicide ..	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
33. Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes ..	142†	—	2	3	5	22	10	42	21	17	12	8	—	8	88	18	19	4	5

\* Due to Atelectasis.

† Three deaths from Syphilis, 2 from Ricketts, and 1 each from Bright's Disease, Influenza, Cellulitis, Sarcoma, and Enteric.

‡ Here are included 40 deaths from Old Age, 12 from Debility, 10 from Marasmus, 7 from Worms, and 6 from Paralysis.