

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 7,058 — FRIDAY, OCTOBER 17, 1919.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF AUGUST, 1919.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,043 (521 males and 522 females), and was equivalent to an annual rate of 18.91 per 1,000, against 17.71 in the preceding month, 26.82 in the corresponding month of last year, and 26.05 the average for the corresponding months since 1909. The rate ranged from 9.36 in Gampola to 42.76 in Batticaloa.

3. In the city of Colombo the births registered numbered 417 (195 males and 222 females), and were equivalent to an annual rate* of 17.18 per 1,000, against 13.55 in the preceding month, 21.70 in the corresponding month of last year, and 21.00 the average for the corresponding months since 1909. The rate ranged from 6.50 in Kollupitiya to 28.81 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,810 (1,036 males and 774 females). There were 1,425 deaths of residents in towns, equivalent to an annual rate of 28.16 per 1,000, against 33.06 in the preceding month, 21.38 in the corresponding month of last year, and 28.17 the average for the month of August in each year since 1909. The rate ranged from 37.00 in Hambantota to 11.67 in Tangalla, the high rate in Hambantota as in the previous month being due to the Cholera epidemic.

5. In the city of Colombo the deaths numbered 629 (338 males and 241 females). There were 552 deaths of residents, equivalent to an annual rate* of 26.38 per 1,000, against 25.04 in the preceding month, 19.40 in the corresponding month of last year, and 27.96 the average for the month of August in each year since 1909. The rate ranged from 26.84 in Wellawatta to 9.45 in Kollupitiya.

6. The stillbirths registered numbered 74 (49 males and 25 females), as against 57 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 211 per 1,000 births registered during the twelve months ended August 31, 1919. Reckoned on the births registered during the month only the rate was 285, against 353 in the preceding month, 206 in the corresponding month of last year, and 250 the average for the corresponding months since 1909.

8. In the city of Colombo the mortality of infants was equal to a rate of 244 per 1,000 births registered during the twelve months ended August 31, 1919. Reckoned on the births registered during the month only the rate was 292, against 413 in the preceding month, 192 in the corresponding month of last year, and 282 the average for the corresponding months since 1909.

Causes of Death.

9. The highest mortality was from *Pneumonia*, to which 13 per cent. of the total deaths was due, 9 per cent. was due to *Debility*, 6 per cent. each to *Convulsions*, *Diarrhoea*, and *Anchylostomiasis*, 5 per cent. to *Dysentery*, 4 per cent. each to *Phthisis* and *Cholera*, 3 per cent. each to *Influenza*, *Enteritis*, *Malaria* and *Malarial Cachexia*, *Bright's Disease* and *Nephritis*, and *Enteric Fever*, and 1 per cent. each to *Prematurity* and *Bronchitis*.

10. In Colombo too the highest mortality was from *Pneumonia*, to which 10 per cent. of the deaths was due, 7 per cent. each to *Phthisis* and *Debility*, 5 per cent. each to *Enteric Fever* and *Dysentery*, 4 per cent. each to *Diarrhoea*, *Enteritis*, and *Influenza*, 3 per cent. to *Anchylostomiasis*, 2 per cent. each to *Bronchitis*, *Bright's Disease* and *Nephritis*, and *Tetanus*, and 1 per cent. each to *Cancer* and *Prematurity*.

11. Two deaths from *Plague* were registered (in Colombo), as against nil in the preceding month and 1 in the corresponding month of last year. There were also registered 2 deaths from *Smallpox* and 1 from *Measles*.

12. Seventy-six deaths were registered (in Hambantota) as due to *Cholera*, as against 195 in the preceding month.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 132 cases were reported (124 in Colombo, 4 in Galle), followed by *Enteric Fever* 80 (67 in Colombo), *Cholera* 77 (76 in Hambantota and 1 in Tangalla), *Measles* 44 (39 in Colombo), *Chickenpox* 40 (22 in Colombo, 11 in Kalutara), *Continued Fever* 16 (8 in Colombo), *Mumps* 11 (7 in Colombo and 4 in Kandy), *Dysentery* 9 (4 in Kurunegala, 3 in Moratuwa), *Acute Diarrhoea* 3 (2 in Kalmunai), *Plague* 2 (in Colombo), *Diphtheria* 1 (in Colombo), *Whooping Cough* 1 (in Colombo), and *Smallpox* 1 (in Colombo).

Meteorology.

14. *Rainfall.*—Nawalapitiya recorded the highest rainfall (25.37 inches), followed by Hatton (14.21 inches). In the other towns the rainfall ranged from 9.94 inches in Ratnapura to 0.02 inch in Anuradhapura. Colombo recorded 4.47 inches.

15. *Temperature.*—The mean temperature varied from 60.4° in Nuwara Eliya to 86.6° in Trincomalee, and was 80.2° in Colombo.

16. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, September 22, 1919.

N. W. MORGAPPAH,
Acting Registrar-General.

* The city-rate is worked differently from the ward-rates, and takes into account hospital events, &c., not assignable to wards.

Table I.—Number of Births and Deaths registered during August, 1919, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1909, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (inclusive of the Military) at the Census of March 10, 1911.	Population estimated to the Middle of 1919 by Inter-censal Increase.	Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Town Residents.	Birth-rate.		Death-rate excluding non-residents.			Number registered during August, 1919.	Its proportion to 1000 births registered during the year ended the last day of Aug., 1919.	Mean Temperature.	Rainfall in Inches.					
			Males.	Females.	Males.	Females.	Males.	Females.		Males.	Females.	Crude, August, 1919.	Standardized, August, 1919.	Average, 1909-1918, for Aug.									
All 33 Towns ..	517,877	649,472	521,522	1,043	1,036	774	1,810	49	25	74	382	1,425	18.91	26.05	25.83	28.16	28.17	297	285	211	80.2	4.47	
<i>Western.</i>																							
Colombo	219,557	285,795	195,222	417	388	241	629	18	10	28	76	552	17.18	21.00	22.74	26.38	27.96	122	292	244	80.2	4.47	
Negombo	13,045	27,033	24	53	38	34	72	1	3	4	9	63	23.08	33.23	27.44	28.70	24.70	10	190	134	—	4.69	
Moratuwa	27,256	30,902	39	71	33	39	72	6	2	8	70	70	27.05	35.27	28.67	29.41	35.26	23	324	248	—	—	
Kalutara	13,005	14,386	17	26	16	17	33	—	—	—	12	21	21.28	28.70	17.19	17.08	24.39	5	192	139	—	5.98	
Panadura	5,709	7,936	5	10	8	3	11	—	—	—	4	7	14.84	17.94	10.39	12.36	27.97	—	—	—	—	—	
<i>Central.</i>																							
Kandy	30,149	33,197	23	20	43	73	131	1	1	2	47	82	15.25	25.46	29.08	31.70	29.72	9	209	111	75.6	3.82	
Gampola	5,521	7,550	4	2	6	10	13	23	9	14	9	14	9.36	29.69	21.83	22.66	38.18	2	333	119	—	5.01	
Nawalapitiya	3,767	4,061	7	3	10	20	10	30	30	30	30	30	28.99	23.87	86.97	94.55	20.63	3	300	442	—	25.37	
Hatton and Dikoya.	3,025	3,187	4	2	6	23	20	43	1	1	37	6	22.17	23.55	27.71	25.89	30.16	3	500	459	—	14.21	
Matale	5,792	8,073	1	7	8	23	23	46	1	1	27	19	11.66	28.57	27.71	31.84	33.89	2	250	97	—	3.48	
Nuwara Eliya	14,910	15,131	11	7	18	10	20	—	—	—	5	15	14.01	17.62	11.67	13.30	14.23	8	444	392	60.4	5.24	
<i>Southern.</i>																							
Galle	39,936	42,418	24	28	54	52	106	3	5	8	16	90	14.43	23.65	24.98	25.46	23.97	15	289	156	79.0	4.33	
Ambalangoda	4,604	4,604	4	6	3	7	10	—	—	—	10	10	15.34	—	25.57	—	—	2	373	243	—	—	
Matara	13,851	17,529	17	16	33	28	52	1	1	1	9	43	22.17	31.77	28.88	23.29	20.67	9	273	184	—	2.45	
Weligama	8,872	9,684	11	5	16	11	9	20	1	1	20	20	19.46	30.56	24.32	21.91	17.90	9	562	310	—	—	
Hambantota	3,092	3,318	4	3	7	51	45	96	1	1	95	95	24.84	45.75	337.10	377.00	34.76	7	—	654	81.0	0.51	
Tangalla	3,505	6,187	2	10	12	4	3	7	—	—	1	6	22.84	31.64	11.42	11.67	25.93	1	83	63	—	2.47	
<i>Northern.</i>																							
Jaffna	40,441	46,858	55	45	100	57	45	102	3	3	9	93	25.13	33.62	23.37	23.87	31.59	19	190	166	82.6	0.60	
Mannar	3,777	4,191	5	9	14	7	8	9	—	—	—	5	39.33	39.59	25.29	27.84	33.80	4	286	417	83.3	0.00	
Mullaitivu	1,392	1,466	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vavuniya	808	1,087	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Eastern.</i>																							
Batticaloa	10,671	11,290	19	22	41	25	13	38	4	7	5	33	42.76	45.01	34.42	33.94	37.87	11	268	369	85.2	0.21	
Kalmunai	—	2,124	2	3	5	10	4	14	—	—	5	9	27.71	53.67	49.88	—	—	3	600	305	—	1.02	
Trincomalee	8,840	11,136	6	13	19	9	15	24	1	1	2	22	20.09	33.25	23.26	25.53	30.97	8	421	320	86.6	0.31	
<i>North-Western.</i>																							
Kurunegala	8,167	9,931	11	5	16	38	21	59	1	1	33	26	18.97	25.00	30.82	31.67	33.46	6	375	251	80.0	2.42	
Puttalam	5,990	6,830	6	2	8	9	5	14	—	—	4	10	13.79	30.78	17.24	18.44	31.69	2	250	105	81.9	0.27	
Kalpitiya	1,591	1,691	2	2	4	2	2	4	—	—	—	4	27.85	25.09	27.85	—	—	1	250	357	—	—	
Chilaw	5,033	6,274	4	5	9	6	8	14	3	3	—	13	16.89	25.44	24.40	23.39	27.63	1	111	64	—	0.57	
<i>North-Central.</i>																							
Anuradhapura	5,361	7,368	5	2	7	14	6	20	—	—	2	18	11.20	25.68	28.80	35.29	46.16	3	429	213	83.1	0.02	
<i>Uva.</i>																							
Badulla	6,487	7,361	8	7	10	21	19	40	—	—	16	24	16.00	39.77	38.39	42.36	26.64	5	500	221	74.4	1.42	
Lunugala	515	629	2	—	—	21	12	33	1	1	31	2	37.47	23.82	37.47	—	—	—	—	—	—	—	—
<i>Sabaragamuwa.</i>																							
Ratnapura	5,476	7,543	7	3	10	16	7	23	2	2	13	10	15.61	22.46	15.61	17.70	36.79	—	—	—	79.8	9.94	
Kegalla	2,536	2,712	2	2	4	5	1	6	1	1	3	3	17.37	27.05	13.03	11.95	24.14	1	250	149	—	5.70	

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of the Island. b Includes population of the Negombo Local Board and registration area. c This increase of population is due to the extension of the town limits. d Estimated to the end of December, 1918, by natural increase method. e Standardized death-rates for Kalpitiya and Lunugala towns not available, as the population of these towns has not been enumerated at the Census of 1911 by age and sex, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rates given for "All Towns" is, therefore, independent of the towns, but is scarcely affected by their rates.

Table II.—Causes of Deaths registered during August, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 88 Towns.				Western Provinces.			Central Provinces.			Southern Provinces.			Northern Provinces.			Eastern Provinces.			North-Western Provinces.			North-Central Province.		Province of Sabaragamuwa.		Deaths among all Races.																	
	Colombo.	Negombo.	Moratuwa.	Katutura.	Pandure.	Kandy.	Gampola.	Nawalapitiya.	Hatton & Dikoya.	Matale.	Nuwara Eliya.	Galle.	Ambalangoda.	Makara.	Wiligama.	Hambantota.	Tangalla.	Jaffna.	Kannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Puttalam.	Kapitiya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Katnapura.	Kegalla.	Kurupans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.				
	629	72	72	38	11	181	28	30	43	46	20	106	10	52	20	96	7	102	9	7	2	38	14	24	59	14	4	14	20	40	33	23	6	11	46	881	583	205	49	35				
All Causes	1,810	629	72	38	11	181	28	30	43	46	20	106	10	52	20	96	7	102	9	7	2	38	14	24	59	14	4	14	20	40	33	23	6	11	46	881	583	205	49	35				
I.—Infantile Mortality	297	122	10	23	5	9	2	3	8	2	8	15	2	9	7	1	19	4	1	1	3	8	11	3	8	6	2	1	3	5	2	1	1	11	157	81	39	7	2					
A.—One Week and under.																																												
1. Prematurity	23	8																																										
2. Debility	32	8																																										
3. Convulsions	18	4																																										
4. Diarrhoea	1	1																																										
4a. Enteritis																																												
5. Tetanus	6	2																																										
6. Bronchitis																																												
7. Pneumonia																																												
8. Other Causes	4*	2																																										
B.—Over 1 Week and under 1 Year.																																												
1. Prematurity	1																																											
2. Debility	52	18	3	4	1																																							
3. Convulsions	68	31	3	3	1																																							
4. Diarrhoea	13	7	1	5																																								
4a. Enteritis	10	5		5																																								
5. Tetanus	2	1																																										
6. Bronchitis	6	4																																										
7. Pneumonia	24	15																																										
8. Other Causes	37†	16	3	1																																								
II.—General Mortality (1 Year and over)	1,513	507	62	49	28	1122	21	27	40	44	12	91	8	43	89	6	83	5	6	2	27	11	16	53	12	3	13	17	35	31	23	5	11	35	724	502	166	42	33					
1. Plague	2	2																																										
1a. Smallpox	2	2																																										
2. Chickenpox	2	2																																										
3. Measles	1	1																																										

* These are due to 2 deaths from Atelocasis (1 each in Colombo and Moratuwa), 1 death from Asphyxia in Batticaloa, and 1 death from Starvation (in Colombo).
 † This includes, besides 16 deaths mentioned in Table IV., footnote †, 3 deaths from Worms (1 each in Galle, Weligama, and Kurunegala), 2 deaths from Malaria (1 each in Negombo and Moratuwa), 2 deaths from Pyrexia (in Negombo), 2 deaths from Nephritis (1 each in Makara and Lunugala), 2 deaths from Burns (1 each in Hatton and Dikoya and Kalmunai), 2 deaths from Cholera (in Hambantota), and 1 each from Stomatitis (in Moratuwa), Syphilis (in Kaitara), Eickets (in Kandy), Septicæmia (in Moratuwa), Cellulitis (in Lunugala), Heart Disease (in Kurunegala), Dysentery (in Batticaloa), and Influenza (in Weligama).

Table III.—Number of Births and Deaths registered during the Month of August, 1919, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for August, 1909 to 1918, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population Estimated to Middle of 1919 by Inter-censal Increase.	Total Births registered.			Stillbirths.			Total Deaths including Deaths in Hospitals and Jails.			Per Mille per Annum.				Mortality of Children under one Year.					
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Non-residents.	Deaths of Residents.	Birth-rate.		Death-rate.		Standardized Death-rate.	Number registered during AUG., 1919.	Its proportion to 1000 births registered during AUG., 1919.	Its proportion per annum to 1000 births registered during the Year ended last day of AUG., 1919.
														AUG., 1919.	Average for AUG., 1909 to 1918.	AUG., 1919.	Average for AUG., 1909 to 1918.				
			295,785	417	18	10	28	388	241	629	77	552	17.18	21.00	22.74	24.58	26.38	122	293	244	
City of Colombo ..	219,557	285,785	195	222	417	18	10	28	388	241	629	77	552	17.18	21.00	22.74	24.58	26.38	122	293	244
Fort and Galle Face	3,612	3,612†	2	—	2	—	—	—	4	—	4	1	3	6.71	2.19	10.07	7.95	—	—	—	—
Pettah ..	7,974	7,974†	1	3	4	—	—	—	6	2	8	—	8	5.91	7.37	11.81	8.69	—	1	250	367
St. Sebastian ..	11,646	13,780	2	10	12	—	—	—	10	12	22	—	22	10.25	17.49	18.80	17.53	—	4	333	203
St. Paul's ..	24,735	29,210	12	19	31	1	—	1	20	17	37	—	37	12.50	13.76	14.91	19.18	—	9	290	259
Kotahena ..	40,771	48,168	27	32	59	2	3	5	40	34	74	—	74	14.42	20.10	18.13	21.44	—	25	424	294
New Bazaar ..	22,309	27,362	14	8	22	1	—	1	16	15	31	—	31	9.47	19.11	13.34	22.12	—	8	364	197
Maradana Hospitals			61	59	120	6	5	11	162	59	221	64	157	—	—	—	—	—	19	—	—
Maradana (exclusive of Hospitals) ..	48,093	70,574	24	39	63	5	2	7	59	35	94	5	89	10.51	16.82	14.85	20.75	—	27	429	328
Slave Island ..	21,984	27,353	18	20	38	2	—	2	32	26	58	—	58	16.36	20.30	24.97	21.90	—	13	342	311
Kollupitiya ..	25,410	39,878	13	9	22	1	—	1	18	19	37	5	32	6.50	11.90	9.45	14.85	—	5	227	173
Wellawatta ..	13,223	17,984	21	23	44	—	—	—	21	22	43	2	41	28.81	22.15‡	26.84	32.58‡	—	11	250	254

§ For explanation of "standardized death-rate" see note a, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

† The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1919. Hence the Census figures are retained.

‡ Average for months of April, 1912-1918.

Table IV.—Causes of Deaths registered during the Month of August, 1919, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.	Wards.											Deaths among all Races.						
		Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamil.	Moors.	Malays.	Others.
All Causes ..	629	4	8	22	37	74	31	221	94	58	37	43	10	37	332	115	86	24	25
I.—Infantile Mortality ..	122	—	1	4	9	25	8	19	27	13	5	11	—	7	72	17	22	4	—
<i>A.—One Week and under.</i>																			
1. Prematurity ..	8	—	—	—	1	1	—	4	—	—	—	2	—	—	7	—	1	—	—
2. Debility ..	8	—	—	—	—	—	—	4	4	—	—	—	—	1	4	2	1	—	—
3. Convulsions ..	4	—	—	—	1	1	—	—	—	1	—	1	—	—	—	3	1	—	—
4. Diarrhoea ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	2*	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																			
1. Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility ..	18	—	—	1	2	2	1	3	5	2	—	2	—	—	12	3	3	—	—
3. Convulsions ..	31	—	1	1	4	5	4	1	11	1	2	1	—	1	19	5	6	—	—
4. Diarrhoea ..	7	—	—	—	1	2	—	1	1	—	—	2	—	2	2	—	2	1	—
4a. Enteritis ..	5	—	—	—	—	—	2	1	1	—	—	1	—	—	4	—	—	1	—
5. Tetanus ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
6. Bronchitis ..	4	—	—	—	—	1	—	—	1	1	—	—	—	1	3	—	—	—	—
7. Pneumonia ..	15	—	—	—	—	8	—	3	2	2	—	—	—	2	11	2	—	—	—
8. Other Causes ..	16†	—	—	2	—	4	1	1	1	5	1	1	—	—	9	—	6	1	—
II.—General Mortality (1 Year and over) ..	507	4	7	18	28	49	23	202	67	45	32	32	10	30	260	98	64	20	25
1. Plague ..	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	2	—	—	—
2. Smallpox ..	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	22	—	2	3	7	1	1	2	1	2	2	1	—	1	10	6	4	—	1
6. Pyrexia or Fever ..	2	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	—
7. Enteric Fever ..	30	—	—	—	—	3	3	18	1	3	—	2	3	2	16	1	5	—	3
8. Malaria ..	4	—	—	—	—	—	—	2	2	—	—	—	—	—	1	2	—	1	—
9. Malarial Cachexia ..	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	17	—	1	1	1	3	3	—	1	2	—	5	—	—	8	5	2	1	1
11a. Enteritis ..	18	—	—	—	—	2	—	10	3	1	—	2	—	1	9	6	—	1	1
12. Dysentery ..	29	—	—	1	—	1	—	17	—	3	6	1	—	1	11	9	3	2	3
13. Anchylostomiasis or Dochmius Duodenalis ..	18	—	—	—	—	—	—	16	2	—	—	—	—	—	14	2	—	—	1
14. Cancer ..	9	—	—	—	1	2	1	2	2	—	—	1	—	3	3	2	—	—	—
15. Phthisis ..	48	—	—	1	1	4	2	25	8	2	3	2	—	3	25	10	8	1	1
16. Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus ..	5	—	—	—	1	1	—	1	1	—	—	2	—	—	5	—	—	—	—
19. Convulsions ..	8	—	1	2	—	—	1	1	1	2	—	—	—	1	4	—	2	1	—
20. Tetanus ..	7	—	—	—	—	—	1	5	—	—	—	1	—	—	4	1	2	—	—
21. Bronchitis ..	10	—	—	—	2	3	—	—	—	3	1	1	—	—	5	—	4	1	—
22. Pneumonia ..	51	—	1	1	1	6	—	27	7	4	2	2	1	3	31	9	5	—	2
23. Other Diseases of the Respiratory System ..	8	—	—	—	1	—	—	4	1	2	—	—	—	—	2	2	2	—	2
24. Bright's Disease and Nephritis ..	13	—	—	—	—	1	—	7	3	1	—	1	1	2	8	1	1	—	—
25. Puerperal Eclampsia ..	2	—	—	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—	—
26. Puerperal Septicæmia ..	5	—	—	1	—	—	—	2	1	1	—	—	—	1	2	1	—	1	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	3	—	—	—	1	—	—	—	—	—	2	—	—	—	—	2	1	—	—
29. Starvation ..	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
30. Accidents or Negligence ..	11	2	—	—	1	1	—	5	—	1	—	1	1	1	2	5	2	—	—
31. Homicide ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes ..	175†	2	2	8	10	21	11	55	29	14	15	8	4	10	91	32	22	8	8

* One death from Starvation and 1 from Atelectasis.

† Three deaths each from Rickets and Syphilis, 2 from Want of Breast Milk, and 1 each from Influenza, Intestinal Obstruction, Pyæmia, Pemphigus, Gastritis, Eczema, Bright's Disease, and Worms.

‡ Here are included 39 deaths from Old Age, 18 each from Debility and Worms, 17 from Paralysis, and 1 each from Marasmus, and Syphilis.