# SUPPLEMENT

TO THE

# Ceylon Government Gazette

A,4444 A)

No. 7,070 — FRIDAY, DECEMBER 12, 1919.

# VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF OCTOBER, 1919.

## REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

#### Births.

- 2. The number of births registered was 1,415 (746 males and 669 females), and was equivalent to an annual rate of 25.65 per 1,000, against 23.02 in the preceding month, 26.26 in the corresponding month of last year, and 27.45 the average for the corresponding months since 1909. The rate ranged from 10.83 in Vavuniya to 60.97 in Kalmuuai.
- 3. In the city of Colombo the births registered numbered 481 (261 males and 220 females), and were equivalent to an annual rate of 19.82 per 1,000, against 18.73 in the preceding month, 18.34 in the corresponding month of last year, and 22.84 the average for the corresponding months since 1909. The rate ranged from 10.25 in San Sebastian to 28.15 in Wellawatta.

#### Deaths.

- 4. The total deaths registered during the month numbered 1,615 (915 males and 700 females). There were 1,202 deaths of residents in towns, equivalent to an annual rate of 23.75 per 1,000, against 23.26 in the preceding month, 76.98 in the corresponding month of last year, and 31.71 the average for the month of October in each year since 1909. The rate ranged from 69.34 in Nawalapitiya to 3.54 in Nuwara Eliya.
- 5. In the city of Colombo the deaths numbered 541 (317 males and 224 females). There were 460 deaths of residents, equivalent to an annual rate of 21.98 per 1,000, against 22.67 in the preceding month, 56.68 in the corresponding month of last year, and 29.20 the average for the month of October in each year since 1909. The rate ranged from 22.26 in Wellawatta to 5.61 in Kollupitiya.
  - 6. The stillbirths registered numbered 87 (55 males and 32 females), as against 79 in the preceding month.

## Infant Mortality.

- 7. The mortality of infants under one year of age was equal to a rate of 196 per 1,000 births registered during the twelve months ended October 31, 1919. Reckoned on the births registered during the month only the rate was 194, against 213 in the preceding month, 343 in the corresponding month of last year, and 244 the average for the corresponding months since 1909.
- 8. In the city of Colombo the mortality of infants was equal to a rate of 181 per 1,000 births registered during the twelve months ended October 31, 1919. Reckoned on the births registered during the month only the rate was 190, against 227 in the preceding month, 408 in the corresponding month of last year, and 267 the average for the corresponding months since 1909.

# Causes of Death.

- 9. The highest mortality was from Pneumonia, to which 10 per cent. of the total deaths was due, 8 per cent. was due to Debility, 7 per cent. each to Phthisis and Convulsions, 6 per cent. each to Diarrhæa and Anchylostomiasis, 5 per cent. to Dysentery, 4 per cent. to Enteritis, 3 per cent. each to Enteric Fever, Malaria and Malarial Cachexia, and Bright's Disease and Nephritis, 2 per cent. each to Bronchitis and Prematurity, and 1 per cent. each to Influenza, Puerperal Septicæmia, and Plague.
- 10. In Colombo the highest mortality was from *Phthisis*, to which 11 per cent. of the deaths was due, 10 per cent. was due to *Pneumonia*, 6 per cent. each to *Enteritis* and *Debility*, 5 per cent. to *Enteric Fever*, 4 per cent. to *Convulsions*, 3 per cent. each to *Plaguz*, *Bright's Disease and Nephritis*, *Influenza*, and *Dysentery*, 2 per cent. each to *Diarrhæa*, *Anchylostomiasis*, and *Bronchitis*, and 1 per cent. each to *Prematurity*, *Pyrexia*, and *Cancer*.
- 11. Seventeen deaths from *Plagus* were registered (in Colombo), as against 5 in the preceding month. The number registered from this cause during the month alone exceeds by five the total number registered during the previous nine months of the year. There were registered 10 deaths from *Cholera* in Badulla.
- 12. Infectious Diseases reported.—The infectious disease most prevalent during the month was Phthisis, of which 140 cases were reported (127 in Colombo), followed by Enteric Fever 86 (73 in Colombo, 4 in Kandy), Chickenpox 62 (40 in Colombo, 8 in Nuwara Eliya, 7 in Kandy), Measles 60 (44 in Colombo, 15 in Kandy), Continued Fever 37 (20 in Colombo, 12 in Moratuwa), Plague 19 (in Colombo), Cholera 18 (in Badulla), Mumps 8 (6 in Colombo), Dysentery 5 (3 in Moratuwa), and Diphtheria 1 (in Colombo).

### Meteorology.

- 13. Rainfall.—Gampola recorded the highest rainfall (26:12 inches), followed by Nawalapitiya (25:41 inches). In the other towns the rainfall ranged from 16:64 inches in Lunugala to 3:17 inches in Hambantota. Colombo recorded 12:47 inches.
  - 14. Temperature.—The mean temperature varied from 60 · 6° in Nuwara Eliya to 83 · 5° in Mannar.
- 15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office, Colombo, November 25, 1919. N. W. MORGAPPAH, Acting Registrar-General.

(1)

Table I.—Number of Births and Deaths registered during October, 1919, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1909, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

	Bainfall in Lobes.		8 12·47 9·41 10·17	6 7.81 26.12 25.41 10.28 8.86 12.24	5 · 04 5 · 32 3 · 17	2 10.89 5 9.06 6.38 11.27	9 3.95 5.65 3 9.47	4 10.09 0 13.29 15.31 9.21	2 7.72	0 14.95 . 16.64	4 13·20 13·53
	Mean Tem-	.   0	808	76.6	81:0	88811	81 ·9	80.4	81.2	74.0	80.4
Its proportion	Jer an 1000 bird ered du year en last d Oct.,	196	181 183 259 152 161	174 118 280 459 194 452	135 233 233 111 101 66	257	269 212 161	168 115 714 268	. 477	144	397 277
Its pro-	portion to 1000 births registered during Oct., 1919.	194	190 154 247 122 125	177 87 429 129 130	165 154 289 250 125 143	194	224 182 154	222 182  286	375	136	333 250
Number		274	91 144 6 6	4 4 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	13 2 11 • 3	83	11 24	<b>ના</b> જા જ ના	9	က က	96
Standardized.a	Average Death-rate for Oct., 1909-1918,	81.71	29.20 26.63 40.51 25.56 27.13	36.88 40.74 36.48 41.74 49.53	29.59 23.62 24.33 30.63 25.93	36.62 46.85 41.55 42.75	34.53	41.01 32.97 	61.29	61.34	41.07
Standan	0ct., 1919.	23.75	21.98 27.33 38.24 17.08	23.58 19.42 69.34 21.67 18.44 3.64	26.82 — f 21.05 16.43 22.81 15.56	23.87 15.47 53.23 29.42	31.88	17.05 31.34 37.78	43.13	38.83	26.54
Death-rate excluding non-residence more and standardized.	Crude, Oct., 1919.	21.79	18 .95 26 .13 34 .67 17 .19	21.63 18.71 63.78 18.47 16.04	26.37 17.90 21.49 18.24 21.29 15.22	23 37 14 ·05 40 15 21 ·66	32·33 60·97 15·86	16.60 29.30 20.89 39.41	35.20	35·19 93·67	23.41
Birth-rate.	Average Birth-rate for Oct., 1909-1918	27.45	22 84 35 52 39 58 39 58 21 79	26.69 27.90 28.33 21.63 25.13 17.87	31.72 32.49 49.67 31.44	34·11 41·18 31·28 21·46	40·03 69·60 31·17	26·23 32·49 23·54 30·17	24.00	40.66 35.05	24.32
Birth	Oct., 1919.	25.65	19 82 39 64 36 96 40 10	28 · 02 35 · 87 11 · 60 25 · 86 45 · 21 17 · 90	21 .93 33 .25 25 .52 14 .59 13 .32	37.69 11.24 24.09 10.83	51·10 60·97 27·49	21 · 34 18 · 96 27 · 85 26 · 27	25.60	35·19 37·47	28.10
Deaths	of Town Resi- dents.	1,202	460 , 60 91 21	61 22 22 31 4	8 6 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7	2000	31 11 15	14 17 3 21	22	2,72	15
ta oi tered spi-	o adtaod andiaor-ao Balgon anwol o Hawo Tal at bas alat	413	81 113 27	2 6   12 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	38	оно <sub>н</sub>	- 67	41	∞	22	2007
	Persons,	8	63 to 10 to 1	221   22	9   7   1   0	9 - 1	<b>641 03 03</b>	87 H H	ı		က
Total Stillbirths	Females.	83	21 1 2 3 2 	H     4	.   -	4	1   1	8777	1	1 1	63
Tot	Males.	15 55	<u> </u>	1 70 - 01 01 4 01 1	1111			1		10.7	
eaths.	Persons.	700 1,615	224 541 23 67 57 94 12 32	' ଉଷ୍ୟାଉଉ⊣	13	51 102 2 6 3 7 1 3	16 32 8 13 9 15	17 11 19 2 3 3 44	) e 9í	23 15 32	16 38
Total Deaths.	Kemales.	915 7	317 20 20 77	130 130 130 130 130 130		26 4440	16	38 8 61 10	7.	24	0.0
.e.	Persons.	1,415	481 91 97 49	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 E 2 C 2 C C C	02461	49 111 26	811 4.41	16	<b>6</b>	. 18
Total Births.	Females	669 1,	220 48 43 22 11		377778	29   11	82 4 4	00-10	<u></u>	13	۲,
1	Males.	7466	261 243 27 27		21 21 21 4	8 4 61	26 12	တက္ကတ	7	6 FI	7.7
Population	estimated to the Middle of 1919 by Intercensal Increase.	649,472	285,795 27,0330 30,902 14,386	33,197 7,550 4,061 3,187 8,073& 15,131e	42,418 4,604 17,529d 9,684 3,318 6,187d	46,868 4,191 1,466 1,087	11,290 2,124 11,136	9,931 6,830 1,691 6,274d	7,358	7,361 <i>d</i> 629	7,543d
Donnlotion	(inclusive of the Military) at the Census of March 10, 1911,	517,877	219,557 13,045 27,256 13,005	30,149 5,521 3,767 3,025 5,792 14,910	39,936 13,851 8,672 3,092 3,506	40,441 3,777 1,392 808	10,671	8,167 5,990 1,591 5,033	5,361	6,487	5,476
	Provinces and Towns.	All 88 Towns	Western. Colombo Negombo Moratuwa Kalutara	Kandy Gampola Nawalapitiya Hatton and Dikoya. Mustale		Northern. Jaffna Mannar Mullaittivu Vavuniya	Eastern. Batticaloa Kalmunai Trincomalee	North-Western. Kurunegala Puttelam Kalpitiya Chilaw	North-Central. Anuradhapura	Dadulla Lunugala	Sabaragamuwa. Ratnapura

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make currection for differences of sex- and age-constitution of the several populations in 1911 as compared a family of the Majority and registration area.

are due to the Laland, the town limits.

are not exclusion of the town limits.

b Blanks indicate that there are no observatories or rain gauges.

c Rainflay of the exclusion of the town limits.

c Rainflay and Lungala towns has not been anumerated at the Cenaris of 1919 age and sex, while the town of Kalmunal was created a registration division only in January, 1914, and Ambalangoda in January, 1915.

The death-rates given for "All Towns" is, therefore, independent of the towns, but is searcely affected by their rates.

Table II.—Causes of Deaths registered during October, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Il.—Causes of Deaths registered during October, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Il.—Causes of Deaths registered during October, 1919, in each Town of the Island proclaimed under Sections 31-36 of

	Malays. Others	80 20	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
Deaths among all Baces.	Moors.	156	8
la gaon	.alimaT	530	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
the an	Sinhalese.	827	24 80 80 80 80 80 80 80 80 80 80 80 80 80
<b>1 2 3</b>	Barghers.	47	° 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Елгоревва.	7C	<u>, Long Hilling Carrier Control of the Control of t</u>
ince bara- wa.	Kegaila.	18	
Province of Sabara- gamuwa.	Retaspura.	35	
Province of Uva.	Lunugala.	47 32	∞
Pro	Badulla.	90	0 6 8 8 8 8 8 8 8 9 8 9 8 9 8 9 9 9 9 9 9
North- Central Pro- vince.	.emgadbama.		
esteri	Kalpitya. Obilaw.	324	63   1   63   1   63
North-Western Province.	Puttalam.	55 19	<u>4</u> 80-   1   1   1   1   1   1   1   1   1
-	Trincomalee.  Kurunegala.	15	
Eastern Pro- vince.	Kalmunal.	13	8 [-
	Vavuniya. Batticaloa.	332	# 01
Northern Province.	Mannar. Mullaittivo.	6	
Nort	.annat.	102	8 670 610 610 610 610
8	Tengalls.	. 2	7
Southern Province.	Wellgama. Hambantota.	16	8     8     1   1       1
bern J	Ambalangoda.	7 43	64   04   1   1   1   1   1   1   1   1   1
Sout	Galle.	131	# \   \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
<u>.</u>	Nowers Ellys.	8412	6 6 6
Central Province.	Hatton & Dikoya.		
rat P.	Gempole.   Kawalapitiya.	95212232	8
Cent	Kandy.	952	# -811111 84-1118- 28111
	Panaduse.	12	
ince.	Kalutara.	32	
n Prov	Moratuwa.	94	2
Western Province.	Negombo.	67	4 941
	Colombo.	541	91 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	All 83 Towns.	1,615	272 19 4 - 4 13 13 13 14 15 17 17 17 17 18 19 19 19 19 19 19 19 19 19 19
		:	
			7. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ig the		[1] (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
	in the second	uses	ortalit  Weeke oy  B.  B.  B.  B.  B.  B.  B.  B.  B.  B
	Chupes of Deaths.	All Causes	
	×		A.—One A.—One A.—One I. Prematur S. Debility S. Convulsion 4. Diarrhosa 4a. Enteritis 6. Tetanus 8. Other Cav B.—Over I. Prematur S. Debility S. Debility S. Debility A. Diarrhosa A. Diarrhosa G. Tetanus G. Tet
F		-	್ಷ ವರ್ಷಕ್ರದರ್ಭದ ಗತ್ತದರ್ಭದ ಗತ್ತದ್ದಾಗ

"These are due to 2 deaths from Inperforate Anus and 1 from Infanticide (in Colombo).

† This includes, besides 20 deaths mentioned in Table IV., footnote †, 1 death from Asthma (in Negombo), 1 from Influenza and 2 from Stomatitis (in Moratuwa), 1 from Congenital Syphilis (in Kandy), 1 from Riekets (in Galle), 1 from Dysentery (in Kalmunai), and 2 from Majaria (in Anuradhapura).

2.)

(-4)

Table II.—Causes of Deaths registered during October, 1919, in each Town of the Island proclaimed under Sections 31-36 of the Use Island proclaimed under Sections 31-36 of the Island proclaimed under Sections 31-36 of the Island proclaimed under Sections 31-36 of

		Western Province.	Gentral Province.	Southern Province.	Northern Pro- Province, vince,	Bastern North-Western Pro-	North- Central Pro- vince.	Pro-	Province of Sabara- gamuwa.	Deaths	Deaths among all Races.	<b>19</b> 80
Oauses of Deaths.	All 38 Towns.	Colombo.  Megombo.  Moratuwa.  Kalutara.	Kandy. Gampola. Havelepitiya. Havele. Matele.	Galle Ambalangoda. Matara. Wellgama. Hambantota.	Jaffna., Mannat., Vavuniya., Vavu	Trincomalce.  Kuranegala.  Puttalam.  Kalphiya.	Chilaw.	Badulla.	Ratnapura. Kegalla.	Europeana. Burghera. Sinhalese.	•slimaT •srooM	Malays.
11.—General Mortality—conf. 4. Influenza 5. Fyrexia or Fever 7. Malaria 8. Malaria Caohezia 9. Cholera 10. Diarrhea 10. Diarrhea 11. Dysentery 12. Anthylostomiasis or Dochmius 12. Cancer 13. Cancer 14. Phthisis 15. Other Tuberculous Diseases 16. Anæmia 17. Diabetes Melitus 18. Convulsions 19. Tetanus 19. Premonia 19. Accidentis 19. Accidentis 19. Accidentis 19. Accidentis or Negligence 19. Accidentis or Negligence 10. Homioide 11. Suicide 2. Execution 12. Execution 13. All Other Causes	101 100 100 100 100 100 100 100 100 100	13				2				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

\*Here are included 103 deaths from Old Age, 41 from Debility, 38 from Intestinal Parasites, and 20 from Paralysis.

.

Table III.—Number of Births and Deaths registered during the Mouth of October, 1919, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for October, 1909 to 1918, in each Ward of the City of Colombo.

The state of the s			Ţ	Total Births registered.	8	Stu	Stulbirths	됐 <sub>다</sub>	Total Deaths including Deaths in Hospitals	heinclud Hospite	<b>E</b>				Per Mi	Per Mille per Annum.	'um'		Mor	Mortality of Children under one Year.	ldren ar.
	Denniction	Population			-	.  -			PIER .	atio.	-		-		-		•				Its propor-
Wards.				.86	.au	•	*89	·90	~ ——		Deaths of Non-		Deaths of Residents.	Birth-rate.	. 931	Death-rate.		Standard-			tion per annum to 1000 births
	1911.	Increase.	Males	Fems	Perso	Males	ante'i	Person	səlaM array	sme¶				Oct., f	Average for Oct., 1909 to 1918.	Oct., 1919.	Average for Oct., 1909 to 1918.	Death- rate.†	during Oct., 1919.	during Oct., 1919.	during the Year ended last day of Sept., 1919.
City of Colombo	219,557	285,795	261	220	481	21,	11	32 3	817 22	224 511		81	460	19.82	22.84	18.95	25.60	21.98	91	190	181
Fort and Galle Face	3,612	3,512‡		<b>-</b>	~	ı	1	i	. 61	1	63	1	-	.3.35	2.53	3.35	11.28	1	1	-	1
Pettah	7,974	7,974‡	က	<del>-</del> -	4	l	1	l					o.	5.93	5.12	13.29	10.29	. 1	F	1	346
San Sebastian	11,546	13,780	. 52	7	.12	Í	-	ı	6	6	81	1	18	10.25	18.91	15.38	22.76	1	io	417	255
St. Paul's	24,735	29,210	16	11	27	٦.	1.	_	21 1	- 81	39	.   '	39	10.88	16.59	15.72	19.83	1	o	333	261
Kotahena	40,771	48,168	46	36	83	က	₩.	7	36	37	16	-	75	20.04	21.52	18.33	23.50	ì	13	159	152
New Bazaar	22,309	27,362	15	22	37		1	, , , , , , , , , , , , , , , , , , ,	13	21	34		34	15.92	22.64	14.63	24.23	· į	9	270	248
Maradana Hospitals	· ~		( 67	43	110	12	20	17	901	61 16	9   291	65/	102		l	ı	1	1	11		
Maradana (exclusive of Hospitals)	48,093	70,574	46	98	83	4		, <b>x</b> o	56	3.		· · ·	87	13 • 68	18.40	14.51	20.77	1	. 21	کے <u>256</u> آ	255
Slave Island	21,984	27,353	10	22	44	.	1	ı	22	18	43	,t.	4.2	18.94	20.78	18.08	22.79	I	۲-	159	167
Kollupitiya	25,410	39,878	19	0;	39	T	-	-	1.7	14	31 1	12	19	11.51	12.32	5.61	11 • 96.	1.	Ľ	179	236
Wellawatta	13,223	17,984	25	18	43		1	l	22	14	35	, ,	34	28.15	31.858	22.26	36.458	1	7	163	161

c The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† For explanation of "standardized death-rate", see note a, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated. The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1919. Hence the Census figures are retained. § Average for months of October, 1912-1918.

Table IV.—Causes of Deaths registered during the Month of October, 1919, in each Ward and of each Race in the City of Colombo.

. ~			· · · · · · · · · · · · · · · · · · ·			v	Vard	в.						Deat	hs ar	nong	all R	aces.	
Causes of Death.	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatta.	Europeans.	Burghers.	Sinhalese.	Tamils.	Моо́гв.	Malays.	Others.
All Causes 5	541	2	9	18	<b>3</b> 9	76	34	167	87	43	31	85	4	29	282	115	76	18	17
IIII autilo mortantej	91	<u> </u>	1	5	9	13	10	11	21	7	. 7	7		4	48	17	17	4	1
A.—One Week and under.  1. Prematurity 2. Debility 3. Convulsions 4. Diarrhœa 4a. Enteritis 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes	5 7 3 — — — — — — — — 3*			1	1	- 1 - - - -	<del>-</del> 1	1 1	5			2 - 1 - - - 1			2 3 1 - - - 3	3 1		- - - - - -	
B.—Over 1 Week and under 1 Year.  1. Prematurity 2. Debility 3. Convulsions 4. Diarrhœa 4a. Enteritis 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes	2 18 13 5 5 - 4 6 20†		- - - 1 -	1 1 - 2	- 1 2 - 1 1 2	- 2 5 - 1 - 2 2	1 3 - 2 1 2	2 3    4	9 3 1 - 1 2	1 1 1 1 - - 3	- 1 - 1 - 1 2	1 1 1	11111111	- 1 2 1 	1 7 9 2 3 — 3 14	1 3 1 - 1 - 2 2 3	7 1 2 1 3	_ 1 1 - -	
II.—General Mortality (1 Year and over)	450 17	2	8 5	13 1	30 2	63 1	2 <b>4</b>	156 2	66	<b>36</b>	24	<b>23</b>	4	25	234 1	9 <b>8</b>	<b>59</b>	14	16 ·
2. Smallpox 3. Chickenpox 4. Measles 5. Influenza 6. Pyrexia or Fever 7. Enteric Fever 8. Malaria 9. Malarial Cachexia 10. Cholera 11. Diarrheea	13 7 29 2 - 8 29 14		1	3 1 1	3 1 1	1 -3 2 -4 5 1		12 		- 2 2 1 - -	2 2 2 3	- - 1 1 4 - - 2 2 1		4		5 2 2 - 1 7 3	- - 2 2 1 - 1 - 1 2	- - - - - - - - - - - - -	1: 2:
Duodenalis	13 6 59 1 3 4 7 8 50			1 1 2	- 2 - 1 - 2 4	- 1 9 - 1 ,1 - 6	- 4 - 1 - 2 4	12 4 25 1 1 - -	1 1 4 - - 5 - 7	$-\frac{6}{1}$ $-\frac{1}{1}$ $-\frac{2}{3}$		- 3 - 1 - - 1		5   5   2	8 2 37 1 2 5 - 2 25	4 1 8 1 — 1 — 2 15	1 6 1 1 - 4	- - 1 - 2 - 1	1 3 - - -
23. Other Diseases of the Respiratory System 24. Bright's Disease and Nephritis 25. Puerperal Eclampsia 26. Puerperal Septicæmia 27. Miscarriage 28. Other undefined Accidents of Childbirth 29. Starvation 30. Accidents or Negligence 31. Homicide	9 15 3 3 - 2 1 8			- - - - -	3. 1	2 -	3	38222	1 2 - - 1 -	_ _ _ _ _ _	- - - - - -				3 8 2 - - 1 1 5	1 2 1 2 -	2 3 -1  	   	1 ·
32. Suicide	136‡		=		10	26	9	34	2 27	15	7	<u>-</u> 5	<u>j</u>	14	- 2 67	- 25	<u>-</u>	<u>-</u>	4

<sup>\*</sup> Two deaths from Imperforate Anus and I from Infanticide.

† Seven deaths from Inanition, 2 each from Entero colitis and Influenza, and I each from Axillary Abscess, Rickets, Gastritis, Meningitis, Cellulitis, Syphilis, Nephritis, Worms, and Accident (run over by a train).

‡ Here are included, 35 deaths from Old Age, 14 each from Worms and Marasmus, 8 from Paralysis, 6 each from Rickets and Cerebral Ezemorrhage, and 5 each from Debility and Peritonitis.