SUPPLEMENT

TO THE

Ceylon Government Gazette

No. 7,158 — FRIDAY, FEBRUARY 18, 1921.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF DECEMBER, 1920.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under section 31-36 of the Ordinance No. 1 of 1895.

Births.

- 2. The number of births registered was 1,701 (838 males and 863 females), and was equivalent to an annual rate of 30 21 per 1,000, against 31 83 in the preceding month, 26 12 in the corresponding month of 1919, and 28 27 the average for the corresponding months since 1910. The rate ranged from 17 64 in Hambantota to 62 60 in Hatton and Dikova:
- 3. In the city of Colombo the births registered numbered 623 (312 males and 311 females), and were equivalent to an annual rate of 24.91 per 1,000, against 29.91 in the preceding month, 21.55 in the corresponding month of 1919, and 23.33 the average for the corresponding months since 1910. Excluding the Fort and the Pettah Wards the rate ranged from 8.98 in Kollupitiya to 40.44 in Wellawatta.

Deaths.

- 4. The total deaths registered during the month numbered 2,352 (1,290 males and 1,062 females). There were 1,821 deaths of residents, equivalent to an annual standardized rate of 35.26 per 1,000, against 27.29 in the preceding month, 34.18 in the corresponding month of 1919, and 32,99 the average for the month of December in each year since 1910. The rate ranged from 128.71 in Anuradhapura to 3.55 in Nuwara Eliya.
- 5. In the city of Colombo the deaths numbered 869 (504 males and 365 females). There were 760 deaths of residents, equivalent to an annual standardized rate of 35.25 per 1,000, against 27.99 in the preceding month, 34.94 in the corresponding month of 1919, and 31.74 the average for the month of December in each year since 1910. Excluding the Fort and the Pettah Wards the rate ranged from 40.44 in Wellawatta to 8.41 in Kollupitiya.
 - 6. The stillbirths registered numbered 114 (62 males and 52 females), as against 118 in the preceding month.

Infant Mortality.

- 7. The mortality of infants under one year of age was equal to a rate of 311 per 1,000 births registered during the twelve months ended December 31, 1920. Reckoned on the births registered during the month only the rate was 291 against 243 in the preceding month, 316 in the corresponding month of 1919, and 304 the average for the corresponding months since 1910:
- 8. In the city of Colombo the mortality of infants was equal to a rate of 343 per 1,000 births registered during the twelve months ended December 31, 1920. Reckoned on the births registered during the month only the rate was 335, against 249 in the preceding month, 367 in the corresponding month of 1919, and 330 the average for the corresponding months since 1910.

Causes of Death.

- 9. The highest mortality was from Pneumonia, to which 11 per cent. of the total deaths was due, Debility caused 10 per cent., Convulsions 8 per cent., Enteritis and Diarrhaa 6 per cent. each, Phthisis, Malaria and Malarial Cachexia. and Anchylostomiasis 5 per cent. each, Bright's Disease and Nephritis and Dysentery 4 per cent. each, Bronchitis, Enteric Fever, and Influenza 2 per cent. each, and Prematurity and Puerperal Septicamia 1 per cent. each.
- 10. In Colombo too the highest mortality was from Pneumonia, to which 11 per cent. of the deaths was due, Convulsions caused 10 per cent., Debility 9 per cent., Plague and Phthisis 7 per cent. each, Enteritis 5 per cent., Influenza 4 per cent., Bright's Disease and Nephritis and Dysentery 3 per cent. each, Diarrhæa, Enteric Fever, and Bronchitis 2 per cent. each, and Puerperal Septicæmia 1 per cent.
- 11. Sixty-five deaths from *Plague*, the largest number for the year, were registered (in Colombo), as against 28 in the preceding month and 19 in the corresponding month of 1919. Three deaths from *Smallpox* were also registered in Colombo
- 12. Infectious Diseases reported.—The infectious disease most prevalent during the month was Phthisis, of which 78 cases were reported (72-in Colombo), Enteric Fever followed with 68 cases (39 in Colombo, 10 in Moratuwe, 6 in Galle), Plague 67 (in Colombo), Measles 38 (19 in Ratnapura, 14 in Colombo), Chickenpox 32 (21 in Colombo), Continued Fever 21 (9 in Panadure, 6 in Colombo), Dysentery 7 (4 in Puttalam), Smallpox 7 (in Colombo), and Acute Diarrhæa 1 (in Moratuwa).

Meteorology.

- 13. Rainfall.—Galle recorded the highest rainfall (12·16 inches), followed by Kalutara (11·17 inches). In the other towns the rainfall ranged from 10·87 inches in Lunugala to 2·45 inches in Hatton. Colombo recorded 4·42 inches.
- 14. Temperature.—The mean temperature varied from 58.2° in Nuwara Eliya to 80.1° in Ratnapura, and was 78.6° in Colombo.
- 15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office, Colombo, January 28, 1921.

Table I.—Number of Births and Deaths registered during December, 1920, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1910, and the Mean Temperature and Rainfalbin the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1 on

_	Population	Population		TOOM TOO	1	The same		Total Stillbirths	בווחזוני	E ST	i i	1			Deathrate	excinand	Deathrate excluding non-residentsiMortality of Children under One Vo.	SMOrtality	of Children	Under One Ve.	-	
Provinces and Towns.	(inclusive of the Military) at the Census of March 10, 1911.	estimated to the Middle of 1920 by Intercensal Increase.	.aefa M	Females.	Males.	Females.	-вповте	Males.	Females. Persons.	to adtased strisbiast-roll strisbiast-roll staigst arwol	eoh awol' ai ist bas sist	Deaths of Town Rest. De	Decem. B ber, 1920	Average Birth-rate for Dec., 1910-1919	Crude, December, 1920.	Standar December,	Standardized.a ember, Death-rate	Number registered during Dec.,	Its proportion to 1000 births registered during	Its proportion Der annum to 1000 births registered during the year ended the	Mean Der-	
All Towns	517,877	664,677	838	863 1,701	01 1,290	1062	2 2,352	62	52 11	Ĭ	19	1,821 3	30.21	28.27	32.35	85.26	32.99	ĭ	Dec., 1920.	Dec., 1920	ature.	
stern.	919 657	908 903	319	311 623		200	, o	1 8	<u> </u>			╫┯╌		1	1			1	107	110	1	1
Negombo	•	- 0	,		ت		44 99	:3	- 22 - 22 - 24		105		24:91	23.33	30.39	35.25	31.74		335	343	78.6	
Moratuwa	27,256	31,374		-			1				က	115 4		40.01	37.51	39.23	36.98		155	162	1	5.11
Kalutara Panadure	5,709	14,563 8.256	127	11 23		ည္က လ	73 74 75 75 75 75 75	-	_		12			30.42	33.24	33.03	29.64	94 0	414	400	j.	1
Jentral.	•1							· -	1		#		3	29.20	12.87	15.32	21.46		43	200		11:17
Kandy	30,149	33,616	70	<u>7</u> ⊂	66	•	ï	ນດ	_	. 9	53	84		30.04	29.50	29.15	90.71		e e			}
Nawalapitiya		4.097		•		1 6	13 34		<u> </u>	61			28 · 62	34.46	31.63	32.82	29 .83		368	249 305	74.6	4.40
Hatton and Dikoya.		3,206						1	1		161	11 00		29 61	11.53	12.53	41.22		286	225		65. 65.
Matale Nuwara Eliva	14.910	8,200d	4 2	47 <u>-</u>	000	36 8	31 67	_	61	es		08			43.19	34.41	28 97	67 6	118	209		2.45
Southern.					- -		3 5 −	Ĺ	1 T	. —	·. •	4	17.94	18.83	3.12	3.55	14.01		43	320	9	27 c
	39,936	42,725	<u>5</u>	9		54	11		4		23		25.70	28.63	26.63	95.07	00.00	-	. 70	3	9	01.0
Matara	13.851	17.804		ıc	_		90°			61 -	1 5	7.21		1	35.03	ē 7	3 - 0	a -	11.	178	78.2	12.16
Weligama		9,814					9 01		-		۹ ۱	9 6 9 6		44.46	23.87	23.38	28 - 73		136	257		1 %
Hambantota Tangalla	•	3,346 6 443d	51 KS	ء ءِ ھ) <u> </u>	33	İ	1:	1 -	.es		17.64	37·19	20 47 33 81	43.85 43.40	23 · 28	67 6	118	282	1	
Northern	•	30-16					4		<u>/:</u>	· -	ď,			31 · 94	34.82	35.58	28.66		308	257	78.6	
Jaffna		47,694	55	56 111			70 152	1			.4	145 9		00	, . 6	- ;				<u> </u>	ļ —-	9
Mannar Mullaittien	3,777	4,243	0 %			∞ c	9 17	-	<u>, , , , , , , , , , , , , , , , , , , </u>	, ,	, eo .			89.08	96.98 38.08	36.67	33.76	37	. 333	325	77.2	
Vavuniya		1,126	, ,	4	# 67	1		1	! ! 	1	<u> </u>			84.98	80.8	19.01	44.63	•	8 8	378	78.5	5.32
Eastern.	. `									 				68.07	68. 29	85.40	63 ·21	 	.	ŀ		4.33
Batticaloa Kalminai	10,671	11,367	8 10	8 °	ે. જી જ		15 36	,i		e -	<u> </u>		47	28 - 27	28.04	27 - 66	31.70	_	086			
96	8,840	11,449			32	F 00	. •	63		- •		1 05	23 · 01	46.41	5.50	7	7		ا و	₩ ₩ 1	77.77	9.80
North-Western.					_		: 			,	. ,		3	#7-0c	₩e. Oc	96.55	37.47	T .	344	405	79.2	
Kurunegala Puttalam	8,167	10,164	67 F	24 47		56	48 104		4	25	9	42	09.	34.74	48.79	50.12	79.47		- G	•	_	
Kalpitiya		1,703					41 S		-	c1 -	cv			32.97	62.95	67.34		× ×	283	662	77.3	
	5,033	6,3934	6		19.	18		1	! 	, → 1	1 4	0 66	2 6	45.12	41 60		T ,	<u> </u>	} 	727	7	
North-Central.											H -t		3	50.00 00.00	42.47	40.12	37.75		316	412		6.24
Anuradhapura	5,361	7,643	<u>4</u> •	11 2	25	57 4	41 98	_	4	10	ေ	68	38 · 62	25.77	105.04	128 · 71	62 62	<u>.</u>	ğ			
Badulla	6.487	7.4294		25			4	``	- ,		9.		- ;		•.				2	/90	76.1	3.84
		.643	63		200	25	15 40	•	- =	3 m	36	25 44 44 65	46 · 09 36 · 74	41.60 34.68	52.44	57.86	43.31	11	379	488	79.	
Sabaragamuwa. Ratnapura	,	7.7134	17	33		. 6	91 40	· -	٠,		90		- :		!	·				1	-	10.87
	2,536	2 724			_			7	-	7	0%	- P		96.19	9	99.00						_

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of ser- and age-constitution of the several populations in 1911, as compared by the base of the least serious of the two limits.

The constitution of the two limits.

The death-rates given for "All Towns" are, therefore, independent of the towns, but are scarcing and tentucial are severed a registration only in January, 1914, and Ambalangola in January, 1916,

Table II.—Causes of Deaths registered during December, 1920, in each Town of the Island proclaimed under Sections 31–36 of the ISPS.

All Causes of Deaths. Toward and under.	Negombo.			_	-		-	-	_			1			É	100	3			Deaths,	Deaths among all Rocce	n Rose	8
All 88 Towns. 2,352 2,352 495	1	,	-	_	-		_	_	-	-	+	vince.			vince.	9	gamuws.	ė					ż
2,352 495	1 ' '	Moratuwa.	Kalutara.	Kandy.	Gampola. Nawalapitiya. Hetton & Dikor	Hatton & Dikoy Matale. Ngwara Ellya.	Galle. Ambalangoda.	Matara. Weilgama.	Hambantota. Tengalla.	eaftat. .1eaasid	Mullaittivu. Vavuniya. Batticalos.	Kalmunat, Inncomales,	Zurunegala.	outtalam. Kalpitiya. Hilaw.	.auradbarua.	.alinbe	alegun. singents.	egalla.	uropeans. urghers.	,eaelada	•alimı	•B100	hers,
495 d under.		118	53 1	13 113 34 21	84 21 2	27 67 10	119 14	52 23		217	ြိ	00	104	1 0	_]	H 8		я <u>2</u>	٠ ح	1 65	1 -	W 8	10
A.—One Week and under.	1	46	00	83	67	9 6	1 19 1	10 2	4	87, 5	=	 	18	8 4 6		7	·			946	- 1	00 0	<u> </u>
	1	;														1					134	2	12
·	1		11	<u>നെ</u>	1-	61	14			96	11	1 4	700	14	9	1	T 6	I				ಣ	<u> </u>
Diarrhoa	1	- 'I	 	 -	 		<u> </u>	<u>10 </u>	67		•	<u> </u>			1	# 64	^क क	1 1	11	227	င္က တ	a o	<u> </u>
4d. Enterins 5. Tetanus	Ï	i	1 Ĭ	<u> </u>	†	1	1	Ţ	1	+	+	, <i>1</i>			11					11	ı	1	1
E 20			$\frac{11}{11}$	Ϊİ	 	<u> </u>		 		 -	1 1			- - -	1.	1	1	-	 			1 -	1 1
Other Causes. 5*	10		11	11		 			 	<u> </u>	+	<u> </u>	1	+		<u> </u>	[[<u> </u>	1 1	1-1	11	
B.—One Week and under						<u> </u>						! 		-		Ī	1	1	1		1	1	1
		,;						/				·			٠								
Debility 88	l	el 00	11	- ∞	61	 	1 67	<u> </u>		5		 	1	16		1°	16	11	1			्रम् ६	<u>-</u>
Diarrhos 25	7 CZ		<u>4 84</u>	<u> </u>	4	4	<u>- 1</u>	5	- 	0 0	T		4	1 1 1	87	4 63	۱ ا	1		9 8		17	ar era
4a. Enteritis 24 15 5. Tetanus	10.	ঝ	-	İ		1		<u>. </u>	1	1 10		H	 		ن ا			11	1 -			01 60	<u> </u>
Bronchitis 13	1.1	<u> </u>		<u> </u>				∏ ∐		- 4	-	<u> </u>		1	1	1	1	1	<u> </u>			·	
7. Pneumonia 32 17 8. Other Causes 44+ 24	<u>г- 4</u> си си	· 	$\frac{1}{1}$	e .	-	63	 ≈ -	İ	Ţ	1 -		 	11	-				11	11		၈ေဖ	41-	 ==
			•	-	<u> </u>	-		<u> </u>	<u>_</u>		<u>. </u>	<u> </u> _	1	<u> </u>		<u> </u>	1	ı	1	22		9	<u> </u>
3,	88	72	45.	12 90 2	27 19 2	25 58 9	9,100 13	4221	11 201	115 12	2 625	6 19	8	31 931	æ.	38	38	2	, v	98		220	25.
2. Smallpox 3	 ල ස	<u> </u>	1, 1 1: 1	11	11		İ İ	<u> </u>	T		1		1,	1	I.	1		- 1		1 12	26	20	
Chickenpox	1	1	<u> </u> -	İ	+		i									1		1	-	-		<u> </u>	1
- Salona III	1	1	<u> </u> 	İ	1	1	İ	Ŧ	1	†	+	1				<u>_</u> _			 		1		

* These are due to 2 deaths from Cerebral Compression, 1 from Congenital Deformity, 1 from Syphilis, and 1 from Atelectasis (in Colombo).

† This includes besides 24 cases mentioned in Table IV., footnote †, 4 deaths from Stomatitis (1 in Negombo and 3 in Moratuwa), 3 from Worms (1 each in Negombo, Kalutara, and Whooping Cough in Moratuwa), 3 from Nephritis (1 in Moratuwa, and 2 in Jaffna), 2 from Rickets (1 each in Kandy and Hambantots), 1 from Pyamia (in Jaffna), 3 from Malaria (1 each in Mannar, Kalpitiya, and Anuradhapura), and 1 from Burns (in Batricalos).

11411 11111 Malays. Deaths among all Baces. WOOIR. Sinhalese. Burghers. 11111 1111 Province of Sabara-gamuwa. Kegalla. 111 Rathapura 1 11 North-Central Pro-11.1 ·aınqadbainnA North-Western Province. Chilaw. Kalpitiya. Eastern Pro-vince. Vavuniya. Northern Province. Mullalttivu. .TenneM Tangalla. Southern Province. •șbognaladmA Gelle. Nowers Eliys. Central Province. Hatton & Dikoys. Nawalapitiya. Gampola Kandy. Western Province, Moratuwa. 1111 11 иевошро. All 83 Towns. 6. Influenza ...
7. Enferio Fever ...
8. Malaria Gever ...
9. Malarial Cachexia ...
10. Cfolera ...
11. Diarrhea ...
12. Dysentery ...
13. Anchylostomiasis or Dochmius 14. Cancer
15. Phthisis
16. Other Tubercular Diseases
17. Ansemis
18. Inabetes Mellitus
19. Convulsions...
20. Tetanus
21. Bronchitis
22. Pheumonis
23. Other Diseases of the Respira-Fuerperal Eclampsia

Puerperal Septicamia

Miscarriage

Other undefined Accidents of Childbirth tory System Bright's Disease and Nephritis II. -General Mortality-contd. Starvation ..
 Accidents or Negligence
 Homioide ...
 Suicide ... Causes of Deaths. Execution ... Duodenalis 45.55.58

Table II.—Causes of Deaths registered during December, 1920, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

* Here are included 131 deaths from Old Age, 71 from Debility, 60 from Intestinal Parasites, and 29 from Paralysis.

439

20 18

24⋅91 20.40 11.93

19.04 22.42

18.21 21.87

157

 $26 \cdot 49$ 8.41

371

346 188 141

184 156

. 28.718

40.44

29 . 978

40.44

64

12.02

8.98

30

38 99

21

8

.8

m

C)

18,685

:

42,092

32 64

. 63

63

28

35 17

60

67 ١

22

8 8 30

55 12 34

28,078

21,984 25,410 13,223

Slave Island Kollupitiya Wellawatta

registered during the year ended last day of Dec., 1920. n to annum to births 1000 births 843 369 Mortality of Children under one Year, Table III.—Number of Births and Deaths registered during the Month of December, 1920, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for December, 1910 to 1919, in each Ward of the City of Colombo. 335 400 381 301 338 Tumber registrered during Dec., 209 22 26 Standard-lzed Death-rate.† 85.25 121 1. 25.98 Average for Dec., 1910, to 1919, 27.74 **6**-76 25.53 23.43 26.48 9.55Per Mille per Annum. Death-rate, December, 1920. 28.53 24.33 25.08 3.36 27.39 30.89 5.92 27:79 22.45 Average for Dec., 1910, to 1919. 16.54 20.6623.33 19.60 4.0] Birth-rate.* 32.42 ecember, 1920. 17.62 35.08 24.91 **3**·36 2.96 21.79 ı Deaths of Residents. 780 72 8 114 99 160 Deaths of Non-109 1. 1 94 Total Deathsincluding Deatha in Hospitals and Jails. 114 869 53 22 99 254 8 Retsons. 365 55 53 74 5 . Ξ 101 Females. 504 18 5 29 153 37 **₹** Males. 54 1 8 Ретаолв, Stillbirths 2 Ξ C) 1 I 1 Females. 1 83 17 ٠ Males. 1,4 623 55 146 59 **Кетаопа.** Total Births' registered. 311 25 39 57 8 21 remales. 312 22 23 30 . 99 38 38 Relea. Population Estimated to Middle of 1920 by Interensal 3,512‡ 7,974 14,075 49,143 28,040 295,292 29,799 73,894 Population (Inclusive of the Military) at the Census of the 1911. 219,557 11,546 24,735 22,309 3,612 7,974 48,093 40,771 Maradana (exclusive of Hospitals) Fort and Galle Face Maradana Hospitals City of Colombo ... San Sebastian Wards. New Bazaar St. Paul's Kotahena Pettah

* The city-rate is worked differently from the ward-rates, and takes into account eventer in hospitals, &c., not assignable to wards.

† For explanation of the "standardized death-rate" see note a, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1920. Hence the Census figures are retained.

4

. (, 6)

Table IV.—Causes of Deaths registered during the Month of December, 1920, in each Ward and of each Race in the City of Colombo.

_					i	n th	e Cit	ty of	Cole	mbo	D.	€		_							
• ,									Wa	rds.						Deat	hs ar	nong	all R	aces.	·
			ó	Face.						spitals.	Maradana (exclusive of Hospitals).					-					٥
	Causes of Death.		of Colombo.	Galle		astian	æ	18.	zear.	па Но	na (ex	land.	tiya.	atta.	Bing.	ei.	. eg				4
		-	City of C	Fort and Galle	Pettab.	Şan Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Marada of H	Slave Island.	Kollupitiya	Wellawatta	Europeans.	Burghers.	Sinhalese	Tamils.	Moors.	Malays.	Others.
	All Causes	•••	869	5	4	29	72	114		254	158	68	38	66	6	38	436	198	136	26	29
•	-	<u>-</u>		-			1.		.00		50	18	6	9	1	11	101	49	33	9	5
F.	Infantile Mortality A.—One Week and under.	••	209	1	. 1	8	22	44	26	24	80	18		١.	•	-					
1.	Prematurity Debility	• •	6 16	_	-	=	2	1 5	2	1 4	3	=	1	3	=	1	3 7	8	1		_
2. 3.	Convulsions		18	—	—	1	4	4	3	2	1	1 _	1	1	_	=	6	5	7	_	
4. 4a-	Diarrhœa Enteritis	• •			=		_	_	=			- ,	_			—	<u></u>	_	_	_	
5.	Tetanus	• •	1	-		_	_		_	=	_	1	_			_			_		
6. 7.	Bronchitis	• •] =	=			_	—		_		-	-		5		_		
8.	Other Causes	• •	5*	1-	—		-	-	-	5		-	i —	- .	_	-	9	,	_	.—	
B	-Over 1 Week and under 1	Year.	1	İ										İ							
, l. , 2.	Prematurity Debility	• •	45		_	2	_	8	 	6	21	- 5	_	2		3	18	12	7	2	3
3.	Convulsions	•.•	52	_	1	ĩ	12	9	11	_	10	5	1	2	—	2 1	29 1	12	6	2	1
4.	Diarrhœa Enteritis	• •	3 15	1	_		1	2 4	1	3	3	3			1.	2	9	_	2	1	
4a. 5.	Tetanus	• • • • • • • • • • • • • • • • • • • •	13		_	_		_	_	l	1		-		_	 —	_	<u> </u>	. 1	<u>-</u>	_
6.	Bronchitis	• •	6 17	-	-	1 1	2	8	3	<u>-</u>	3	1. 1	_				10	3	2	ì	Ŀ
7. 8.	Pneumonia Other Causes	• •	24†	_ ,	_	2		3	5	3	6	ī	3	1	l —	2	10	7	4	1	
	General Martality (1 Voss	an d				}	, ,	•		İ											
11	-General Mortality (1 Year over)		660	4	3	21	50	70	40	230	108	45	32	57	5	27	335	149	103	17	24
	DI		65			3	9	ı		6	5	7	1	33	_	1	12	26	20	-	6.
1. 2.	Plague Smallpox	• • •	3					_	-		_	—		3	1		2	·			_
3.	Chickenpox		-	<u> </u>		-	_		_			_		_	=	_		_			· <u> </u>
4. 5.	Measles Influenza	• •	28	_	2	_	8		1	3	5	4	3	2	l —	2	10	6	8	 —	2.
6	Pyrexia or Fever	• •	4	-	_	2	=	_	1	. 9	1	_		1		1	13	2 2	1 2	1	1
7. 8.	Enteric Fever Malaria	••	20		_	2	2	5 2			_		_	2	_	_	4	2	=		
ŷ.	Malarial Cachexia	••	4		—		<u> </u>	1	1	1	1	-	-		_	—	1	2	_		1
10.	Cholera Diarrhœa	••	18				3	9	3	_	1	1		1		2	9	6	1	_	
11. 11a.	Enteritis	••	31		_		 —	3	1	16	5	2	2	2	1	1	20	5	3	1	3:
12.	Dysentery Anchylostomiasis or Doch	ming	24		_	_	2	3	—	12	1	1	5	_		1	13	7		_	.
13.	Duodenalis	• •	5	۱ ۱	_	_	_	-	_	4	1					—	4 5	1	1	_	
14.	Cancer	• •	6 65	<u> </u>		3	3	11	3	5 21	1 9	6	8	1		1	31	24	7	2	_
15. 1 6	Phthisis Other Tuberculous Disease	s	8	_	_		 —	ī		5	2	_	_	_	_	1	4	2	1	_	
17.	Anæmia	•-	2 2			1	_		_	$\frac{1}{2}$			-	_			1	1	1	_	1
18. 19,	Diabetes Mellitus Convulsions		14	_	\equiv	-	2	i	2		2	6	1	_		_	4	3	.4	3	_
20.		••	5	-		_	1	1		2 3	1	- 1	<u></u>		_	1	3 4	3	4	_	
21. 22.	Bronchitis Pneumonia		12 78	.3		1	.4 1	7	4	35	18	• 2	ì	6		l l°	43	19	8	2	5
23.	Other Diseases of the Res	pira-			İ					5	1					_	4	3	. 2		
24.	tory System Bright's Disease and Nep	hritis	9 29			1	2	1	2 3	16	3	1	1	1		1	19	6	3	—	 .
24. 25.	Puerneral Eclampsia	••	2	=	_					2			-	-	_	1	6	<u></u>	1	_	
26.	Puerperal Septicæmia Miscarriage		8	\equiv	_		1	_	<u> </u>	5	1	_	_	-	_		-		-		-
27. 28	Other undefined Accident	s of	_	_		_						, .	,				3	1	2		
	Childbirth	••	6	<u> </u>	_	_	1	1	$r \equiv 1$	1	1	1	1		_		_		l —	_	
29.	Starvation Acoidents or Negligence		14	=	_	_	1	_		13	—	. —		_	_	-	9	2	2	_	1
50. 31.	Homicide	•••	2	1	-		_	_	-	1	<u> </u>		- 1	_	-	_	1	_	=		1
32.	Suigide	• • •	2 2	= $ $				_	_		2	_	_	-			1	1	_	_	
33 . 34.	Execution All Other Causes		187‡		1	. 8	9	22	15	62.	45	13	7	5	3	13	106	23	82	8	2
. UT.												· · ·		<u> </u>		<u> </u>				<u> </u>	

^{*}Two deaths from Cerebral Compression, and 1 each from Congenital Deformity, Syphilis, and Atelectasis.
† Four deaths from Influenza, 3 from Syphilis, 2 each from Thrush, Gastritis, Worms, and Scabies, and 1 each from Starvation, Rickets, Chorea, Dysentery, Continued Fever, Burns, Septicæmia, Sores, and Nephritis.
† Here are included 37 deaths from Old Age, 17 from Debility, 14 from Marasmus, 13 from Paralysis, 9 from Rickets, and 8 each from Worms and Peritonitis.