SUPPLEMENT

TO THE

Ceylon Government Gazette

No. 7,163 — FRIDAY, MARCH 18, 1921.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF JANUARY, 1921.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

- 2. The number of births registered was 1,813 (945 males and 868 females), and was equivalent to an annual rate of 31°34 per 1,000, against 30°21 in the preceding month, 27°99 in the corresponding month of 1920, and 31°78 the average for the corresponding months since 1911. The rate ranged from 17°91 in Lunugala to 60°99 in Moratuwa.
- 3. In the city of Colombo the births registered numbered 626 (322 males and 304 females), and were equivalent to an annual rate of 24·15 per 1,000, against 24·91 in the preceding month, 22·51 in the corresponding month of 1920, and 26·63 the average for the corresponding months since 1911. The rate ranged from 12·46 in Kollupitiya to 36·99 in Wellawatta.

Deaths.

- 4. The total deaths registered during the month numbered 2,508 (1,393 males and 1,115 females). There were 1,937 deaths of residents in towns, equivalent to an annual standardized rate of 36·50 per 1,000, against 35·26 in the preceding month, 36·63 in the corresponding month of 1920, and 33·73 the average for the month of January in each year since 1911. The rate ranged from 156·30 in Anuradhapura to 11·53 in Nuwara Eliya.
- 5. In the city of Colombo the deaths numbered 851 (495 males and 356 females). There were 761 deaths of residents, equivalent to an annual standardized rate of 34·05 per 1,000, against 35·25 in the preceding month, 34·56 in the corresponding month of 1920, and 29·84 the average for the month of January in each year since 1911. Excluding the Fort and the Pettah Wards the rate ranged from 31·55 in New Bazaar to 10·34 in Kollupitiya.
 - 6. The stillbirths registered numbered 109 (62 males and 47 females), as against 114 in the preceding month.

Infant Mortality.

- 7. The mortality of infants under one year of age was equal to a rate of 315 per 1,000 births registered during the twelve months ended January 31, 1921. Reckoned on the births registered during the month only the rate was 280, against 291 in the preceding month, 254 in the corresponding month of 1920, and 273 the average for the corresponding months since 1911.
- 8. In the city of Colombo the mortality of infants was equal to a rate of 342 per 1,000 births registered during the twelve months ended January 31, 1921. Reckoned on the births registered during the month only the rate was 337, against 335 in the preceding month, 226 in the corresponding month of 1920, and 269 the average for the corresponding months since 1911.

Causes of Death.

- 9. The highest mortality was from Pneumonia, to which 11 per cent. of the total deaths was due, Debility caused 10 per cent., Convulsions and Enteritis 7 per cent. each, Dysentery, Diarrhæa, Malaria and Malarial Cachexia, Phthisis, and Anchylostomiasis 5 per cent. each, Bright's Disease and Nephritis 4 per cent., Enteric Fever, Prematurity, and Influenza 2 per cent. each, and Bronchitis and Puerperal Septicæmia 1 per cent. each.
 - 10. In Colombo too the highest mortality was from Pneumonia, to which 12 per cent. of the deaths was due, Debility caused 10 per cent., Phthisis and Convulsions 9 per cent. each, Plague 6 per cent., Enteritis 5 per cent., Influenza and Enteric Fever 4 per cent. each, Bright's Pisease and Nephritis, Dysentery, and Anchylostomiasis 3 per cent. each, Diarrhæa 2 per cent., and Bronchitis and Malaria and Malarial Cachexia 1 per cent. each.
- 11. Fifty-five deaths from *Plague* were registered (in Colombo), as against 65 in the preceding month and 26 in the corresponding month of 1920. One death from *Smallpox* was also registered in Colombo.
- 12. Infectious Diseases reported.—The infectious disease most prevalent during the month was Phthisis, of which 183 cases were reported (172 in Colombo), Chickenpox followed with 118 cases (69 in Colombo, 17 in Kandy, 8 in Anuradhapura, 6 in Ratnapura), Enteric Fever 102 (68 in Colombo, 13 in Moratuwa), Plague 66 (in Colombo), Measles 45 (30 in Colombo, 8 in Ratnapura), Continued Fever 35 (24 in Colombo, 5 in Moratuwa), Smallpox 10 (in Colombo), Dysentery 8 (4 in Puttalam), Diphtheria 4 (in Colombo), and Mumps 2 (1 in Colombo and 1 in Kandy).

Meteorology.

- 13. Rainfall.—Trincomalee recorded the highest rainfall (24.52 inches), followed by Kalmunai (23.64 inches). In the other towns the rainfall ranged from 20.12 inches in Batticaloa to 2.83 in Matara. Colombo recorded 7.55 inches.
- 14. Temperature.—The mean temperature varied from 59.2° in Nuwara Eliya to 80.2° in Ratnapura, and was 79.8° in Colombo.
- 15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

mysan ada

Registrar-General's Office, Colombo, February 24, 1921.

Table 1.—Number of Births and Deaths registered during Jauuary, 1921, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding months since 1911, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1, of 1005

TOTT, all	TOTT'S GIVE WE MEET TOTT DE LES TOTT DE LE																TO COMMISSION THE		0.001 10 1 .0	•	
•	Population	Population	ŀ	Total Births.	Tot	Total Deaths.		Total Stillbirths	Hoirths	jo a: bete iqa			Birth-rate.	Death-rat	guipnloxe 6	Death-rate excluding non-residents	Mortality	Mortality of Children	under One Year.		
	(inclusive of the Military) at the Census of March 10, 1911,	estimated to the Middle of 1921 by Intercensal Increase.	Males.	Females.	.esleM	Females.	Persons.	Males. Females.	Persons.	to sathsed taebisen-aoM segles amoT segles amoT to HamoT at	tale and Jack Deaths Hown House	D January 1921	Average Birth-rate for Jan., 1911-1920		Standa January, 1921.	Standardized.a Lary, Death-rate for Jan., 1911-1920.	Number registered during Jan., 1921.	Its proportion to portion to 1000 births registered during	Its propo per annu 1000 births ered durin year ende	Mean Tem-	Rainfail In Inches
All Towns	517,877	681,151	945 868	38 1,813	1,393	1,115	2,508	62 47	109	561	1,987	31.34	4 81.78	38.48	36.50	33.73	508	280	Jan., 19		q
Western.			322 30	304 626	495	386) o	1		08		_		6						ŀ	
•		6			1		0	8				_		31.40	34.05	29.84	211	337	342	8.62	7.55
	27,256	31,852	30 c	=			-	3	4						60.74	45.95	14	194	175	1	5.24
Panadure		8,589		11 29 29	22	13				4 4	3. 9. 1.	39.75	1 40·96 5 25·42	36·74 42·50	36.50	29.84	19	767	464	11	4.99
Centras. Kandv	30.149	34.040					•					ğ			3	3	0	707	324	1	ı
Gampola	5,521	8,139	, 01	100			-	√ -	4 I	44 25 04	807	3 37.36	90.23		40.72	29.52	21	194	225	74.8	11.14
Nawalapitiya	3,767	4,134						-	· -	28		4			16.51	38.31	١	2	18	i	13.06
Hatton and Likoya. Matala		6,225						<u> </u>	-	81.	-	21.		18.25	21.32	95.34	N	163	212	1	99.9
Nuwara Eliya	14,910	0,0290 15,142e	2 22	17 30	33	% %	19			S 6	28	39.58		40.99	47.11	42.57	12	250	100 251		6.45 11.68
Southern.								1	4			3		11.01	11 53	9.58	9	200	320	59.5	7.04
Ambalanceda	38,936	43,034	74.0	57 131		68	187	63		44	142	1		38.85	38 .04	21.51	97	906	מנ	9	
Matara	13.881	18.0834		9 15	3			1		۱ [°]		36.53		21.92	; }	1 1	3 67	133	191	9.8/	4.26
Weligama	_	9,945						7 -	2 -	*				32.56	31.89	27.86	9	100	149		18.83
£8	3,092	3,374	က က 	7 10		1	11		1 1	ا ي	125	34.	9 33 - 71	41.87	21 :33	18.78	es r	103	130	1	3
Alexanda	3,000	0,7114						1		e0		26.		19.30	19.73	26.69	- c	92	65	9.8/	4.15
Taffina	.;; 0	1		,													•	;	3	 	4.32
Mannar	<u>.</u>	48,045	<u>2</u> 0	66 138 7 15	8,1	. 79 	168	 	4-	81	14	33.47	8	36:14	36.92	47.93	. 41	297	353	78.6	0.07
n	1,392	1,869						1 F	- I	#			2 60	37.80	27.16	. 49 .08	9	400	450	79.4	80 4
Vavuniya		1,167	ঝ					1	1	1	- uo			80.70	109.58	54.01		333 550	22 6	1	18.90
Eastern.		•	,						<u> </u>		-				}	5	•	3	400 4	1	14.72
	10,671	11,444		55	19	14	33	e 	4,	4.	29	22.63	88	29.84	29.42	31.74	10	455	273	78.4	90.19
Trincomalee	8,840	11.771	o 4					 	1	4			53.14	38.01	7	7	က	200	392	<u> </u>	23.64
tern.					•						ĭ	7	3	10.07	30.74	38.55	7	318	253	78.6	24.52
Kurunegala	8,167	10,402	20 1	17 37			_		52			4			40.70	, 6	,				
Futtalam	··-	7,049		14 28				-		io.		46			55.38	99.90	91	405 957	529	78.1	$10 \cdot 20$
Chilaw	1,091	1,715	01 5	10 00	- 4	4 F	, C	1	10	!	10 i		0 35.42	34.33	7	-	2 63	333	440 386	0. 6./	7.12
North-Oentral.		0,010		٠.			5	1		<u>-</u>		<u>ਕ</u>			43.31	47.47	4	143	259	1	3.49
Anuradhapura	5,361	7,938	13	7 20	72	43	115	67	2	29	88	3 29.66	6 24.95	197.56	150.90		<u>.</u>	1	;		
Uva.												<u> </u>) H		00.001	03 40	<u> </u>	006	924	77.1	15.80
Badulla Lunugala	6,487	7,498d 657	= 1	10 11 11 11 11 11 11 11 11 11 11 11 11 1	24 26	18	42	-	67	27	112	32.97	1 56 53	23.55	25 99	38:64	41-	190	176	711.3	13.46
Sabaragamuwa.	(,	_												ין	r	-	0001	785	1	1
Katnapura Kegalla	2,536	8,191 <i>d</i> 2.756		9 32	200	100	35. 74.	<u> </u>		23	12	47.78	8 32.76	17.92	20 31	39.99	4	125	178	80.5	13 .02
						1	ı	1	ı		_	-		ı	54.86	25.83		714	540	 -	6.93

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911, as compared by the Island.

b Blanks indicate that there are no observatories or rain gauges.

c Indicate practical board and age-constitution area.

c Estimated to the and of December, 1920, by natural increase method.

f Standardized death-rates for Kalpitiya and Lunnagala towns and Lunnagala towns and Lunnagala towns death-rates for Kalpitiya and Lunnagala towns death-rates for Kalpitiya and Lunnagala towns death-rates for Kalpitiya and Lunnagala towns death-rates given for "All Towns" are, therefore, independent of the towns, but are scarcely affected by their rates.

Table II.—Causes of Deaths registered during January, 1921, in each Town of the Island proclaimed under Sections 31–36 of the Island proclaimed under Sections 31–36 of

	<u> </u>	New	ern Pro	Western Province.		Cent	Central Province.	vince.	νά	outher	Southern Province.	viace.	NA.	Northern Province.		Eastern Pro- vince.		North-Western Province.	stern C	North- Central Pro- vince.	Province of Uva.	Pra San	Province of Sabara- gamuwa.	-	Dea	Deaths among all Races.	Iong al	Race	
Oauses of Deaths.	All 88 Towns.	Colombo.	Moratuwa.	Kalutara.	Panadure.	Kandy.	Navalapitiya. Hatton & Dikoya.	.elajaM	Nawara Eliya. Galle.	*sbogasladaA	Matara. Wellgama.	Hambantota, Tangalla.	Jaffas.	Mannar. Mullaittivu.	Vavuniya. Batticaloa.	Kalmunai. Princomalee.	Curunegala.	puttalam.	Ampiotym.	.arnqadbamn.	allube6	nungala. Istnapura.	[egalla.	nropeans.	arghers.	.saslese.	.alims	(0018°	slays.
All Causes	2,508	851	74 156	6 62	1 1	35 156 19 27 2	272	33 61	16 187	6	58 20	17 16	168		. 00	<u> </u>	1 00	38		115	1 2	4_	1		4	10	- 0	M 214	M 8
I.—Infantile Mortality	208	211	14.	44 19	8	22	63	1 7	6 27	63	es 9	100 100	4	6 1	1 2	00	7	1 8	4	19	4		20		=	95.8	- (o o	14
4.—One Week and under. Prematurity Debility Convulsions. 4. Diarrhoa	43 34	6 22 14 1	니 작 ,	1221	1 - 8	400		81 H	69	10100	67	1 24	F.9	60	1 2 1	61		 		6	1 1		1_1	111	7.7	17 27 171	20 20 7	3 <u>11 0</u>	
	3*	 		<u> </u>		1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1		11111								11111	11111	11111	1111	64 7-6	1117	, , , , , , , , , , , , , , , , , , ,	1111
B.—One Week and under 1 Year. 2. Debility 3. Convulsions 4. Diarrhosa 6. Tetarius 6. Tetarus 7. Preumonits 7. Preumonits 8. Other Causes	3 1111 222 30 30 111 111 54	14 48 16 16 19 19 19 19 19 19 19 19 19 19 19 19 19	<u> </u>	66 6 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11811111					40001-100					31 60 1 1 1 1 1			48 1 1	<u> </u>				⁶ '		H400	14 47 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 222221285		2180 - 2201
II.—General Mortality (1 Year and over) 1. Plague 2. Smallpox 3. Chickenpox 4. Measles	2,000	55.0	8	1128		28 135 19 25 22	92	42	-		52 17	1215	18	7	723	00	° 1102	8	1 63 1	*	88		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	اااا	&			5 28	1 2 1 1 1

* One death from Congential Deformity, I from Atelectasis, and I from Influenza.

† These include, besides 31 cases mentioned in Table IV., footnote †, 1 death from Fever (in Negombo), 3 from Stomathis (one each in Negombo), 2 from Whooping Cough (in Moratuwa), 6 from Worms (2 in Galle and one each in Moratuwa, Matale, Kurunegala, and Chilaw), 2 from Rickets (in Kandy), 1 from Burns (in Kurunegala), 1 from Anaratia (1 in Jaffna and 4 in Anuradhapura), 2 from Dysentery (one each in Jaffna and Kurunegala), 1 from Anaratia (in Kurunegala), 1 from Eydrocoephalus (in Badulla), and 1 from Syphilis (in Lunugala).

Table II.—Causes of Deaths registered during January, 1921, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

1	eneth)	-
8	Malays.	- - - - - - - - - -
II Rac	W0018.	
gao	. slimaT	01 41 4000 70 420 70 70 70 70 70 70 70 70 70 70 70 70 70
Deaths among all Baces.	saladnis.	0714864 4886 24 444867 20 110 110 20 88 88 88 88 88 88 88 88 88 88 88 88 88
Deat	Burghers.	
	Бигореала.	
noe sra- va.	Kegalla.	
Province of Sabara- gamuwa.	Ratnapura.	
	Lunugala.	
Pro- vince of Uva.	Badulla.	
North- Central Pro-	.anutadhanuta.	02 7 114 9 1 1 8 9 1 1 81 8
stern e.	Kalpitiya. Obilaw.	
-We	Puttalam. Kelnitige	
North-Western Province.	Kurunegala.	1 4 4 4 5 6 6 1 1 1 6 4 2 4 4 1 1 2 2 1 1 1
	Trincomalee.	. 4
Eastern Pro- vince.	Kalmunai.	
	Vavuniya. Batticaloa.	
hern ince.	Mullsittiva.	
Northern Province.	.tannah	1 1 2 8 2 8 4 8 0 1 2 3 2 8 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
	Tangalla.	
vince	Hambantota	1 0 1 0 1 1 1 1 1 1
Central Province, Southern Province	Wellgama.	
	Ambalangoda.	
	Galle.	1 0 1 0 10 1 0 10 1 1 1 1 1 1 1 1 1 1 1
	Nawara Eliya.	
	Matale.	
	Nawalapitiya.	4 2 5 1 1 2 5 1 1 1 2
	Gampola.	8 700 - 1 4 10 00 10 00 00 00 0
	Kandy.	8 70 0 1 4 8 8 8 8 8 8 8 8 8
é	Panadure.	2 3 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3
Western Province,	- Kalutara,	1,27-8, 1-4-4 Sii 8 1 9 101 1 2 1 1 4 1 1 1 1 1 1 1
	Moratuwa.	
West	Negombo.	20 20 20 20 20 20 20 20 20 20 20 20 20 2
	Colombo	
	All 83 Towns,	42000 11 11 11 11 12 12 13 14 14 15 15 15 15 15 15
	Gauses of Deaths.	11.—General Mortality—contd. 5. Influenza 6. Fyrexis or Fever 7. Enterior Fever 8. Malaria 9. Malarial Cachexia 10. Cholera 11. Diarrhea 12. Dysentery 13. Anchylostomiasis or Dochmius Duodonalis 14. Cancer 15. Phthisis 16. Other Tubercular Diseases 17. Anarnia 18. Diabetes Mellitus 19. Convulsions 10. Tetanus 11. Bronchitis 12. Phenomonia 13. Other Diseases of the Respiratory System 14. Bright's Disease and Nephritis 15. Puerperal Edampsia 16. Puerperal Septicamia 17. Misoarriage 18. Other undefined Accidents of Childbirth 19. Starvation 10. Accidents or Negligence 10. Honioide 11. Homioide 12. Suicide 13. Execution 13. Execution 14. All Other Causes
ACC STATEMENT OF THE ST	-	11.—General M 5. Influenza 6. Pyraxia or 7. Enterio Fai 8. Malaria Ca 10. Cholera 11. Diarrhea 11. Diarrhea 12. Dysentery 13. Anchylosto 14. Cancer 16. Other Tube 17. Anemia 18. Diabetes M 19. Convulsion 20. Tetanus 21. Bronchitis 22. Pheumonia 23. Other Disea 24. Bright's Dis 25. Pheumonia 26. Puerperal E 27. Miscarriage 28. Other under 29. Other under 20. Tetanus 21. Bright's Dis 22. Pheumonia 23. Other Disea 24. Bright's Dis 25. Puerperal E 26. Puerperal E 27. Miscarriage 28. Other under 39. Anicides 30. Homicide 31. Homicide 32. Suicide 33. Execution 34. All Other (

‡ Here are included, 145 deaths from Senility, 96 from Debility, 87 from Intestinal Parasites, and 25 from Paralysis.

Table III.—Number of Births and Deaths registered during the Month of January, 1921, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for January, 1911 to 1920, in each Ward of the City of Colombo.

,								-			-	(f)	TTAT	60 1820, in each Ward of the City of Colombo.	each Wa	ard of th	e City o	f Colon	.bo.	
	Population	Population Fattmeted	Ħ P	Total Births registered.	8	StI	libirths.	3F	Matherin	Total Deathsincluding Deaths in Hospitals and Jails.	8 1			Per M	Per Mille per Annum.	nam.		Mor	Mortality of Children under one Year.	ldren
Wards.	(inclusive of the Military) at the Census of 1911.	to Middle of 1921 by Intercensal Increase.	<u> </u>	sles.	*8uo	*8	.tles.	*800			Deaths of Non- residents.	Deaths of Besidents.	Birth-rate.	rate.*	Desth-rate.*	rate.*	Standard-		Its proportion that the proportion to the summ to 1000 births 1000 births	Its proportion per sunum to 1000 births
			Male	məğ	erseT	Male	sme¶	Pers	olsM Male	Тепа			January, 1921.	Average for Jan., 1911, to	January, 1921.	Average for Jan., 1911, to	Desth- rate,† Jan., 1921.	during Jan., 1921.	registered during Jan.,	registered during the year ended
City of Colombo	219,557	805,249	322	304	626	35	18	53 4	495 85	856 851	8	761	24 - 15	1920.	90.05	1920.			1001	Jan., 1921,
Wast and Carlot	٠.						-	\vdash			-			2	00 07	98.07	34.05	211	837	842
Total and dame race	3,512	3,512‡	1	1		-1	ı	1	67]	2				ì	i			•	
Pettah	7,974	7,974	ļ	l	1	ļ	-	١	10		10	1		2	00.0	07.6	l	1	i	}
San Sebastian	11,546	14.377	٥	•	Ş						1	ro C	1	6.42	7.38	11.00	1	63	1	160
St. Panl's			D	D)	×2	1	ಣ	en	~ ~ ~	.16 24	4	24	14.74	22.31	19.66	32.08	ı	90	444	375
	061,130	50,470	63 63	24	47	ಣ	Ģ	õ	43	31 74	4	74	18.14	10.00	9	77.00			į	; ;
Kotahena	40,771	50,138	62	48	110	•	G.	0	. 62	59.118			2	70 01	RO 07	##. 77	İ	7	44.	532
New Bazaar	22,309	28,735	4	ę	, ,						1	811	25.83	27.19	27.71	25.70	ı	36	327	307
Maradana Hosnitals			2 8	8	₹			23	44 	33 77		77	28.68	25.43	31.55	26.59	1	22	314	411
Maradana (exclusive	48,093	77,371	92	33	8	17	D ,	24 1	162	79 241	1 78	163	J	1	1.	1	1	29	I	ł
of Hospitals)	<u> </u>		83	85	165	်က		4		73 153	83	15	0,40	99.10	00.00	00.00		;	3	1
Slave Island	21,984	28,823	83	27	20	_	·		- 86 - 66	34 69		}	11 69	00.17	07.07	00.07	1.	2.0	0 4 0	479
Kollupitiva	25,410	44.430		6	ţ	•						70	20.43	23.69	25.33	19.64	1	19	380	. 369
	1			3	¥	21		e0		15 48	ය න	83	12.46	12.48	10.34	10.80	i	6	191	270
Wellawatta	13,223	19,419	es 67	8	19	67			31	16 47	2	45	36.99	37 - 468	27.28	24.368		òo	131	135
						-	~	-		-	_							_		}

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† For explanation of the "standardized death-rate" see note \(\alpha\), The population of the several wards of the city not being available by age- and sex-constitution, their standardized the population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1921. Hence the Census figures are retained.

§ Average for the months of January, 1913-1920.

Table IV.—Causes of Deaths registered during the Month of January, 1921, in each Ward and of each Race in the City of Colombo.

			1	·	<u>."</u> .	tit 0	16 0	ity o	1 (0)	OIII	Ю.:	+-			•						
				-				<u> </u>	We	rds.		:	. :			Dea	ths a	mong	all I	Races	
	Causes of Death.		of Colombo.	Fort and Galle Face.		stian.	ď	ď	aar.	Maradana Hospitals.	Maradana (exclusive of Hospitals),	and.	iya.	bta.	DS.	3	9.				
,	*		City of C	Fort and	Pettab.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradan	Maradan of Ho	Slave Island.	Kollupitiya	Wellawatta.	Europeans.	Burghers.	Sinhalese	Tamils,	Moors.	Malays.	Others.
	All Causes		851	2	5	24	74	118	77	241	153	62	48	47	4	38	407	187	157	22	36
I. —	Infantile Mortality A.—One Week and under.	••	211	-	2	8	21	36	22	29	57	19	9	8	-	8	104	37	51	9	2
1. 2. 3. 4. 4a. 5. 6. 7. 8.	Prematurity Debility Convulsions Diarrhœa Enteritis Tetanus Bronchitis Pneumonia Other Causes Over 1 Week and under 1 Y	······································	6 22 14 — — — — 3*	-		- 3 1 - - - -	4 1 - - -	3 5	- - - - -	1 5 — — — — 2	5 2 - - - - 1	2 1 - - - - - -	2 - - - - - - - -	1 - - - - -		- I	2 9 5 —	2 7 4 —	5		
1. 2. 3. 4. 4a. 5. 6.	Prematurity Debility Convulsions Diarrhœa Enteritis Tetanus Bronchitis Pneumonia Other Causes		41 48 7 16 1 3 19 31†		- 1 - 1 - 1	1 02 1 	-4 6 2 - - 2 2	10 5 2 3 - 4 4	3 8 1 2 - 1 2	- - 5 - 1 3 11	15 20 4 1 1 4 4	-4 4 -1 3 4	$ \begin{array}{c} $	- 2 - 1 - - - 1 2		- 3 2 - 1 - 1	20 20 4 9 1 1 13 17		12 17 2 1 — 1 6	1 2 1 - 2 1 2 1 2	- - 1 - - -
II.—	General Mortality (1 Year over)	and	640	2	3	16	53	82.	55	212	96	43	39	39	4	30 8	303	150	06	13	34
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 11a.	Plague Smallpox Chickenpox Measles Influenza Pyrexia or Fever Enteric Fever Malaria Malarial Cachexia Cholera Diarrhœa Enteritis Dysentery Anchylostomiasis or Dochn	mius	55 1 29 6 32 5 4 -12 26 20		1	1 - 1 - 1 - 1 - 1	11 - 8 - 4 - - 1 3	3 	3 4 2 3 2 2	7 - 5 - 14 3 1 - 4 12 4	4 - - 6 6 3 - 2 2 3	5 	1 3 1 4	19 1 - 3 - - - - - -			16 1 	19 	18 — 4 1 4 — 3 6 —		2 - - 1 - - - 1 1
14. 15. 16. 17. 18. 19. 20. 21.	Duodenalis		22 2 73 3 2 2 11 4 7 90	- 1 - 1 - -			- 5 - - 1 2 5	1 10 - 1 1 1 - 2 15	1 9 - 1 - 7		2 6 1 1 4 — 11	7 1 2 - 7		1 1		6		6 2 9 1 — 1 — 1 — 2 20	1 6 - 4 1 1 14	- 3 - - - 1	2 8 - 1 1 8 8 - 1
24. 25. 26. 27. 28. 29. 30. 31. 32.	tory System Bright's Disease and Nephr Puerperal Eclampsia Puerperal Septicæmia Miscarriage Other undefined Accidents Childbirth Starvation Accidents or Negligence Homicide Suiside Execution All Other Causes	ritis	5 22 2 8 			1	1 1 -	1 1 - 26	1 :	2 14 2 2 - 7 - 48	1 1	3		1			4 4 4 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 1 2 1 2 38	1 8 2 -	1 1 - 7	1. 2.

^{*} One death from Congenital Deformity, 1 from Atelectasis, and 1 from Influenza.

† Seven deaths from Syphilis, 4 from Rickets, 3 from Dysentery, 2 each from Nephritis, Thrush, Gastritis, Influenza, and Heart Disease, and I each from Septicæmia, Meningitis, Peritonitis, Diptheria, Dochmius, Intestinal Obstruction; and Worms.

‡ Here are included 43 deaths from Old Age, 18 from Debility, 16 from Worms, 14 from Paralysis, and 12 from Rickets.