

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 7,167 — FRIDAY, APRIL 8, 1921.

VITAL STATISTICS OF CEYLON.

**REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS
FOR THE FOURTH QUARTER OF 1920.**

I.—Population.

THE population of the Island, as estimated to the last day of the quarter was 4,806,726, showing an increase of 14,957 persons over the previous quarter. This increase was made up of an excess of 11,528 births over deaths and of 3,429 arrivals over departures of Indian coolies on estates. The births preponderated in all districts excepting Mannar, Mullaittivu, Puttalam, Anuradhapura, and Badulla.

2. *Indian Coolies.*—The number of Indian coolies who arrived in the Island during the quarter was 7,523; the number leaving was 4,094, as against an average of 17,873 and 9,922 respectively for the fourth quarters of the past decade.

II.—Marriages.

3. The marriages registered during the quarter numbered 5,995; of these 4,579 were general and 1,416 Kandyan, as against 4,776 and 1,698 respectively in the previous quarter. The total number of marriages registered in the fourth quarter of 1919 was 4,932, and the average number for the fourth quarters of the years 1910–1919 was 6,027. Table I. in the appendix shows the number of marriages registered during the quarter by provinces and districts.

III.—Births.

4. The births registered during the quarter numbered 41,707 (21,272 males and 20,435 females) and showed an increase of 2,652 on the previous quarter. The births for the quarter correspond to a rate of 34·6 per 1,000 of the estimated population, as against 31·7 in the previous quarter and 32·4 in the corresponding quarter of 1919. The average rate for the fourth quarters of the past decade is 37·6 or 3·0 per 1,000 above the rate for the quarter under review. The Anuradhapura District records the highest rate, 55·2, and is followed by the Trincomalee and Matale Districts with rates of 53·0 and 50·8 respectively. As in the two previous quarters the lowest rate is found in the Matara District, 25·5. The next lowest rate is 29·0 in Galle District. The number of births on the estates was 5,123 and corresponds to a rate of 40·1 per 1,000 of the estate population at the Census of 1911. The number in the previous quarter was 5,482 and the rate, 43·0. The highest rates for the quarter were 61·5 on the estates of Ratnapura District and 60·7 on those of Galle District. The lowest rate was 26·5 on the estates of Colombo District. In the principal towns the number of births registered was 5,117 or 487 births more than in the previous quarter. The urban birth-rate was 30·6, as against 27·7 in the previous quarter and 28·1 the average for the fourth quarters of 1910–1919. The rate ranged from 52·4 in Kegalla to 16·0 in Nuwara Eliya. In the city of Colombo 1,986 births were registered, corresponding to a rate of 26·8, as against 24·6 in the previous quarter and 23·2 the average. Detailed statistics will be found in Tables I.–V. There were registered during the quarter the births of 398 twins and 9 triplets, as against 352 and 3 respectively in the previous quarter.

IV.—Deaths.

5. The deaths of 30,179 persons, 15,601 males and 14,578 females were registered during the quarter. The number, which is the lowest registered in any quarter of this or the previous year, corresponds to a rate of 25·1 per 1,000 persons, as against 25·3 in the previous quarter, 26·8 in the corresponding quarter of 1919, and 30·7 the average for the fourth quarters of the past decade. The mortality rates in the Districts of Chilaw, Negombo, and Kegalla were, as usual, the lowest, viz., 18·2, 20·0, and 21·2 respectively. The Districts of Matara, Kalutara, and Nuwara Eliya, too, showed low rates of 22·3, 22·7, and 23·6 respectively. The highest rate of mortality was 55·9 in Anuradhapura District. The next highest rates were 46·4 in Mannar, 40·2 in Matale, and 40·0 in Badulla. On the estates the deaths of 4,198 persons were registered, or 718 deaths less than in the previous quarter. The estate death-rate was 32·9 and was a distinct improvement on the previous quarter's rate, 38·5 and the average rate, 46·2. The rate ranged from 84·8 on the estates of Matara District to 16·7 on those of Colombo. In the principal towns the deaths of 5,843 persons were registered. Of these 4,464 were of residents, and this number corresponded to a standardized rate of 29·1 per 1,000 of the estimated urban population, as against 27·0 in the previous quarter and 31·6 the average. By far the highest death-rate was recorded in Anuradhapura, viz., 81·0. Vavuniya and Moratuwa came next with rates of 57·6 and 43·4. The lowest rate was found in Nuwara Eliya, 6·6. Among the other towns with a low rate of mortality were, Hatton and Dikoya (13·0) and Panadure (16·1). In the city of Colombo 2,156 deaths were registered, 1,886 of these being of residents. This number was equivalent to a standardized rate of 29·5 per 1,000, as against 26·2 in the previous quarter, and 30·2 the average. The number of still-births registered in the principal towns was 376 (209 males and 167 females), as against 285 in the previous quarter. Tables I.–V. give detailed statistics.

V.—Infant Mortality.

6. The deaths of infants under one year registered during the quarter numbered 7,635 or 25 per cent. of the total deaths. The number of infant deaths was equivalent to a rate of 186 per 1,000 births registered during the year ended the last day of the quarter under review, as against 160 in the previous quarter, and 187 in the fourth quarter of 1919. The mortality of Sinhalese infants was equal to a rate of 173 per 1,000 births, as against 136 in the previous quarter, and

ranged from 350 in Anuradhapura District to 113 in Kalutara. The mortality of infants among the Tamils was equal to a rate of 364 per 1,000 births in Mannar District, which was the highest. In the Jaffna District the rate was 175. Among the Moors, 257 out of every 1,000 children born died in Puttalam District and 228 in Batticaloa. On the estates 176 infants under one year died to every 1,000 children born during the year ended December 31, 1920, as against 186 in the previous quarter. The rate varied between 246 on the estates of Galle District to 115 in Colombo. In the principal towns 1,269 deaths of children under one year were registered during the quarter, corresponding to a rate of 269 per 1,000 births, as against 214 in the previous quarter. Anuradhapura recorded the highest rate, 536. Kurunegala and Moratuwa recorded the next highest rates, viz., 471 and 369. Kalpitiya closely followed Moratuwa with 367. In the other towns the rate ranged from 335 in Ratnapura to 76 in Panadure. In the city of Colombo 527 infants under one year died during the quarter, and the equivalent rate was 291, as against 238 in the previous quarter and 311 the average.

VI.—Causes of Deaths. —

7. Of the 30,179 deaths registered during the quarter, Pyrexia, as usual, caused the largest number of deaths, 3,709 or 12 per cent. The deaths from Pneumonia and Influenza show a marked decline, the number attributed to each of them (1,390 from Pneumonia and 687 from Influenza) being lower than that for any of the previous quarters of the year. The following statement compares the deaths registered from Influenza and Pneumonia in each District of the Island with the two previous quarters :—

	Influenza. 1920.			Pneumonia. 1920.		
	Fourth Quarter.	Third Quarter.	Second Quarter.	Fourth Quarter.	Third Quarter.	Second Quarter.
Colombo	107	213	132	243	339	289
Negombo	39	44	34	24	32	16
Kalutara	22	58	33	46	53	42
Kandy	66	74	72	152	124	142
Matale	8	11	12	58	52	36
Nuwara Eliya	25	24	46	121	148	163
Galle	79	104	82	34	29	29
Matara	41	85	20	9	19	15
Hambantota	29	94	9	8	22	9
Jaffna	86	77	130	190	237	223
Mannar	—	1	1	24	22	30
Mullaitivu	—	1	—	37	56	39
Batticaloa	40	39	27	91	123	94
Trincomalee	1	—	1	29	26	33
Kurunegala	25	22	15	62	53	54
Puttalam	—	—	—	19	28	53
Chilaw	—	2	1	17	27	25
Anuradhapura	18	9	13	37	16	27
Badulla	74	42	64	108	167	93
Ratnapura	13	31	20	42	50	34
Kegalla	14	22	13	39	43	41
CEYLON	687	953	725	1,390	1,666	1,487

Among the other causes which contributed to the mortality during the quarter were Convulsions (10 per cent.), Diarrhoea 9 per cent., Diseases of Skin and Cellular Tissue 8 per cent., Rickets 5 per cent., Debility of infants under 3 months 4 per cent., Senility 4 per cent., Anaemia 4 per cent., Intestinal Parasites 3 per cent., Dysentery 3 per cent., Phthisis 3 per cent., Dropsy 2 per cent., Anchylostomiasis 2 per cent., Diseases or Accidents of Pregnancy and Child Birth 2 per cent., Debility of persons over 3 months 2 per cent., Enteritis 1 per cent., Premature Birth 1 per cent., Malaria and Malarial Cachexia 1 per cent., Bright's Disease and Nephritis 1 per cent., and Acute Rheumatic Fever 1 per cent. The deaths from Plague during the quarter numbered 135, as against 112 in the previous quarter. As many as 120 of the details were registered in Colombo City. Fifteen deaths from Cholera and 12 from Smallpox were registered. Detailed statistics will be found in Table VI.

8. Deaths produced by external causes :—

(a) *Suicide*.—Forty-four deaths were due to suicide, as against 54 in the previous quarter and 71 in the corresponding quarter of 1919.

(b) *Homicide*.—Sixty-five deaths resulted from homicide, as against 53 in the previous quarter and 45 in the corresponding quarter of 1919.

(c) *Executions*.—Thirteen deaths were attributed to judicial hanging or execution, as against 11 in the previous quarter and 7 in the corresponding quarter of 1919.

(d) *Accidents*.—Of the 578 deaths returned as due to accidents and other affections produced by external causes, 136 were assigned to fall from trees, 134 to drowning (34 in wells and 9 in pits), and 45 to burns. Eleven of the deaths from burns were due to the bottle lamp. Snake-bite caused 68 deaths, fall of heavy substances 26, injuries by animals 14 and firearms 13. Deaths attributed to railway accidents numbered 11, to motor car 13, and to carts 8.

9. *Causes of Death on Estates*.—The highest mortality on estates during the quarter was due to Debility (of infants under 3 months) which caused 12 per cent. of the total deaths. Anchylostomiasis and Pneumonia followed with 11 per cent. each, Dysentery 9 per cent., Diarrhoea 8 per cent., Infantile Convulsions 7 per cent., Debility (of persons over 3 months) 6 per cent., Enteritis 3 per cent., Premature Birth 3 per cent., Bright Disease and Nephritis 3 per cent., Diseases or Accidents of Pregnancy and Child Birth 2 per cent., Dropsy 2 per cent., Phthisis 2 per cent., and Malaria and Malarial Cachexia 1 per cent. See Table VII. for detailed statistics.

10. *Causes of Death in the Towns*.—In the principal towns the chief causes of mortality were Pneumonia and Convulsions. The percentage of mortality from each of them to the total number of urban deaths was 9. The other causes of mortality were Debility (under one year) which caused 7 per cent. of the deaths, Diarrhoea 6 per cent., Enteritis 6 per cent., Phthisis 6 per cent., Anchylostomiasis 5 per cent., Bright's Disease and Nephritis 4 per cent., Dysentery 4 per cent., Malaria and Malarial Cachexia, 4 per cent., Enteric Fever 2 per cent., Prematurity 2 per cent., Bronchitis 1 per cent., Influenza 1 per cent., and Puerperal Septicæmia 1 per cent. For detailed statistics, see Table VIII.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Fourth Quarter of 1920.

Province and District.	Area in Square Miles.	Estimated Population on October 1, 1920.	Marriages.			Births.			Deaths.		
			Total.	General.	Kandy.	Total.	Males.	Females.	Total.	Males.	Females.
Ceylon ..	25,481	4,791,769	5,995	4,579	1,416	41,707	21,272	20,435	30,179	15,601	14,578
Western ..	1,432	1,219,272	1,956	1,956	—	1,0954	5,520	5,434	7,260	3,854	3,406
Central ..	2,279	720,902	503	203	300	7,081	3,685	3,396	5,211	2,612	2,599
Southern ..	2,146 $\frac{1}{2}$	693,980	1,042	1,036	6	5,259	2,637	2,622	4,516	2,283	2,233
Northern ..	3,519	381,632	485	485	—	2,982	1,588	1,394	2,568	1,373	1,195
Eastern ..	3,848 $\frac{1}{2}$	196,046	112	101	11	2,164	1,108	1,056	1,420	727	693
North-Western ..	3,016	443,912	1,068	554	514	4,950	2,528	2,422	3,035	1,588	1,447
North-Central ..	4,068	84,452	176	29	147	1,172	594	578	1,187	642	545
Uva ..	3,271 $\frac{1}{2}$	219,949	197	55	142	2,203	1,108	1,095	2,210	1,130	1,080
Sabaragamuwa ..	1,901	441,796	456	160	296	4,942	2,504	2,438	2,772	1,392	1,380
Western.											
Colombo ..	560 $\frac{1}{2}$	709,555	1,165	1,165	—	6,418	3,254	3,164	4,479	2,405	2,074
Negombo ..	247 $\frac{1}{2}$	193,516	340	340	—	1,692	840	852	974	511	463
Kalutara ..	623 $\frac{1}{2}$	316,201	451	451	—	2,844	1,426	1,418	1,807	938	869
Central.											
Kandy ..	911	441,939	304	129	175	4,352	2,241	2,111	3,106	1,579	1,527
Matale ..	905 $\frac{1}{2}$	108,096	113	29	84	1,374	713	661	1,093	535	558
Nuwara Eliya ..	462 $\frac{1}{2}$	170,867	86	45	41	1,355	731	624	1,012	498	514
Southern.											
Galle ..	652 $\frac{1}{2}$	326,026	478	472	6	2,379	1,232	1,147	2,193	1,070	1,123
Matara ..	481 $\frac{1}{2}$	256,250	368	368	—	1,641	806	836	1,439	764	675
Hambantota ..	1,012 $\frac{1}{2}$	111,704	196	196	—	1,239	599	640	884	449	435
Northern.											
Jaffna ..	1,147 $\frac{1}{2}$	342,223	413	413	—	2,631	1,397	1,234	2,148	1,133	1,015
Mannar ..	904 $\frac{1}{2}$	22,635	57	57	—	199	105	94	264	155	109
Mullaittivu ..	1,466 $\frac{1}{2}$	16,774	15	15	—	152	86	66	156	85	71
Eastern.											
Batticaloa ..	2,800 $\frac{1}{2}$	164,915	69	66	3	1,749	909	840	1,153	608	545
Trincomalee ..	1,048	31,131	43	35	8	415	199	216	267	119	148
North-Western.											
Kurunegala ..	1,843 $\frac{1}{2}$	309,468	815	313	502	3,845	1,952	1,893	2,308	1,191	1,117
Puttalam ..	909 $\frac{1}{2}$	37,238	41	29	12	276	147	129	282	154	128
Chilaw ..	262 $\frac{1}{2}$	97,206	212	212	—	829	429	400	445	243	202
North-Central.											
Anuradhapura ..	4,068	84,452	176	29	147	1,172	594	578	1,187	642	545
Uva.											
Badulla ..	3,271 $\frac{1}{2}$	219,949	197	55	142	2,203	1,108	1,095	2,210	1,130	1,080
Sabaragamuwa.											
Ratnapura ..	1,259	174,312	209	78	131	2,172	1,125	1,047	1,349	694	665
Kegalla ..	642	267,484	247	82	165	2,770	1,379	1,391	1,423	698	725

Table II.—Birth- and Death-rates in the Fourth Quarter of 1920, the Corresponding Quarter of 1919, the Third Quarter of 1920, and the Mean Rates for the Fourth Quarters of 1910-1919.

Province and District.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
	Fourth Quarter, 1920.	Third Quarter, 1920.	Fourth Quarter, 1919.	Average for 4th Quarters, 1910-1919.	Fourth Quarter, 1920.	Third Quarter, 1920.	Fourth Quarter, 1919.	Average for 4th Quarters, 1910-1919.
Ceylon	34·6	31·7	32·4	37·6	25·1	25·3	26·8	30·7
Western	35·7	29·7	32·1	35·2	23·7	23·1	24·8	25·1
Central	39·1	35·3	43·8	41·6	28·8	30·1	35·8	37·2
Southern	30·1	27·4	31·7	41·0	25·9	29·6	29·8	29·8
Northern	31·1	38·1	33·7	37·8	26·8	27·3	24·5	32·1
Eastern	43·9	49·9	38·8	44·3	28·8	33·1	27·9	32·0
North-Western	44·4	40·2	22·1	36·2	27·2	25·6	25·4	31·6
North-Central	55·2	52·9	20·6	39·7	55·9	35·6	31·4	37·5
Uva	39·8	40·4	47·1	45·3	40·0	39·0	46·6	47·3
Sabaragamuwa	44·5	34·9	44·0	43·8	25·0	24·5	27·7	35·5
Western, Colombo	36·0	29·7	30·0	32·5	25·1	24·2	26·0	25·1
Negombo	34·8	28·5	28·0	36·8	20·0	17·4	19·7	22·5
Kalutara	35·8	30·5	39·5	40·7	22·7	24·0	25·2	26·8
Central, Kandy	39·2	34·0	43·4	40·7	28·0	30·3	37·2	34·9
Matale	50·6	41·2	43·9	43·4	40·2	31·6	35·8	49·5
Nuwara Eliya	31·5	35·1	44·8	42·8	23·6	28·4	32·1	33·7
Southern, Galle	29·0	25·8	34·8	42·3	26·8	29·9	27·8	28·4
Matara	25·5	24·0	28·7	41·7	22·3	28·0	30·8	27·6
Hambantota	44·1	40·1	29·6	39·9	31·5	32·5	33·1	38·6
Northern, Jaffna	30·6	37·6	34·3	37·0	25·0	25·0	22·9	30·1
Mannar	35·0	44·4	29·4	37·8	46·4	48·3	38·1	51·4
Mullaitivu	36·0	39·3	26·1	40·1	37·0	45·9	37·8	44·8
Eastern, Batticaloa	42·2	49·9	39·2	44·3	27·8	34·6	28·3	30·8
Trincomalee	53·0	49·6	36·6	44·5	34·1	25·1	25·4	38·3
North-Western, Kurunegala	49·4	43·0	21·6	37·8	29·7	27·4	26·5	34·7
Puttalam	29·5	31·8	18·5	28·2	30·1	31·3	29·0	31·3
Chilaw	33·9	34·4	25·0	34·2	18·2	17·5	20·4	21·6
North-Central, Anuradhapura	55·2	52·9	20·6	39·7	55·9	35·6	31·4	37·5
Uva, Badulla	39·8	40·4	47·1	45·3	40·0	39·0	46·6	47·3
Sabaragamuwa, Ratnapura	49·6	40·0	52·3	46·4	30·8	31·3	34·5	41·0
Kegalla	41·2	31·7	38·6	41·9	21·2	20·0	23·2	31·7

[For Table III. see page 5.]

Table IV.—Births, Deaths, and their Rates on Estates, Fourth Quarter, 1920, &c., and Average Rates, 1910-1919.

District.	Population at the Census of March 10, 1911.	Births registered during the Fourth Quarter, 1920.	Deaths registered during the Fourth Quarter, 1920.	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
				Fourth Quarter, 1920.	Third Quarter, 1920.	Fourth Quarter, 1919.	Average, Fourth Quarters, 1910-1919.	Fourth Quarter, 1920.	Third Quarter, 1920.	Fourth Quarter, 1919.	Average, Fourth Quarters, 1910-1919.
Kandy	147,738	1,494	1,170	40·2	38·5	48·9	41·0	31·5	36·2	48·8	43·8
Matale	31,186	350	328	44·6	43·9	50·8	41·0	41·8	39·5	42·7	63·2
Nuwara Eliya	100,393	805	651	31·9	38·7	49·2	43·5	25·8	34·2	38·4	39·5
Badulla	71,957	633	667	35·0	42·6	54·9	39·9	36·9	50·8	56·8	47·1
Ratnapura	30,458	471	413	61·5	70·0	66·2	47·7	53·9	61·7	48·7	70·5
Kegalla	62,518	642	406	40·9	41·8	40·9	34·9	28·8	28·4	32·1	39·3
Colombo	13,377	89	56	26·5	30·0	37·1	32·9	16·7	18·4	23·1	44·6
Kalutara	30,768	378	261	48·9	50·2	65·5	44·7	33·7	30·8	34·9	47·0
Galle	6,295	96	87	60·7	63·8	93·9	44·8	55·0	49·9	43·5	55·6
Matara	3,191	34	68	42·4	63·6	59·7	49·4	84·8	115·9	48·5	59·5
Kurunegala	9,789	131	91	53·2	52·0	25·9	29·7	37·0	37·0	31·6	55·6
Total	507,667	5,123	4,198	40·1	43·0	50·9	40·9	32·9	38·5	43·5	46·2

Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the Estimated Population, and the Proportion of Infantile Deaths to 1,000 registered Births in the Fourth Quarter of 1920.

Sinhalese.		Tamilis.		Moors.	
Province and District.	Area in Square Miles.	Birth-rate per Mille per Annum.	Death-rate per Mille per Annum.	Birth-rate per Mille per Annum.	Death-rate per Mille per Annum.
Western ..	1432	1018029 9096	35.5	21.5	22.8
Colombo ..	5602	574290 6290	36.6	34.7	143
Negombo ..	2472	175345 1540	881	34.9	22.4
Kautara ..	6232	268394 2266	1388	37.6	20.0
Central ..	2279	381651 3915	2643	40.8	27.6
Kandy ..	911	249800 2496	1662	39.8	43.6
Matale ..	9051	71319 904	658	50.4	26.5
Nuwara Eliya ..	4624	60532 615	323	33.8	44.6
Southern ..	21461	662741 4939	4147	29.6	42.0
Galle ..	6524	309009 2196	1986	28.3	42.8
Matura ..	4811	245817 1651	1321	25.1	41.8
Hambantota ..	10124	107915 1192	840	43.9	39.9
Northern ..	3519	—	—	31.0	28.4
Jaffna ..	11472	—	—	32.7	27.4
Manar ..	9042	—	—	31.6	27.0
Mullaitivu ..	14662	—	—	31.6	27.0
Eastern ..	38481	6628	114	67	68.4
Batticaloa ..	28004	5622	100	58	59.5
Trincomalee ..	1048	—	—	41.0	56.3
North-Western ..	3016	386631 4358	2454	44.8	36.8
Kurunegala ..	18437	284784 3652	2005	49.5	38.1
Puttalam ..	9097	17151 97	89	22.5	28.0
Chilaw ..	2621	84696 719	360	33.8	34.7
North-Central ..	4068	65729 923	914	55.9	42.3
Anuradhapura ..	4068	65729 923	914	55.9	42.3
Uva ..	32712	139119 1451	1383	41.5	48.6
Badulla ..	32712	139119 1451	1383	41.5	48.6
Sabaragamuwa ..	1901	344704 3706	1823	42.8	44.4
Ratnapura ..	1269	148616 1663	887	45.2	45.2
Kegalla ..	642	197888 2038	936	43.8	41.0

Table V.—Number of Births and Deaths registered during the Fourth Quarter of 1920, and their Proportion per 1,000 of the Population per Annum; the Stillbirths; the Deaths of Children under One Year and their Proportion per 1,000 Registered Births; and the Mean Temperature and Rainfall, observed in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population estimated to the middle of the Census of March 1911.	Population estimated to the middle of the Census of March 1920 by Inter-censal increase.	Total Births.				Total Stillbirths.				Birth-rate.				Deaths of Children under One Year of Age to 1,000 Births.									
			Native Persons		Non-residents		Native Persons		Non-residents		Native Persons		Non-residents		Crude, Fourth Quarter, 1920.		Average, Fourth Quarter, 1920.							
			Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Average, 1910–1916	Fourth Quarter, 1920.	Average, 1910–1916	Fourth Quarter, 1920.						
All 38 Towns	..	517,877	2,593	2,524	5,117	3,204	2,639	5,343	208	167	376	1,356	4,464	30·68	28·09	28·72	29·12	31·56	1269	269	284			
Western Province.	..	219,557	295,292	1015	971	1986	1236	920	2156	113	68	181	265	1,886	26·76	23·17	25·41	29·48	30·20	527	291	311		
Colombo	..	13,045	27,387	125	128	263	152	110	262	3	5	8	39	223	36·76	32·39	33·88	31·79	34	143	230	—		
Negombo	..	27,256	31,374	184	194	378	185	187	322	8	5	13	310	47·93	42·04	39·31	43·35	42·02	126	369	253	—		
Moratuwa	..	13,006	14,663	76	75	151	72	65	137	2	4	25	112	41·25	33·33	30·60	30·40	26·77	25	219	161	—		
Kaluwara	..	5,709	8,256	30	30	60	20	22	42	3	—	3	14	28	28·91	24·60	13·49	16·06	22·78	4	76	186	—	
Panadura	
Central Province.	..	30,149	33,616	156	140	296	157	127	284	12	9	21	77	207	35·03	28·01	24·50	26·70	31·94	61	223	244	75·4	
Kandy	..	5,521	7,839	28	32	60	50	29	79	4	—	4	41	38	30·45	30·92	19·29	20·01	34·72	9	171	260	48·26	
Gampola	..	3,767	4,097	18	18	28	31	30	61	1	—	1	43	18	27·19	27·57	17·48	19·00	38·38	6	227	299	56·58	
Nawakalpitiya	..	3,026	3,206	13	18	31	44	34	78	1	—	1	69	9	38·47	25·39	11·17	13·04	30·05	5	176	305	—	
Hatten and Dikoya	..	5,792	8,200	40	49	89	88	71	159	4	7	11	66	43·18	30·68	43·41	27	32·03	36·93	27	324	342	38·14	
Matale	..	14,910	15,136	31	30	61	46	21	37	1	2	3	15	22	16·03	16·88	5·78	6·59	10·74	10	187	234	59·6	
Nuwara Eliya	
Southern Province.	..	39,936	42,725	151	133	284	179	181	360	17	12	29	62	298	26·44	27·84	27·75	28·69	59	186	227	78·8	40·28	
Galle	..	13,851	17,804	61	68	129	81	57	138	2	2	4	—	31	23·61	—	26·14	—g	7	240	—	—	—	
Ambarangoda	..	4,718	4,718	14	14	28	15	16	31	2	2	4	35	103	28·83	39·54	23·02	22·54	26·20	26	225	194	—	27·05
Matale	..	8,672	8,914	23	35	58	26	27	53	1	2	3	—	51	23·51	36·66	20·67	18·63	23·47	9	132	181	331	80·0
Welligama	..	3,092	3,346	22	16	38	16	6	22	1	2	3	4	18	45·18	42·64	21·40	23·93	40·47	5	184	281	200	—
Hambantota	..	3,506	6,443	24	22	46	20	23	43	1	2	3	6	36	28·40	31·32	22·23	22·72	25·20	13	281	—	11·52	18·98
Tangalle	
Northern Province.	..	40,441	47,694	178	159	337	193	163	356	4	5	9	15	337	28·11	32·15	28·11	28·72	33·15	98	290	330	79·3	55·01
Jaffna	..	3,747	4,943	14	14	28	20	13	33	1	1	2	11	22	26·25	33·33	20·63	22·71	42·29	6	153	330	80·3	28·74
Mannar	..	1,392	1,475	6	7	13	7	3	10	2	—	4	6	35·06	29·61	16·18	21·45	51·02	3	234	428	—	64·53	
Mullaithivu	..	803	1,126	2	4	6	8	7	15	—	—	1	12	21·19	22·44	42·38	57·55	50·44	1	234	667	—	40·15	
Vavuniya	
Eastern Province.	..	10,671	11,367	64	60	124	61	34	85	4	5	9	14	71	43·40	36·46	24·85	24·51	34·16	24	217	306	79·7	49·85
Batticaloa	..	2,146	4,449	42	49	91	27	52	79	3	3	6	—	78	31·62	30·80	27·10	29·75	—g	3	127	261	—	38·89
Trincomalee	..	8,840	11,449	
N.-Western Province.	..	8,167	10,164	57	56	113	120	100	220	5	9	14	140	78	44·23	29·63	30·53	31·37	39·88	38	471	326	78·7	46·98
Kurunegala	..	5,990	6,939	41	32	73	42	34	76	2	3	5	10	66	41·85	32·36	37·84	40·47	42·77	18	273	386	78·9	24·86
Puttalam	..	1,591	1,703	5	4	9	8	8	16	1	—	1	—	16	21·03	29·37	37·38	—g	6	367	372	—	21·73	
Kelipitiya	..	5,033	6,393	20	27	47	40	32	72	2	1	3	26	46	29·25	31·33	28·62	27·44	35·54	12	278	262	—	30·95
Chilaw	
Anuradhapura	..	5,361	7,643	36	31	67	107	74	181	3	5	8	51	127	34·87	23·58	66·11	81·00	58·37	31	536	426	78·3	87·27
Province of Uva.	..	6,487	7,429	40	40	80	73	60	133	1	1	2	63	70	42·84	30·94	37·48	41·36	51·31	19	284	294	73·1	28·12
Badulla	..	515	643	2	2	4	74	58	132	—	5	5	120	11	24·76	32·80	68·08	—g	5	—	672	—	47·34	
Lunugala	..	5,476	7,713	49	43	92	56	47	103	2	6	8	63	38	47·45	27·00	19·60	22·22	36·71	22	335	319	80·3	38·13
Prov. of Sabaragamuwa.	..	2,536	2,734	16	20	36	23	20	43	3	2	5	24	19	52·39	27·65	25·36	25·58	5	5	176	321	—	43·64

^a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations of the Island.

^b Includes population of the Negombo Local Board and registration area.

^c Blanks indicate that there are no observatories or rain gauges.

^d Estimated to the end of December, 1919.

^e The populations of these towns have not been enumerated at the Census of 1911 by age and sex, while the town of Kalimunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rate given for "All Towns" is therefore independent of the towns, but is scarcely affected by these rates.

Table VI.—Causes of Deaths Registered in Ceylon and in each Province and District during the Fourth Quarter of 1920.

		Causes of Death.												Deaths among all Races.																							
		Ceylon.				Western Province.				Central Province.				Southern Provinces.				Northern Province.				Eastern Province.				North-Western Province.				Sabaragamwila Province.				Deaths among all Races.			
All Causes	30179	4479	974	1807	3106	11093	1012	2193	1439	884	2148	264	156	1153	267	2308	282	445	1187	2210	1349	1423	23	155	18973	8619	2061	130	44	174						
1. Enteric Fever	..	165	90	7	8	12	—	2	—	4	20	6	—	1	1	4	2	3	—	2	1	1	5	116	23	11	2	—	7								
2. Malaria and Malarial Cachexia	..	358	19	15	19	25	15	—	—	—	33	18	22	47	6	3	10	—	41	20	18	8	—	1	176	29	5	—	4								
3. Smallpox	..	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
4. Measles	..	14	1	1	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
5. Whooping Cough	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
6. Cholera	..	15	6	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
7. Dysentery	..	808	74	24	19	156	37	62	27	17	2	66	16	3	62	20	17	3	8	33	86	35	36	—	—	—	—	—	—	6							
8. Plague	..	135	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
9. Chickenpox	..	2	1	2	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
10. Other Epidemic Diseases	..	716	120	40	23	67	8	25	79	41	29	93	—	—	41	1	26	—	1	18	76	13	15	—	—	—	—	—	—	8							
11. Septicæmia	..	31	6	1	2	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6						
12. Other Septic Diseases	..	12	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
13. Hydrophobia	..	9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
14. Tetanus	..	69	18	3	3	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
15. Phthisis	..	781	303	12	66	65	14	11	69	35	6	64	1	—	30	2	2	6	23	34	35	1	—	—	—	—	—	—	—	1							
16. Old Tuberculous Diseases	..	67	17	2	9	4	3	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17						
17. Rickets	..	1415	198	32	141	279	32	52	19	2	2	55	36	—	36	22	100	39	34	5	—	—	—	—	—	—	—	—	—	4							
18. Parangi	..	18	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
19. Cancer	..	96	27	2	11	11	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
20. Acute Rheumatic Fever	..	330	56	11	29	11	11	4	3	—	7	5	1	6	—	—	2	1	—	2	1	—	—	—	—	—	—	—	—								
21. Diabetes	..	433	14	5	4	2	6	44	16	9	46	7	1	39	10	1	6	3	7	—	—	—	—	—	—	—	—	—	1								
22. Anaemia	..	1224	256	81	187	67	7	8	234	155	28	23	1	2	28	5	28	2	28	20	48	31	35	—	—	—	—	—	—								
23. Alcoholism	..	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
24. Other General Diseases	..	86	24	—	3	11	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
25. Meningitis	..	23	10	1	3	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
26. Cerebral Haemorrhage or Apoplexy	..	34	13	2	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
27. Paralysis	..	210	68	24	17	4	5	18	4	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
28. Epilepsy	..	49	10	6	1	7	2	1	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
29. Convulsions (non-puerperal)	..	135	10	3	13	3	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
30. Infantile Convulsions	..	2929	467	44	323	113	60	51	348	268	177	210	3	18	36	32	145	41	51	89	255	118	90	—	—	—	—	—	10								
31. Other Diseases of the Nervous System	..	422	15	—	7	3	12	19	5	3	2	56	—	—	3	9	2	7	1	—	—	—	—	—	—	—	—	—	10								
32. Organic Diseases of the Heart	..	117	31	2	14	10	2	5	10	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
33. Haemorrhoids	..	88	23	9	13	4	1	—	23	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
34. Other Diseases of the Circulatory System	..	35	24	—	3	11	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
35. Bronchitis	..	282	50	2	7	34	12	19	5	3	2	56	—	—	3	9	2	7	1	—	—	—	—	—	—	—	—	—	—								
36. Pneumonia	..	1390	243	24	46	152	53	121	34	9	3	190	24	—	37	91	29	62	19	17	37	108	42	39	1	—	—	—	19								
37. Pulmonary Congestion	..	122	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19							
38. Asthmas	..	79	17	2	4	11	1	3	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5							
39. Other Diseases of the Respiratory System	..	684	18	4	9	66	25	18	5	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5							
40. Thrush, Stomatitis	..	226	28	11	5	57	9	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
41. Infantile Diarrhoea	..	313	32	5	11	28	13	9	56	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
42. Diarrhoea undefined	..	233	118	61	92	325	93	108	341	263	143	63	5	8	48	3	106	24	15	113	214	133	67	—	—	—	—	2									
43. Enteritis	..	446	110	1	4	22	20	13	12	2	1	55	1	55	36	46	2	43	6	73	36	77	36	—	—	—	—	—	1								
44. Achyllostomiasis	..	716	38	28	63	188	55	36	46	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5								

Table VI.—Causes of Deaths, &c.—continued.

Causes of Death.	Deaths among all Races.													
	Colombia.	Negombo.	Kalutara.	Galle.	Nuwara Eliya.	Matale.	Hambantota.	Mullaitivu.	Trincomalee.	Puttalam.	Chilaw.	Andhra-Pradesh.	Uva-Prov.	Sabaragamuwa-Prov.
45. Intestinal Parasites	852	216	70	83	86	33	2	117	18	—	9	—	6	55
46. Appendicitis and Typhilitis	4	—	3	—	—	—	—	—	—	—	—	47	74	4
47. Diseases of the Liver	107	23	—	7	8	1	2	7	8	1	14	3	4	—
48. Peritonitis	34	19	—	1	3	1	2	—	—	—	—	3	2	—
49. Other Diseases of the Digestive System	212	39	6	5	19	7	8	10	6	6	14	3	1	—
50. Bright's Disease and Nephritis	354	91	9	12	39	19	35	11	20	8	16	2	1	—
51. Other Diseases of the Genito-Urinary System	44	14	1	2	7	1	4	5	3	—	—	—	—	—
52. Diseases or Accidents of Pregnancy or of Childbirth	731	101	20	42	58	33	24	37	18	33	29	7	3	—
53. Diseases of the Skin and Cellular Tissue of Locomotion	2419	223	167	32	267	149	12	10	8	4	85	14	1	—
54. Diseases of the Bones and of the Organs	3	1	—	—	—	—	1	1	—	—	—	—	—	—
55. Congenital Malformations	382	39	7	13	50	8	33	3	1	1	23	—	—	—
56. Premature Birth	1303	137	16	34	237	68	147	25	6	52	113	47	12	—
57. Infantile Debility (under 3 months)	39	12	—	—	—	—	—	—	—	—	—	—	—	—
58. Other Diseases of Early Infancy	1238	308	49	142	87	—	25	33	169	112	6	126	1	—
59. Sennity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—
62. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—
63. Accidents and other affections produced by external causes	578	77	19	51	63	12	17	41	36	12	31	4	6	35
64. Drowsy	—	727	20	18	25	112	24	23	68	14	17	93	10	41
65. Heart Failure (3 months and over)	568	92	7	29	137	19	30	45	18	7	15	3	1	13
66. Debility (3 months and over)	3709	278	108	160	132	198	43	140	223	261	496	19	18	32
67. Pyrexia	—	25	5	—	4	—	1	4	—	1	47	8	615	41
68. Diseases not specified or ill-defined	131	44	4	16	10	2	10	9	3	2	—	1	1	4
69. Other Ill-defined diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(- 8)

Table VII.—Causes of Death Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the Fourth Quarter of 1920.

Causes of Death.	Ceylon.	Central Province.			Province of Uva.	Province of Sabaragamuwa.		Western Province.		Southern Province.		North-Western Province.	
		Kandy.	Matale.	Nuwara Eliya.		Ratnapura.	Kegalla.	Colombo.	Kalutara.	Galle.	Matara.	Kurunegala.	
All Causes ..	4,198	1,170	328	651	667	413	406	56	261	87	68	91	
1. Enteric Fever ..	6	2	—	1	—	1	1	—	—	1	—	—	
2. Malaria and Malarial Cachexia ..	39	5	7	—	13	2	3	—	—	6	3	—	
3. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles ..	2	1	—	—	—	1	—	—	—	—	—	—	
5. Whooping Cough ..	4	3	—	—	—	—	—	—	—	1	—	—	
6. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	
7. Dysentery ..	373	114	20	58	72	34	34	5	16	4	11	5	
8. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	
9. Chickenpox ..	—	—	—	—	—	—	—	—	—	4	—	1	
10. Other Epidemic Diseases ..	76	28	7	15	16	—	4	—	—	—	—	—	
11. Septicæmia ..	8	5	1	—	1	—	1	—	—	—	—	—	
12. Other Septic Diseases ..	2	—	—	—	1	—	—	—	—	—	—	—	
13. Hydrophobia ..	—	—	—	—	—	—	—	—	—	—	—	—	
14. Tetanus ..	7	2	—	—	—	—	—	—	—	—	1	2	
15. Phthisis ..	73	11	5	5	10	9	7	5	13	4	—	2	
16. Other Tuberculous Diseases ..	6	—	2	2	—	—	1	—	—	—	1	—	
17. Rickets ..	36	12	1	3	3	3	9	2	—	—	—	—	
18. Parangi ..	—	—	—	—	—	—	—	—	—	—	—	—	
19. Cancer ..	5	1	1	—	—	—	1	—	—	1	—	—	
20. Acute Rheumatic Fever ..	5	2	—	1	—	—	1	—	—	—	—	—	
21. Diabetes ..	1	—	—	1	—	—	—	—	—	2	—	1	
22. Anaemia ..	18	5	2	—	—	1	1	1	—	—	—	4	
23. Alcoholism ..	1	—	—	—	—	—	—	—	—	—	—	—	
24. Other General Diseases ..	31	8	1	4	4	2	6	—	—	1	—	—	
25. Meningitis ..	5	1	—	1	1	—	1	—	—	2	—	—	
26. Cerebral Haemorrhage or Apoplexy ..	3	—	—	—	—	2	1	—	—	—	—	—	
27. Paralysis ..	16	5	—	5	2	2	2	—	—	1	—	—	
28. Epilepsy ..	10	4	—	2	1	—	2	—	—	2	—	—	
29. Convulsions (non-puerperal) ..	11	1	2	1	26	35	47	3	35	18	7	9	
30. Infantile Convulsions ..	305	57	29	39	—	—	—	—	—	—	—	—	
31. Other Diseases of the Nervous System ..	7	2	—	—	—	1	1	2	1	—	—	1	
32. Organic Diseases of the Heart ..	17	3	1	4	—	2	3	—	—	1	—	—	
33. Haemorrhoids ..	—	—	—	—	—	—	—	—	—	—	—	—	
34. Other Diseases of the Circulatory System ..	3	—	—	1	—	—	—	—	—	—	—	1	
35. Bronchitis ..	93	27	7	19	10	15	10	1	3	—	4	11	
36. Pneumonia ..	441	108	37	112	79	29	26	5	19	—	—	—	
37. Pulmonary Congestion ..	1	—	—	—	—	1	—	—	—	—	—	—	
38. Asthma ..	14	5	1	3	3	2	—	—	—	—	—	—	
39. Other Diseases of the Respiratory System ..	9	—	—	1	4	3	—	—	—	1	—	—	
40. Thrush, Stomatitis ..	1	—	—	—	—	—	1	—	—	—	—	—	
41. Infantile Diarrhoea ..	34	8	2	5	7	5	3	—	—	3	—	1	
42. Diarrhoea undefined ..	300	90	18	52	46	35	22	4	14	7	7	7	
43. Enteritis ..	138	15	10	8	60	21	15	—	—	1	—	9	
44. Anchylostomiasis ..	481	165	48	31	68	52	45	3	38	11	2	1	
45. Intestinal Parasites ..	37	15	2	1	1	3	6	—	—	—	—	—	
46. Appendicitis and Typhilitis ..	—	—	—	—	—	—	—	—	—	—	—	—	
47. Diseases of the Liver ..	10	5	1	2	1	1	—	—	—	—	—	—	
48. Peritonitis ..	7	1	—	1	2	2	—	—	—	1	—	—	
49. Other Diseases of the Digestive System ..	29	5	7	5	8	1	2	—	—	1	—	1	
50. Bright's Disease and Nephritis ..	112	26	11	29	31	6	4	—	—	3	—	1	
51. Other Diseases of the Genito-Urinary System ..	8	3	1	3	—	—	—	—	—	—	—	—	
52. Diseases or Accidents of Pregnancy or of Childbirth ..	97	19	12	17	15	6	9	5	5	2	1	6	
53. Diseases of the Skin or Cellular Tissue ..	26	7	4	3	1	1	8	1	—	—	—	—	
54. Diseases of the Bones and of the Organs of Locomotion ..	26	7	4	3	1	1	—	—	—	—	—	—	
55. Congenital Malformations ..	1	—	—	1	—	—	—	—	—	—	—	—	
56. Premature Birth ..	121	37	8	25	16	14	5	2	10	3	1	12	
57. Infantile Debility (under 3 months) ..	489	158	31	104	57	45	41	6	29	5	1	—	
58. Other Diseases of Early Infancy ..	3	—	—	—	2	—	1	—	—	2	—	3	
59. Senility ..	185	61	16	23	22	21	22	1	11	2	—	1	
60. Suicide ..	5	1	1	2	1	—	—	—	—	1	—	—	
61. Homicide ..	6	—	—	1	—	1	—	—	2	—	1	—	
62. Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	
63. Accidents and other affections produced by external causes ..	59	20	3	8	7	8	7	2	3	—	1	—	
64. Drowsy ..	71	27	6	12	7	2	13	1	—	—	—	—	
65. Heart Failure ..	10	2	1	—	3	2	1	1	—	—	7	5	
66. Debility (3 months and over) ..	269	84	13	26	49	32	27	3	19	4	2	—	
67. Pyrexia ..	33	3	9	2	4	2	5	—	—	—	—	5	
68. Diseases not specified or ill-defined ..	1	—	—	—	1	—	—	—	—	—	—	—	
69. Other ill-defined diseases ..	36	6	2	10	8	—	4	2	3	1	—	—	

Table VIII.—Causes of Death registered during the Fourth Quarter of 1920 in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Table VIII.—Causes of Death, &c.—continued.

Causes of Death.	All 33 Towns.	Western Province.					Central Province.					Southern Province.			Northern Province.		Eastern Province.		North-Western Province.		North-Central Province.		Province of Uva.		Province of Sabaragamuwa.		Deaths among all Races.																			
		Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadure.	Kandy.	Gampola.	Nawalapitiya.	Hattin and Dikoya.	Matale.	Nuwara Eliya.	Galle.	Ambalangoda.	Matara.	Welligama.	Hambantota.	Tangalle.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Europeans.	Burdhers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.								
11a. Enteritis	256	59	1	5	2	—	2	1	—	—	17	3	9	1	1	—	1	20	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
12. Dysentery	235	58	23	4	1	—	8	9	7	2	17	2	10	1	4	—	1	12	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
13. Anchylostomiasis or Dochmias Duodenalis	302	30	28	5	13	4	19	6	7	52	19	1	38	23	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
14. Cancer	37	20	1	2	1	1	3	3	—	—	8	1	20	10	1	—	—	21	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
15. Phthisis	326	181	5	20	7	2	19	3	—	2	8	1	3	1	1	—	2	—	2	4	2	6	1	6	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—						
16. Other tuberculous diseases	21	13	—	1	1	1	1	1	—	—	1	1	1	1	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
17. Anaemia	21	5	—	10	—	1	—	—	—	—	—	—	1	1	1	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
18. Diabetes Mellitus	19	8	5	10	—	1	—	—	—	—	—	—	1	6	2	3	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
19. Convulsions	98	32	3	4	1	1	—	—	—	—	2	—	—	6	2	3	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
20. Tetanus	15	10	—	—	1	—	2	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
21. Bronchitis	50	22	2	1	—	—	2	14	3	—	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
22. Pneumonia	476	165	21	13	8	2	18	14	2	2	11	7	13	2	4	—	3	22	4	2	4	17	6	10	47	14	114	1	4	21	4	9	2	—	8	226	171	54	314	—	—					
23. Other Diseases of the Respiratory System	41	24	2	4	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
24. Bright's Disease and Nephritis	258	69	8	15	1	7	10	2	4	—	—	18	8	7	4	13	5	2	6	14	2	1	1	2	5	6	5	3	2	12	12	3	8	3	—	1	3	132	96	20	15	—	—			
25. Puerperal Eclampsia	10	3	—	—	3	3	1	1	—	—	—	2	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
26. Puerperal Septicaemia	55	22	—	—	3	3	1	—	—	—	2	—	5	—	—	—	—	—	1	1	4	4	—	4	—	1	2	1	—	1	—	1	—	28	19	7	1	—	—							
27. Miscarriage	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
28. Other undefined accidents of Childbirth	46	24	3	2	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
29. Starvation	5	—	9	2	8	3	7	3	2	1	—	—	10	1	6	—	1	—	1	1	—	2	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
30. Accidents or Negligence	127	41	9	1	1	1	—	—	1	—	—	—	1	1	2	—	1	—	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
31. Homicide	12	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
32. Suicide	9	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
33. Execution	13	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
34. All other causes	1276	493	57	71	53	10	80	18	16	8	33	6	130	9	25	24	5	3	74	2	1	1	17	3	8	25	9	114	10	22	11	24	13	8	43	722	294	168	32	9	—	—	—	—	—	—