

SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

No. 7123 — FRIDAY, AUGUST 20, 1920.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF JUNE, 1920.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Births.

2. The number of births registered was 1,500 (751 males and 749 females), and was equivalent to an annual rate of 27·53 per 1,000, against 28·40 in the preceding month, 22·03 in the corresponding month of last year, and 25·11 the average for the corresponding months since 1910. The rate ranged from 10·83 in Vavuniya to 66·16 in Mullaittivu.

3. In the city of Colombo the births registered numbered 549 (256 males and 293 females), and were equivalent to an annual rate of 22·68 per 1,000, against 26·51 in the preceding month, 18·65 in the corresponding month of last year, and 20·24 the average for the corresponding months since 1910. The rate ranged from 8·41 in Kollupitiya to 33·95 in Wellawatta.

Deaths.

4. The total deaths registered during the month numbered 1,783 (978 males and 805 females). There were 1,389 deaths of residents in towns, equivalent to an annual rate of 27·79 per 1,000, against 27·84 in the preceding month, 31·59 in the corresponding month of last year, and 27·27 the average for the month of June in each year since 1910. The rate ranged from 87·70 in Mullaittivu to 8·15 in Hambantota.

5. In the city of Colombo the deaths numbered 634 (349 males and 285 females). There were 548 deaths of residents, equivalent to an annual rate of 26·27 per 1,000, against 25·79 in the preceding month, 31·26 in the corresponding month of last year, and 27·17 the average for the month of June in each year since 1910. The rate ranged from 26·12 in Wellawatta to 10·43 in Kollupitiya.

6. The stillbirths registered numbered 76 (41 males and 35 females), against 89 in the preceding month.

Infant Mortality.

7. The mortality of infants under one year of age was equal to a rate of 266 per 1,000 births registered during the twelve months ended June 30, 1920. Reckoned on the births registered during the month only the rate was 241, against 183 in the preceding month, 270 in the corresponding month of last year, and 262 the average for the corresponding months since 1910.

8. In the city of Colombo the mortality of infants was equal to a rate of 286 per 1,000 births registered during the twelve months ended June 30, 1920. Reckoned on the births registered during the month only the rate was 259, against 167 in the preceding month, 274 in the corresponding month of last year, and 307 the average for the corresponding months since 1910.

Causes of Death.

9. The highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths was due, 9 per cent. was due to *Debility*, 8 per cent. to *Convulsions*, 7 per cent. each to *Anchylostomiasis* and *Diarrhoea*, 6 per cent. to *Dysentery*, 5 per cent. to *Phthisis*, 4 per cent. to *Enteritis*, 3 per cent. each to *Enteric fever*, *Bright's Disease* and *Nephritis*, and *Malaria* and *Malarial Cachexia*, 2 per cent. to *Bronchitis*, and 1 per cent. each to *Influenza* and *Puerperal Septicæmia*.

10. In Colombo too the highest mortality was from *Pneumonia* to which 15 per cent. of the total deaths was due, 10 per cent. was due to *Convulsions*, 8 per cent. to *Phthisis*, 6 per cent. to *Debility*, 5 per cent. to *Enteritis*, 4 per cent. each to *Diarrhoea*, *Dysentery*, and *Enteric Fever*, 3 per cent. each to *Bright's Disease* and *Nephritis* and *Influenza*, 2 per cent. each to *Bronchitis* and *Anchylostomiasis*, and 1 per cent. each to *Malaria* and *Malarial Cachexia* and *Tetanus*.

11. Of the eleven deaths registered from *Plague* 7 were in Kandy and 4 in Colombo, as against 6 and 3 in the preceding month.

12. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 129 cases were reported (122 in Colombo). *Measles* followed with 120 cases (72 in Colombo, 17 in Ratnapura, 9 in Moratuwa, 6 in Negombo), *Enteric Fever*, 97 (52 in Colombo, 17 in Galle, 8 in Batticaloa, 5 each in Moratuwa and Ambalangoda), *Chickenpox* 46 (22 in Colombo, 11 in Ratnapura, 9 in Nuwara Eliya), *Continued Fever* 43 (16 in Colombo, 13 in Galle, 10 in Moratuwa), *Plague* 11 (8 in Kandy and 3 in Colombo), *Dysentery*, 8 (4 in Kurunegala), *Whooping Cough* 3 (2 in Moratuwa), *Mumps* 2 (1 in Kandy and 1 in Colombo), and *Diphtheria* 1 (in Colombo).

Meteorology.

13. *Rainfall.*—Nawalapitiya recorded the highest rainfall (58·42 inches), followed by Hatton (31·25 inches). In the other towns it ranged from 27·58 inches in Ratnapura to 0·10 of an inch in Mannar. Colombo recorded 17·44 inches.

14. *Temperature.*—The mean temperature varied from 60·2° in Nuwara Eliya to 86·0° in Trincomalee, and was 80·8° in Colombo.

15. For detailed statistics, see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, July 20, 1920.

N. W. MORGAPPAH,
Acting Registrar-General.

Table I.—Number of Births and Deaths registered during June, 1920, their Proportion per 1,000 of the Population per Annum, and the Stillbirths and the Births of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in their corresponding months since 1910, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (inclusive of the Military) at the Census of March 10, 1911.	Population estimated to the 1st of June 1920 by the Inter-censal Increase.	Total Births.		Total Deaths.		Total Stillbirths.			Birth-rate.		Death-rate excluding non-residents.			Mortality of Children under One Year.			Mean Temperature.	Rainfall in Inches.			
			Males.	Females.	Males.	Females.	Males.	Females.	Persons.	Average Birth-rate for June, 1920.	June, 1920.	Average Death-rate for June, 1910-1919.	Crude, June, 1920.	Standardized, June, 1920.	Number registered during June, 1920.	Its proportion to 1000 births registered during the year ended the last day of June, 1920.	per annum to 1000 births registered during the year ended the last day of June, 1920.					
All 83 Towns ..	517,877	664,877	751,749	1,500	978	805	1,783	41	35	76	390	1,889	27.53	25.11	25.49	27.27	361	241	286	80.8	17.44	
<i>Western.</i>																						
Colombo ..	219,557	295,292	256,293	549	349	285	634	18	14	32	85	548	22.68	20.24	22.64	26.27	142	259	286	80.8	17.44	
Negombo ..	13,045	27,387 ^c	34	39	36	62	73	—	1	1	7	55	32.52	29.99	24.50	25.63	9	123	129	80.8	17.44	
Moratuwa ..	17,256	31,374	69	53	32	45	77	2	1	3	3	74	47.44	36.19	28.78	31.74	24	197	250	80.8	17.44	
Kalutara ..	13,005	14,563	16	13	21	23	44	—	—	—	9	35	24.29	31.49	29.32	29.13	7	241	207	80.8	17.44	
Panadura ..	5,709	8,256	7	8	12	1	13	—	—	—	2	11	22.17	14.81	16.25	19.35	1	67	73	80.8	17.44	
<i>Central.</i>																						
Kandy ..	30,149	33,616	35	45	61	37	98	3	2	5	19	78	29.03	27.62	28.31	30.85	18	225	217	80.8	17.44	
Gampola ..	5,521	7,839	9	10	18	20	38	—	—	—	20	18	29.57	32.65	28.01	29.07	4	211	238	80.8	17.44	
Nawalapitiya ..	3,767	4,097	7	2	15	9	24	—	—	—	20	4	26.80	29.76	11.91	12.95	1	111	123	80.8	17.44	
Hatton and Dikoya ..	3,025	3,206	4	4	15	21	36	—	—	—	33	2	30.44	22.77	7.61	8.89	4	500	456	80.8	17.44	
Matale ..	5,792	8,200 ^d	15	18	23	20	43	—	—	—	22	21	49.10	36.27	31.24	35.90	9	273	396	80.8	17.44	
Nuwara Eliya ..	14,910	15,136 ^e	8	10	7	8	15	1	—	1	4	11	14.51	13.97	8.87	10.11	3	167	153	80.8	17.44	
<i>Southern.</i>																						
Galle ..	39,936	42,725	54	56	75	77	152	1	1	2	18	134	31.41	27.10	38.26	37.46	15	136	162	80.8	17.44	
Ambalangoda ..	—	4,718	8	1	7	3	10	—	—	—	—	10	23.27	13.96	25.86	—	3	333	355	80.8	17.44	
Matare ..	13,851	17,804 ^d	19	15	34	32	66	—	—	—	16	50	23.30	33.48	34.26	33.56	7	206	174	80.8	17.44	
Weligama ..	8,672	9,814	8	16	10	8	18	—	—	—	—	18	29.84	25.83	22.38	20.16	3	125	138	80.8	17.44	
Hambantota ..	3,092	3,346	8	8	1	1	2	—	—	—	—	2	58.34	31.50	7.29	8.15	3	63	156	80.8	17.44	
Tangalla ..	3,505	6,443	11	7	18	10	5	1	—	1	—	9	34.08	37.02	17.04	17.42	5	278	394	80.8	17.44	
<i>Northern.</i>																						
Jaffna ..	40,441	47,694	54	52	58	40	98	4	3	7	4	94	27.11	30.53	24.05	24.56	32	302	290	80.8	17.44	
Mannar ..	3,777	4,243 ^d	6	10	16	7	17	—	—	—	3	14	46.00	31.86	40.25	44.32	5	313	469	80.8	17.44	
Mullaitivu ..	1,392	1,475	6	2	6	3	9	—	—	—	—	8	66.16	34.66	66.16	87.70	3	375	—	80.8	17.44	
Vavuniya ..	808	1,128	1	1	5	—	5	—	—	—	2	3	10.83	35.08	32.49	44.12	1	—	—	80.8	17.44	
<i>Eastern.</i>																						
Batticaloa ..	10,671	11,367	21	16	17	19	36	4	—	4	2	34	39.71	35.79	36.49	35.99	16	432	429	80.8	17.44	
Kalmunai ..	—	2,146	5	4	4	7	11	1	—	1	3	8	51.16	34.36	45.47	—	3	333	411	80.8	17.44	
Trincomalee ..	8,840	11,449	16	13	12	21	33	1	1	2	—	33	30.90	25.83	35.16	38.60	7	241	316	80.8	17.44	
<i>North-Western.</i>																						
Kurunegala ..	8,167	10,164	15	11	25	16	41	1	1	2	29	12	31.21	26.29	14.40	14.80	7	269	353	80.8	17.44	
Puttalam ..	6,990	6,839	11	11	22	10	32	—	—	—	1	31	38.68	25.79	54.50	58.30	11	500	658	80.8	17.44	
Kalpitiya ..	1,591	1,703	5	1	1	—	1	—	—	—	—	1	42.99	19.29	7.16	—	—	—	—	80.8	17.44	
Chilaw ..	5,033	6,393 ^d	7	6	14	7	21	—	—	—	7	14	24.81	29.33	26.72	25.61	6	461	491	80.8	17.44	
<i>North-Central.</i>																						
Anuradhapura ..	5,361	7,643	9	9	34	11	45	—	—	—	11	34	28.73	18.87	54.27	66.50	7	389	511	80.8	17.44	
<i>Uva.</i>																						
Badulla ..	6,487	7,429 ^d	16	9	15	11	26	—	—	—	12	14	41.05	32.20	22.99	25.37	4	160	200	80.8	17.44	
Lunugala ..	515	643	—	—	17	16	33	—	—	—	33	—	—	38.71	—	—	—	1	—	610	80.8	17.44
<i>Sabaragamuwa.</i>																						
Ratnapura ..	5,476	7,713 ^d	6	5	11	12	23	2	2	4	16	7	17.40	24.95	11.07	12.55	2	182	117	80.8	17.44	
Kegalla ..	2,536	2,734	5	2	4	1	5	—	—	—	3	2	31.24	26.74	8.93	8.19	—	—	—	19.26	80.8	17.44

a The standardized death-rates represent the crude death-rates multiplied by the respective standardizing factor in order to make correction for differences of sex- and age-constitution of the several populations in 1911, as compared with that of the Island. b Blanks indicate that there are no observatories or rain gauges. c Estimated to the end of December, 1919, by natural increase method. d This increase of population is due partly to the extension of the town limits. e Estimated to the Census of 1911 by sex and age, while the town of Kalmunai was created a registration division only in January, 1914, and Ambalangoda in January, 1915. The death-rates given for all Towns are, therefore, independent of the town, but are scarcely affected by their rates.

Table II.—Causes of Deaths registered during June, 1920, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	Western Province.				Central Province.				Southern Province.				Northern Provinces.				Eastern Provinces.				North-Western Province.				North-Central Province.		Province of Uva.		Province of Sabaragamuwa.		Deaths among all Races.											
	Colombo.	Negombo.	Moratuwa.	Kalutara.	Panadura.	Kandy.	Gampola.	Nawalpitiya.	Hattton & Dikoya.	Matale.	Novara Killya.	Galle.	Ambalangoda.	Matara.	Weligama.	Hambantota.	Taungalla.	Jaffna.	Mannar.	Mullaitivu.	Vaunalya.	Batticaloa.	Kalmunai.	Trincomalee.	Kurunegala.	Puttalam.	Kaipitya.	Chilaw.	Anuradhapura.	Badulla.	Lunugala.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
All Causes	634	62	77	44	13	98	38	24	36	43	15	152	10	66	18	2	15	98	17	9	5	36	11	33	41	32	1	21	45	26	33	23	5	6	54	882	569	230	21	21		
I.—Infantile Mortality	142	9	24	7	1	18	4	1	4	9	3	15	3	7	3	1	5	32	5	3	1	16	3	7	7	11	6	7	4	1	2	—	1	13	164	107	61	13	2			
A.—One Week and under.	10	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1. Prematurity	43	9	1	1	—	2	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	32	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes.	1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1. Prematurity	64	19	2	1	3	9	1	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	88	45	3	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	15	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	16	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	13	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	35	17	1	6	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	35†	16	2	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other Causes.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and over)	1,422	492	53	37	12	80	34	23	32	34	12	137	7	59	15	110	66	12	6	4	20	8	26	34	21	115	38	22	32	21	5	5	41	718	462	169	8	19				
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* This is due to 1 death from Prolonged Labour (in Jaffna).

† This includes, besides 16 cases mentioned in Table IV., footnote 1, 2 deaths from Nephritis (one each in Negombo and Jaffna), 4 from Malaria (one each in Negombo, Puttalam, Chilaw, and Anuradhapura), 3 from Stomatitis and 1 from Dropsy (in Moratuwa), 4 from Intestinal Obstruction (two in Kandy and one each in Weligama and Puttalam), 1 from Ulcer (in Kandy), 1 from Toxæmia (in Kurunegala), 1 from Dysentery (in Chilaw), 1 from Syphilis (in Ratnapura), and 1 from Whooping Cough (in Mannar).

Table III.—Number of Births and Deaths registered during the Month of June, 1920, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for June, 1910 to 1919, in each Ward of the City of Colombo.

Wards.	Population (inclusive of Military) at the Census of 1911.	Population Estimated to Middle of 1920 by Intercensal Increase.	Total Births registered.			Total Deaths (including Deaths in Hospitals and at Home).			Per Mille per Annum.				Mortality of Children under one Year.										
			Total Births registered.			Total Deaths (including Deaths in Hospitals and at Home).			Birth-rate.*	Death-rate.*		Number registered during June, 1920.	Its proportion to 1000 births registered during June, 1920.	Its proportion to 1000 births registered during the Year ended last day of June, 1920.									
			Males.	Females.	Persons.	Males.	Females.	Persons.		Average for June, 1910 to 1919.	June, 1920.				Average for June, 1910 to 1919.								
			Males.	Females.	Persons.	Males.	Females.	Persons.															
City of Colombo ..	219,557	295,292	256	293	549	18	14	32	349	285	634	86	548	22.68	20.24	22.64	23.78	26.27	142	259	286		
Fort and Galle Face	3,512	3,512†	—	3	3	—	—	—	2	—	2	—	2	10.42	1.77	6.95	9.93	—	—	—	—	—	—
Pettah ..	7,974	7,974†	—	1	1	—	—	—	3	2	5	—	5	1.53	3.39	7.65	6.86	—	—	1	—	—	394
San Sebastian ..	11,546	14,075	5	9	14	1	—	1	13	7	20	—	20	12.14	16.60	17.93	18.57	—	—	5	357	311	—
St. Paul's ..	24,735	29,799	11	19	30	2	1	3	24	17	41	—	41	12.28	12.38	16.79	19.39	—	—	10	333	293	5
Kotahena ..	40,771	49,143	57	70	127	5	2	7	47	53	100	—	100	31.53	19.85	24.83	20.34	—	—	25	197	286	—
New Bazaar ..	22,309	28,040	27	21	48	1	1	2	20	29	49	—	49	20.88	18.12	21.32	20.94	—	—	14	292	354	—
Maradana Hospitals			42	47	89	5	5	10	122	74	196	80	116	—	—	—	—	—	—	15	—	—	—
Maradana (exclusive of Hospitals) ..	48,093	73,894	44	44	88	1	2	3	50	45	95	1	94	14.53	16.10	15.52	20.1	—	—	33	375	395	—
Slave Island ..	21,984	28,078	37	31	68	1	3	4	25	22	47	2	45	29.54	19.27	19.55	22.5	—	—	20	294	436	—
Kollupitiya ..	25,410	42,092	10	19	29	1	—	1	20	19	39	3	36	8.41	10.89	10.43	11.18	—	—	5	172	174	—
Wellawatta ..	13,223	18,685	23	29	52	1	—	1	23	17	40	—	40	33.95	27.66§	26.12	30.75§	—	—	14	269	317	—

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† For explanation of "standardized death-rate" see note a, Table I. The population of the several wards of the city not being available by age- and sex-constitution, their standardized death-rates cannot be calculated.

‡ The population of these two wards being a fluctuating one, their population cannot be estimated to the middle of 1920. Hence the Census figures are retained.

§ Average for the months of June, 1912-1919.

Table IV.—Causes of Deaths registered during the Month of June, 1920, in each Ward and of each Race in the City of Colombo.

Causes of Death.	Wards.												Deaths among all Races.						
	City of Colombo.	Fort and Galle Face.	Pettah.	San Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradaha Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Wellawatte.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
All Causes	634	2	5	20	41	100	49	196	95	47	39	40	6	43	334	122	98	13	18
I.—Infantile Mortality	142	—	1	5	10	25	14	15	33	20	5	14	1	11	74	23	22	9	2
A.—One Week and under.																			
1. Prematurity ..	3	—	—	—	1	—	—	—	—	4	—	2	—	—	2	—	1	—	—
2. Debility ..	9	—	—	—	—	3	—	1	—	1	—	—	—	—	3	—	2	1	—
3. Convulsions ..	6	—	1	2	—	—	—	—	1	—	—	—	—	—	4	2	—	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
7. Pneumonia ..	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																			
1. Prematurity ..	2	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—	—
2. Debility ..	19	—	—	1	2	5	—	1	7	1	—	2	—	—	12	4	2	—	1
3. Convulsions ..	45	—	—	1	4	8	8	1	14	5	3	1	—	3	22	8	7	4	1
4. Diarrhoea ..	7	—	—	—	—	2	1	2	2	—	—	2	—	1	6	—	—	—	—
4a. Enteritis ..	10	—	—	—	1	—	—	5	2	2	—	—	—	1	6	1	—	2	—
5. Tetanus ..	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—
6. Bronchitis ..	5	—	—	—	—	—	2	—	1	1	—	1	—	—	3	—	1	1	—
7. Pneumonia ..	17	—	—	1	1	—	2	2	7	3	1	—	—	1	10	1	5	—	—
8. Other Causes ..	16*	—	—	—	—	5	1	3	1	2	—	4	—	5	5	3	2	1	—
II.—General Mortality (1 Year and over)	492	2	4	15	31	75	35	181	62	27	34	26	5	32	260	99	76	4	16
1. Plague ..	4	—	—	—	—	—	—	2	—	—	—	2	—	—	1	2	1	—	—
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	14	—	1	—	3	1	6	—	2	—	—	1	—	4	3	1	5	—	1
6. Pyrexia or Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever ..	25	—	—	1	4	2	2	11	2	1	—	2	—	—	19	4	1	—	1
8. Malaria ..	6	—	—	—	—	—	—	4	1	—	—	1	—	1	4	1	—	—	—
9. Malarial Cachexia ..	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	21	—	—	2	9	2	8	—	—	—	—	—	—	—	12	7	2	—	—
11a. Enteritis ..	20	—	—	1	3	1	8	—	3	3	1	—	—	3	7	5	5	—	—
12. Dysentery ..	26	—	—	2	1	6	—	9	3	1	4	—	—	1	13	8	3	—	1
13. Anchylostomiasis or Dochmius Duodenalis ..	12	—	—	—	—	—	—	12	—	—	—	—	—	—	10	2	—	—	—
14. Cancer ..	5	—	—	—	—	2	—	3	—	—	—	—	—	—	1	4	—	—	—
15. Phthisis ..	53	—	—	2	2	4	5	22	6	4	6	2	1	2	28	11	10	1	—
16. Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus ..	2	—	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—
19. Convulsions ..	14	—	—	1	1	5	2	—	2	1	1	1	—	1	8	1	3	—	1
20. Tetanus ..	4	—	—	—	—	—	—	3	1	—	—	—	—	1	1	1	1	—	1
21. Bronchitis ..	7	—	—	1	—	1	1	—	2	1	—	1	—	1	1	1	3	1	—
22. Pneumonia ..	80	—	1	3	6	8	5	27	11	5	8	6	1	7	39	17	11	1	4
23. Other Diseases of the Respiratory System ..	3	—	—	1	—	—	—	1	—	—	—	1	—	—	2	1	—	—	—
24. Bright's Disease and Nephritis ..	19	—	—	—	3	2	1	8	3	—	1	1	—	1	8	6	3	—	1
25. Puerperal Eclampsia ..	3	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	—	—
26. Puerperal Septicæmia ..	5	—	—	—	—	—	—	2	1	2	—	—	—	2	3	—	—	—	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	2	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence ..	13	2	—	—	—	5	—	6	—	—	—	—	—	—	6	3	2	—	2
31. Homicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
34. All Other Causes ..	152†	—	2	4	8	24	10	52	24	8	12	8	2	8	88	23	26	1	4

* Four deaths from Ricketts, 3 each from Influenza and Syphilis, 2 from Nephritis, and 1 each from Ulcer, Cellulitis, Spina bifida, and Dysentery.

† Here are included 52 deaths from Old Age, 11 from Paralysis, 10 from Worms, 9 each from Debility and Heart Disease, and 5 from Ricketts.

RESULTS OF METEOROLOGICAL OBSERVATIONS IN CEYLON DURING

STATION.	OBSERVER.	Height above Sea Level.	RAINFALL.					No. of Days on which Registered.	Mean Daily Horizontal Movement of Air.	The Resultant Direction of the Wind. N = 0°, E = 90°, &c.	BAROMETER REDUCED TO 32°.					Mean Daily Maximum Temperature in Shade.	Mean Daily Minimum Temperature.
			Total No. of Inches.	Greatest Quantity in any 24 hours.		Date.	Mean Reading.				Highest Reading.	Lowest Reading.					
				In.	In.		In.						In.				
1 Colombo	Mr. F. A. P. Pullenayegum.	24	17.44	3.45	2nd-3rd	26	150	240	29.886	29.806	29.846	30.006	30th	29.727	2nd	85.3	76.4
2 Puttalam	" H. M. C. Muttukistna	27	3.60	1.72	2nd-3rd	12	295	223	29.850	29.788	29.819	29.963	30th	29.726	7th	85.6	78.5
3 Mannar	" A. Chelliah	12	0.10	0.08	2nd-3rd	2	215	220	29.837	29.759	29.798	29.929	30th	29.694	7th	89.1	80.2
4 Jaffna	" T. K. Toussaint	14	0.94	0.94	2nd-3rd	1	430	210	29.818	29.741	29.780	29.907	30th	29.672	6th	88.1	80.8
5 Trincomalee	" K. Karunakaram	99	0.12	0.07	2nd-3rd	2	268	235	29.721	29.640	29.680	29.821	29th	29.584	6th	94.3	77.8
6 Batticaloa	" N. Eliyatamby	26	1.62	0.42	4th-5th	10	132	215	29.814	29.731	29.772	29.906	29th	29.675	13th	92.6	77.2
7 Hambantota	" S. R. Andreas	64	2.30	0.81	23rd-24th	13	359	245	29.813	29.722	29.768	29.915	29th	29.640	6th	88.1	76.6
8 Galle	" W. S. de Silva	13	14.84	6.83	2nd-3rd	24	292	290	29.898	29.825	29.861	29.996	30th	29.744	2nd	83.3	76.6
9 Ratnapura	" C. A. Jansz	113	27.58	3.10	29th-30th	29	29.798	29.709	29.754	29.914	30th	29.637	6th	86.5	73.6
10 Anuradhapura	" M. P. Gunsekere	295	1.56	0.38	2-3 & 3-4	12	88.1	74.8
11 Kurunegala	" E. D. P. Siriwardana	381	12.08	1.50	29th-30th	25	85.0	74.4
12 Kandy	" H. M. P. Goonetilleke	1654	19.83	2.30	12th-13th	26	28.226	28.151	28.188	28.320	30th	28.008	11th	80.8	69.9
13 Badulla	" R. V. Godawela	2225	2.15	1.05	1st-2nd	15	84.1	66.5
14 Diyatalawa	" H. R. Fernando	4129	2.90	0.66	1st-2nd	9	76.3	63.8
15 Hakgala, Nuwara Eliya	" P. J. Christoffelsz	5581	8.42	1.56	29th-30th	28	66.6	57.4
16 Nuwara Eliya	" R. B. Kulugammana	6188	16.36	2.33	29th-30th	29	24.094	24.029	24.062	24.206	30th	23.982	11th	65.3	55.2

STATION.	NAME OF SENDER.	Height above Sea Level.	RAINFALL.				STATION.
			Total No. of Inches.	No. of Days on which Registered.	Greatest Quantity in any 24 hours.		
17 Alagalla Railway Station	Telegraph Master, C. G. R.	1062	14.50	22	2.02	2nd-3rd	65 Eheliyagoda Estate, Kendangamuwa.
18 Allai Tank, Toppur	Divisional Irrigation Engineer, Trincomalee	20	0.00	0	66 Elephant Pass
19 Alutnuwara Field Hospital	Medical Officer, Alutnuwara, Badulla	300	0.72	1	0.72	29th-30th	67 Elkaduwa District Dispensary
20 Ambanpitiya	District Engineer, Kegalla.	729	22.49	29	3.41	2nd-3rd	68 Ella Wella Tank
21 Ampara Tank	Irrigation Engineer, Kalmunai, S. D.	118	5.35	7	1.25	13th-14th	69 Elpitiya Police Station
22 Anamaduwa Dispensary	Apothecary, Anamaduwa	..	9.15	11	2.14	28th-29th	70 Embilipitiya
23 Andankulam Tank, Trincomalee	Divisional Irrigation Engineer, Trincomalee	40	1.50	1	1.50	2nd-3rd	71 Etaale Resthouse
24 Annfield Estate, Dikoya	Mr. H. B. Daniell	4300	25.28	29	3.16	30th-1st July	72 Etaawala Estate, Ambepussa
25 Anningkanda Estate, Deniyaya	Mr. E. C. Anderson	1400	16.05	28	2.33	13th-14th	73 Flenzburg Estate, Ganewatta
26 Aranayaka Dispensary	Apothecary, Aranayaka	1000	24.47	23	2.81	28th-29th	74 Franklands Estate, Vayangoda
27 Aturugiriya Estate, Homagama	Mr. George de Saram	100	23.60	23	6.91	1st-2nd	75 Gala-oya Aicut
28 Avissawella	District Engineer, Avissawella	108	28.02	25	3.86	3rd-4th	76 Galawella
29 Avissawella Estate, Puwakpitiya	Mr. R. St. G. Jackson	250	28.62	26	2.96	1st-2nd	77 Galgamuwa Railway Station
30 Baddegama Estate, Baddegama	Mr. E. D. Bowman	50	21.37	27	5.28	2nd-3rd	78 Galgamuwa Tank
31 Badulluwella Dispensary	Apothecary, Badulluwella, Monaragala	450	4.27	5	1.54	15th-16th	79 Galphes or Gillardstown Estate, Wattergama
32 Bandarawela	District Engineer, Badulla. [R. O. via Kurunegala	4036	2.34	9	1.21	8th-9th	80 Gammaduwa Estate, Rattota
33 Batalagodawewa Tank	Subdivisional Officer, Deduru-oya Subdivision, Ibbagamuwa	422	9.55	19	1.18	4th-5th	81 Geekianakanda Estate, Neboda
34 Battulu-oya Resthouse [via Galle	Assistant Government Agent, Puttalam	..	7.81	11	1.90	29th-30th	82 Godakawela
35 Beausejour Estate, Nakiyadeniya R. O.	Mr. M. F. Gamble	500	22.42	28	3.50	1st-2nd	83 Gokarella Resthouse
36 Berna Estate, Narammulla, Kurunegala	Mr. C. H. Beven	..	12.80	21	1.89	3rd-4th	84 Gorthie Estate, Dikoya
37 Bible Dispensary	Apothecary, Bible	680	0.76	4	0.50	29th-30th	85 Gourakele Estate, Badulla
38 Bulugahapitiya	Divisional Irrigation Engineer, C. D., Haldummulla	..	7.89	14	2.17	29th-30th	86 Government Training College, Colombo
39 Buttala Hospital	Medical Officer, Buttala	500	1.28	5	0.61	9th-10th	87 Haldummulla
40 Caledonia Estate, Lindula	Mr. G. M. Smith	4273	17.18	29	1.95	29th-30th	88 Hali-ela Tank
41 Campion Estate, Bogawantalawa	Mr. J. W. Baillie	4500	12.98	29	1.85	28th-29th	89 Hallayen Estate, Ratnapura
42 Carney Estate, Ratnapura	Mr. C. L. Alsop	..	45.53	26	5.87	29th-30th	90 Hambegamuwa Tank
43 Chadiyantawala	Irrigation Engineer, Kalmunai, S. D.	63	2.48	10	0.97	3rd-4th	91 Haputale Hospital
44 Chavakachcheri	Medical Officer, Chavakachcheri	16	0.22	1	0.22	2nd-3rd	92 Hatton Police Station
45 Chilaw Public Works Department	District Engineer, Chilaw	..	5.46	12	0.87	3rd-4th	93 Halboda Estate, Pussellawa
46 Coldstream Estate, Hatton	Mr. W. Seton Scott	3800	39.39	27	4.11	3rd-4th	94 Henaratgoda Botanical Gardens
47 Crystal Hill Estate, Matale	Mr. R. van Starrex	1400	10.52	20	1.32	20th-21st	95 Hendon Estate, Rangalla
48 Dambulla Hospital	Medical Officer, Dambulla	400	4.00	5	1.75	19th-20th	96 Hinduma
49 Dandagamuwa	District Engineer, Dandagamuwa	..	14.49	22	2.65	3rd-4th	97 Hiya
50 Dandenya Tank	Subdivisional Officer, Matara Subdivision	187	9.37	22	1.20	3rd-4th	98 Holmwood Estate, Agrapatana
51 Delft	Maniagar of Delft	..	1.05	1	1.05	3rd-4th	99 Hope Estate, Hawaheta
52 Delwita Estate, Kurunegala	Mr. J. S. Patterson	490	13.65	22	1.70	17th-18th	100 Horaborawewa
53 Denagama Tank [Bogawantalawa	Subdivisional Officer, Matara Subdivision	286	4.57	16	0.81	26th-27th	101 Horagalanda Estate, Henaratgoda
54 Detanagalla Estate, Pinnawela R. O. via	Mr. E. E. Megget	3600	7.82	20	1.34	28th-29th	102 Horakele Estate, Marawila
55 Devilana Tank	Irrigation Engineer, Kalmunai, S. D.	136	5.52	6	1.72	3rd-4th	103 Horawapotana
56 Digalla Estate, Dehiowita	Mr. W. Harley	400	34.51	26	3.95	14th-15th	104 Horton Plains Resthouse
57 Dimbulla	District Engineer, Dimbulla	..	19.51	25	2.48	3rd-4th	105 Huppallama
58 Diwela Estate, Karandupona, Kegalla	Mr. W. Dowson	800	24.16	27	2.80	18th-19th	106 Irakkamam
59 Doornadella Estate, Gammaduwa	Mr. B. Westland	2880	14.53	25	2.00	20th-21st	107 Iranamadu
60 Doragalla Estate, Pussellawa	Mr. John Mackessack	4400	29.90	29	3.32	18th-19th	108 Jaffna College, Vaddukoddai
61 Duckwari Estate, Rangalla	Mr. B. B. Benison	3300	19.06	24	1.47	3rd-4th	109 Kabragalla Estate, Maturata
62 Dunedin Estate, Yatiyantota	Mr. E. A. Clive	400	30.29	26	4.05	14th-15th	110 Kadukkamunai
63 Dunsinane Estate, Pundaluoya	Mr. J. B. Adkins	5040	24.10	28	2.32	12th-13th	111 Kala-ova P. W. D. Bungalow
64 Dyraaba Estate, Bandarawela	Mr. Noel M. Clark	4000	1.91	11	0.60	28th-29th	

* From 29 days' observations.

Local Observations in Ceylon during the Month of June, 1920—contd.

RAINFALL.				STATION.	NAME OF SENDER.	Height above Sea Level.	RAINFALL.			
No. of days on which Registered.	Greatest Quantity in any 24 hours.		Total No. of Inches.				No. of Days on which Registered.	Greatest Quantity in any 24 hours.		
In.	In.	Date.	In.	In.	Date.	Feet.	In.	In.	Date.	
3.82	1.33	2nd-3rd	189	3500	18.48	22	2.68	29th-30th		
1.12	1.12	3rd-4th	190	3700	22.45	27	2.52	3rd-4th		
0.44	0.21	28th-29th	191	—	0.00	0	—	—		
17.32	6.15	2nd-3rd	192	5820	7.05	14	1.70	4th-5th		
31.65	14.12	1st-2nd	193	50	18.94	21	6.35	2nd-3rd		
34.62	5.20	14th-15th	194	1800	23.72	24	3.96	29th-30th		
5.56	1.06	1st-2nd	195	1600	53.97	26	5.40	13th-14th		
0.04	0.04	2nd-3rd	196	24	0.10	1	0.10	1st-2nd		
0.72	0.32	8th-9th	197	—	8.89	15	2.20	1st-2nd		
11.02	2.30	27th-28th	198	—	0.14	1	0.14	12th-13th		
13.50	1.46	15th-16th	199	1900	14.79	25	2.02	1st-2nd		
0.00	—	—	200	92	0.90	5	0.30	3rd-4th		
2.50	2.30	2nd-3rd	201	25	1.08	3	0.54	2nd-3rd		
4.92	0.90	28th-29th	202	2800	5.82	13	1.84	25th-26th		
19.26	1.82	3rd-4th	203	650	18.24	22	2.40	1st-2nd		
157.47	1.60	16th-17th	204	3600	23.29	23	3.79	29th-30th		
400.34	5.39	29th-30th	205	6201	4.36	9	0.98	29th-30th		
77.1.48	0.92	1st-2nd	206	480	19.20	27	2.36	29th-30th		
260.12.39	2.11	15th-16th	207	1540	22.33	25	2.86	14th-15th		
—	4.94	29th-30th	208	50	0.40	1	0.40	2nd-3rd		
3300.14.24	2.52	1st-2nd	209	24	0.00	0	—	—		
358.9.50	1.80	4th-5th	210	—	0.39	1	0.39	28th-29th		
2258.3.41	1.15	8th-9th	211	10	0.18	1	0.18	12th-13th		
350. —	—	—	212	—	4.13	9	1.30	8th-9th		
600.1.73	0.56	8th-9th	213	3000	24.07	23	3.05	16th-17th		
5150.3.94	0.99	28th-29th	214	—	0.00	0	—	—		
400.12.91	1.72	4th-5th	215	9	18.93	24	4.80	2nd-3rd		
5000.27.06	3.60	29th-30th	216	1500	—	—	—	—		
369.31.49	2.90	2nd-3rd	217	300	38.54	27	4.70	14th-15th		
—	0.34	1st-2nd	218	30	0.80	2	0.60	12th-13th		
4000.4.33	1.75	2nd-3rd	219	77	4.96	9	1.73	3rd-4th		
86.2.29	0.50	24th-25th	220	180	30.04	27	4.05	14th-15th		
3650.4.17	2.01	1st-2nd	221	1400	5.54	12	2.28	1st-2nd		
3600.39.38	4.50	29th-30th	222	42	0.49	4	0.18	4th-5th		
—	0.92	14th-15th	223	5250	13.26	29	2.19	29th-30th		
280.2.54	1.28	2nd-3rd	224	277	1.26	3	0.78	3rd-4th		
—	1.00	1st-2nd	225	546	31.32	28	8.97	2nd-3rd		
—	0.55	2nd-3rd	226	3500	29.95	26	4.50	28th-29th		
750.1.84	0.52	1st-2nd	227	3700	26.93	26	3.35	29th-30th		
176.9.34	1.70	3rd-4th	228	1915	40.55	27	4.57	3rd-4th		
100.25.02	2.70	2nd-3rd	229	3600	7.70	16	1.05	21st-22nd		
4600.2.65	1.08	1st-2nd	230	2800	4.48	9	1.60	3rd-4th		
190.4.59	2.29	3rd-4th	231	2500	58.42	28	6.95	13th-14th		
18.5.69	1.12	27th-28th	232	608	7.06	9	2.66	8th-9th		
—	1.00	2nd-3rd	233	68	3.19	10	0.63	18th-19th		
2000.48.12	8.46	14th-15th	234	1100	1.79	3	0.65	29th-30th		
70.18.07	3.98	2nd-3rd	235	2150	—	—	—	—		
56.2.34	0.55	1st-2nd	236	550	1.50	4	0.70	1st-2nd		
21.2.03	1.05	12th-13th	237	70	5.70	22	1.28	23rd-24th		
167.0.00	—	—	238	—	4.26	7	2.00	3rd-4th		
17.0.18	0.10	2nd-3rd	239	8	9.32	10	1.70	28th-29th		
443.7.19	2.75	3rd-4th	240	75	0.66	7	0.16	27th-28th		
400.34.58	4.20	2nd-3rd	241	—	10.97	22	1.72	28th-29th		
1600.22.73	3.83	28th-29th	242	200	1.40	4	1.25	1st-2nd		
14.0.00	—	—	243	1750	—	—	—	—		
4200.22.66	2.65	29th-30th	244	4500	3.14	11	0.75	1st-2nd		
1208.10.74	1.62	20th-21st	245	186	4.39	17	0.81	23rd-24th		
—	1.32	3rd-4th	246	120	4.13	7	2.50	3rd-4th		
3226.3.71	1.24	29th-30th	247	890	12.25	22	2.30	3rd-4th		
800.2.61	1.12	11th-12th	248	120	1.37	6	0.53	27th-28th		
—	2.03	3rd-4th	249	179	1.75	3	0.80	1st-2nd		
3600.3.27	1.34	14th-15th	250	318	3.69	2	3.45	1st-2nd		
4450.8.09	1.94	1st-2nd	251	99	6.83	9	2.12	2nd-3rd		
354.2.68	1.03	1st-2nd	252	3250	14.83	24	1.95	18th-19th		
1707.4.28	1.10	29th-30th	253	2000	3.41	12	0.60	2nd-3rd		
309.0.66	0.62	2nd-3rd	254	—	2.82	5	2.20	1st-2nd		
700.3.24	1.15	13th-14th	255	2000	20.96	25	2.23	2nd-3rd		
—	4.34	14th-15th	256	1200	11.21	24	1.70	20th-21st		
4500.5.10	2.30	1st-2nd	257	4402	21.84	26	2.26	29th-30th		
12.1.23	0.83	24th-25th	258	3259	62.80	29	5.50	28th-29th		
50.0.23	0.23	2nd-3rd	259	3300	1.83	5	1.05	2nd-3rd		
336.4.90	2.47	2nd-3rd	260	3000	1.25	6	0.82	28th-29th		
900.4.63	0.98	15th-16th	261	3000	7.87	19	1.50	29th-30th		
5342.19.46	2.50	29th-30th	262	3500	22.92	27	3.35	29th-30th		
—	0.17	12th-13th	263	800	32.52	25	2.88	29th-30th		
122.0.30	0.25	2nd-3rd	264	—	33.09	27	5.87	14th-15th		
6.3.56	2.90	1st-2nd								

A. J. BAMFORD, B.Sc., B.A., F.R.Met.Soc., F.R.A.S.,
 Superintendent, Observatory, for A. J. Wickwar, Acting Surveyor-General.