SUPPLEMENT

TO THE

Ceylon Gobernment Gazette

PART I.

No. 7,241 — FRIDAY, FEBRUARY 3, 1922.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS FOR THE THIRD QUARTER OF 1921.

I.-Population.

The estimated population of the Island on the last day of the quarter was 4,518,044, an increase of 14,973 persons over the previous quarter. The excess of births over deaths during the quarter amounted to 11,360 and of immigrants over emigrants to 3,613. The excess of births over deaths was shared by every district in the Island except Mannar.

2. Indian Migration.—The number of Indian labourers who arrived in the Island during the quarter was 9,063 and the number who left was 4,612, as against 28,460 and 12,343 the respective averages for the third quarters of the past decade. There were also 22,495 arrivals and 23,333 departures of miscellaneous passengers from and to India in the quarter under report.

II.—Marriages.

3. The marriages registered during the quarter numbered 6,232 (4,832 General and 1,400 Kandyan), as against 5,270 in the previous quarter, 6,475 in the third quarter of 1920, and 6,674 the average for the third quarters of 1911–1920. Table I. in the Appendix shows the distribution of marriages registered in the third quarter by provinces and districts.

III.—Births.

4. The total births registered during the quarter numbered 43,359 (22,045 males and 21,314 females), which was 1,568 less than in the previous quarter. The birth-rate for the quarter was 38·2 per mille, and was much higher than the average rate (30·7) for the third quarters of the past two years. Compared with the average rate of the third quarters of the decade 1909–1918 also, the birth-rate for this quarter shows an increase of 3·9 per mille. The Batticaloa District records the highest rate (51·1), and is followed by Hambantota District (42·5) and Jaffna (42·3). In the other districts the rate ranged from 41·9 in Badulla to 33·3 in Galle.

The births registered on the estates numbered 5,878, corresponding to a rate of 41.5 per mille of the estate population, as against 41.7 in the previous quarter and 36.2 the average for the third quarters of the past two years. Compared with the average rate for the third quarters of the decade 1909–1918, this quarter's rate shows an increase of 1.9 per mille. The highest birth-rate on estates was recorded in Nuwara Eliya (46.6), and the lowest in Kurunegala (19.6).

In the principal towns 5,547 births were registered (2,846 males and 2,701 females), the equivalent birth-rate being 38·1. The average urban birth-rate for the third quarters of the decade 1911–1920 was 25·2. The highest urban birth-rate was recorded in Moratuwa, viz., 60·1, and the next highest, 52·6, in Negombo. In the other towns the rate varied from 46·1 in Mannar to 17·0 in Vavuniya.

In the city of Colombo 2,384 births were registered, which corresponded to a rate of 38·7, as against 40·2 in the previous quarter and 20·5 the average rate for the third quarters of the decade 1911-1920. The high birth-rate of the city in this as well as in the previous quarter is partly due to the registration of several past births which had occurred at the Lying-in Home, Colombo. Detailed statistics will be found in Tables I.-V.

There were registered 392 twins during the quarter, as against 296 twins and 15 triplets in the previous quarter.

IV .- Deaths.

5. The deaths of 31,999 persons (16,199 males and 15,800 females) were registered during the quarter, corresponding to a rate of 28·2 per mille of the estimated population. The rate shows an improvement on the rates of the two previous quarters of the year (30·1 and 37·7) as well as on the average rate for the third quarters of the past two years (30·1). But compared with the average rate for the third quarters of the decade 1909–1918, the present quarter's rate shows an increase of 5 per mille. The healthiest district during the quarter, as in the previous one, was Kalutara, whose death-rate was 19·8 per mille. The District of Chilaw came next with a death-rate of 20·3 and Matara, 21·3. In the other districts the rate ranged from 22·4 in Colombo to 42·9 in Mannar. The death-rate in the Districts of Batticaloa and Badulla was above 40 per mille each.

Whe deaths registered on estates numbered 4,394, and corresponded to a rate of 31·0 per mille, as against 33·0 in the previous quarter and 42·6 the average for the third quarters of the past two years. The death-rate on the estates of Colombo was as low as 12·0 per mille, and on those of Kalutara, 17·5. The death-rate on the other estates ranged from 21·2 in Galle District to 39·7 in Badulla.

1

In the principal towns 5,413 deaths were registered, of which 4,223 were of town residents. The standardized rate was 31.6 per mille, as against 28.1 the average for the third quarters of the past decade. In the previous quarter the rate was 37.0. The highest urban death-rate was recorded in Anuradhapura (64.4), which was followed by Badulla (55.5). Trincomalee (52.6), and Mullaittivu (50.5). The healthiest town during the quarter was Ratnapura, with a remarkably low rate of 10.9.

In the city of Colombo 1,855 deaths were registered. Of this number, the residents amounted to only 1,557, which corresponded to a standardized rate of 29.4, as against 33.2 in the previous quarter and 27.2 the average for the third quarters of the past decade.

The number of stillbirths registered in the 33 principal towns during the quarter numbered 390 (199 males and 191 females), as against 361 in the previous quarter. Tables I.-V. give detailed statistics.

V .- Infant Mortality.

6. The deaths of infants below the age of one year registered during the quarter numbered 8,042, and represented 25 per cent. of the total deaths. The mortality rate calculated on the births registered during the year ended the last day of the quarter under review was equal to 178 per 1,000, as against 176 in the previous quarter and 160 in the third quarter of 1920. The mortality rate of Sinhalese infants was equal to 158 per 1,000 births, and ranged from 111 in Kalutara District to 251 in Anuradhapura. Among the Tamils, the Mannar District recorded the highest rate (365); Mullaittivu District followed also with a high rate (345). In the Jaffna District the rate was 191, which was the lowest. Among the Moors in Batticaloa District the infant mortality rate was 263, and in Puttalam, 234.

On the estates 208 infants under one year died to every 1,000 births registered. The mortality was highest on the estates of Matara District where the rate was 239, and was closely followed by Ratnapura with 237. On the other estates the rate ranged from 233 in Kandy District to 101 in Colombo.

In the principal towns the deaths of infants corresponded to a rate of 234 per 1,000 births, as against 255 in the previous quarter. The highest rate (441) was recorded in Mullaittivu town, which was followed by Anuradhapura (386), Kurunegala (364), and Hambantota (355). Ambalangoda recorded the lowest rate (112), and Kalutara the next lowest (113).

In the city of Colombo the infant mortality was equal to a rate of 225 per 1,000 births, as against 262 in the previous quarter and 279 the average rate.

VI.—Causes of Death.

7. Of the 31,999 deaths registered during the quarter, the highest number (4,771 or 15 per cent.), as usual, was attributed to Pyrexia. The deaths from Influenza and Pneumonia, which numbered 757 and 1,611, show a satisfactory decline during the quarter. The following statement compares the deaths registered from Influenza and Pneumonia during the quarter with those registered in the previous quarter and in the third quarter of 1920:—

				Influenza.			•	· .	·	neumonia.		
	•	Third Quarter. 1921.		Second Quarter. 1921.		Third Quarter. 1920.		Third Quarter. 1921.		Second Quarter. 1921.		Third Quarter. 1920.
Colombo		118		173		213		236		373		339
Negombo		42		47	` • •	44		32		29		32
Kalutara		22		39		58		35		55		53
Kandy		. 86		77		74	,	151		19 9		124
Matale		5 °		5		• 11		41		70		52
Nuwara Eliya		45		` 18		24		118	• • •	121		148
Galle		77.		79		104		29		14		29
Matara		. 12		14		85		12		14		. 19
Hambantota	• •,	34		14	٠.	94		35.		27		22
Jaffna		72		118		77		248		347		237
Mannar		15		, 4	• • .	1		32		31⋅		22
Mullaittivu	٠,	. 1		2		1		42 .		65		56
Batticaloa	N	75	••	21	• •	39		156	• • •	138		123
Trincomalee		1		30	٠	· —		44		102		26
Kurunegala		3		3 .	· . •	22		63	• • •	50		53
Puttalam		2	٠.	3		· · —		20		23		28
Chilaw	• •	2		· 8		2		27		47		27
Anuradhapura	• •	16		71		9		43		33		16
Badulla		78	·	19		42		193	• •	106		167
Ratnapura		21		30	٠	31		32	• •	45		50
Kegalla	•	. 30		30	٠.	22		22		41	• •	43
CEYLON	•	757		805	. ••	953	. , • • •	1,611		1,930		1,666

Among the other causes which contributed to the mortality during the quarter were Infantile Convulsions (10 per cent.), Diarrhea (8 per cent.), Diseases of Skin and Cellular Tissue (7 per cent.), Rickets (5 per cent.), Debility of Infants under 3 months (4 per cent.), Senility, Dysentery, Intestinal Parasites, Anæmia, and Diseases or Accidents of Pregnancy and Childbirth (3 per cent. each), Phthisis, Dropsy, and Anchylostomiasis (2 per cent. each), and Malaria and Malarial Cachexia, Premature Birth, Bright's Disease and Nephritis, Acute Rheumatic Fever, and Enteritis (1 per cent. each). Six deaths were registered from Plague during the quarter, which is the lowest since the second quarter of 1919. The numbers in the two previous quarters of the year and in the third quarter of 1920 were 15, 144, and 112, respectively. One death from Cholera was registered in Kandy District and 4 from Measles. Detailed statistics of causes of death will be found in Table VI.

- 8. Deaths produced by external causes :--
- (a) Suicide.—Sixty-five deaths were due to suicide, as against 67 in the previous quarter and 54 in the corresponding quarter of 1920.
- (b) Homicide.—Fifty-seven deaths were registered from homicide, as against 59 in the previous quarter and 53 in the corresponding quarter of 1920.
- (c) Executions.—There were 10 judicial executions during the quarter, as against 14 in the previous quarter and 11 in the corresponding quarter of 1920.

- (d) Accidents.—Of the 477 deaths attributed to accidents and other affections produced by external causes, 139 were due to fall from trees, 78 to drowning (23 in wells and 4 in pits), and 39 to burns, 5 of the last named having been caused by the bottle lamp. Snake bite was the cause of death in 48 cases, injuries by animals 23, and firearms 14. Twenty seven deaths resulted from fall of heavy substances, 20 from railway accidents, and 2 from land slides. Crushing by motor vehicles caused 8 deaths, and carts 10.
- 9. Causes of Deaths on Estates.—The highest mortality on estates during the quarter was attributed to Debility (of infants under 3 months), which caused 13 per cent. of the total deaths. Pneumonia and Anchylostomiasis accounted for 10 per cent. each, Dysentery, Diarrhea, and Infantile Convulsions 8 per cent. each, Debility (of persons over 3 months) 6 per cent., Senility and Bright's Disease and Nephritis 4 per cent. each, Premature Birth and Influenza 3 per cent. each, Diseases of Pregnancy and Childbirth, Bronchitis, Phthisis, and Malaria and Malarial Cachexia 2 per cent. each, and Rickets 1 per cent. See Table VII. for detailed statistics.
- 10. Causes of Deaths in the Towns.—In the 33 principal towns the highest mortality was due to Pneumonia, which caused 11 per cent. of the deaths. Convulsions caused 8 per cent., Debility (of children under 1 year) 7 per cent., Diarrhee and Phthisis 6 per cent. each, Dysentery and Anchylostomiasis and Enteritis 5 per cent. each, Bright's Disease and Nephritis and Malaria and Malaria Cachexia 4 per cent. each, Diseases or Accidents of Childbirth 3 per cent.; Enteric Fever, Influenza, Bronchitis, and Prematurity 2 per cent. each, and Pyrexia 1 per cent. Table VIII. shows detailed statistics.

Registrar-General's Office, Colombo, December 21, 1921. G. F. FORREST, Acting Registrar-General.

Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Third Quarter of 1921.

	Miles.		. 1	Iarriages		1	Births.			Deaths.	
Province and District.	Area in Square M	Esimated Population on July 1, 1921.*	Total.	General.	Kandyan.	Fotal.	Males.	Females.	Total.	Males.	Females.
Ceylon	. 25,481	4,503,071	6,232	4,832	1,400	43,359	22,045	21,314	31,999	16,199	15,800
Western Central Southern Northern Eastern North-Western North-Central Uva	. 1,432 . 2,279 . 2,1461 . 3,519 . 3,8481 . 3,016 . 4,068 . 3,2711 . 1,901	374,728 193,065 493,526 96,015	2,018 487 1,067 642 93 1,053 132 227 513	2,018 190 1,067 641 76 565 30 61 184	297 1 17 488 102 166 329	11,029 6,891 6,385 3,926 2,404 4,896 940 2,470 4,418	5,607 3,497 3,329 2,039 1,184 2,515 453 1,228 2,193	5,422 3,394 3,056 1,887 1,220 2,381 487 1,242 2,225	6,858 6,148 4,243 2,752 1,993 3,767 936 2,366 2,936	3,518 3,065 2,160 1,416 1,080 1,881 496 1,172 1,411	3,083 2,083 1,336 913 1,886 440 1,194
	. 5603 2473 . 6233	181,156	1,188 385 445	1,188 385 445		6,564 1,639 2 ,826	3,361 837 1,409	3,203 802 1,417	4,210 1,027 1,621	2,201 533 784	
37	911 9051 4627	434,766 116,804 167,630	104	113 28 49	184 76 37	4,020 1,140 1,731	2,080 552 865	1,940 588 866	3,782 1,080 1,286	1,879 538 648	1,903 542 638
Southern. Galle Matara Hambantota	. 6521 . 4811 . 1,0123	314,112 240,038 119,605	455 413 199	455 413 199		2,638 2,466 1,281	1,383 1,301 645	1,255 1,165 636	1,865 1,286 1,092	905 692 563	594
Northern. Jafina Mannar Mullaittivu	. 1,1472 . 9043 . 1,4661	330,658 25,455 18,615	575 51 16	575 51 15	_ 1	3,528 222 176	1,840 109 90	1,688 113 86	2,311 275 166	I,169 159 88	1,142 116 78
Eastern Batticaloa Trincomalee	2,800½ 1,048	159,176 33,889	73 20	· 56	17	2,051 353	1, 0 10 174	1,041 179	1,690 303	919 161	771 142
North-Western. Kurunegala Puttalam Chilaw	9097	355,231 35,517 102,778	751 58 244	272 49 244	479 9 —	3,582 331 983	1,852 167 496	1,730 164 487	2,966 276 525	1,448 158 27 5	
North-Central, Anuradhapura	4,068	96, 015	132	30	102	940	453	487	936	49 6	440
Uva. Badulla	. 3,271½	234,104	227	61	166	2,470	1,228	1,242	2,366	1,172	1,194
Sabaragamuwa. Ratnapura Kegalla		203,750 270,09 9	251 262	- 96 88	155 174	1,860 2,558	924 1,269	- 936 1,289	1,209 1,727	578 833	631 894

^{*}Based on the Census figures of March 18, 1921.

Table II.—Birth- and Death-rates in the Third Quarter of 1921, the Second Quarter of 1921, and the Mean-rates for the Third Quarters, 1919-1920 and 1909-1918.

	Bi	rth-rate per l	Mille per Annu	n.	Death-rate per Mille per Annum.					
Province and District.	Third Quarter, 1921.	Second Quarter, 1921.	Average for 3rd Quarters, 1919–1920.	Average for 3rd Quarters, 1909–1918,	Third Quarter, 1921.	Second Quarter, 1921.	Average for 3rd Quarters 1919-1920.	Average for 3rd Quarters, 1909-1918.		
Ceylon	38.2	40 · 1	30 · 7	34 · 3	28.2	30 · 1	36.1	27.7		
Western	35.0	37 · 1	26.7	28.3	21.7	23.5	23.8	22.7		
Central	. 38.0	39.6	34 · 4	39.5	33.9	31.9	37.9	32.6		
Southern	37.6	42.5	27.8	35.6	25.0	28.5	34.0	26.4		
Northern	41.6	38:8	32 · 1	37.8	29 · 1	38.2	25.6	25:7		
Eastern	49.4	46:8	43 6	45.2	41.0	42.6	40.7	32.1		
North-Western	39.4	42.3	30 2	34.9	30 3	32 · 2	25.9	29.1		
North-Central	38.8	39.1	35.2	38.9	38 · 7	55.7	30.5	28.9		
Uva	41.9	41.0	33.5	40.9	40 · 1	35.6	44.1	36.5		
Sabaragamuwa	37.0	40.8	32 · 7	36.8	24 · 6	25.8	27 · 1	36.7		
Western.								<u> </u>		
Colombo	34.9	36.6	25.4	26.2	22 · 4	24 · 3	23.5	22.9		
Negombo	35.9	36.2	28 · 3	30.8	$22 \cdot 5$	23.7	21.6	21.4		
Kalutara	34.5	38.7	28.9	31.7	19.8	21.5	25.9	23.1		
Central.										
Kandy	36.7	39.1	33.5	38.5	34.5	32 · 3	35.2	31.9		
Matale	38.7	42.1	32.5	38.8	36 · 7	34.7	37.1	37.8		
Nuwara Eliya	41.0	38.9	37.8	42.3	30 · 4	28.8	45.2	30.8		
Southern.							-	1		
Galle	33.3	36.1	26 3	32-3	23.6	24.3	31.4	23.6		
Matara	40.8	47.0	26.9	37.0	21.3	23.7	35.6	25:0		
Hambantota	42.5	50.3	33.5	41.5	36.2	48.7	37.5	36.2		
Northern.					,			,		
Jaffna	42.3	38.7	32.8	36.8	27.7	36.1	23.8	24.4		
Mannar	34 · 6	35.3	27.7	38.6	42.9	50.2	38.6	37.7		
Mullaittivu	37.5	44 · 2	27.2	38.6	35.4	58.8	36.8	31.3		
Eastern.			1							
Batticaloa	. 51.1	47.8	45.5	46.2	42.1	36.2	44.9	32.9		
Trincomalee	41.3	42.5	34.8	39.8	35.5	72.2	21.4	27.9		
North-Western.			1	} ·						
Kurunegala	40.0	42.9	31.6	37.5	33 · 1	33.0	27.8	31.8		
Puttalam	37.0	40.0	26.0	27.2	30.8	40.5	29.9	27.6		
Chilaw	37.9	. 41.0	27.0	29.7	20.3	26.5	17.7	20.3		
North-Central.		1	1				1	,		
Anuradhapura	38.8	39 · 1	35.2	38.9	38.7	55 • 7	30.5	28.9		
Uva.				_		30 .	30.0	, 40 9		
Badulla	41.9	41.0	33.5	40.9	40.1	35.6	44.1	36.5		
Sabaragamuwa.	•				s. (!	** 1	30.0		
Ratnapura	36.2	38.8	35.0	39.3	99.2	00.0				
Kegalla	37.6	42.3	31.0	37.1	23·5 25·4	26.2	30.9	36.9		
		74 3	1 31 0	, " 1	. 20-4.	25.5	24.3	36:6		

The rates appearing in this table, excepting the averages for 1909-1918, have been calculated on the population revised on the basis of the Census figures of March 18, 1921.

[For Table III. see page 5.]

Table IV.—Births and Deaths on Estates with their Rates per 1,000 of the Estate Population in the Third Quarter of 1921 and the Second Quarter of 1921, the Average Rates for the Third Quarters of 1919 and 1920 and 1909–1918.

•	-	 Population	Births	Deaths		h-rate per l	dille per An	num.	Deat	h-rate per	Mille per Ai	num.
District.		at the Census of March 18, 1921.	registered during the Third Quarter, 1921.	registered during the Third Quarter, 1921.	Third Quarter, 1921.	Second Quarter, 1921.	Average for Third Quarters, 1919–1920.	Average for Third Quarters, 1909–1918.	Third Quarter, 1921.	Second Quarter, 1921.	Average for Third Quarters, 1919–1920.	Average for Third Quarters, 1909–1918
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo Kalutara Galle Matara Kurunegala		34,819 104,958 83,467 48,697 56,411 14,174 36,748 11,253 5,330 15,783		1,250 278 848 835 405 366 43 162 60 34	40·4 36·1 46·6 46·2 40·5 44·9 33·9 35·5 35·6 41·7 19·6	42·0 36·3 40·2 35·1 41·3 60·9 31·7 51·0 27·8 39·1 25·7	36·2 33·6 39·1 32·0 43·4 34·7 32·9 41·0 32·9 36·6 23·0	41·4 36·8 45·5 39·5 42·2 31·2 30·1 41·0 35·4 45·9 27·1	32·9 31·7 32·1 39·7 33·0 25·7 12·0 17·5 21·2 25·3 28·4	34·1 31·4 30·1 39·7 36·0 35·2 16·1 25·3 21·4 36·1 32·0	40·1 44·4 52·0 50·7 41·3 34·5 22·6 36·0 27·0 57·1 27·7	37·0 42·2 35·6 36·3 63·2 39·8 42·4 36:9 41·3 50·9 42·7
2	lotal .	. 562,356	5,878	4,394	41.5	41.7	36.2	39.6	31/0	33.0	42.6	39.1

The rates appearing in this table, excepting the averages for 1909-1918, have been calculated on the Census population of

16n 1,00**0** 6**d** Birth-rate per Mille per Annum, Mille per Annum, Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the Estimated Population, and the Proportion of Infantile Deaths to 1,000 Registered Births in the Third Quarter of 1921. aoite *.L Birth-rate per Death-rate per 900. Mille per Annum 600. Tamils. noits 1.1 Birth-rate per Death-rate per 600 Mille per Annum. Sinhalese. tion. Miles.

	•			((5)							4
'τ	Deatha of Chil ot regist I Year Otipa adrig	1			1111	1111	263	253	11		TII.	21.
	Average for Third Quarters, 1909–18,		1111	111,1	1111	1111	29.0	27.9	11	-11	111	8, 195
	Average for Third Quarters, 1919-20.	i.	1111	1111	HH		1.5	26.8 29.6	I-I	. 11	111	rch 1
	Third Quarter, 1921.		1111	1111	1111.	1111	34.33	$\frac{31 \cdot 9}{28 \cdot 8}$	11	1-1	. 1 1 1	of Mg
	Average for Third Quarters, 1909–18.	1	HIII	IJĮI	1111	1111	46.6	33·7 29·9	11	ΙI	111	sams
	Average for Third Quarters, 1919-20.			1111	.,1111	1111	46.7 48.5	30.3	11		111	gus fig
	Third Quarter, 1221.	i	1111	1111	1111	ĹIJIJ	53.3	43.5 43.8	11	11	1.1-1	Cen
	Deaths.	1		1111	1111	1111	659 581	254	11	11		of the
,	Births.		1111	1111	1111		852	3 346	11	11	111	oasis
	Estingted Popu on.July 1, 19	1		1111	1111	1111	76224 63370	31568 12123	11	1 1	111	n the
το	Deaths of Chil of Tear t Distributed the second				1111	205 191 , 365	236 233 249	265	1.1	11	111	vised o
	Average for Third Quarters, 1909–16.	1	1111	1111	1111	25.4 24.4 24.0 31.3	33.9 34.7 29.7	40.3	11	11	111.	on re
	Average for Third Quarters, 02-9191	i	1111	1111	11:11	25.4 323.8 142.5 339.7	943.8 847.8 925.6	37.5	11	11	111.	oulati
	refred Quarter, 1291	1	111:1	1111	1111	29.1 27.6 50.1 37.3	45. 46.	1 37 · 7	11		111	lod e
	Average for Third Quarters, 1909–18.	I	1111	. 1111		37.6 37.6 37.2 37.9	45.3 45.3	25.	11			on th
	Average for Third Quarters, 1919-20		1111	<u> </u>	1,111	32.3 32.9 25.5	41.9 44.1 32.0	19.3	11.	11.	111	lated
	Third Quarter,		1111	1111	1111	261441·8 226242·5 21230·7 14038·9	26.00 1.38.9	355 26 · 1 19 · 84 34 · 2 18 ·		11		calcu
	Deaths.	, [1111	1111	1111	2262 2262 3 215 6 140	11195 11001 0 194			1 [neeu
	.sdritI	1	-		1111	93761 93485 4 130 6 146	8 1251 8 1071 0 180	7 246	11	1 1 -		аяуе
18.	Estimated Popul	1	1111	1111		356719 325039 16774 14906	103278 84918 18360	37367	11			-1918, 1
ί	Deaths of Chill to Year to Births registe	158	130 134 146 111	193 189 220 169	141 126 129 188	1111	205	198 215 199 124	251 251	193	138 131 143	r 1909
	Average for Third Quarters, 1909–13.	.826.1	20.7 20.8 22.8 20.6	29.2 28.6 34.7 24.8	22.23.0 24.23.0 26.23.0 26.23.0	1111	47.3	28·1 31·0 20·5 19·1	.328.5	36·3	31 · 4 29 · 5 32 · 9	es fo
	Third Quarters, 1919-20.	27.8	22.720.7 22.920.8 21.222.8 23.220.6	32.8 29.2 32.7 28.6 34.0 34.7 32.1 24.8	33 · 3 <u>25</u> · 9 31 · 2 <u>23</u> · 9 35 · 4 <u>24</u> · 9 34 · 5 36 · 9	1111	39.242.8	25.2 27.4 25.3 17.3	31.3	41.736.	23.831.4 27.529.5 21.0 32.9	verag
	Third Quarter, 1921.	28.3	<u> </u>	00 00 00 00 00 00	35.824.6 32.723.3 37.121.0 41.735.1	1111.	41.6	26.767	37.9 37.9			he a
	Average for Third Quarters, 1909-13;	34.5	8.9 7.6 1.1 4.0	9.13 8.73 9.83 10.12	22.28	1111	58.04	2885 2880 2880 11883	77	61 61 6 60	0.00	ting t
וווע ו	Third Quarters, 1919-20.	9.73	7.0	88 8 73 8 1 1 7 4	937 · 8 27 · 6 3 133 · 6 26 · 0 3 40 · 8 26 · 5 842 · 8 33 · 8 4	1111	57.59	61 46 46 61 46 64	38 · 3 41 38 · 3 41	6.0 4.4		жер
rad arm	Third Quarter, 1921.	7.22	35 55 55 55 55 55 55 55 55	2000 0000 0000 0000	\$ 6 8 8 8 8 8 8 8	1111	9342.532.8	2000	41.43	8.0	6.6.03	ole, e
_	Deaths.	20083 37 2 29 7	543035 ·8 27 · 0 2 317736 ·8 26 · 7 2 93335 · 9 28 · 5 3 1320 33 · 5 27 · 1	331735.733.339.135.3 222335.233.138.736.5 67540.332.739.836.9 41932.035.440.128.3	393937.827.6 172133.626.0 120040.826.5 101842.833.8	1111	934	313440.231 2 35 7 29 5 262341 2 32 4 38 0 32 7 9 9 7 31 9 23 3 22 8 25 6 4 14 38 2 28 4 30 2 18 7	6934 6934	$138940.835.642.340.1\\138940.835.642.340.1$	2054 36 0 31 · 3 36 · 9 23 · 1 775 35 · 5 32 · 8 36 · 8 20 · 3 1279 36 · 4 30 · 2 36 · 9 25 · 2	921. nis tal
	Births.	28394 2	9229 5439 1505 2285	3358 2149 736 473	6055 2477 2336 1242	1111	89	4270 3303 121 846	757 757	1413 1413	3202 1357 1845	sh 18, 1 ng in ti
				•	•		8778		91			Mar
J.B.	luqoq bətsmitsH Sei il Illa no	3027577	1022559 1 585949 1 166175 2 270435	373165 241876 72526 58763	635169 292893 227205 115071	20 to 10 to		421262 318381 15053 87828	72616 72616	137457	352813 151810 201003	ures of
9.	Area in Squar	25481	1432. 5603 2473 6233	2279 911 905 462	21461 6521 4811 10123	3519 1147 904 1466	$\frac{38484}{28004}$	3016 1843 909 262	4068	$\frac{3271\frac{1}{2}}{3271\frac{1}{2}}$	1901 1259 642	sus fig eath-re
			::::			• : : : :	::::	::::	::		:::	ne Cer and d
	Province and District.	Ceylon	Western Colombo Negombo Kalutara	Central Kandy Matale Nuwara Eliya	Southern Galle Matara Hambantota	Northern Jaffna Mannar Mullaittivu	Eastern Batticaloa Trincomalee	North-Western Kurunegala Puttalam Chilaw	North-Central Anuradhapura	Uva Badulla	Sabaragamuwa Ratnapura Kegalla	* Based on the Census figures of March 18, 1921. The birth- and death-rates appearing in this table, excepting the averages for 1909-1918, have been calculated on the population revised on the basis of the Census figures of March 18, 1921
•			-				•		•		(2	> .,

Table V.—Number of Births and Deaths registered during the Third Quarter of 1921, and their Proportion per 1,000 of the Population per Annum; the Stillbirths; the Deaths of Children under One Year and their Proportion per 1,000 Registered Births; and the Mean Temperature and Rainfall, observed in each the Deaths of Children under One Year and proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

		Rainfall in Inches.a	1	1	9.50	: 1	16.87	20.86	67.52	19.40	20 77	17.60	19.31) re	9.05	2.93	20.13	7 07	6.85	7.51	19.21	1.42	4.91	8 · 11	9.73	34·71 24·15
Ŀ		Mean Tem- per- ature.a			81.9	1	11	76.3	ij	و ا ا	3	0.08 08	I	82.1	[83.7	1	l , -	84.6	84.6	81.1	7.78	1	83.8	74.5	80.3
Children Year of	90 Births.	Average, Third Quarters, 1911-1920.	248		279	224	248	224	376	249 265	2	169	164	143 278	190	298	186	611	320 257	269	267	391	202	342	243	305 224
Deaths of Children under One Year of	Age to 1,000 Births	Third Quarter, 1921.	234		225	275	133	246	298	252	1	164	226	355	257	316	441		284 145	276	364	0	210	386	208	156
	Deaths	Children under One Year.	1,255		484 60	111	11	68 16	9	08 5	3	 	34	12	12	124	o ocç		က္က	23	35	77	15	22	15	10
	lizad	age, rd ters, 1920.	28.09	,	$27 \cdot 17 \\ 26 \cdot 80$	38 .32	22.83	30 · 49 29 · 93	24 . 72	38.72		24 · 79	22.07	69.75	26.23	29.08	37.33		37.65	30.95	34.01	q—	25.30	46.43	29.61	34·61 27·67
Death-rate.	Standardized	Third Quarter, 1921.	31.60		29.35 45.87	46.19	25.51	33.06 31.88	36.16	46.38	3	22.29 —b	24.32	43.62	26.50	35.82	50 .47	1 1	45.93 b	52.58	28.01	70 7#	34.92	64.35	55·53 —b	10.90 12.65
Q		Crude, Third Quarter, 1921.	28 - 99		25·30 43·85	41.88	21.43	30.33	33.27	40.36	3	22.78	24.83	39.01	25.93	35.06	38.07		46.57 32.36	47.90	27.26	32.54	36.43	52.52	50.33 7.54	13 · 79
ate.		Average Third Quarters, 1911-1920.	25.20		20 · 54 32 · 56	37.86	18 12	25.61	26.75	30.30	2	23 · 10	28.89	31.60 40.82	34.01	31.28	38.22	10 01	42 · 91 49 · 84.	31 · 72	26.78	26.39	24.37	23.66	34·63 23·00	20 · 92 26 · 42
Birth-rate		Third Quarter, 1921.	38.08		38 . 74	60.05	35.10	31.43	33.27	37.84	80 70	28:12	32.87	32.45 43.18	29.17	38.05	45.69	20	43.94 33.90	36.56	66.98	30.02	44.19	28.04	31.76 30.17	26.02 41.38
	Deaths	Residents.	4,223		1,557	302	8 88	249	250	. 00 e	3	226	105	44 82	32	375	15	4	124	114	70	2 4	61	103	93	10
Deaths of	dents of	Towns registered in Town Hospitals and Jalis.	1,167		. 291	က	2 8 7	68	4.5	2 2 ž	?	61	25	1	. 12	32	* °	o .	22	1	111		25	. 25	41	46 39
1	-	Persons.	330	Ţ	163 23	82	4. 2	25	4.	- 10 c	•	19	(0)	:n -		17	۱ ا		2	Ξ	10	9 0	, ro	00	9 7	61 70
Total Stillbirths	111001	Females.	191		% ×	1		120	1 —	64.0		20		62				1	4	9	4	4 4	. 01	es 	ಣ =	4
Total	7	Males.	199	ŀ	80 70							6	<u> </u>		1	10			9	7C)		01 F		ō.	ا ب	01 H
91	ems.	Persons.	5,413		1,855		98 79	338			₽			4.5		4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		134		-		98	129	134	63 49
mi. 4.1 Desthe	200	Females.	2,572	1	868	162	4.1	154	£ 8 €	38	Ξ.	14			19	182		•4	64 16	59	79	8,	35	49	8 8	666
	no.T.	Males.	2,841		987	.143	# 8 8	184	40.	202	23	132	74	19	28	227	4 I.	အ	5.5	55	106	74	51	80	71 30	17
-		Persons	47	+	2,384	433	123	258	22.	25.	9	279	139	76	36	407	18	4	117	87	95	62	74	55	65	946
	Total Births.	genrales.	15			131 223	64 49	114	2 2	38	23	136	25	88	12.1	200	11	=	19	43	42	33	36	27	34	18
1	Total	Asles.	9			151 210	69	144	12 25	37	37	143	7 69	43	21	207	77	က	22	4	53	53	3 8	28	31	25
-	tch the	nsive of t Military and Applug at ensus of Ma ensus of Ma 18, 1921.	7 913	\neg	244,140	21,261	13,597	32,567	6,199 3,220	2,939 7,864	7,281	39,359	3,347	9,292	2,848 4,896	42,436	3,705 1,563	936	10,564	9,442	10,188	6,905	6,643	7,781	8,119	7,014 2,876
	-X	n doiteludo	18, 1921. P.				13,597		6,199 3,220	2,939	7,281	39,443	3,347	9,292	2,860 4,896	42,511	3,924 1.563	936	10,662	9,470	10.188	6,905	1,813 6,643	7,781	8,119	7,014 2,876
	H	Provinces and the Towns.		All 33 Towns a	stern Province.	:	:::	Panadure Central Province.	la	Hatton and Dikoya	Nuwara Eliya	Southern Province.	langoda	Weligama	Hambantota	Northern Province.	Mannar Mulleittim	Vavuniya	Province.	Kalmunaı	NWestern Province.	Puttalam	Kalpitiya	NCentral Province. Anuradhapura	Province of Uva. Badulla	Prov. of Sabarajamuna. Ratinapura Kegalla

* Birth- and death-rates calculated on the Census population on March 18, 1921.

The factor applied for standardizing the crude death-rates is the same as that for the past decade, as the age- and sex-distribution of the population at the Census of 1921 is not available, a Blanks indicate that there are no observatories or rain gauges.

147 Others. \$ 11 Veddas. 103 15 Deaths among all Races. Malays. 1170 93312133 MOOTS. 182 995 0 5 5 5 5 5 7 20 26 10 40 13 13 35 290 13 25 93 15 89 31 .climsT 148 20083 119 24 136 136 257 100 13 89 89 427 16 80 193 80 4 Sinhalese. 10 Burghers. Table VI.—Causes of Deaths Registered in Ceylon and in each Province and District during the Third Quarter of 1921. 14 111 11130 1209 1727 59 901 Sabara-gamuwa Province. Kegalla. ~ & ₁ 19 42 21Ratnapura. 23661 Uva Prov. . 0 1 88 131 Badulla. N.-C. Prov. 936 129 .stuásabstuaA 525 North-Western Province. Chilaw. 276 180 Puttalam. 2966 31 Kurunegala. 303 Eastern Province. Trincomalee. 0691 19 156 12 22 Batticaloa. Mullaittivu. Northern Province. 275 Mannar. 1286 1092 2311 54 .eaftel 20 24 35 231 | [|] | 111 Hambantota. Southern Province. - ci e. 5 e. 2 i 348 348 . 12 21 | 04 | Matara. 18651 11 14 29 194 Gálle. 1621 3782 1080 1286 Nuwara Eliya. Central Province. 26 | | 26 | 19 21 41 Matale. Kandy. 29 29 109 Kalutara. Western Province. 31999,4210,1027 42 4048 .odmogeN Colombo. Ceylon. Other Diseases of the Circulatory System Other Diseases of the Respiratory System Infantile Convuisions ... Other Diseases of the Nervous System Meningitis Cerebral Hæmorrhage or Apoplexy Enteric Fever Malaria and Malarial Cachexia Organic Diseases of the Heart Epilepsy Convulsions (non-puerperal) Phthisis Other Tuberculous Diseaser Other Epidemic Diseases Acute Rheumatic Fever Causes of Death. Other General Diseases Pulmonary Congestion Other Septic Diseases Hydrophobia Infantile Convulsions Diarrhœa undefined Phrush, Stomatitis Infantile Diarrhea Whooping Cough Anchylostomiasis Hæmorrhoids Chickenpox Septicamia Dysentery Alcoholism All Causes Pneumonia Bronchitis Paralysis Diabetes Enteritis Rickets Parangi

				(8)
		1	Othera.	10 410 10 41 10 6 10 10 10 10 10 10 10 10 10 10 10 10 10
			Veddas.	1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
•	` .	sea.	Malays.	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	İ	all Bs	Moors.	2 2 2 4 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4
		Deaths among all Baces	Tamils.	600 103 103 1103 1103 1103 1104 1104 1106 1106 1106 1106 1106 1106
		Deaths	Sinhalese.	849 1115 1
			Burghers.	
			Europeans.	1111 11
		ra. Iwa noe.	Kegalla.	888 1113 1113 1114 1119 1
	. !	Sabara- gamuwa Province.	Ratnapura.	00 22 2 4 4 4 6 6 6 6 6 6 6
•			Badulla.	01 10 6 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		N.C. Uva Prov. Prov.	Anutadbatua	6 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			Chilaw.	86 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	· ·	North:Western Province.	Puttalam.	2 1757 97 119 87 1 886
	red.	Norti Pr	Kurunegala.	106 101 111 110 101 101 101 101 101 101
,	ntin	tern Ince.	Trincomalee.	210 110 110 110 111 111 111 111 111 111
	00	Eastern Province.	Batticaloa.	22 23 1 28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Causes of Deaths, &c.—continued.	E 9.	Mullaittivu.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	aths	Northern Province.	.tenneM	
	f De	Z1P4 (.annat	1 4 4 2 0 0 0 1 1 3 1 2 0 1 0 0 0 1 3 3 1 2 0 1 0 0 0 1 3 1 2 0 1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1
	Ses (E g	.estotasdmaH	
	S D	Southern Province.	Matara	
•	VI.		Galle.	111111111111111111111111111111111111111
	Table VI.	# 8 8	Muwara Ellya.	
	H	Central Province.	Matale,	1 4 1 61
			Kandy.	10 10 00 4 10 0 1 10 1 10 10 10 10 10 10 10 10 10
		E 99	Kalutara.	18
		Western Province.	Negombo.	1
	•	4	Colombo.	
			Сеујов.	
	•		(System Uninary Uninary r Tissue Organs Organs ins)
			ith.	Intestinal Parasites Appendicities and Typhilitis Diseases of the Liver Peritonitis Gibta Diseases of the Digestive System Other Diseases of the Digestive System Diseases or Accidents of Pregnancy or of Childbirth Diseases of the Skin or Cellular Tissue Diseases of the Bones and of the Organs of Locomotion Congenital Malformations of Locomotion Fremature Birth Infantile Debility (under 3 months) Other Diseases of Early Infancy Sanida Homiotide Execution Accidents and other affections produced by external causes Debility (3 months and over) Prepsy Heart Failure Debility (3 months and over) Pyrexia Diseases not specified or ill-defined Other Ill-defined Diseases
			Causes of Death.	Intestinal Parasites Appendicitias and Typhilitis Diseases of the Liver Pertonitis Other Diseases of the Digest Other Diseases of the Gen System Diseases or Accidents of Freg Childbirth Diseases of the Skin or Cell Diseases of the Bones and of Other Diseases of the Skin or Cell Diseases of the Bones and of Other Diseases of the Skin or Cell Diseases of the Bones and of Other Diseases of the Skin or Cell Emature Birth Infantile Debility (under 3 m Other Diseases of Early Infa Suicide Homitique Brentand other affection by external causes Dropsy Theart Ffailure Debility (3 months and over) Pyrexia Diseases not specified or ill-de
			Ga t	Intestinal Pairss Appendicities and Diseases of the I Peritonitis Other Diseases Other Diseases Other Diseases System Diseases or Accid Childbirth Diseases of the B Diseases of the B Diseases of the I Diseases of the I Diseases of the I Diseases of the B Songential Malo Premature Birth Infantile Deblity Other Diseases of Soniity Suicide Homicide Homicide Execution Accidents and ot Accidents and ot Dropsy Heart :Failure Deblitty (3 month Pyrexia Diseases not spec
				Intestinal Pai Appendicities of the Diseases of the Pertonitis Other Disease Other Disease Other Disease System Childbirth Diseases of the Diseases of the Office on the Office of the O
				The state of the s
	•	Į,		446. 446. 448. 449. 449. 449. 449. 449. 449. 449

Table VII.—Causes of Death Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the Third Quarter of 1921.

	and Kurunegaia ii	- me I		ral Provi		Province	Provin	ce of	Wes	tern	South Provi	ern	North- Western
			Cent	rai Provi	nce.	of Uva.	Sabarag	amuwa.	Provi	nce.	Provi	nce.	Province.
	Company of The Late						ģ	,					ala.
	Causes of Death.	'n.	ly.	je.	ara lya.	tlla.	Ratnapura	Kegalla.	Colombo.	Kalutara.	· •	Matara.	Kurunegala
		Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratı	Keg	Colo	Kal	Galle.	Mat	Kur
	All Causes	4,394		278		!	405	366	43	162	60	34	113
1.	Enteric Fever	7,007	1,200					1					1
2.	Malaria and Malarial Cachexia	77	5	18	ĵ	23	6	10	_	_ 1	2	_	_ 11
3. 4.	Smallpox Measles	3	. 1		1	=		1				· <u></u> -	 ;
5. 6.	Whooping Cough Cholers	4	4				_	_	_		_		
7.	Dysentery	372	101	22	97	71	38	24	1	6	5		7
8. 9.	Plague Chickenpox				_		·	=		_	$\Gamma = 1$		
10.	Other Epidemic Diseases	113	42	3	27	23	3 7	6		3		_	2
11. · 12.	Septicæmia Other Septic Diseases	2	. 2	_ 2		· _ '	\ '	1		_			
13.	Hydrophobia	-]	I — .		-	:	l – ,	<u> </u>		1		_:	<u> </u>
14. 15.	Tetanus Phthisis	75		4	16	14	1 2	9	3	4	1	-1	_
16.	Other Tuberculous Diseases	5	2	,	l — ,		1 1		_ 1	2		1	
17. 18.	Rickets Parangi	45		· ^	- `	1 -]] — [_]		']	
19. 20.	Cancer Acute Rheumatic Fever	9	$\frac{3}{2}$				2 -	l _ '	_ 2			_	<u> </u>
21.	Diabetes	`					l - ,	l — .		. 	•	-	i
22. 23.	Anæmia Alcoholism	10	2	2	<u> </u>		1 _ 2	3		_	= 1	_	_ *
24.	Other General Diseases	26	8	. 2]] 3	7 2	4		_		_	2
25. 26.	Meningitis Cerebral Hæmorrhageor Apoplexy	1 12		1				i	1	1		=	
27.	Paralysis	12		- ,	3	3	$\begin{bmatrix} 1 & 2 \\ 2 & 2 \end{bmatrix}$	- ,		1		· ˈ	1.
28. 29.	Epilepsy Convulsions (non-puerperal) Infantile Convulsions	14 16		i			2	2	1	3			4
30. 31.	Infantile Convulsions	334	6 0	- 37	59	4.8	8 29	43	5	26	10	4	13
	Other Diseases of the Nervous System	4	1			1	2			,	- ,		
32. 33.	Organic Diseases of the Heart Hæmorrhoids	17	7.	1	_ 2	<u> </u>	_ 1	· '	i =	1	_ 1	1	_ 2
34.	Other Diseases of the Circulatory	-		. —				ļ .					· ·
35.	System Bronchitis	98	1 24	11	19	18	11 — 8 9	12		4			- 1
36.	Pneumonia	447	101	29			7 21	14	3	12	.3	2	20
37. 38.	Asthma	9	3	1	- ,				<u>'</u>	î	:		1
39.	Other Diseases of the Respiratory	١,				١,	.l	l	·`.		l i		· · ,
40.	System Thrush, Stomatitis	i	1]] -	l — .			الشا		
41. 42.	Infantile Diarrhœa	36 323			15 84		3] 4 1i 38	22	$1 \\ 2$	5		2	$egin{array}{c} egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}$
43.	Enteritis	84	. 16	6		29	13	11	_	2	2	· ,	5
44. 45.	Anchylostomiasis Intestinal Parasites	415 39				64	4 57 6 9		_ 6	$\begin{array}{c} 19 \\ 2 \end{array}$	12 1	4	5 1
46.	Appendicitis and Typhilitis	l —	_	⊢	-:] - ,	.	· ,	— `.	_	—		· —
47. 48.	Diseases of the Liver Peritonitis	11 11	2. 5				2 2	_ 1			_	_	
49.	Other Diseases of the Digestive		1		,	,	,		,			,	
50.	System Bright's Disease and Nephritis	165			, -		2	8	· - *	1	_ 2	_ '	4
51.	Other Diseases of the Genito- Urinary System					,	,	1 .	l · ·				1
52.	Diseases or Accidents of Preg-												
53.	nancy or of Childbirth Diseases of the Skin or Cellular	105	26	6	8	17	12	12	1	11		.2	10
	Tissue	13	3	1	. 4	4	4 —	. 1	<u> </u>		—	_] —
54 .	Organs of Locomotion	3	1	1	_	l —]]		·	<u> </u>		<u> </u>	1
55. 56.	Congenital Malformations Premature Birth	 136	39	;	27	_ ₂₁			,	— ,	- 1		_
57.	InfantileDebility (under 3 months)	586	204	33				53	3	25	, <u>1</u>	3	2 5
58. 59.	Other Diseases of early Infancy Senility	193	1 67	10			13	21	1	,	— <u>,</u>	2	
60.	Suicide	12			1	3	4	l i	_	6	1	1	1
61. 62.	Homicide Execution	3	_	1	_			_		<u> </u>	-		1
63.	Accidents and other affections	ا۔			_					_			
64.	produced by external causes Dropsy	49 57	13 17	4 2	9 17	9	4	5	1	4	3	· — ,	_ 2
65.	Heart Failure	15	5 72	1 13	4 56	4	- [· 1	_ 1	1	— 1	= .
66. 67.	Debility (3 months and over) Pyrexia	272 40	72 16	13 3	30 3	. 53 4	32	28 5	1	11	3	3	_ __
68.	Diseases not specified or ill- defined								1	. 1		. 1	
69.	Other ill-defined diseases	41	11	1	13	$\frac{1}{2}$	4	— <u> </u>	- A	,	- ,		1
.,,									. 0				

(**io**)

hs among áll Races	Sinhalese.	2790 1703	630 356	54 19 57 688 41 23 1 - 1 4 4 7 7 4	135 61 31 10 31 10 35 19 11 14 11 17 12 20	. 69	1 1 2 3 4 1 2 5 5 5 5 5 5 5 5 5
Deaths	Вигуретв.	1192	88	1108	40 8,000	<u> </u>	0 0 0 0
	Ептореаль.	13	. 4			6	
Province of Sabara- gamuwa.	Kegalla.	49	4			45	
Prov of Sa gam	Katnapura.	63	10	81	. .	20	1111 111 11
Pro- vince of Uva.	Lunugala.	4 58	1.	1.021	12.7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	57	9
	Badulla.	9134	22 15	- F		7119	. 8241 242 12
North- Central Pro- vince.	Anuradhanura.	129	60		100 100	107	
	Chilaw.	88	12	102	1 1 1 2 2 1 1 1 2	71	1 1 1 1 1 1 1 1 1 1
West	Kalpitiya.	77 14	1		04 66 0 1 1 6	3.14	0 0 0 0
North-Western Province.	Kurunegala.		35 21	1 1 1 1 1 1 1 1 1	<u> </u>	0 56	
	Trincomalee.	114 185	83	9-8	112111	91 150	
Eastern Province.	Kalmunai.	311	60				1 1 1 1 2
Eas	Batticaloa.	134	83	68	8 1 10 =	101	1 1 61 6
	.aylmuvaV	11				111	
Northern Province.	Mullsittivu.	42 15	7.0 00	14	10	7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Nor	.TannaM	409 4	42	012 41 1	1 6 0 6 4 6 4 1 0	37	1 1 1 4 7 4 81
	Tangalla.	4740	12124	14		35 285	11111414
ince.	. BrodusdmaH -	31	122			19	
Provi	Weligama.	44	9	4	1 4 1	34	
lern	Matara.	130	88 48	2 1		਼ਰੋਨ	
Southern Province	Galle.	277 15	<u>8</u>		99 - 1 100	224 12	
	Лиувта Ейув.	40 2	12		4 6/-	- 2	1 1 1 1 1 1 1 1 1 4
	Matale.	120	8	204-1111-	1001-01-		- si to si
Central Province.	Hatton and Dikoya.	461	فعر	1111111	N	41	1 1 1 64 1 1 1 1 1
1 A	Nawalapitiya.	2	6		0100 0		
entra	Gampola.	08	16		1001 10		1111-18-
	Kandy.	838	88	110	, 8 _∞ _E _∞ 4		1
	. Рападите.	- 62	=======================================	<u> </u>	1 2 2 1 1 2 2	88	
	Kalutara.	88	16	I = 50	- 4 - - cc c		1118 5 14
Provin	Moratuwa.	305	111	201-111	186182	194	11110881118
Western Province.	Лекошро.	888	8 2	9118	180		
Western Province Central Province	Colombo.	1,855	484	9 1 33	100 100 14 12 18 18 50		4 10 10 4 4 10 10 10 10 10 10 10 10 10 10 10 10 10
	33 108			165 165 165 10 10	28.23.6 26.23.6 4.55.23.6 10.8 10.8 2.0		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
g ·	All	5,413	1,255	, -,		⊸	11 2 2 2 2 2
3				A,—One Weer and wrear. Prematurity Debility Convulsions Diarrhosa In Teranus Bronchitis Preumonis	nder		• • • • • • • • • • • • • • • • • • • •
<u> </u>	ath.		lifty	3	n Pu	talit; er)	ris er
	Causes of Death.	All Causes	I.—Infantile Mortality	8 A 8	B.—Over 1 Week and under 1 Year. 1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 4a. Enteritiss 5. Tetanus 6. Bronchitis	—General Mortality (1 Year and over)	Plague Smallpox Chickenpox Measles Influenza Pyrexia or Fever Enteric Fever Malaria Malaria Cholera
	uses	Ğ.	N el	A.—One Week 1. Prematurity 2. Debility 3. Convulsions 4. Diarrhosa 4a. Enteritis 6. Tetarus 6. Bronchitis 7. Preumonia 8. Other causes	Over 1 Week 1 Yee Prematurity Debility Convulsions Discritis Tetanus Enertitis Tetanus Anomonia	eral	Plague Smallpox Chickenpox Measles Influenza Pyrexia or F Enteric Feve Malaria Malaria Cholera

10

The control of the	a		n
Common			
Columbon C	aces.	Malays.	
Columbo	all Ba	Moors.	
Columbo	ong t	. slimsT	
Columbo	18 am	Sinhalese.	833 1114 22 1188 111 86 106 106 106 107 107 108 108 108 108 108 108 108 108 108 108
Columbo	Deat	Burghers.	29 1 1 22 2 23 2 3
Western Province Countral Province Countral Province Countral Province Colombo Countral Province Colombo Colom		Europeans.	
Western Province Countral Province Countral Province Countral Province Colombo Countral Province Colombo Colom	ore va.	Kegalla.	
Western Province Countral Province Countral Province Countral Province Colombo Countral Province Colombo Colom	rovin Sabe amuv		2 4 1 1 2 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Counter Coun			1 14 15 1 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Counter Coun	Pro-		
Continue of Death Columns of			20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Countre Coun	H SE	*# WITTO	
Control Province Control Pro	ester 10e.	·	
Control Province Control Pro	th-W rovh		-4 % % 6 1 1 1 1 1 1 1 1
Courtier	Nor	Kurunegala.	•
Courtes of Death. All 35 Colombo. Countral Province. Countral Province. Countral Province. Countral Province. Colombo. Colomb	17. 108.	Trincomalee.	
Courtes of Death. All 35 Colombo. Countral Province. Countral Province. Countral Province. Countral Province. Colombo. Colomb	Easte	Kalmunai.	
Contrast	Т.Д.		
Contrast	rn ce.		<u> </u>
Contrast	orthe		
Contrast	ZĀ.	.anflat	
Contrast			<u> </u>
Contrast	vinc		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Contrast	n Pro		
Contrast	ither	Ambalangoda.	
Contrast	Sot	Galle.	22 23 39 39 39 39 39 39 39 39 39 39 39 39 39
Column Ali 33 Column Ali 34 Column Ali 35 Column A		Nuwara Ellya	
Causes of Death. All 35	ي ا	Matale.	
Conuses of Death. All 35 Colombo Colom	ovinc	Hatton and Dikoya.	
Causes of Death. All 33 Towns.	al Pr		
Causes of Death. All 33 Towns.	Centr	Gampola.	
Causes of Death		Kandy.	
Causes of Death. All 38 Towns. Colored		Panadure.	, - ,
Causes of Death. LEnteritis Dysentery Dochmius Duodenalis Cancer Cancer Cancer Cancer Cancer Chickisis Other tuberculous diseases Convulsions Convuls	1000	Kalutara.	
Causes of Death. Towns. - Enteritis December Conversion of Phthisis Other tuberculous diseases Malitus Convulsions Neghritis Diseases and Nephritis Diseases and Nephritis Diseases and Nephritis Diseases and Nephritis Conversinge District of Conversion	Provi	Moratuwa.	
Causes of Death. Enteritis Dysentery Dochmius Duodenalis Cancer Cancer Cancer Cancer Cancer Childbirts Convulsions Convulsion	stern	Negombo.	8.18
Causes of Death. Enteritis Dysentery Anchylostomiasis Cancer Phthisis Other tuberculous diseases Convulsions Totamus Bronchitis Totamus Totamus Totamus Totamus Totamus Totamus Bronchitis Totamus Totamus Totamus Bronchitis Totamus Totamus Totamus Bronchitis Totamus Totamus Totamus Bronchitis Totamus Totamu	Å	Colombo.	26. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20
Causes of Death. Enteritis Dysentery Anchylostomissis or Dochmius Duodenalis Cancer Phthisis Other tuberculous diseases Anamia Diabetes Mellitus Convulsions Tetanus Bronchitis Pheumonia Other Diseases of the Respiratory System Bright's Diseases and Nephritis Puerperal Eclampsia Puerperal Septicamia. Miscarriage Other undefined accidents of Childbirth. Starvation Accidents or Negligence. Guicide Execution All other causes	1	II 33	
Causes of Death. Enteritis Dysentery Anchylostomiasis Dochmius Duodens Cancer Phthisis Other tuberculous disea Anamia Diabetes Mellitus Convulsions Tetanus Bronchitis Bronchitis Preumonia Other Diseases of Respiratory System Respiratory System Reperal Eclampsia Puerperal Sputicania Miscarriage Other undefined a dents of Childbirth Starvation Accidents or Negligen Homicide Suicide Execution All other causes	<u> </u>	P. P.	
		tuses of Death.	comiasis ius Duodens erculous dises erculous dises mellitus ns siseases of atory System Diseases tis Eclampsia Epticamnia ge ndefined a of Childbirth or Negligene
		Ö	