# SUPPLEMENT

### TO THE

# Ceylon Gobernment Gazette

## PART I.

No. 7,252 — WEDNESDAY, APRIL 12, 1922.

# VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL OF MARRIAGES, BIRTHS, AND DEATHS FOR THE FOURTH QUARTER OF 1921.

#### I.-Population.

THE estimated population of the Island on the last day of the quarter was 4,533,812, and showed an increase of 15,768 persons over the previous quarter. The increase was made up of an excess of 13,648 births over deaths, and 2,120 by Indian migration. The excess of births was shared by every district in the Island, excepting Hambantota, Mannar, Mullaittivu, Kurunegala, Puttalam, and Anuradhapura.

2. Indian Migration.—The number of Indian labourers who arrived during the quarter was 7,588, and the departures amounted to 3,392. The average number of arrivals of Indian labourers in the fourth quarters of the past decade was 15,936, and the departures numbered 9,097. There were also during the quarter the arrivals of 20,881 and the departures of 22,957 miscellaneous passengers from and to India.

#### II.-Marriages.

3. The marriages registered during the quarter numbered 6,188 (4,995 General and 1,195 Kandyan), as against 6,231 in the previous quarter, 5,996 in the fourth quarter of 1920, and 6,056 the average for the fourth quarters of the past decade. The distribution of the marriages by provinces and districts is shown in Table I.

#### III.—Births.

4. The total births registered during the quarter numbered 46,638 (23,743 males and 22,895 females), and corresponded to a rate of  $41 \cdot 0$  per 1,000 of the estimated population, or  $2 \cdot 8$  per mille higher than the rate recorded in the previous quarter and  $5 \cdot 4$  per mille higher than the average rate of the fourth quarters of the past two years. It is also  $3 \cdot 1$  per mille higher than the average rate ( $37 \cdot 9$ ) recorded in the fourth quarters of the decade 1909–1918. As in the previous quarter, the highest birth-rate was recorded in the Batticaloa District ( $45 \cdot 8$ ). Ratnapura District followed with a rate nearly as high ( $45 \cdot 1$ ). In the other districts the rate ranged from  $44 \cdot 4$  in Matara to  $32 \cdot 4$  in Mullaittivu.

The births registered on estates numbered 5,344, and were equivalent to a rate of  $37 \cdot 7$  per mille of the estate population, as against  $41 \cdot 5$  in the previous quarter and  $41 \cdot 1$  the average for the fourth quarters of the two years 1919-1920. The average rate for the fourth quarters of the decade 1909-1918 was  $38 \cdot 7$ . The highest birth-rate on estates was  $41 \cdot 5$  in Nuwara Eliya and the lowest  $26 \cdot 9$  in Kurunegala, the respective positions in both cases being the same as in the previous quarter.

In the principal towns the births registered numbered 5,722 (2,963 males and 2,759 females), corresponding to a rate of  $38\cdot4$  per mille of the urban population, as against  $37\cdot2$  in the previous quarter and  $28\cdot2$  the average for the fourth quarters of the past decade. The rate ranged from  $56\cdot0$  in Negombo to  $21\cdot2$  in Vavuniya.

In the city of Colombo 2,150 births were registered, which corresponded to a rate of  $34 \cdot 9$  per mille, as against  $38 \cdot 7$  in the previous quarter and  $23 \cdot 0$  the average for the fourth quarters of the past decade. Detailed statistics of births will be found in Tables I–V.

There were registered 382 twins and 6 triplets during the quarter, as against 392 and nil respectively in the previous quarter.

#### IV.—Deaths.

5. The deaths of 32,990 persons (16,409 males and 16,581 females) were registered during the quarter, corresponding to a rate of  $29 \cdot 0$  per 1,000 of the estimated population, as against  $28 \cdot 2$  in the previous quarter and  $27 \cdot 6$  the average for the fourth quarters of the past two years. Compared with the average rate of the fourth quarters of the decade 1909–1918, there is an improvement of  $1 \cdot 8$  per mille during the quarter. The healthiest district during the quarter, as in the previous quarters of the year, was Kalutara. The Districts of Kegalla, Chilaw, Negombo, Galle, and Colombo, which came next in point of health, recorded in each case a rate below  $25 \cdot 0$  per mille. The District of Kurunegala was the unhealthiest, the mortality rate being  $45 \cdot 4$ , which is considerably higher than the average rate ( $24 \cdot 7$ ) recorded in the fourth quarters of the 42 \cdot 4 in the latter.

The deaths registered on estates numbered 3,677, and corresponded to a rate of  $25 \cdot 9$  per mille. The mortality rate on estates during the quarter showed an improvement of  $5 \cdot 1$  per mille on the previous quarter, and  $8 \cdot 7$  per mille on the average for the fourth quarters of the past two years. The mortality rate ranged from  $12 \cdot 7$  on the estates of Kalutara District to  $36 \cdot 7$  on those of Kurunegala.

In the principal towns 5,657 deaths were registered during the quarter. Of this number 4,395 were residents in the towns, and the corresponding standardized rate was  $32 \cdot 2$  per mille, as against  $30 \cdot 9$  in the previous quarter. The average for the fourth quarters of the past decade was  $31 \cdot 6$ . Puttalam recorded the highest rate,  $68 \cdot 2$ , and Anuradhapura came next with  $61 \cdot 2$ . The lowest rate,  $12 \cdot 7$ , was recorded in Weligama.

(1)

The number of stillbirths registered in the 33 principal towns amounted to 381 (206 males and 175 females), as against 390 in the previous quarter. Tables I-V. give detailed statistics.

#### V.-Infant Mortality.

6. The deaths of infants below the age of one year registered during the quarter numbered 9,383, and represented 28 per cent. of the total deaths: The rate of infant mortality per 1,000 births registered during the year ended the last day of the quarter under review was 202, as against 178 in the pervious quarter and 186 in the fourth quarter of 1920. The mortality rate of Sinhalese infants was equal to a rate of 194 per 1,000 births registered, and ranged from 119 in Kalutara District to 403 in Puttalam. Among the Tamils, the highest rate of mortality was 410 in Mannar District. In the Jaffina District the rate, though the lowest, was 202. Among the Moors, Puttalam District recorded the highest rate, viz., 444 per 1,000 births, and in the Batticaloa District the rate was 233.

The infant mortality on estates during the quarter was equal to a rate of 197 per 1,000 births registered, as against 208 in the previous quarter, and ranged from 124 in Colombo District to 393 in Kurunegala. On the estates of Kandy and Nuwara Eliya Districts also the rate was high, being above 200 each.

In the principal towns, the mortality rate of children under one year was equal to 249 per 1,000 births registered, or 15 per 1,000 higher than in the previous quarter. As compared with the average rate of the fourth quarters of the decade 1911–1920, there is a noticeable improvement of 36 per 1,000 births. The urban infant mortality was highest in Kurunegala, which was followed by Kalmunai and Puttalam, the rate being 541 in the first named and 523 and 510 in the second and the third. The lowest rate was 87 in Weligama. In the city of Colombo 539 deaths of children under one year were registered, corresponding to a rate of 246 per 1,000 births. This shows a rise on the rate of the previous quarter (225), but a considerable improvement on the average (312).

#### VI.—Causes of Death.

7. Of the 32,990 deaths registered from all causes, Pyrexia, as usual, claimed the highest number, 4,904 or 15 per cent. of the total. The deaths from Influenza and Pneumonia numbered 489 and 1,249 respectively, showing in both cases a considerable improvement, as compared with the previous quarters. The following statement shows the deaths registered from Influenza and Pneumonia in the districts in the fourth quarter, 1921, as compared with the number registered in the previous quarter and in the fourth quarter of 1920 :---

			Influenza.			Pneumonia.	
		Fourth Quarter, 1921.	Third Quarter, 1921.	Fourth Quarter, 1920.	Fourth Quarter, 1921.	Third Quarter, 1921.	Fourth Quarter, 1920.
	Colombo	97	118	107	213	236	243
ari -	Negombo	18	42	39	· · · ·	32	24
	Kalutara	8	22	22	35	35	46
	Kandy	71	86	66	128	151	152
	Matale	5	5	8	30	41	58
4	Nuwara Eliya	28	45	25	88	118	121
	Galle	37	77	79	. 37	29	34
1	Matara	13	12	41	8	12	9
•	Hambantota	33	34	29	22	35	8
	Jaffna	56	72	86	190	248	190
	Mannar	·	15	. <b>د</b> ر <del>ست</del> ا	20	32	24
• `	Mullaittivu	الم الم الم الم	1	•••••••••••••••••••••••••••••••••••••••	34	42	37
. •	Batticaloa	27	75	40	119	156	91
	Trincomalee	2	· 1	1	41	44	29
i.	Kurunegala	5	3	25	58	63	62
2	Puttalam	· · · · ·	2 •	•••	23	20	19
•	Chilaw	نيت ا	2	· · · · · ·	21	27	17
	Anuradhapura	10	16	18	49	43	37
	Badulla	48	78	74	81	193	108
	Ratnapura	20	21	13	32	32	42
	Kegalla	11	30	1'4	16	22	39
	CEYLON	489	757	687	1,249	1,611	1,390
						and the second	

Among the other causes which contributed to the mortality during the quarter were Infantile convulsions (11 per cent.), Diseases of Skin and Cellular Tissue (9 per cent.), Diarrhea (8 per cent.), Debility of Infants under 3 months (5 per cent.), Rickets (5 per cent.), Senility (4 per cent.), Intestinal Parasites (4 per cent.), Diseases or Accidents of Pregnancy and Childbirth (3 per cent.), Anæmia (3 per cent.), Dysentery (2 per cent.), Phthisis (2 per cent.), Anchylostomiasis (2 per cent.), Dropsy (2 per cent.), Debility of Persons over 3 months (2 per cent.), Malaria and Malarial Cachexia (1 per cent.), Enteritis (1 per cent.), Bright's Disease and Nephritis (1 per cent.), Premature Birth (1 per cent.); and Acute Rheumatic. Fever (1 per cent.).

The deaths registered from Plague during the quarter numbered 22 (21 within the City of Colombo and 1 in Kegalla), as against 6 in the previous quarter and 135 in the corresponding quarter of 1920. One death from Chelera was registered in Kandy District. Detailed statistics will be found in Table VI.

8. Deaths produced by external causes :-

(a) Suicide.—Forty-four deaths were registered from suicide, as against 65 in the previous quarter and 44 in the fourth quarter of 1920.

(b) Homicide.—Thirty-five deaths resulted from homicide, as against 57 in the previous quarter and 65 in the fourth-

(c) Executions.—There were 15 judicial executions during the quarter, as against 10 in the previous quarter and 13 in the fourth quarter of 1920.

(d) Accidents.—Of the 479 deaths returned as due to accidents and other affections produced by external causes, 109 deaths were attributed to fall from trees, 102 to drowning (20 in wells and 2 in pits), and 41 to burns. Thirteen of the deaths from burns were due to the bottle lamp. Snake bite caused 60 deaths, fall of heavy substances 26, injuries by animals 18, and frearms 14. Deaths attributed to railway accidents numbered 9 and to motor cars 5 and carts 8. 9. Causes of Death on Estates.—The deaths registered on estates from all causes numbered 3,677. Of this number the deaths attributed to Debility of Infants under 3 months corresponded to 16 per cent., Anchylostomiasis came next with 10 per cent., Pneumonia 8 per cent., Dysentery 8 per cent., Infantile Convulsions 8 per cent., Diarrheea 7 per cent., Debility of Persons over 3 months 6 per cent., Senility 5 per cent., Bright's Disease and Nephritis 4 per cent., Premature Birth 3 per cent. Bronchitis 3 per cent., Diseases or Accidents of Pregnancy and of Childbirth 2 per cent., Enteritis 2 per cent. Malaria and Malarial Cachexia 2 per cent., Phthisis 1 per cent., Rickets 1 per cent., and Dropsy 1 per cent. For detailed statistics see Table VII.

10. Causes of Death in Towns.—Of the 5,657 total deaths registered in the towns, the highest mortality was from Pneumonia, which caused 9 per cent., Debility of Children under one year caused 8 per cent., Convulsions 8 per cent., Phthisis 6 per cent., Diarrhœa, Anchylostomiasis, Enteritis, Dysentery, and Malaria and Malarial Cachexia caused 5 per cent. each, Bright's Disease and Nephritis 4 per cent., and Enteric Fever, Prematurity, Bronchitis, and Puerperal Septicæmia 2 per cent. each. For detailed statistics see Table VIII.

Registrar-General's Office, Colombo, March 17, 1922. G. F. FORREST, Acting Registrar-General.

## Table I.—Area, Estimated Population, and the Number of Marriages, Births, and Deaths registered in the Fourth Quarter of 1921.

н. На 1976 г.	Miles.		. N	larriages		•	Births.		Deaths.			
Province and District.	Ares in Square Miles.	Esimated Population on October 1, 1921.*	Total.	General.	Kandyan.	'fotal.	Males.	Females.	Total.	Males.	Females.	
Ceylon	25,481	4,518,044	6,188	4,995	1,193	46,638	. 23,743	22,895	32,990	16,409	16,581	
Western Central Southern Northern Eastern North-Western ? North-Central Uva Sabaragamuwa	1,432 2,279 2,146 3,519 3,848 3,016 4,068 3,271 1,901	375,902 193,476 494,655 96,019	438 1,095 654 113 872 166	2,185 165 1,094 651 92 539 33 60 176	273 1 3 21 333 133 124 305	12,806 7,315 7,192 3,571 2,164 5,204 893 2,407 5,088	$\begin{array}{r} 6,649\\ 3,680\\ 3,734\\ 1,769\\ 1,094\\ 2,596\\ 456\\ 1,185\\ 2,580\end{array}$	$\begin{array}{r} 6,157\\ 3,635\\ 3,458\\ 1,802\\ 1,070\\ 2,606\\ 437\\ 1,222\\ 2,508\end{array}$	7,495 5,651 4,783 2,608 1,457 5,090 1,006 1,870 3,030	$\begin{array}{r} 3,758\\ 2,781\\ 2,354\\ 1,322\\ 755\\ 2,428\\ 539\\ 961\\ 1,511\end{array}$	3,737 2,870 2,429 1,286 702 2,662 467 909 1,519	
Western. Colombo Negombo Kalutara	··· 560 ··· 247 ·· 623	181,768	335	1,300 335 <b>5</b> 50		7,374 1,952 3,480	3,779 1,008 1,862	3,595 944 1,618	4,683 1,116 1,696	2,395 540 823	2,288 576 873	
Central. Kandy. Matale Nuwara Eliya			77	98 19 48	$175 \\ 58 \\ 40$	4,467 1,122 1,726	2,271 567 842	2,196 555 884	3,544 1,042 1,065	1,751 497 533	1,793 545 532	
Southern. Galle Matara Hambantota	652 481 1,012	241,218	398	509 398 187	· _ 1	3,407 2,698 1,087	1,761 1,411 562	1,646 1,287 525	1,977 1,525 1,281	942 791 621	1,0 <b>35</b> 734 660	
Northern. Jaffna Mannar Mullaittivu	1,147 904 1,466	25,402	52	- 5 <b>8</b> 4 - 52 15		3,207 212 152	1,587 109 73	1,620 103 79	2,210 242 156	1,116 129 77	1,094 113 79	
lastern. Batticaloa Trincomalee	·· 2,800 ·· 1,048			71 21	<b>2</b> 1	1,843 321	936 158	907 163	1,158 299	5 <b>9</b> 8 157	560 142	
forth-Western. Kurunegala Puttalam Chilaw	1,843 909 262	ž 35.572		261 35 243	321 12 	$3,744 \\ 346 \\ 1,112$	1,879 173 544	1,865 173 568	4,073 388 629	1,915 194 319	194	
lo <b>rth-Central.</b> Anuradhapura	4,068	96,019	166	33	133	893	456	437	1 <b>,0</b> 06	539	46'	
Iva. Badulla	3,271	1 234,208	184	60	124	2,407	1,185	1,222	1,870	961	90	
abaragamuwa. Ratnapura Kegalla	1,259 642	204,401 270,930		85 91	1 <b>3</b> 6 169	2,324 2,764	1,166 1,414	$1,158 \\ 1,350$	1,391 1,639	703 808		

\* Based on the Census figures of March 18, 1921.

		Bir	th-rate per M	ille per Annun		Death-rate per Mille per Annum.						
Province and District.		Fourth Quarter, 1921.	Third Quarter, 1921.	Average for 4th Quarters, 1919–1920.	Average for 4th Quarters, 1909-1918,	Fourth Quarter, 1921.	Third Quarter, 1921.	Average for 4th Quarters, 1919–1920.	Average for 4th Quarters, 1909-1918.			
Ceylon		41.0	. 38.2	35.6	37 . 9	29.0	28.2	27 · 6	30.8			
e la come de	-	40.5	35.0	33.4	35.4	23.7	21.7	29 · 7	24 . 9			
Western	••{	40.3	38.0	41.9	40.8	31.1	$33 \cdot 9$	32.6	36.8			
Central	••	40 3	37.6	32.0	41.7	$28 \cdot 1$	25.0	. 28.8	29.6			
Southern	••	$\frac{42}{37.7}$	41.6	32.9	38.2	27.5	$29 \cdot 1$	26.1	32.3			
Northern	••		49.4	42.3	45.1	$29 \cdot 9$	41.0	29.0	33.1			
Eastern	••{	. 44.4	39.4	30.2	36.8	40.8	30.3	26.9	31.4			
North-Western		` <u>41.7</u>	38.8	33.0	41.0	41.6	38.7	38.1	37.6			
North-Central	••	36.9	41.9	41.0	44.9	31.7	40.1	40.8	46 8			
Uva	• • •	40.8	37.0	41.9	43.1	25.3	24.6	$24 \cdot 9$	35.8			
Sabaragamuwa	••	42.5							······			
Western.		39.1	34.9	31.6	32.5	$24 \cdot 9$	22.4	24.5	24.7			
• Colombo	••	42.6	35.9	34.2	37.8	.24.4	22.5	21.6	22.3			
Negombo	. ••]	42.0	34.5	37.0	40.2	20.6	19.8	23.6	27.0			
Kalutara	• •	. 42*3	34.0	570	100							
Central.		40.7	36.7	42.3	39.8	32.3	34.5	33.4	34.3			
Kandy	• •	38.1	38.7	43.8	42.5	$35 \cdot 4$	36.7	35.3	49.2			
Matale	••	40.7	41.0	39.5	42.1	$25 \cdot 1$	30.4	28.8	33.6			
Nuwara Eliya	••	40.7	410	550	1				1 -			
Southern.		· 42·9	33.3	33.2	43.0	24.9	23.6	28:4	28.4			
Galle	• •	1 40 4	40.8	29.3	42.7	$25 \cdot 1$	21.3	28.7	27.1			
Matara		36.0	40 8	34.4	40.2	42.4	36.2	30.2	38.3			
Hambantota	••	30.0	42 0	01								
Northern.		38.3	42.3	33.6	37.2	26.4	27.7	24.8	30 • 4			
Jaffna	• •	69.1	34.6		38.9	37.8	42.9	37.1	50.5			
Mannar	• •	00.4	37.5		41.6	33.2	35.4	33.4	44.3			
Mullaittivu	•	34 4	57.0	2.0		· · · ·						
Eastern.		45.8	51.1	42.6	45.1	28.8	42.1	29.4	31.9			
Batticaloa	· ·	37.5	41.3		45.1	35.0	35.5	27.3	39.5			
Trincomalee	•	. 37.5	#10		10 -							
North-Western.			1			· · · · ·			04.4			
Kurunegala		. 41.8	40.0			45.4	33.1		34:4 31:5			
Puttalam		. 38.0	37.0				30.8					
Chilaw	•	. 42.7	37.9	28.2	35.0	24 · 2	20.3	18.5	21 3			
	,	1 .	· · ·									
North-Central.		. 36.9	38.8	33.0	41.0	41.6	38.7	38.1	37.6			
Anuradhapura	•	. 50 9										
Uva.			· .			· · · · -		40.0	46.8			
Badulla	· •	. 40.8	41	€ <b>41</b> .0	44.9	31.7	40.1	40.8	40.8			
Sabaragamuwa.						i	00 -		41.4			
Ratnapura		. 45.1					23.5					
Kegalla		40.5	37.	6 40.1	41.5	24.0	25.4	22.3	1 31*9			

Table II.—Birth- and Death-rates in the Fourth Quarter of 1921, the Third Quarter of 1921, and the Mean-rates for the Fourth Quarters, 1919–1920 and 1909–1918.

The rates appearing in this table, excepting the averages for 1909–1918, have been calculated on the population revised on the basis of the Census figures of March 18, 1921.

## [For Table III. see page 5.]

Table IV.—Births and Deaths on Estates with their Rates per 1,000 of the Estate Population in the Fourth Quarter of 1921, the Third Quarter of 1921, the Average Rates for the Fourth Quarters of 1919 and 1920 and 1909–1918.

		- 1		Births	Deaths	Birtl	h-rate per N	lillé per An	num.	Deat	h-rate per ]	Mille per An	num.
Distric	<b>t.</b>		Population at the Census of March 18, 1921.	registered during	the Fourth Quarter, 1921.	Fourth Quarter, 1921.	Third Quarter, 1921.	Average for Fourth Quarters, 1919–1920.	Average for Fourth Quarters, 1909–1918.	Fourth Quarter, 1921.	Third Quarter, 1921.	Quarters,	Average for Fourth Quarters, 1909-1918
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo Kalutara Galle Matara Kurunegala	· · ·	· · · • · · • · · • · · • · ·	104,958 83,467 48,597 56,411 14,174 36,748 11,253 5,330 15,783	1,465 271 1,097 853 468 508 105 341 80 49 107	1,077 272 645 611 369 302 49 118 56 32 146	$\begin{array}{r} 38 \cdot 5 \\ 30 \cdot 9 \\ 41 \cdot 5 \\ 40 \cdot 5 \\ 38 \cdot 2 \\ 35 \cdot 7 \\ 29 \cdot 4 \\ 36 \cdot 8 \\ 28 \cdot 2 \\ 36 \cdot 5 \\ 26 \cdot 9 \end{array}$	$\begin{array}{c} 40 \cdot 4 \\ 36 \cdot 1 \\ 46 \cdot 6 \\ 46 \cdot 2 \\ 40 \cdot 5 \\ 44 \cdot 9 \\ 33 \cdot 9 \\ 35 \cdot 5 \\ 35 \cdot 6 \\ 41 \cdot 7 \\ 19 \cdot 6 \end{array}$	$\begin{array}{r} 43 \cdot 7 \\ 42 \cdot 8 \\ 38 \cdot 9 \\ 38 \cdot 8 \\ 40 \cdot 0 \\ 45 \cdot 4 \\ 30 \cdot 0 \\ 47 \cdot 9 \\ 43 \cdot 2 \\ 30 \cdot 6 \\ 24 \cdot 6 \end{array}$	$\begin{array}{r} 39 \cdot 2 \\ 38 \cdot 6 \\ 42 \cdot 1 \\ 37 \cdot 5 \\ 44 \cdot 0 \\ 33 \cdot 2 \\ 30 \cdot 5 \\ 40 \cdot 8 \\ 39 \cdot 4 \\ 48 \cdot 3 \\ 30 \cdot 1 \end{array}$	$\begin{array}{c} 28 \cdot 3 \\ 31 \cdot 0 \\ 24 \cdot 4 \\ 29 \cdot 0 \\ 30 \cdot 1 \\ 21 \cdot 2 \\ 13 \cdot 7 \\ 12 \cdot 7 \\ 19 \cdot 7 \\ 23 \cdot 8 \\ 36 \cdot 7 \end{array}$	$\begin{array}{r} 32 \cdot 9 \\ 31 \cdot 7 \\ 32 \cdot 1 \\ 39 \cdot 7 \\ 33 \cdot 0 \\ 25 \cdot 7 \\ 12 \cdot 0 \\ 17 \cdot 5 \\ 21 \cdot 2 \\ 25 \cdot 3 \\ 28 \cdot 4 \end{array}$	39.4 37.9 30.8 40.4 32.2 32.1 18.8 28.8 27.5 39.9 21.3	$\begin{array}{r} 42 \cdot 3 \\ 62 \cdot 5 \\ 38 \cdot 9 \\ 45 \cdot 0 \\ 72 \cdot 0 \\ 38 \cdot 4 \\ 45 \cdot 1 \\ 46 \cdot 6 \\ 55 \cdot 8 \\ 60 \cdot 7 \\ 58 \cdot 3 \end{array}$
• •	Total	••	562,356	5,344	-3,677	37.7	41.5	41.1	38.7	25 . 9	31.0	34.6	45.1

The rates appearing in this table, excepting the averages for 1909–1918, have been calculated on the Census population of March 18, 1921.

Table III.—Births and Deaths by Races which predominate in the respective Districts, their Rates per 1,000 of the Estimated Population, and the Proportion of Infantile Deaths to 1,000 Registered Births in the Fourth Quarter of 1921. •

.

,

.

			•					•				
ļ	ered.	teiger and til		1	. <b>(</b>	5)	-1418P+1	2334	370 	;	. 1 1	1. 1.1.1
	ldren	Desths of Chi Desths of Chi	<u>    .</u>				<b>t i j i</b>				11 	
	Death-rate per Mille per Annum	Average for Fourth Quarters, Fourth Quarters,		1111				7 27 • 0 9 26 • 4	9 38 8	. 19		111
	th-rat	Fourth Quarters, Fourth Quarters, 1919-20,	l I		1111			226.9	9 27 • 9 8 34 • 0	- 11	<u>LI</u>	<u>   '.</u> .
		Fourth Quarter,	1	1111	1111	1111		26.26	8 <b>42 · 9</b> 8 <b>48 · 6</b>	1.1		
e	Birth-rate per Mille per Annum.	Average for Fourth Quarters, 1909-18.			11.11	<u>,         .</u>		46.2	39.8	11	11	111
10013	per At	Fourth Quarters, Fourth Quarters,	1	1111	1111		1111	41.1	36.3	<u> </u>	1.1	
	Mille	Fourth Quarter, 1921.		1111	1111			153.6	8.39.8 949.6	11	<u> </u>	
•		Desths.	1		1111	1111	1111	0 509	8 342 2 149	11	11	
	· · · · ·	Births.	1			1111	1111	860	9 152	11.	<u>1 K</u>	111
	1921.* 1921.*	Estimated Popular 1, 1	1.			1111	TÌŢÌ	76564 63641	31648 12169	11	ΙT,	111
,	000'T 0	Deaths of Chil Deaths of Chil Birther tages	1.1		1111		213 202 274	230 222 275	382	11	1, 1	· ITI
	a per	Average for Fourth Quarters, 1909–18.	11	LIII,	1111	·   <u>   </u>	<b>31.8</b> 30.3 53.0 43.2	36 · 0 34 · 5 43 · 3	40.4	11	11	.       .
	Death-rate per Mille per Annum	Average for Fourth Quarters, 1919–20.	I I	1111	1111		25.7 24.9 37.9 30.6	31-0 30-9 31-2	38.1	11		
	Deat	Fourth Quarter, 1921.	1	1111		, FEEP	10.03 30.03 30.03 30.03 50.03	31.6 29.9 39.8	81-8 47-6		11	111
2	per num.	Average for Fourth Quarters, 1909–18.	1				37 · 4 37 · 3 37 · 0 40 · 3	43 · 2 43 · 4 42 · 1	29-4 26-5		11	1 ľ ĺ
1 8411115.	h-rate er An	Average for 4th Quarters, 1919-20,	1		1 I I Í	I, I I I	28.4 28.4 28.6	42.8 43.1 41.1	29.620.4 	11	ĬI	$[1,1,1]_{\mathcal{H}}$
	Birth-rate per Mille per Annum.	Fourth Quarter, 1921.	1	TIT	1111	1111	38 ·0 38 ·5 34 ·7 31 ·7	39.1 34.6	29.6 29.7	11		
·		.sdåss9U	1	L PL		TEL	2461 38 • 0 3 2163 38 • 5 166 34 • 7 132 31 • 7	824 640 184	487 93		•11	<u>j</u> it,
		.adtriff		1 1,11	. 1.1.1.1		83430 3165 3165 146 2 119	4 1018 8 858 8 160	1 278	11	<u> </u>	1:1-1
	noiteli 1291.	Estimated Population II 1900 IC	•				357866 326262 16692 14912	103334 84988 18346	37261	II	11	TIT.
	ted. 1,000 Ted.	Deskha of Chil Deskha of Chil Births registe	194	147 155 165 119	219 212 257 193	155 138 137 223		207	312 346 403 170	311	198	187 200 177
ļ	un.	Average for 4th Quarters, 1909–18.	28.7	222.6 231.4 231.4	32.6 30.4 28.9	27 5 27 5 37 1		56 • 1 58 • 6	31 •0 33 •1 25 •5 19 •8	37 5 37 5	47.3	29.9 33.0 27.6
	Death-rate per Mille per Annum	Average ior 4th Quarters, 1919-20,	26.0	22.422.6 22.922.6 21.321.4 22.123.4	33.4 24.1 24.1 24.1	29.4 28.0 29.4 28.0 29.4 28.0		34.2	222.8 24.3 24.7 17.2	39-0 39-0	40-8 40-8	22.4 26.3 19.4
	Death fille p	Fourth Quarter, 1921.	29.0	23 · 3 24 · 2 23 · 9 20 · 9	<b>33</b> 3 34 8 37 2 27 0	28.1 24.8 25.1	1:11:1:	33.4	39.6 44.6 35.8 22.7	41.1 41.1	33 • 0 33 • 0	25 1 25 7 24 6 24 6
.		Average for 4th Quarters, 1909-18.	40.72	35.02 38.62 38.62 38.62	0.04 P.0	8 8 8 9 0 8 7 0 8		62.63	7 8 9 7 7 4 9 7	43.54	49 3 5	4 4 4 9 9 9
Sinnalese.	Birth-rate per Mille per Annum.	Average for Average for Average for	35-54	04-1-0 04-1-0	2020 4444	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1.111	41.95	27710	34 • 9 4 34 • 9 4	42.74	8.51 8.8 4 4 4 4 4
	Birth Ille pe	Fourth Quarter, 1921. 1921 •	42.83	00000 00000 00000	0	0.1533 0.157 0.178 0.178	1111	38 • 9 41 • 9 42 • 6 43 • 8	4.033	40 • 8 3 40 • 8 3	42 · 7 4 42 · 7 4	2 5 3 4 8
:	<u> </u>	Destine.	221934	602342 634 03 358842 5334 03 100443 334 13 143142 635 24	3204 42 · 5 42 · 5 4 3123 43 · 3 42 · 7 4 681 41 · 6 45 · 0 4 400 40 · 4 38 · 9 4	451142•432•04 183843•233•14 144244•729•34	<u> </u>	624	$\begin{array}{c} 421043 \cdot 0 \\ 357942 \cdot 932 \cdot 1 \\ 356942 \cdot 918 \cdot 7 \\ 13633 \cdot 918 \cdot 7 \\ 50444 \cdot 628 \cdot 7 \\ \end{array}$	7544	11434	223544 8 41 6 98647 8 41 6 98647 8 45 1 4 1 8 1 98647 8 45 1 4 1 9 1 2 4 9 4 2 5 3 8 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9
		Births.	82744 2	11024 6294 1818 2912	4002 2641 762 599	6814 3201 2570 1043		88	4671 3450 129 992	747 747	1478 1478	3994 1836 2158
		оп October 1, 1	3035922 3	026358 588211 166747 271400	373206 241802 72587 58817	637285 293649 228341 11 <b>5</b> 29 <b>5</b>		8779	422398 319061 15077 88260	72714 72714	137481 137481	353961 152392 201569
	noitel	uqoT bətamitsH	3035									
Ares in Square Miles.			25481	1432 560 <del>2</del> 247 <u>3</u> 6232	2279 911 905 462	21461 6521 4814 10123	3519 1147 904 1466	3848 2800 1048	$\begin{array}{c} 3016 \\ 18437 \\ 9097 \\ 2624 \end{array}$	4068 4068	3271 <u>3</u> 3271 <u>3</u>	1901 1259 642
: '	· · · · · · · · · · · · · · · · · · ·			· : : : :			· • • • • •	•••	••••	•••	::	
:	• •		a i		ವೆ	. :		·	·	; • 63	· .	
••••••	<b>.</b> .	D.	AL I									I
		intrict.	Ceylon		Bity	ntota	iivu .	loa Ialee	stern gala	hapu.	::	auwa ura
		Province and District.	Ceylo	Western Colombo Negombo Kalutara	Central Kandy Matale Nuwara Eliya	Southern Galle Matare Hambantote	Northern Jaffna Mannar Mullaittivu	Eastern Batticaloa Trincomalee	North-Western Kurunegala Puttalam	North-Central Anuradhapura	Uva Badulla	Sabaragamuwa Ratnapura Kegalla

•

•

,

•

Table V.--Number of Births and Deaths registered during the Fourth Quarter of 1921, and their Proportion per 1,000 of the Population per Annum ; the Stillbirths the Deaths of Children under One Year and their Proportion per 1,000 Registered Births; and the Mean Temperature and Rainfall, observed in each

( ) Rainfall in Inches.a 22.85 16-22 17.71 21.18 34.46 27.83 53.82 42.62 **33** 06 37 24 **53** 03 15.86 15.55 26.20 24.78 24.68 24.68 24.68 27.35 27.35 22.91 23.79 21.18 26.28 12.84 21.9131.85 <del>3</del>3 37-81 1 1 1 Ì 1 . 89. 89. past decade, as the age- and sex-distribution of the population at the Census of 1921 is not available. 6 Standardized rates for these towns are not available. Mean Tem-per-ature.a 19.6 79.2  $79.2 \\ 79.2 \\$ 18.4 72.080.2 9.08 8.62 79.3 79.6 6.61 75-4 1 ò  $\Gamma \rightarrow I$ 1114 11 1 1 11 I 1 I 1 Average, Fourth rters, 1911-1920. Deaths of Children -under One Year of Age to 1,000 Birtha. 285 226 271 173 182  $\begin{array}{c} 222\\ 211\\ 199\\ 173\\ 333\\ 216\\ 216\\ \end{array}$ 323 323 606 606 303 305 305  $316 \\ 303$ 241 252 301 337 294 294 353 353 393 263 263 428 300 Fourth Quarter 1921 249  $246 \\ 327 \\ 125$ 310 328 328 328 328 327 327 136 165 142 87 183 183 292237 233 283 418 292 823 274 641 610 250 327 229200 200 I Deaths of Children under One Year, 1,376 0.0 8 8 0.0 0 9 8 8 9 0 0 12 23 43 88101-528 8 **2** 8 31 33 19-762 **2**T 91 6 12 Average, Fourth Quarters, 1911-1920. .88.09 31-64 33.87 36.80 39.76 43.94 52.6212 200 426000 426000 4260000 76 87 92 92 65 88 61 67 88 62 61 34.60**8** 67 ĵ ĵ ĩ 33 35 10 32,4330 28. 23.5. 34. Standardized 31 26 Death-rate. 32-15 31.448 37.47 40:98 27.25 25.95  $\begin{array}{c} 36 \cdot 12 \\ 23 \cdot 25 \\ 40 \cdot 18 \\ 14 \cdot 19 \\ 38 \cdot 26 \\ 38 \cdot 26 \\ 13 \cdot 05 \end{array}$  $33.24 \\ 25.94 \\ 23.55 \\ 23.02 \\ 23.0$ 43.36 Fourth Quarter, 1921. 26.40 12.69 38.94 34.79  $42 \cdot 41$ 68  $\cdot 22$  $26 \cdot 96$ 16.0316.43Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895. 59 63 38 61.23 9 ĥ Î 22. 29. ŝ Crude, Fourth Quarter, 1921 29.50 27.14 35.83 37.16 27.43 21.80 33 14 222 40 36 96 33 33 30 33 30  $\begin{array}{c} 23.08\\ 21.34\\ 26.96\\ 14.09\\ 34.83\\ 34.03\\ 34.03\\ \end{array}$ 32.53 23.56 17.77 16.95 14 · 14 17 · 93 48 0g 16 60. 49. 848 39. · · 24 16 Average Fourth Quarters, [911-1920. 28 · 15  $37 \cdot 42 \\ 56 \cdot 19 \\ 30 \cdot 56$ 40.1527.6528.5231.79 27.66 27.39 39.37 35.86 42.45 28.02 31.09 32.01 28.39 31.33 24 42 95 15 15 15 76 54 65 65 65 65 2883 33 22. 36. 34. 24. 31 Birth-rate. 43.61 48.26 32.54 38.82 38.40 41.83 36.75 47.76 52.52 47.36 48.62 34.94 55.98 43.77 43.77 41.02  $\begin{array}{c} 36\cdot79\\ 46\cdot72\\ 35\cdot73\\ 222\cdot95\\ 49\cdot95\\ 31\cdot60\\ 31\cdot60 \end{array}$ 33 · 19 32 · 12 27 · 92 21 · 19 31.5546.2233.1935 · 18 22 · 63 Fourth Quarter, 1921. 23.96 99. 69. 44 • 4,395 1,670 392 594 59 TOWD Deaths  $\begin{array}{c}
 229 \\
 18 \\
 33 \\
 33 \\
 25 \\
 33 \\
 33 \\
 25 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\
 33 \\$ **348 22** r- + 8638 88 11 100 88 11 100 <sup>10</sup> 20 22 22 Rest-8 Deaths of Non-resi-dents of Towns registered in Town Hospitals and Jails. 8008  $^{205}_{8}$ 33 11 33 161 12 1,241 121 9 10 10 22 33 89 35 59 15 29 15 22 8 34 37 ļ ~ | o 500 Total Stillbirths. 9 4 2 - 6 --1 ° - 1 8 <u>8</u> 0045 . suosie' 4 <u>1</u>8 8 <u>1</u>1 8 ന 300 80 1 88 The factor applied for standardizing the crude death-rates is the same as that for the g allanks indicate that there are no observatories or rain gauges. - 4 01 | 175 10 01 က်က္ကေလ 40-104 Èi ~ I ගෙ 3 20 -Females. 1921 1-0-1 206 0 0 0 0 0 01014 -1-3 01 10 | 01 PO 1 20 . . . . . ì 9---10 61 21 I .ș91.6M \* Birth- and death-rates calculated on the Census population on March 18, ,978 217 122 122 5,657 361 73 73 52 36 36 3028 <del>1</del> 8 8 8 8 380 31 14 888 48 97 105 36 74 50 260 124 111 121 ·anoar94 Total Deaths. 2,724 910 243 58 40 40 0.01.0 4.23.4 26 47 47 45 222 19 33 39 167 83 33 39 19 31 Females 2.938  $\begin{array}{c} 068 \\ 157 \\ 64 \\ 39 \\ 39 \\ 39 \\ \end{array}$ 101 63 47 52 52 52 34 6 8 8 4 8 4 9 4 9 76 23 .eəleM 2,150 300 462 111 72 79 36 5,722 302 73 29 99 58 415 31 34 60 60 60 60 355 30 11 2084 BRODE. Total Births. 1,015 2,759 148 231 13 30.0 ŝ **41** 18 62 26 62 20 41 **4**0 34 22 Females. 1,135 162 231 77 63 39 2,963 146 36 36 37 37 32 224 65 30 30 30 17 43 10 35 66 42 6 31 33 38  $. sol_{B} M$ Period States of the second states of the second states of the second states of the second second states of the second se 591,164 244,140 21,261 41,858 13,597 13,597 10,737 2,9397,8647,28112,436 3,705 1,563 10,564 10,188 8,119 526 7,0142,8762,848 9,442 6,9051,7076,64332,567 6.199 3.220 39,359 4,896 936 7,781 42,511 3,924 1,563 936 596,527  $\begin{array}{c} 32,567\\ 6,199\\ 3,220\\ 7,864\\ 7,281 \end{array}$ 248,794 21,348 41,858 13,597 10,737 8,119  $\begin{array}{c} 39,443\\ 3,347\\ 3,347\\ 9,292\\ 2,860\\ 2,860\\ 4,896\end{array}$ 10,6622,5759,47010,188 6,905 1,813 6,643  $7,014 \\ 2,876$ 7,781 Lunugala Prov. of Sabaragamuna. Ratnapura : Colombo Negombo Moratuwa Kalutara Panadure Central Province. : : 4 : **N.-Central** Province. : : : : : .- Western Province. Nawalapitiya Southern Province. angalla Northern Province. avuniya Eastern Province. Province of Uva. Western Province. Provinces and Towns. Juwara Eliva Anuradhapura Ambalangoda All 33 Towns Weligama Hambantota l'rincomalee urunegala ullaittivu Batticaloa Kalmunai **Xalpitiya** Kandy Gampola uttalam annar sadulla **Latara** Kegalla affina Chilaw vfatale Galle

6

Table VI.—Causes of Deaths Registered in Ceylon and in each Province and District during the Fourth Quarter of 1921.

1	третв.		
	eddas.	A 8	
all Races.	lalays.	129	
	foors.	2177	25682333336618371556 4 2573 6 25 3 2 3 3 2 0 0 1 1 2 3 3 3 3 0 0 1 1 2 3 3 3 3 0 0 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 3 0 0 1 1 1 2 3 3 3 3 0 0 1 1 1 2 3 3 3 3 0 0 1 1 1 1 2 3 3 3 3 3 0 0 1 1 1 1 2 3 3 3 3 3 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1
anong	. slimal	85	404 404 11 11 11 11 11 12 12 12 12 12
Deaths	.929[sthnid	22193	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Burghers.		40
	Europeans.		· · · · · · · · · · · · · · · · · · ·
Sabara- gamuwa Province.	Kegalla.	<b></b>	
	.eingente.		<b>*</b> 3883810 <b>• 1</b> 833 <b>6</b> 87 <b>• 8</b> 87 <b>• 9 • • • • • • • • • •</b>
Prov.	Badulla.		
NC. Prov.	Anutadhapura.		$  \begin{array}{c c c c c c c c c c c c c c c c c c c $
stern ce.	Chilaw.	8 629	- 100         - 100 <td< th=""></td<>
North-Western Province.	Puttalam.		
NON NO	Kurunegala.	4073	
Eastern Province.	Trincomalee.	3 299	
Pro	Batticaloa.	31158	
ern 1ce.	.uvittisluM	2 156	
Northern Province.	.1sunsM	0 242	
	.saftas.	12210	
tern ace.	.stotnsdmsH	5 1281	
Southern Province.	Мағата.	7 1525	$\begin{array}{c c c c c c c c c c c c c c c c c c c $
· ·	Galle.	065 1977	
tral ince.	Nuvara Eliya.		
Central Province.	Matale.	19	
	Kalutara. Kandy.	9635	11         33         33         1         1         23         33         1         1         23         33         1         2         3<
Western Province.	.odmoseN Keintere	829904688 1116 1696 8544 1042 10	<b>3</b> <b>3</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>
Pro	Colombo.	883 1	69 4 1 1 1 1 1 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2
	······	9904	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	. Сеујоп.	82	
		•	yystei jystei
			ia tri to try S yes to try S
			Enteric Fever Malaria and Malarial Cachexia Smallpox Measles Whooping Cough Whooping Cough Cholsta Fithhisis Cher Tuberculous Diseases Fithhisis Cher Tuberculous Diseases Fithhisis Cher Tuberculous Diseases Fithhisis Cancer Anamia Anamia Cancer Diabetes Meningitis Carebral Hæmorrhage or Apoplexy Paralysis Cancer Diabetes Meningitis Cerebral Hæmorrhage or Apoplexy Paralysis Cerebral Hæmorrhage or Apoplexy Paralysis Convulsions (non-puerperal) Cher Diseases of the Nervous System Other Diseases of the Nervous System Other Diseases of the Circulatory System Other Diseases of the Circulatory System Other Diseases of the Repiratory System Other Diseases of the Circulatory System Other Diseases of the Repiratory System Other Diseases of the Circulatory System
	Causes of Destin.		Enteric Fever Malaria and Malarial Caches Smallpox Measles Whooping Cough Whooping Cough Whooping Cough Whooping Cough Spriteamia Other Epidemic Diseases Spriteamia Other Septic Diseases Epidenpobia Tetanus Tetanus Cher Tuberculous Diseases Fickets Patangi Cancer Acute Rheumatic Fever Diabetes Stickets Patangia Cancer Diabetes Alcoholism Alcoholism Alcoholism Meningitis Carvusions (non-puerperal) Infantile Convulsions Other Diseases of the Mervo Other Diseases of the Nervo Other Diseases of the Bea Heamonia Pulmonary Congestion Asthma Alcoholiss Meningitis Meningi
Ą	dises of		Enteric Fever Malaria and Malarial G Smallpox Wheasles Whooping Cough Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Cholsta Chort Septic Diseases Extanus Pataugi Caner Pataugi Caner Anamia Alnamia Caner Pataugi Caner Pataugi Caner Diabetos Meningitis Cerebral Hæmorrhage Patalysis Epilepsy Convulstons (non-puer Convulstons (non-puer Convul
	Cal	les	Feve and ry C C C C C C C C C C C C C C C C C C
		All Causes	Enteric Fever Malaria and Mala Smallpox Wheasles Wheoping Cough Uysentery Ubysentery Dysentery Chickenpox Other Epidemic J Septicemia Septicemia Franus Tetanus Patauysis Pataus Cerebral Hamor Paralysis Convulsions Other Diseases of Other Diseases of Convulsions Other Diseases of Dianchia Diantile Convuls Meningitis Paralysis Epilepsy Corvulsions (non Diantile Diseases of Diantile Disarthos Other Diseases of Other Diseases of Diantile Disarthos Diantile Diarthos Diantile Diarthos Diantile Diarthos Diantile Diarthos Diantile Diarthos Diantile Diarthos Diantile Diarthos Diantile
		All	
			44444 4444 4444 4444 4444 4444 4444 4444
	1		

 $\mathbf{7}$ (

.

)` က

•

۰.

		· ·· ·	(8))
		Others.	
		Veddas.	
	Baces	Malays.	10     <
	long al	WOOR.	232 132 132 122 132 123 12 12 12 12 12 12 12 12 12 12 12 12 12
Į	Deaths among all Races.	-allarsT	
	Å,	.erongarat.	
	· ·	Europeans.	
۰	18. 106.	Kegalla.	18 8 8 8 8 8 1 8 8 8 8 1 8 8 8 8 8 8 8
	Sabara gamuwa Province.	Ratnapura.	100000851 50013850 1330 11 1 3 1 8
	Uva Prov.	.slivbsH	11128 88 11 38 11 88 11 88 10 11 15 18 19 19 19 19 19 19 19 19 19 19 19 19 19
	NC. Prov.	Anuradhapura.	
	estern Ice.	Chilaw.	
ă İ	North-Western Province.	Puttalam.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
m11413	- <u>-</u>	Kurunegala.	
03	Eastern Province.	Battloaloa. Trincomalee.	<b>3</b> 1100 650 1733 7851 1
-Causes of Deatns, occcontinued.	L.1	.uvijtisliuM	
eatin	Northern Province.	.TannaM	
T 10 S	Ň	.auffa.	<u> </u>
ause	E e	.atotasdmaH	0     0     4     1
	Southern Province.	Galle. Matara.	111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     146       111     147       111     146       111     147       111     146
Table VI.	ь 1,	Nuwara Ellya.	
	Central Province.	Matale.	
	రిచ్చ	Kandy.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	୍ର ଅଟ୍ଟ	Kalutara.	1         96105         22         30         31         32         33         34         34         33         33         34         3
	Western Province.	Negombo.	
		Colompo.	67 67 16 17 10 17 10 17 10 17 10 17 10 17 17 17 17 17 17 17 17 17 17 17 17 17
		Çeylon.	
	Î.		o-Urinary O-Urinary ar Crissiu ar Tissiu produced
•		•	attis strive intrio-1 f the snoy anonth anonth define
• 54 		aath.	or Cellige in the second seco
		Causes of Death	Integrinal Parenties Integrinal Parenties Appondictius and Typhilitis Peritornitis Providentia Provident
		S S	Intestinal Parasites Intestinal Parasites Appointicities and Ty Peritonatias Peritonatias Provident Diseases of the Educe System Other Diseases of the Skin Diseases of the Bone of Locomotion Diseases of the Bone Congenital Malforma Premature Birth Infantile Debuilty (u Dubar Diseases of Ba Suidida Econicida Econicida Econicida Econicida Boneity (3 months a Debuility (3 months a Previas Diseases not specifie Other III-defined Dis
			Intestinal Fai Appendictua s Appendictua Peritonitia Peritonitia Fortionitia Bright's Disease Other Diseases of th Diseases not s Diseases not s Diseases not s Diseases not s Diseases not s Diseases not s
- <b>-</b> -			
V.	1	۰ وو پريو د د د د	44444466666666666666666666666666666666
		••	

# (9)

`

Table VII.—Causes of Death Registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, in the Colombo and Kalutara Districts of the Western Province, Galle and Matara of the Southern Province, and Kurunegala in the North-Western Province, during the Fourth Quarter of 1921.

	and Kurunegala in	ITE N		estern	. 1	Province of Uva.	Provin Sabarag	nce of	West Provi		Southern Province.		North- Western Province.
			ſ										
	Causes of Death.	Ceylon.	Kandy.	Matale.	Nuwara Eliya.	Badulla.	Ratnapura.	Kegalla.	Colombo.	Kalutara.	Galle.	Matara.	Kurunegala
				· · · ·				· 302	49				· · · · ·
	All Causes	3,677	1,077	272	645	611	369						
1. 2.	Enteric Fever	2 57	2 8	4	3	14	7	7		2	1		11
3. 4.	Smallpox ·· ·· Measles ·· ··	1	1	. —	-	_			—		<sup>1</sup>		
5.	Whooping Cough ···	3	1	· 1			_			— —	_		-
6. 7.	Cholera	292	86	33	49	50	31	19	1	4	· 1	12	6
8.	Plague	— ,			— <u> </u>			. <u> </u>				,	
9. 10.	Chickenpox Other Epidemic Diseases	61	22	5	8	16	5	.2		1	—	—	2
11.	Senticæmia · ·	6	1	·		4	. 1		—				
12.	Other Septic Diseases								_				
13. 14.	Hydrophobia	6	—	1		<u> </u>	' 1	1	2	1	. — ,		-
15.	Phthisis	52	10	2	10	14 3		3	- J		3	_	÷
16. 17.	Other Tuberculous Diseases Rickets	6 42	20	3	1	4	· î	12	1	—	·	·	·
18.	Parangi					—	-	— ,	_			_	
19.	Cancer Acute Rheumatic Fever	4	2			— · 2		1		_	_	—	
$20. \\ 21.$	Diabetes	1		·	·	Ī	<b>—</b> .		—				- ···
22.	Anæmia	3		. <sup>1</sup>	1	1		_		_			,
23. 24.	Alcoholism	35	9	- a	2	13	1	3				2	2
25.	Meningitis	.8		. • I	4	—	. —	1	. <del></del>	1			
26∙ 27.	Cerebral Hæmorrhageor Apoplexy Paralysis	6 11	1 2		3			. 2		·		_	
27.	Epilepsv	15	3		1	. 4	· 1	1		1		2	
29.	Convulsions (non-puerperal)	12			54	2 32	2 25	$1 \\ 27$	7	. 1 23	3	1	18
30. 31.	Infantile Convulsions Other Diseases of the Nervous	284		1:	, .,					-0		· · -	
	System	1 9		1			1	1	- <sub>1</sub>	1			
32. 33.	Organic Diseases of the Heart Hæmorrhoids	13	4		· - ·				1	· 1		·	
33. 34.			1	Į	-				-			j	· ·
	System	5 92	2 . 35	—			10	3	- 1	- 3		_	1
35. 36.	Bronchitis	301		22			19	9	1	6	3		24
37.	Pulmonary Congestion	1	.—		1				-				
38. 39.	Asthma Other Diseases of the Respiratory	7	.2	2	- I	4	,			-,			
55.	System	4	I —	·	1	2		—	—	-		<del></del>	18 18 <b>1</b>
40.	Thrush, Stomatitis	30	` 6		 11	5	- 1	- 4	- 2	_	1		
41. 42.	Infantile Diarrhœa Diarrhœa undefined	243		17	51	47	27	14	· 6	2	4	3	4
43.	Enteritis	80	13	7					— ,	· 3 10		— <u>á</u>	. 7 5
44. 45.	Anchylostomiasis Intestinal Parasites					47	. 7		1		i	ĩ	1
<b>46.</b>	Appendicitis and Typhilitis		·			l' — .	— _			— ,			
47.	· Diseases of the Liver	97		1 1			2			1	_		· _
48. 49.	Peritonitis Other Diseases of the Digestive		· .	).	ļ ĭ	[ 1	1	_					
~0	System	25		4		4 4 1 30	- 6	25			- 2	2	- 2
50. 51.		138	. 40	<sup>2</sup>	-	1	l					- T	
	Urinary System	5		—	2	2	· '	1	-			-	1
52.	Diseases or Accidents of Preg- nancy or of Childbirth	96	24	10	7	11	9	10	4	.9	2	1	9
53.	Diseases of the Skin or Cellular			-	1			· .					
F.A	Tissue	21	- 8	1		2		3	1	2	1		. 3
54.	Diseases of the Bones and of the Organs of Locomotion			<del></del>	—	. —	<b> </b>					·	- 1
55.	Congenital Malformations	2	1				1 15	 13	,	— ,	- 3	—,	
56. 57.	Premature Birth InfantileDebility (under 3 months)	114 582	29 183	3 37				13 45	5	20 20		3	4 16
58.	Other Diseases of early Infancy.	3	3					·	]	- ]	]		<b>—</b>
59.	Senility	-173	60	. 11	34	17 3	$\frac{15}{1}$	. 22	2	7	1		4
60. 61.	Suicide Homicide	9	<sup>z</sup>			—	· · 1	- 1		1			·
62.	Execution			—				·		—	-	<del></del>	
63.	Accidents and other affections produced by external causes	39	8	3	· 7	· 4	7	4	1	· 4		-	1
<b>64.</b> ·	Dropsy	46	13	5	6	6	5	. 4	1	i	1		4
65.	Heart Failure	11	4 69	17		3 35	5 2 43	$1 \\ 26$		- ,		, <del></del>	- 5
66. 67.	Debility (3 months and over) Pyrexia	238 33	7	. 5	33 1	6	43 2	∠o 2	· 1	6		-	. 9
68.	Diseases not specified or ill-												
69.	defined Other ill-defined diseases	$2 \\ 22$	- 8	- 1	- 4	1	1 1		- 3	- ,		_	
	···	22						0			·		