

SUPPLEMENT
TO THE
Ceylon Government Gazette
PART I.

No. 7,256 — FRIDAY, MAY 12, 1922.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF JANUARY, 1922.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Herein are embodied for the first time:—

- (a) Statistics of Marriages (General, Kandyan, and Muhammadan) registered in the month of residents in the proclaimed towns (see Table I.);
- (b) Classification of causes of death by sex (see Tables II. and IV.); and
- (c) Statistics of the city of Colombo for each Sanitary Ward instead of the electoral.

Marriages.

2. The number of marriages registered was 397 (338 General, 3 Kandyan, and 56 Muhammadan). In the city of Colombo the marriages numbered 184 (141 General and 43 Muhammadan).

Births.

3. The number of births registered was 1,912 (973 males and 939 females), and was equivalent to an annual rate of 37·22 per 1,000, against 36·39 in the preceding month, 31·34 in the corresponding month of 1921, and 31·03 the average for the corresponding months since 1912. The rate ranged from 9·89 in Trincomalee to 61·11 in Ambalangoda.

4. In the city of Colombo the births registered numbered 655 (339 males and 316 females), and were equivalent to an annual rate of 31·14 per 1,000, against 31·54 in the preceding month, 24·15 in the corresponding month of 1921, and 25·44 the average for the corresponding months since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 14·86 in Maradana East to 31·31 in San Sebastian.

Deaths.

5. The total deaths registered during the month numbered 2,118 (1,151 males and 967 females). There were 1,658 deaths of residents, equivalent to an annual standardized rate of 35·18 per 1,000, against 34·95 in the preceding month, 36·50 in the corresponding month of 1921, and 34·45 the average for the month of January in each year since 1912. The rate ranged from 91·91 in Anuradhapura to 3·02 in Kegalla.

6. In the city of Colombo the deaths numbered 801 (420 males and 381 females). There were 660 deaths of residents, equivalent to an annual standardized rate of 36·40 per 1,000, against 33·35 in the preceding month, 34·05 in the corresponding month of 1921, and 30·26 the average for the month of January in each year since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 37·17 in Kotahena South to 9·29 in Kollupitiya.

7. The stillbirths registered numbered 131 (71 males and 60 females), as against 135 in the preceding month.

Infant Mortality.

8. The mortality of infants under one year of age was equal to a rate of 272 per 1,000 births registered during the twelve months ended January 31, 1922. Reckoned on the births registered during the month only the rate was 266, against 277 in the preceding month, 280 in the corresponding month of 1921, and 279 the average for the corresponding months since 1912.

9. In the city of Colombo the mortality of infants was equal to a rate of 265 per 1,000 births registered during the twelve months ended January 31, 1922. Reckoned on the births registered during the month only the rate was 297, against 324 in the preceding month, 337 in the corresponding month of 1921, and 281 the average for the corresponding months since 1912.

Causes of Death.

10. The highest mortality was from *Pneumonia* and *Debility*, each of them causing 10 per cent. of the total deaths, *Convulsions* caused 7 per cent., *Enteritis* 6 per cent., *Malaria and Malarial Cachexia*, *Phthisis*, *Diarrhoea*, and *Dysentery* 5 per cent. each, *Anchylostomiasis* and *Bright's Disease and Nephritis*, 4 per cent. each, *Prematurity*, *Bronchitis*, *Enteric Fever*, and *Puerperal Septicæmia* 2 per cent. each, and *Influenza* 1 per cent.

11. In Colombo the highest mortality was from *Pneumonia*, to which 10 per cent. of the deaths was due. *Debility* and *Phthisis* caused 8 per cent. each, *Enteritis* 7 per cent., *Convulsions* 6 per cent., *Diarrhoea* and *Dysentery*, 4 per cent. each, *Bright's Disease and Nephritis*, *Bronchitis*, and *Enteric Fever* 3 per cent. each, *Influenza*, *Prematurity*, *Malaria and Malarial Cachexia*, *Anchylostomiasis*, and *Plague* 2 per cent. each, and *Cancer* and *Puerperal Septicæmia* 1 per cent. each.

12. Thirteen deaths from *Plague* were registered (in Colombo), as against 9 in the preceding month and 55 in the corresponding month of 1921.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 128 cases were reported (118 in Colombo, 6 in Galle), *Chickenpox* followed with 85 cases (56 in Colombo, 13 in Kandy, 9 in Galle), *Enteric Fever* 60 (39 in Colombo, 7 in Galle), *Continued Fever* 37 (22 in Colombo, 9 in Galle), *Measles* 18 (14 in Colombo), *Dysentery* 14 (8 in Puttalam), *Plague* 13 (in Colombo), *Acute Diarrhoea* 2 (in Galle), *Mumps* 2 (in Kandy), *Smallpox* 2 (in Colombo), *Whooping Cough* 2 (in Colombo), and *Diphtheria* 1 (in Colombo).

Meteorology.

14. *Rainfall.*—Kalmunai recorded the highest rainfall (14·78 in.), followed by Batticaloa (11·34 in.). In the other towns the rainfall ranged from 6·76 in. in Badulla to 0·64 of an inch in Matara. Colombo recorded 2·12 in.

15. *Temperature.*—The mean temperature varied from 57·5° in Nuwara Eliya to 80·7° in Ratnapura, and was 80·0° in Colombo.

16. For detailed statistics see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, March 25, 1922.

G. F. FORREST,
Acting Registrar-General.

Table I.—Number of Marriages, Births, and Deaths registered during January, 1922, the Proportion of Births and Deaths per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding Months since 1912, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (exclusive of the Military and Ship-plug) at the Census of March 18, 1921.		Total Marriages.		Total Births.		Total Deaths.		Total Stillbirths.		Deaths of Non-Residents of Towns registered in Towns, Hospitals and Jails.		Birth-rate.		Death-rate excluding Non-residents.		Mortality of Children under One Year.		Mean Temperature.	Rainfall in Inches.
	General.	Muharraman.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.	Persons.	Persons.	Persons.	Persons.	Persons.	Persons.	Persons.		
All 33 Towns.	597,539	338	973,399	1,912	967,2,118	71	60	131	453	1,658	37.22	31.03	32.28	35.18	509	266	272	80.0	2.12	
<i>Western.</i>																				
Colombo	247,642	141	339	655	420	381	801	33	18	51	141	660	31.14	25.44	31.38	36.40	196	297	265	5.78
Negombo	27,899	51	52	104	43	40	83	4	4	4	14	69	43.89	42.51	29.12	30.46	23	221	249	—
Moratuwa	41,858	30	98	182	57	56	113	6	2	8	1	112	50.56	54.92	31.11	34.31	50	275	346	—
Kalutara	13,596	5	14	21	35	20	52	3	2	5	12	40	30.14	40.55	34.44	34.22	7	200	156	1.54
Panadura	10,747	4	24	11	35	24	33	2	2	2	6	27	38.11	26.23	29.40	35.00	3	86	92	—
<i>Central.</i>																				
Kandy	32,561	23	55	82	137	49	55	104	5	6	11	27	49.01	31.12	27.54	30.02	22	161	229	3.24
Gampola	6,202	1	15	11	26	12	14	26	2	2	6	20	48.63	32.81	37.41	38.82	5	192	235	5.54
Nawalapitiya	3,222	1	6	6	12	9	6	15	1	1	7	8	42.98	36.20	28.65	31.15	2	167	200	5.71
Hatton-Dikoya	2,939	—	5	3	7	10	17	—	—	—	10	7	31.93	26.63	27.94	32.63	4	500	541	2.40
Matale	7,865	—	13	8	21	26	19	45	2	7	9	28	31.22	34.25	41.63	43.17	9	429	333	3.11
Nuwara Eliya	7,029	3	13	19	32	7	5	12	—	—	5	7	52.52	16.15	11.49	17.10	5	156	251	3.13
<i>Southern.</i>																				
Galle	39,073	15	75	91	166	66	53	119	3	6	27	91	49.88	35.14	27.34	26.77	22	133	179	0.88
Ambalangoda	3,347	4	11	7	18	2	2	2	1	1	—	2	61.11	31.86	6.79	—	1	56	105	—
Matara	16,779	6	34	32	66	35	25	60	1	2	6	54	46.13	43.40	37.74	36.97	11	167	192	0.64
Weligama	9,066	3	24	23	47	4	8	12	1	1	—	11	60.99	39.84	14.20	12.80	4	85	124	—
Hambantota	2,849	1	6	4	10	4	5	9	—	—	3	6	40.90	32.16	24.54	27.44	3	300	272	1.13
Tangalla	4,896	2	10	8	18	9	5	14	—	—	5	9	43.29	32.32	21.64	22.12	3	167	175	1.79
<i>Northern.</i>																				
Jaffna	42,436	31	64	51	115	83	69	152	4	6	6	146	31.71	31.99	40.26	41.13	51	443	387	2.68
Mannar	3,705	1	10	7	17	13	4	17	1	1	5	12	53.89	36.23	38.04	41.89	5	294	433	2.73
Mullaitivu	1,563	—	1	1	2	1	2	3	—	—	1	2	14.84	32.98	14.84	19.68	2	—	341	—
Vavuniya	936	—	—	—	—	—	—	—	—	—	4	2	12.34	24.57	24.69	33.52	1	—	736	—
<i>Eastern.</i>																				
Batticaloa	10,615	1	10	14	24	31	17	48	—	—	6	42	26.62	27.16	46.59	45.94	16	667	445	11.34
Kalmunai	2,582	—	4	3	5	5	10	—	—	3	7	31.80	50.57	31.80	—	1	143	128	14.78	
Tincomalee	9,442	3	3	5	8	12	7	19	1	1	—	19	9.89	25.91	23.49	25.79	3	375	116	2.44
<i>North-Western.</i>																				
Kurunegala	10,187	2	17	19	36	58	51	109	1	2	69	38	40.68	32.01	42.94	44.12	16	444	496	1.80
Puttalam	6,905	1	20	11	31	31	12	43	2	1	3	43	51.90	33.67	72.00	77.01	14	452	525	3.89
Kalpitiya	1,821	—	1	1	5	6	1	4	—	—	—	5	38.13	35.37	31.77	—	—	—	—	2.30
Chilaw	6,633	5	7	7	14	17	16	33	1	2	8	25	24.24	37.28	43.29	41.50	5	357	204	4.14
<i>North-Central.</i>																				
Anuradhapura	7,781	2	10	5	15	39	19	58	4	6	6	52	21.64	25.11	75.01	91.91	16	—	937	76.6
<i>Uva.</i>																				
Badulla	8,125	2	11	17	28	18	11	29	1	2	10	17	39.68	41.22	24.09	26.58	2	71	83	70.2
Lunugala	526	—	—	—	—	6	8	14	—	—	13	1	—	51.01	22.32	—	—	—	—	—
<i>Saberojamsawa</i>																				
Ratnapura	7,014	1	14	11	25	17	19	36	1	2	17	18	41.23	30.85	29.68	33.65	6	240	302	5.81
Kegalla	3,508	—	6	5	11	9	10	19	—	—	18	1	36.25	30.44	3.30	3.02	1	91	96	0.84

The factor applied for standardizing the crude death-rates is the same as that for the past decade as the age- and sex-distribution of the population at the Census of 1921 is not yet available.
 * Blank indicate that there are no observatories or rain gauges.
 † Standardized death-rates not available.
 ‡ Census population retained, the intercensal factor not being available.

Table II.—Causes of Deaths by Sex registered during January, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Deaths.	All 33 Towns.			Western Province.												Central Province.												Southern Province.											
	M	F	Total.	Colombo.		Negombo.		Moratuwa.		Kaltara.		Panadura.		Kandy.		Gampola.		Nawalpitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Welligama.		Hambantota.		Tangalla.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Causes	1,151	967	2,118	420	381	43	40	57	56	32	20	24	9	49	55	12	14	9	6	7	10	26	19	7	5	66	53	2	35	25	4	8	4	5	9	5			
I.—Infantile Mortality.	268	241	509	105	91	10	13	19	31	6	1	2	1	7	15	3	2	2	—	2	2	4	5	4	1	13	9	1	4	7	2	2	1	2	2	1			
A.—One Week and under.																																							
1. Prematurity	29	18	47	8	6	1	—	3	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	44	25	69	13	8	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3. Convulsions	19	20	39	4	8	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4a. Enteritis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Tetanus	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Bronchitis	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other Causes	5*	1†	6	1	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B.—Over 1 Week and under 1 Year.																																							
1. Prematurity	4	1	5	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	31	56	87	17	15	—	—	3	2	2	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3. Convulsions	40	33	73	11	13	3	2	1	1	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4. Diarrhoea	8	10	18	6	3	1	2	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4a. Enteritis	18	16	34	12	8	1	2	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6. Bronchitis	8	12	20	4	7	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7. Pneumonia	29	12	41	16	5	1	1	2	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
8. Other Causes	30†	35‡	65	12	16	—	—	2	2	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

* 1 death from Cephalæmatoma (in Colombo); 2 deaths, one each from Peritonitis and Homicide (in Moratuwa); 1 from Atelectasis (in Kandy); and 1 from Erysipelas (in Jaffna).

† 1 death from Syphilis (in Colombo).

‡ This includes besides 12 cases mentioned in Table IV. footnote †, 1 death from Influenza (in Moratuwa); 2 from Thrush or Stomatitis (1 each in Moratuwa and Chilaw); 1 from Congenital Malformation; and 1 from Rickets (in Kandy); 5 from Nephritis (1 in Galle and 4 in Jaffna); 4 from Worms (2 in Galle and 1 each in Kurunegala and Puttalam); 1 from Gastritis (in Kurunegala); 1 from Dysentery (in Vavuniya); and 2 from Malaria (in Anuradhapura).
§ This includes besides 16 cases mentioned in Table IV. footnote †, 1 death from Nephritis (in Negombo); 3 from Worms (1 each in Negombo, Moratuwa, and Metale); 5 from Thrush or Stomatitis (in Moratuwa); 1 from Influenza and 1 from Dropsy (in Moratuwa); 2 from Nævus (in Kandy); 4 from Malaria (1 each in Jaffna and Batticaloa and 2 in Anuradhapura); 1 from Malarial Cachexia (in Mullaitivu); and 1 from Abscess (in Anuradhapura).

Table II.—Causes of Deaths by Sex registered during January, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 33 Towns.						Western Province.												Central Province.												Southern Province.								
	M		F		Total.	Colombo.		Negombo.		Moratuwa.		Kalutara.		Panadura.		Kandy.		Gampola.		Nawalapitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Welligama.		Hambantota.		Tangalla.	
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
II.—General Mortality (1 Year and over).	883	726	1,609	290	33	27	38	25	26	19	22	8	42	40	9	12	7	6	5	8	22	14	3	4	53	44	1	31	18	2	6	3	3	7	4				
1. Plague ..	13	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Influenza ..	12	8	20	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Pyrexia or Fever ..	10	9	19	5	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Enteric Fever ..	26	12	38	14	7	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Malaria ..	46	27	73	10	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9. Malarial Cachexia ..	24	11	35	5	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11. Diarrhoea ..	45	43	88	11	12	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11a. Enteritis ..	44	43	87	18	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12. Dysentery ..	59	43	102	12	16	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13. Anchylostomiasis or Dochmius Duodenalis ..	40	54	94	4	10	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14. Cancer ..	5	8	13	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15. Phthisis ..	60	47	107	27	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
16. Other Tuberculous Diseases ..	3	4	7	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
17. Anæmia ..	3	6	9	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
18. Diabetes Mellitus ..	9	5	14	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
19. Convulsions ..	19	11	30	7	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
20. Tetanus ..	4	3	7	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21. Bronchitis ..	14	6	20	9	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22. Pneumonia ..	100	78	178	36	24	6	1	4	3	3	1	4	1	6	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
23. Other Diseases of the Respiratory System ..	9	5	14	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24. Bright's Disease and Nephritis ..	39	35	74	14	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25. Puerperal Eclampsia ..	—	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26. Puerperal Septicæmia ..	—	32	32	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28. Other undefined Accidents of Childbirth ..	—	12	12	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
29. Starvation ..	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
30. Accidents and Negligence ..	30	4	34	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
31. Homicide ..	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
32. Suicide ..	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
33. Execution ..	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
34. All Other Causes ..	259*	214†	473	102	96	5	4	18	9	4	10	8	12	9	2	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

* Here are included 60 deaths from Old Age, 27 from Debility, 35 from Intestinal Parasites, and 16 from Paralysis.

† Here are included 77 deaths from Old Age, 28 from Debility, 30 from Intestinal Parasites, and 7 from Paralysis.

Table III.—Number of Births and Deaths registered during the Month of January, 1922, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for January, 1912 to 1921, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March 18, 1921.	Population estimated to the middle of 1922 by intercensal increase.	Total Births.			Sanbirths.			Total Deaths including Deaths in Hospitals and Jails.			Deaths of Non-residents.	Deaths of Residents.	Per Mille per Annum.				Mortality of Children under one Year.			
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.			Birth-rate,*	Death-rate.*		Standardized Death-rate, Jan., 1922.†	Number registered during Jan., 1922.	Its proportion to 1000 births registered during Jan., 1922.	Its proportion to annum per 1000 births registered during the Year ended last day of Jan., 1922.	
															January, 1922.	Average for Jan., 1912 to 1921.					January, 1922.
City of Colombo..	244,140	247,642	339	316	655	33	18	51	420	381	801	141	660	31.14	25.44	31.38	26.23	36.40	196	297	265
Fort ..	2,690	2,729	—	—	—	—	—	—	1	1	2	—	2	—	.67	8.63	9.06	—	1	—	—
Pettah ..	7,601	7,710	2	2	4	1	—	1	3	1	4	—	4	6.11	5.17	6.11	10.49	—	—	—	—
St. Paul's ..	23,395	23,731	22	17	39	3	2	5	33	24	57	—	57	19.35	18.46	28.28	22.74	—	16	410	389
San Sebastian ..	11,492	11,657	16	15	31	1	—	1	10	18	28	—	28	31.31	19.01	28.28	21.17	—	9	290	403
Kotahena North ..	18,683	18,951	26	17	43	3	1	4	22	22	44	—	44	26.72	26.55	27.34	26.51	—	7	186	362
Kotahena South ..	27,483	27,877	34	29	63	3	2	5	38	50	88	—	88	26.61	26.61	37.17	—	—	36	571	—
New Bazaar ..	23,341	23,676	22	26	48	—	2	2	37	31	68	—	68	23.87	23.80	33.82	26.46	—	23	479	450
Maradana Hospitals	—	—	94	92	186	17	8	25	156	125	281	190	151	—	—	—	—	—	37	—	—
Maradana North ..	30,398	30,834	37	29	66	1	—	1	32	32	64	—	64	25.20	20.65	24.44	20.35	—	28	424	—
Maradana East ..	8,593	8,716	5	6	11	—	—	—	7	6	13	4	9	14.86	20.65	12.16	20.35	—	3	273	253
Maradana South ..	18,535	18,801	15	16	31	—	—	—	13	13	26	—	26	19.41	20.65	16.28	—	—	7	226	—
Slave Island ..	21,564	21,873	17	27	44	1	1	2	39	23	62	—	62	23.68	23.67	33.37	19.40	—	11	250	227
Kolupitiya ..	23,739	24,079	17	18	35	2	—	2	10	16	26	7	19	17.11	11.71	9.29	9.82	—	6	171	191
Wellawatta North..	15,813	16,040	21	14	35	—	—	—	12	12	24	—	24	25.69	37.41†	17.62	24.69†	—	6	171	202
Wellawatta South..	10,813	10,968	11	8	19	1	2	3	7	7	14	—	14	20.40	37.41†	15.03	—	—	6	316	—

* The city-rate is worked differently from the ward-rates and takes into account events in hospitals, &c., not assignable to wards.

† Standardized death-rates for the wards of the city are not available.

‡ Average for the months of January, 1913-1921.

Table IV.—Causes of Deaths by Sex registered during the Month of January, 1922, in each Ward and of each Race in the City of Colombó.

Causes of Death.	City of Colombó.			Wards.												
				Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.		
	M	F	P.	M	F	M	F	M	F	M	F	M	F			
All Causes ..	420	381	801	1	1	3	1	33	24	10	18	22	22	38	50	
I.—Infantile Mortality ..	105	91	196	—	1	—	—	10	6	1	8	5	2	16	20	
<i>A.—One Week and under.</i>																
1. Prematurity ..	8	6	14	—	—	—	—	1	—	1	—	—	—	—	—	
2. Debility ..	13	8	21	—	—	—	—	1	—	—	—	1	—	1	2	
3. Convulsions ..	4	8	12	—	—	—	—	—	1	—	1	—	—	1	1	
4. Diarrhoea ..	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	
4a. Enteritis ..	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes ..	1	1	2*	—	—	—	—	—	—	—	—	—	—	—	—	
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility ..	17	15	32	—	—	—	—	—	—	—	1	—	1	4	4	
3. Convulsions ..	11	13	24	—	—	—	—	2	4	—	3	1	—	2	2	
4. Diarrhoea ..	6	3	9	—	—	—	—	1	1	—	—	—	—	1	1	
4a. Enteritis ..	12	8	20	—	—	—	—	1	—	—	—	—	—	2	2	
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis ..	4	7	11	—	1	—	—	2	—	—	1	—	—	1	4	
7. Pneumonia ..	16	5	21	—	—	—	—	1	—	—	—	2	—	2	1	
8. Other Causes ..	12	16	28†	—	—	—	—	1	—	—	2	1	1	2	3	
II.—General Mortality (1 Year and Over).	315	290	605	1	—	3	1	23	18	9	10	17	20	22	30	
1. Plague ..	13	—	13	—	—	1	—	1	—	—	—	—	—	1	—	
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Influenza ..	10	7	17	—	—	1	1	3	—	—	1	—	—	1	1	
6. Pyrexia or Fever ..	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—	
7. Enteric Fever ..	14	7	21	—	—	—	—	—	—	—	—	1	—	—	2	
8. Malaria ..	10	1	11	—	—	—	—	2	1	1	—	—	—	—	—	
9. Malarial Cachexia ..	5	2	7	—	—	—	—	—	—	—	—	—	—	—	1	
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Diarrhoea ..	11	12	23	—	—	—	—	1	3	—	—	4	3	4	4	
11a. Enteritis ..	18	19	37	—	—	—	—	—	—	—	—	—	3	4	5	
12. Dysentery ..	12	16	28	—	—	—	—	—	—	1	—	2	—	3	2	
13. Anchylostomiasis or Dochmius Duodenalis ..	4	10	14	—	—	—	—	—	—	—	—	—	—	—	—	
14. Cancer ..	2	7	9	—	—	—	—	—	—	—	—	—	—	—	—	
15. Phthisis ..	27	36	63	—	—	—	—	—	2	2	2	2	2	5	3	
16. Other Tuberculous Diseases ..	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	
17. Anæmia ..	1	4	5	—	—	—	—	—	1	—	—	—	—	—	—	
18. Diabetes Mellitus ..	3	2	5	—	—	—	—	—	—	—	—	—	1	—	—	
19. Convulsions ..	7	6	13	—	—	—	—	—	—	—	—	—	—	—	—	
20. Tetanus ..	3	3	6	—	—	—	—	—	1	1	2	1	—	1	—	
21. Bronchitis ..	9	5	14	—	—	—	—	2	2	1	—	2	—	—	1	
22. Pneumonia ..	36	24	60	1	—	—	—	5	1	3	3	1	4	1	2	
23. Other Diseases of the Respiratory System ..	5	2	7	—	—	1	—	1	—	1	—	—	—	—	—	
24. Bright's Disease and Nephritis ..	14	10	24	—	—	—	—	2	—	—	—	—	—	1	1	
25. Puerperal Eclampsia ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
26. Puerperal Septicæmia ..	—	9	9	—	—	—	—	—	—	—	—	—	—	—	2	
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28. Other undefined Accidents of Childbirth ..	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Accidents or Negligence ..	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
31. Homicide ..	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
32. Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33. Execution ..	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
34. All Other Causes ..	102	96	198†	—	—	—	—	6	6	—	2	4	7	5	6	

* One death each from Aphalæmatone and Syphilis.

† Five deaths from Stomatitis, 4 from Syphilis, 2 each from Rickets, Nephritis, Tuberculosis, Scabies, and Whooping Cough, and 1 each from Influenza, Cancrumoris, Burns, Meningitis, Sores, Dysentery, Worms, Cellulitis, and Impetigo.

‡ Here are included 61 deaths from Old Age, 15 from Debility, 11 from Paralysis, 10 from Worms, 8 from Rickets, 7 from Merasmus, and 6 each from Cirrhosis of Liver, and Peritonitis.

Table IV.—Causes of Deaths by Sex registered during the Month of January, 1922, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.															
	New Bazaar.		Maradana Hos. pitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals).		Slave Island.		Kollupitiya.		Wellaratta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	37	31	156	125	32	32	7	6	13	13	39	23	10	16	12	12
I.—Infantile Mortality	14	9	18	19	17	11	2	1	7	—	6	5	4	2	2	4
<i>A.—One Week and under.</i>																
1. Prematurity	1	—	4	5	—	—	—	—	1	—	—	—	—	—	1	1
2. Debility	1	—	2	1	4	2	—	—	—	—	2	—	—	—	—	—
3. Convulsions	2	1	—	—	—	1	—	—	1	—	—	—	—	—	—	2
4. Diarrhoea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
4a. Enteritis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	1	—	1	7	6	1	1	—	1	—	1	1	1	—	—	—
3. Convulsions	3	2	—	—	1	2	—	—	—	—	1	—	1	—	—	—
4. Diarrhoea	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
4a. Enteritis	1	2	—	—	3	1	—	1	1	—	2	1	1	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	3	2	4	—	2	2	—	—	1	—	—	—	—	—	—	—
8. Other Causes	—	1	5	5	—	1	1	—	1	—	—	3	—	—	1	—
II.—General Mortality (1 Year and Over).	23	22	138	106	15	21	5	5	6	13	33	18	6	14	10	8
1. Plague	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	7
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	3	1	—	—	1	—	—	—	—	—	1	2	—	1	—	—
6. Pyrexia or Fever	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	—
7. Enteric Fever	—	1	7	4	1	—	—	—	1	—	3	—	—	—	—	1
8. Malaria	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia	—	—	3	—	2	—	—	—	—	—	—	1	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	—	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—
11a. Enteritis	1	1	15	9	1	—	1	—	—	—	—	—	—	—	—	1
12. Dysentery	—	2	4	5	—	—	—	—	—	1	2	1	1	3	—	1
13. Anchylostomiasis or Dochmius Duodenalis	—	—	4	9	—	—	—	—	—	—	—	1	—	—	—	—
14. Cancer	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	3	3	10	13	—	3	—	1	—	1	3	1	2	4	—	1
16. Other Tuberculous Diseases	—	—	1	2	—	—	—	—	—	—	—	—	—	1	—	—
17. Anæmia	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	—
19. Convulsions	1	1	—	—	—	1	—	—	—	—	2	1	1	1	—	—
20. Tetanus	—	—	2	3	—	—	—	—	—	—	1	1	1	—	—	—
21. Bronchitis	—	—	1	—	1	—	—	—	1	—	1	1	1	—	—	—
22. Pneumonia	1	—	19	12	—	—	1	—	1	—	2	1	—	—	—	1
23. Other Diseases of the Respiratory System	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	1	—	7	2	—	3	—	—	—	1	3	2	—	1	—	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
26. Puerperal Septicæmia	—	2	—	3	—	—	—	1	—	1	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—
31. Homicide	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
34. All Other Causes	9	9	48	37	8	11	1	2	3	3	13	5	1	2	1	4

Table IV.—Causes of Deaths by Sex registered during the Month of January, 1922, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.		Deaths among all Races.													
	Wellawatta South.		Europeans.		Burghers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	7	7	4	—	19	20	230	206	75	66	65	69	12	7	15	13
I.—Infantile Mortality	3	3	—	—	8	3	61	50	16	11	15	22	1	—	4	5
<i>A.—One Week and under.</i>																
1. Prematurity	—	—	—	—	1	1	6	5	1	—	—	—	—	—	—	—
2. Debility	—	—	—	—	—	—	6	3	1	1	4	3	—	—	—	1
3. Convulsions	—	1	—	—	—	—	1	4	3	1	—	3	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2. Debility	1	—	—	—	1	—	11	11	—	2	3	2	1	—	1	—
3. Convulsions	—	—	—	—	—	—	5	5	2	1	3	6	—	—	—	1
4. Diarrhoea	—	1	—	—	2	—	1	1	2	1	2	2	—	—	—	—
4a. Enteritis	1	1	—	—	—	—	9	4	1	2	2	2	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	1	2	4	1	1	1	1	—	—	—	—
7. Pneumonia	1	—	—	—	3	1	8	1	3	1	1	2	—	—	1	—
8. Other Causes	—	—	—	—	—	—	10	11	2	2	—	1	—	—	—	2
II.—General Mortality (1 Year and Over).	4	4	4	—	11	17	169	156	59	55	50	47	11	7	11	8
1. Plague	—	—	—	—	—	—	3	—	7	—	2	—	—	—	1	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	3	3	3	1	4	2	—	—	—	1
6. Pyrexia or Fever	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
7. Enteric Fever	—	—	1	—	—	—	9	4	1	2	1	—	1	—	1	1
8. Malaria	—	—	—	—	—	—	3	—	3	—	3	1	—	—	1	1
9. Malarial Cachexia	—	—	—	—	1	—	—	—	3	1	1	—	1	—	1	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	—	—	—	—	—	—	5	5	4	5	2	2	—	—	—	—
11a. Enteritis	—	—	—	—	2	1	13	10	1	6	1	2	—	—	1	—
12. Dysentery	—	—	—	—	—	—	8	9	2	3	1	3	1	—	—	1
13. Anchylostomiasis or Dochmius Duodenalis	—	—	—	—	—	—	3	7	—	2	1	1	—	—	—	—
14. Cancer	—	—	—	—	—	—	1	5	1	—	1	—	—	1	—	—
15. Phthisis	—	—	—	—	2	3	15	23	3	5	4	3	2	1	1	4
16. Other Tuberculous Diseases	1	—	—	—	—	—	2	1	—	2	—	1	—	—	—	—
17. Anæmia	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—
19. Convulsions	—	—	—	—	—	—	3	1	—	2	4	2	—	—	—	1
20. Tetanus	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	1
21. Bronchitis	—	—	—	—	1	—	4	2	2	1	2	1	—	—	—	1
22. Pneumonia	—	—	1	—	2	1	18	14	6	4	5	4	—	1	4	—
23. Other Diseases of the Respiratory System	—	1	—	—	—	—	3	2	1	—	1	—	—	—	—	—
24. Bright's Disease and Nephritis	—	—	—	—	—	—	10	4	1	2	1	3	1	1	1	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicæmia	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
34. All Other Causes	3	2	2	—	3	8	55	51	19	17	17	17	5	2	1	1