

SUPPLEMENT
TO THE
Ceylon Government Gazette

No. 7,267 — FRIDAY, JULY 14, 1922.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF APRIL, 1922.**

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages registered was 170 (118 General, 1 Kandyan, and 51 Muhammadan), as against 306 in the preceding month. In the city of Colombo the marriages numbered 77 (48 General and 29 Muhammadan), as against 130 in the preceding month.

Births.

3. The number of births registered was 1,549 (794 males and 755 females), and was equivalent to an annual rate of 31·16 per 1,000, against 30·47 in the preceding month, 29·35 in the corresponding month of last year, and 27·70 the average for the corresponding months since 1912. The rate ranged from 12·76 in Vavuniya to 50·88 in Nuwara Eliya.

4. In the city of Colombo the births registered numbered 585 (317 males and 268 females), and were equivalent to an annual rate of 28·74 per 1,000, against 28·91 in the preceding month, 24·03 in the corresponding month of last year, and 22·22 the average for the corresponding months since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 14·65 in Kollupitiya to 25·51 in Wellawatta South.

Deaths.

5. The total deaths registered during the month numbered 1,621 (895 males and 726 females). There were 1,293 deaths of residents in towns, equivalent to an annual standardized rate of 28·35 per 1,000, against 31·64 in the preceding month, 31·13 in the corresponding month of last year, and 27·18 the average for the month of April in each year since 1912. The rate ranged from 62·92 in Puttalam to 14·43 in Weligama.

6. In the city of Colombo the deaths numbered 555 (314 males and 241 females). There were 467 deaths of residents, equivalent to an annual standardized rate of 26·62 per 1,000, against 33·87 in the preceding month, 28·90 in the corresponding month of last year, and 24·32 the average for the month of April in each year since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 30·27 in San Sebastian to 12·20 in Wellawatta South.

7. The stillbirths registered numbered 117 (61 males and 56 females), as against 115 in the preceding month.

Infant Mortality.

8. The mortality of infants under one year of age was equal to a rate of 186 per 1,000 births registered during the twelve months ended April 30, 1922. Reckoned on the births registered during the month only the rate was 215, as against 235 in the preceding month, 256 in the corresponding month of last year, and 203 the average for the corresponding months since 1912.

9. In the city of Colombo the mortality of infants was equal to a rate of 180 per 1,000 births registered during the twelve months ended April 30, 1922. Reckoned on the births registered during the month only the rate was 222, as against 235 in the preceding month, 280 in the corresponding month of last year, and 249 the average for the corresponding months since 1912.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 18 per cent. of the total deaths was due, *Debility* caused 8 per cent., *Convulsions* 7 per cent., *Phthisis* 6 per cent., *Diarrhoea* and *Malaria and Malarial Cachexia* 5 per cent. each, *Dysentery* and *Anchylostomiasis* 4 per cent. each, *Enteritis*, *Influenza*, and *Bright's Disease and Nephritis* 3 per cent. each, *Bronchitis*, *Enteric Fever*, and *Prematurity* 2 per cent. each, and *Cancer* and *Puerperal Septicæmia* 1 per cent. each.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 14 per cent. of the deaths was due, *Debility* caused 9 per cent., *Phthisis* 8 per cent., *Convulsions* 7 per cent., *Enteritis* and *Influenza* 4 per cent. each, *Enteric Fever*, *Bronchitis*, *Diarrhoea*, and *Anchylostomiasis* 3 per cent. each, *Dysentery*, *Bright's Disease and Nephritis*, and *Prematurity* 2 per cent. each, and *Malaria and Malarial Cachexia*, *Cancer* and *Diabetes Mellitus* 1 per cent. each.

12. Two deaths from *Plague* were registered (in Colombo), as against 7 in the preceding month, and 9 in the corresponding month of last year. One death from *Smallpox* (in Colombo) and 1 from *Measles* (in Moratuwa) were also registered.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Chickenpox*, of which 202 cases were reported (115 in Colombo, 27 in Kandy, 19 in Nuwara Eliya, 14 in Badulla, 8 in Galle, 5 in Chilaw), *Phthisis* followed with 130 cases (111 in Colombo, 10 in Galle), *Enteric Fever* 32 (29 in Colombo), *Measles* 15 (10 in Colombo and 5 in Kandy), *Continued Fever* 11 (7 in Colombo), *Mumps* 4 (3 in Colombo), *Smallpox* 4 (in Colombo), *Diphtheria* 3 (in Colombo), *Plague* 2 (in Colombo), *Acute Diarrhoea* 1 (in Galle) and *Dysentery* 1 (in Puttalam).

Meteorology.

14. *Rainfall.*—Nawalapitiya recorded the highest rainfall (11·06 in.), followed by Kalmunai (10·88 in.). In the other towns the rainfall ranged from 10·64 in. in Kalutara to 1·05 in. in Jaffna. Colombo recorded 8·30 in.

15. *Temperature.*—The mean temperature varied from 60·6° in Nuwara Eliya to 85·0° in Mannar and was 82·8° in Colombo.

16. For detailed statistics see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office,
Colombo, June 2, 1922.

M. S. SRESHTA,
Registrar-General.

Table II.—Causes of Deaths by Sex registered during April, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

| Causes of Deaths. | All 88 Towns | | | Western Provinces | | | | | | | | | | | | Central Provinces | | | | | | | | | | | | Southern Province | | | | | | | | | | | |
|----------------------------------|--------------|-----|--------|-------------------|-----|----------|----|-----------|----|----------|----|-----------|---|--------|----|-------------------|---|--------------|----|----------------|---|---------|----|---------------|---|--------|----|-------------------|---|---------|----|------------|---|-------------|---|-----------|---|--|--|
| | M | F | Total. | Colombo. | | Negombo. | | Moratuwa. | | Kaltara. | | Panadura. | | Kandy. | | Gampola. | | Nawalpitiya. | | Hatton-Dikoya. | | Matale. | | Nuwara Eliya. | | Galle. | | Ambalangoda. | | Matara. | | Welligama. | | Hambantota. | | Tangalla. | | | |
| | | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| All Causes | 895 | 726 | 1,621 | 314 | 241 | 29 | 25 | 36 | 55 | 14 | 10 | 15 | 9 | 52 | 46 | 8 | 9 | 5 | 11 | 7 | 5 | 22 | 26 | 11 | 5 | 52 | 52 | 2 | 1 | 26 | 14 | 8 | 4 | 6 | 1 | 18 | 3 | | |
| I.—Infantile Mortality. | 179 | 154 | 333 | 64 | 66 | 4 | 4 | 11 | 18 | 3 | — | 1 | 3 | 9 | 4 | 4 | 1 | — | 3 | 2 | 1 | 3 | 4 | 1 | 1 | 10 | 8 | — | — | 4 | 3 | 5 | — | — | — | — | — | | |
| A.—One Week and under. | 16 | 11 | 27 | 3 | 6 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 2. Debility | 34 | 21 | 55 | 19 | 13 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 3. Convulsions | 33 | 33 | 66 | 10 | 17 | — | — | 5 | 2 | — | — | 1 | 3 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 4. Diarrhoea | 8 | 13 | 21 | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 4a. Enteritis | 5 | 11 | 16 | 1 | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 5. Tetanus | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 7. Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 8. Other Causes | 2* | 3† | 5 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| B.—Over 1 Week and under 1 Year. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 2. Debility | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 3. Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 4a. Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 5. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 7. Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 8. Other Causes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |

* One death from Morbus Caeruleus and 1 from Cerebral Haemorrhage (in Colombo).
 † 1 from Spina Bifida (in Colombo); 1 from Omphalitis (in Moratuwa); and 1 from Peritonitis (in Matara).
 ‡ This includes besides 5 cases mentioned in Table IV, footnote †, 2 deaths from Stomatitis (1 each in Galle and Chilaw); 1 from Intestinal Obstruction (in Galle); 2 from Peritonitis (1 each in Galle and Jaffna); 1 from Worms (in Welligama); 1 from Umbilical Sepsis (in Kurunegala); and 1 from Dysentery in Mannar).
 § This includes besides 7 cases mentioned in Table IV, footnote †, 1 death from Fever (in Negombo); 1 from Worms (in Matara); 1 from Erysipelas (in Jaffna); 1 from Dysentery (in Vavuniya); 1 from Scabies, and 1 from Nephritis (in Kalmunai); and (1 from Thrush (in Chilaw).

Table II.—Causes of Deaths by Sex registered during April, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

| Causes of Deaths. | All 33 Towns. | | | Western Province. | | | | | | Central Province. | | | | | | Southern Province. | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------|------|--------|-------------------|-----|----------|----|-----------|----|-------------------|----|-----------|----|--------|----|--------------------|---|---------------|---|----------------|---|---------|----|---------------|----|--------|----|--------------|---|---------|----|------------|---|-------------|---|-----------|---|---|---|---|
| | M | F | Total. | Colombo. | | Negombo. | | Moratuwa. | | Kalutara. | | Panadura. | | Kandy. | | Gampola. | | Nawalapitiya. | | Hatton-Dikoya. | | Matale. | | Nuwara Eliya. | | Galle. | | Ambalangoda. | | Matara. | | Wellagama. | | Hambantota. | | Tangalle. | | | | |
| | | | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| II.—General Mortality (1 Year and over). | 716 | 572 | 1,288 | 250 | 175 | 25 | 21 | 25 | 37 | 11 | 10 | 6 | 14 | 43 | 42 | 4 | 8 | 5 | 8 | 4 | 5 | 4 | 19 | 22 | 10 | 4 | 42 | 44 | 2 | 1 | 22 | 11 | 3 | 4 | 4 | 1 | 9 | 3 | | |
| 1. Plague .. | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 2. Smallpox .. | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Chickenpox .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles .. | 31 | 10 | 41 | 14 | 2 | — | — | — | 1 | 1 | — | — | — | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza .. | 6 | 2 | 8 | 1 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Pyrexia or Fever .. | 18 | 13 | 31 | 12 | 7 | 1 | 1 | 1 | 1 | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Enteric Fever .. | 30 | 23 | 53 | 3 | 2 | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 8. Malaria .. | 14 | 9 | 23 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 9. Malarial Cachexia .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 10. Cholera .. | 28 | 32 | 60 | 4 | 8 | 3 | 3 | 1 | 1 | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 11. Diarrhoea .. | 15 | 19 | 34 | 3 | 9 | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 11a. Enteritis .. | 38 | 20 | 58 | 7 | 4 | 3 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 12. Dysentery .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 13. Anchylostomiasis or Doehrmus Duodenalis .. | 31 | 29 | 60 | 8 | 6 | 4 | 1 | 1 | 1 | — | — | — | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 14. Cancer .. | 7 | 12 | 19 | 2 | 5 | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 15. Phthisis .. | 58 | 47 | 105 | 26 | 20 | 2 | 3 | 7 | 1 | — | — | — | — | 2 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 16. Other Tubercular Diseases .. | 3 | 3 | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 17. Anæmia .. | 2 | 4 | 6 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 18. Diabetes Mellitus .. | 8 | 2 | 10 | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 19. Convulsions .. | 16 | 11 | 27 | 5 | 2 | — | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 20. Tetanus .. | 4 | 4 | 8 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 21. Bronchitis .. | 10 | 17 | 27 | 4 | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 22. Pneumonia .. | 157 | 97 | 254 | 50 | 19 | 4 | 1 | 8 | 6 | — | — | — | — | 2 | 10 | 11 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 23. Other Diseases of the Respiratory System .. | 11 | 6 | 17 | 6 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 24. Bright's Disease and Nephritis .. | 18 | 22 | 40 | 6 | 3 | 3 | 1 | 4 | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 25. Puerperal Eclampsia .. | — | 10 | 10 | — | 3 | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 26. Puerperal Septicæmia .. | — | 16 | 16 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 27. Miscarriage .. | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 28. Other undefined Accidents of Childbirth .. | — | 9 | 9 | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 29. Starvation .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 30. Accidents or Negligence .. | 18 | 7 | 25 | 5 | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| 31. Homicide .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 32. Suicide .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 33. Execution .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| 34. All Other Causes .. | 184* | 150† | 334 | 75 | 62 | 3 | 6 | 8 | 10 | 3 | 4 | 10 | — | 10 | 11 | 1 | 1 | — | — | — | — | — | — | — | — | — | 17 | 15 | 1 | 1 | 6 | 3 | 2 | — | — | — | — | — | | |

* Here are included 38 deaths from Old Age, 22 from Debility, 27 from Worms, and 11 from Paralysis.

† Here are included 51 deaths from Old Age, 14 from Debility, 20 from Worms, and 13 from Paralysis.

Table III.—Number of Births and Deaths registered during the Month of April, 1922, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for April, 1912 to 1921, in each Sanitary Ward of the City of Colombo.

| Wards. | Population (exclusive of the Military and Shipping) at the Census of March, 1921. | Population estimated to the middle of 1922 by Inter-censal Increase. | Total Births. | | | Stillbirths. | | | Total Deaths including Deaths in Hospitals and Jails. | | | Per Mille per Annum. | | | Mortality of Children under one Year. | | | | | |
|--------------------|---|--|---------------|----------|----------|--------------|----------|----------|---|----------|----------|----------------------|--------------------------|-------|---------------------------------------|--------------|--|---------------------------------------|---|---|
| | | | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Deaths of Residents. | Deaths of Non-residents. | 467 | Birth-rate.* | Death-rate.* | Standardized Death-rate, April, 1922,† | Number registered during April, 1922. | Its proportion per 1,000 births registered during the Year ended last day of April, 1922. | Its proportion per 1,000 births registered during the Year ended April, 1922. |
| | | | | | | | | | | | | | | | | | | | | |
| City of Colombo .. | 244,140 | 247,642 | 317 | 268 | 585 | 29 | 26 | 55 | 314 | 241 | 555 | 88 | 28.74 | 22.22 | 22.94 | 21.08 | 26.62 | 130 | 222 | 180 |
| Fort .. | 2,690 | 2,729 | — | — | — | — | — | — | 3 | — | 3 | 1 | — | 3.12 | 8.92 | 7.98 | — | — | — | — |
| Pettah .. | 7,601 | 7,710 | 3 | 1 | 4 | — | — | — | 2 | — | 2 | — | 6.31 | 4.43 | 3.16 | 8.71 | — | — | — | — |
| St. Paul's .. | 23,395 | 23,731 | 17 | 18 | 35 | — | — | — | 22 | 18 | 40 | — | 17.94 | 14.36 | 20.51 | 19.46 | — | 13 | 371 | 342 |
| San Sebastian .. | 11,492 | 11,657 | 7 | 9 | 16 | 1 | 1 | 2 | 16 | 13 | 29 | — | 16.70 | 17.54 | 30.27 | 17.20 | — | 5 | 313 | 255 |
| Kotahena North .. | 18,683 | 18,951 | 17 | 11 | 28 | 1 | — | 1 | 17 | 17 | 34 | 1 | 17.98 | 23.78 | 21.19 | 20.48 | — | 10 | 357 | 217 |
| Kotahena South .. | 27,483 | 27,877 | 21 | 24 | 45 | 4 | 2 | 6 | 19 | 34 | 53 | — | 19.92 | 23.46 | 23.46 | — | — | 13 | 289 | — |
| New Bazaar .. | 23,341 | 23,676 | 23 | 19 | 42 | 1 | 1 | 2 | 20 | 14 | 34 | — | 21.58 | 20.31 | 17.47 | 18.54 | — | 16 | 381 | 363 |
| Maradana Hospitals | — | — | 102 | 88 | 190 | 20 | 17 | 37 | 121 | 65 | 186 | 81 | — | — | — | — | — | 24 | — | — |
| Maradana North .. | 30,398 | 30,834 | 32 | 24 | 56 | 1 | 3 | 4 | 26 | 26 | 52 | — | 22.10 | 17.27 | 20.52 | 15.97 | — | 19 | 339 | 261 |
| Maradana East .. | 8,593 | 8,716 | 7 | 10 | 17 | — | 1 | 1 | 6 | 4 | 10 | — | 23.73 | 17.27 | 13.96 | — | — | 4 | 235 | — |
| Maradana South .. | 18,535 | 18,801 | 17 | 17 | 34 | — | — | — | 15 | 6 | 21 | — | 22.00 | 13.59 | 13.59 | — | — | 9 | 265 | — |
| Slave Island .. | 21,564 | 21,873 | 19 | 15 | 34 | — | 1 | 1 | 19 | 10 | 29 | — | 18.91 | 23.17 | 12.81 | 18.07 | — | 8 | 235 | 183 |
| Kolupitiya .. | 23,739 | 24,079 | 18 | 11 | 29 | — | — | — | 14 | 16 | 30 | 5 | 14.65 | 8.37 | 12.63 | 8.30 | — | 4 | 138 | 129 |
| Wellawatte North.. | 15,813 | 16,040 | 21 | 11 | 32 | 1 | — | 1 | 9 | 12 | 21 | — | 24.27 | 33.96 | 15.93 | 23.50 | — | 3 | 94 | 88 |
| Wellawatte South.. | 10,813 | 10,968 | 13 | 10 | 23 | — | — | — | 5 | 6 | 11 | — | 25.51 | 12.20 | 12.20 | — | — | 2 | 87 | — |

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.
 † "Standardized death-rates," for the wards of the city are not available.

Table IV.—Causes of Deaths by Sex registered during the Month of April, 1922, in each Ward and of each Race in the City of Colombo.

| Causes of Death. | City of Colombo. | | | Wards. | | | | | | | | | | | |
|--|------------------|------------|------------|----------------------|----------|----------|----------|-------------|-----------|----------------|----------|-----------------|-----------|-----------------|-----------|
| | M | F | P. | Fort and Galle Face. | | Pettah. | | St. Paul's. | | San Sebastian. | | Kotahena North. | | Kotahena South. | |
| | | | | M | F | M | F | M | F | M | F | M | F | M | F |
| All Causes | 314 | 241 | 555 | 3 | — | 2 | — | 22 | 18 | 16 | 13 | 17 | 17 | 19 | 34 |
| I.—Infantile Mortality | 64 | 66 | 130 | — | — | — | — | 7 | 6 | 1 | 4 | 7 | 3 | 4 | 9 |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | |
| 1. Prematurity | 3 | 6 | 9 | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — |
| 2. Debility | 7 | 2 | 9 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 3. Convulsions | 3 | 1 | 4 | — | — | — | — | 2 | — | — | — | 1 | — | — | — |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8. Other Causes | 2* | 1† | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>B.—Over 1 Week and under 1 Year.</i> | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 19 | 13 | 32 | — | — | — | — | — | — | — | — | 3 | — | — | 4 |
| 3. Convulsions | 10 | 17 | 27 | — | — | — | — | 3 | 4 | 1 | 1 | 2 | 1 | 1 | 1 |
| 4. Diarrhoea | 1 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 4a. Enteritis | 4 | 5 | 9 | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| 5. Tetanus | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | — | 2 | 2 | — | — | — | — | — | — | 1 | — | — | 1 | — | — |
| 7. Pneumonia | 10 | 9 | 19 | — | — | — | — | 1 | 1 | — | — | — | — | 2 | 1 |
| 8. Other Causes | 5‡ | 7§ | 12 | — | — | — | — | 1 | — | — | — | — | — | 1 | 1 |
| II.—General Mortality (1 Year and Over). | 250 | 175 | 425 | 3 | — | 2 | — | 15 | 12 | 15 | 9 | 10 | 14 | 15 | 25 |
| 1. Plague | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Smallpox | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza | 14 | 2 | 16 | — | — | 1 | — | 2 | — | 2 | — | 2 | — | — | — |
| 6. Pyrexia or Fever | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Enteric Fever | 12 | 7 | 19 | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | — |
| 8. Malaria | 3 | 2 | 5 | — | — | — | — | — | — | — | — | — | 2 | — | — |
| 9. Malarial Cachexia | 3 | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 11. Diarrhoea | 4 | 8 | 12 | — | — | — | — | — | — | — | — | 3 | 2 | 1 | 4 |
| 11a. Enteritis | 3 | 9 | 12 | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 |
| 12. Dysentery | 7 | 4 | 11 | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — |
| 13. Anchylostomiasis or Dochmius Duodenalis | 8 | 6 | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| 14. Cancer | 2 | 5 | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 15. Phthisis | 26 | 20 | 46 | — | — | — | — | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 4 |
| 16. Other Tuberculous Diseases | 1 | 1 | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 17. Anæmia | 2 | — | 2 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 18. Diabetes Mellitus | 5 | 1 | 6 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 19. Convulsions | 5 | 2 | 7 | — | — | — | — | — | 1 | 3 | — | — | — | — | — |
| 20. Tetanus | 3 | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 21. Bronchitis | 4 | 11 | 15 | 1 | — | — | — | 1 | 3 | — | — | — | 1 | — | 2 |
| 22. Pneumonia | 50 | 19 | 69 | 1 | — | — | — | 3 | 2 | 1 | 2 | 1 | 2 | 2 | — |
| 23. Other Diseases of the Respiratory System | 6 | 2 | 8 | — | — | — | — | — | — | — | — | — | — | — | — |
| 24. Bright's Disease and Nephritis | 6 | 3 | 9 | — | — | — | — | — | — | — | 1 | — | — | 2 | — |
| 25. Puerperal Eclampsia | — | 3 | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| 26. Puerperal Septicæmia | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 27. Miscarriage | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 28. Other undefined Accidents of Childbirth | — | 5 | 5 | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| 29. Starvation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30. Accidents or Negligence | 5 | — | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 31. Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32. Suicide | 2 | — | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 33. Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34. All Other Causes | 75¶ | 62¶ | 139 | — | — | 1 | — | 3 | 2 | 5 | 3 | 2 | 3 | 6 | 11 |

* One death each from Morbus Caeruléus and Cerebral Hæmorrhage.

† One death from Spina Bifida.

‡ Two deaths each from Worms and Influenza and 1 from Nephritis.

§ Two deaths each from Influenza, and Worms and 1 each from Scabies, Pyæmia, and Syphilis.

¶ Here are included 13 deaths from Old Age, 10 from Worms, 7 from Debility, 5 each from Paralysis and Peritonitis.

¶ Here are included 18 deaths from Old Age, 10 from Paralysis and 7 from Worms.

Table IV.—Causes of Deaths by Sex registered during the Month of April, 1922, in each Ward and of each Race in the City of Colombo—*continued.*

| Causes of Death. | Wards. | | | | | | | | | | | | | | | |
|--|-------------|----|--------------------------|----|--------------------|----|----------------|---|--|---|---------------|----|--------------|----|----------------------|----|
| | New Bazaar. | | Maradana Hos- pitals. | | Maradana North. | | Maradana East. | | Maradana South (exclusive of Hospitals). | | Slave Island. | | Kollupitiya. | | Wellawatta North. | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| All Causes | 20 | 14 | 121 | 65 | 26 | 26 | 6 | 4 | 15 | 6 | 19 | 10 | 14 | 16 | 9 | 12 |
| I.—Infantile Mortality | 8 | 8 | 12 | 12 | 9 | 10 | 2 | 2 | 7 | 2 | 5 | 3 | 1 | 3 | 1 | 2 |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | 2 | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 2 | — | — | — | 1 | 1 | 2 | — | 2 | — | — | — | — | — | — | — |
| 3. Convulsions | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 8. Other Causes | — | — | 2 | 1 | — | — | — | — | 3 | — | — | — | — | — | — | — |
| <i>B.—Over 1 Week and under 1 Year.</i> | | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 2 | 1 | 2 | 2 | 6 | 3 | — | 2 | 3 | — | 1 | — | 1 | — | 1 | 1 |
| 3. Convulsions | 1 | 6 | — | — | 1 | 2 | — | — | 1 | 1 | — | — | — | — | — | — |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis | 1 | — | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 5. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | 1 | — | 4 | 2 | — | 2 | — | — | 1 | 1 | 1 | 1 | — | — | — | — |
| 8. Other Causes | 1 | 1 | — | 2 | 1 | 1 | — | — | — | — | 1 | — | — | 2 | — | — |
| II.—General Mortality (1 Year and Over). | 12 | 6 | 109 | 53 | 17 | 16 | 4 | 2 | 8 | 4 | 14 | 7 | 13 | 13 | 8 | 10 |
| 1. Plague | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 2. Smallpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 3. Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza | 2 | 1 | 2 | — | — | — | — | — | — | — | 1 | 1 | — | — | 2 | — |
| 6. Pyrexia or Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 7. Enteric Fever | — | — | 8 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 8. Malaria | — | — | 2 | — | — | — | — | — | — | — | 2 | — | — | — | — | — |
| 9. Malarial Cachexia | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 10. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 11. Diarrhoea | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 11a. Enteritis | 1 | 2 | 1 | — | — | 2 | — | — | — | — | — | 1 | — | — | — | — |
| 12. Dysentery | — | — | 6 | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| 13. Anchylostomiasis or Dochmius Duo- denalis | — | — | 6 | 2 | 1 | 2 | — | — | — | 1 | 1 | — | — | — | — | — |
| 14. Cancer | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15. Phthisis | — | — | 15 | 2 | 4 | 5 | — | — | — | — | — | — | — | — | 4 | — |
| 16. Other Tuberculous Diseases | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 17. Anæmia | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 18. Diabetes Mellitus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 19. Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 20. Tetanus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 21. Bronchitis | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22. Pneumonia | 4 | — | 26 | 7 | 2 | 1 | 1 | — | — | — | 4 | 1 | 2 | — | 1 | 2 |
| 23. Other Diseases of the Respiratory System | — | — | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 24. Bright's Disease and Nephritis | — | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25. Puerperal Eclampsia | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 26. Puerperal Septicæmia | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 27. Miscarriage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28. Other undefined Accidents of Childbirth. | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 29. Starvation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30. Accidents or Negligence | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 31. Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32. Suicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 33. Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34. All Other Causes | 3 | 1 | 28 | 24 | 8 | 4 | 1 | 2 | 4 | 3 | 5 | 1 | 7 | 5 | 2 | 3 |

Table IV.—Causes of Deaths by Sex registered during the Month of April, 1922, in each Ward and of each Race in the City of Colombo—*continued.*

| Causes of Death. | Wards. | | Deaths among all Races. | | | | | | | | | | | | | |
|--|--------------------|---|-------------------------|---|-----------|---|------------|-----|--------|----|--------|----|---------|---|---------|---|
| | Wellavattia South. | | Europeans. | | Burghers. | | Sinhalese. | | Tamil. | | Moors. | | Malays. | | Others. | |
| | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| All Causes | 5 | 6 | 2 | — | 10 | 7 | 159 | 141 | 62 | 49 | 54 | 32 | 7 | 9 | 20 | 3 |
| I.—Infantile Mortality | — | 2 | — | — | 2 | 1 | 30 | 38 | 18 | 9 | 14 | 10 | 2 | 6 | 3 | 2 |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | — | — | — | — | 1 | 4 | 1 | 1 | 1 | 1 | — | — | — | — |
| 2. Debility | — | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| 3. Convulsions | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — |
| 4. Diarrhoea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4a. Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Pneumonia | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — |
| 8. Other Causes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>B.—Over 1 Week and under 1 Year.</i> | | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | — | — | — | — | — | — | 8 | 9 | 4 | 1 | 7 | 1 | — | 1 | — | 1 |
| 3. Convulsions | — | — | — | — | 2 | — | 3 | 8 | 2 | 2 | 2 | 4 | — | 2 | 1 | 1 |
| 4. Diarrhoea | — | 1 | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — |
| 4a. Enteritis | — | — | — | — | — | — | 2 | 3 | 1 | — | — | 2 | — | — | — | — |
| 5. Tetanus | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 6. Bronchitis | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 7. Pneumonia | — | — | — | — | — | — | 6 | 6 | 1 | 1 | 3 | — | — | 2 | — | — |
| 8. Other Causes | — | — | — | — | 1 | — | 3 | 3 | — | 2 | — | 1 | 2 | — | — | — |
| II.—General Mortality (1 Year and Over). | 5 | 4 | 2 | — | 8 | 6 | 129 | 103 | 49 | 40 | 40 | 22 | 5 | 3 | 17 | 1 |
| 1. Plague | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| 2. Smallpox | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 3. Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza | — | — | — | — | — | — | 4 | — | 4 | 1 | 3 | 1 | — | — | 3 | — |
| 6. Pyrexia or Fever | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 7. Enteric Fever | — | — | — | — | — | 1 | 7 | 5 | 3 | — | 2 | 1 | — | — | — | — |
| 8. Malaria | — | — | — | — | 1 | — | 1 | 2 | 1 | — | — | — | — | — | — | — |
| 9. Malarial Cachexia | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 1 | — |
| 10. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 11. Diarrhoea | — | — | — | — | — | — | 3 | 8 | 1 | — | — | — | — | — | — | — |
| 11a. Enteritis | — | — | — | — | — | — | 2 | 4 | — | 2 | 1 | 2 | — | — | 1 | — |
| 12. Dysentery | — | — | — | — | 1 | — | 5 | 2 | — | 2 | 1 | — | — | — | — | — |
| 13. Anchylostomiasis or Dochmias Duodenalis | — | 1 | — | — | — | — | 7 | 3 | — | 2 | 1 | 1 | — | — | — | — |
| 14. Cancer | — | — | — | — | 1 | 1 | — | 4 | 1 | — | — | — | — | — | — | — |
| 15. Phthisis | — | — | — | — | — | 1 | 13 | 8 | 5 | 9 | 4 | 2 | 1 | — | 3 | — |
| 16. Other Tuberculous Diseases | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 17. Anæmia | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| 18. Diabetes Mellitus | 1 | — | — | — | 1 | — | 4 | 1 | — | — | — | — | — | — | — | — |
| 19. Convulsions | 1 | — | — | — | — | — | 1 | — | — | 2 | 4 | — | — | — | — | — |
| 20. Tetanus | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 21. Bronchitis | — | — | 1 | — | — | — | 1 | 3 | 1 | 5 | 1 | 3 | — | — | — | — |
| 22. Pneumonia | 2 | 2 | 1 | — | 2 | — | 22 | 14 | 13 | 4 | 7 | 1 | 2 | — | 3 | — |
| 23. Other Diseases of the Respiratory System | — | — | — | — | — | — | 3 | 2 | 2 | — | — | — | — | — | 1 | — |
| 24. Bright's Disease and Nephritis | — | — | — | — | — | — | 2 | 2 | 2 | — | 1 | 1 | 1 | — | — | — |
| 25. Puerperal Eclampsia | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — |
| 26. Puerperal Septicæmia | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 27. Miscarriage | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| 28. Other undefined Accidents of Childbirth | — | — | — | — | — | — | — | 2 | — | 1 | — | 2 | — | — | — | — |
| 29. Starvation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30. Accidents or Negligence | 1 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | 1 | — |
| 31. Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32. Suicide | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — |
| 33. Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34. All Other Causes | — | — | — | — | 1 | 3 | 46 | 39 | 13 | 11 | 11 | 6 | 1 | 2 | 3 | — |