

SUPPLEMENT
TO THE
Ceylon Government Gazette

No. 7,270 — THURSDAY, AUGUST 3, 1922.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF MAY, 1922.**

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Marriages.

2. The marriages of residents in proclaimed towns numbered 312, viz., 309 General, 2 Kandyan, and 1 Muhammadan, as against 170 in the preceding month. In Colombo the marriages of residents numbered 113, viz., 112 General and 1 Muhammadan, as against 77 in the preceding month.

Births.

3. The births registered numbered 1,609 (858 males and 751 females), and were equivalent to an annual rate of 31·32 per 1,000, against 31·16 in the preceding month, 31·75 in the corresponding month of last year, and 27·35 the average for the corresponding months since 1912. The rate ranged from 12·71 in Kalpitiya to 74·06 in Vavuniya.

4. In the city of Colombo the births registered numbered 559 (308 males and 251 females), and were equivalent to an annual rate of 26·58 per 1,000, against 28·74 in the preceding month, 28·70 in the corresponding month of last year, and 22·40 the average for the corresponding months since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 13·20 in Kollupitiya to 27·11 in Maradana North.

Deaths.

5. The total deaths registered during the month numbered 1,701 (923 males and 778 females). There were 1,363 deaths of residents in towns, equivalent to an annual standardized rate of 28·92 per 1,000, against 28·35 in the preceding month, 34·12 in the corresponding month of last year, and 27·72 the average for the month of May in each year since 1912. The rate ranged from 68·87 in Mullaittivu to 9·07 in Kegalla.

6. In the city of Colombo the deaths numbered 593 (333 males and 260 females). There were 513 deaths of residents, equivalent to an annual standardized rate of 28·30 per 1,000, against 26·62 in the preceding month, 27·34 in the corresponding month of last year, and 25·58 the average for the month of May in each year since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 24·85 in Kotahena North to 9·29 in Kollupitiya.

7. The stillbirths registered numbered 125 (63 males and 62 females), as against 117 in the preceding month.

Infant Mortality.

8. The mortality of infants under one year of age was equal to a rate of 201 per 1,000 births registered during the twelve months ended May 31, 1922. Reckoned on the births registered during the month only the rate was 228, against 215 in the preceding month, 250 in the corresponding month of last year, and 248 the average for the corresponding months since 1912.

9. In the city of Colombo the mortality of infants was equal to a rate of 190 per 1,000 births registered during the twelve months ended May 31, 1922. Reckoned on the births registered during the month only the rate was 247, against 222 in the preceding month, 249 in the corresponding month of last year, and 254 the average for the corresponding months since 1912.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 15 per cent. of the total deaths was due, *Debility* caused 9 per cent., *Convulsions* 7 per cent., *Diarrhoea* and *Phthisis* 5 per cent. each, *Enteritis*, *Malaria* and *Malarial Cachexia*, *Anchylostomiasis*, and *Bright's Disease* and *Nephritis* 4 per cent. each, *Dysentery* 3 per cent., *Influenza*, *Prematurity*, *Bronchitis*, *Puerperal Septicæmia*, and *Enteric Fever* 2 per cent. each, and *Tetanus* 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 16 per cent. of the deaths was due, *Convulsions* caused 10 per cent., *Debility* 9 per cent., *Phthisis* 6 per cent., *Enteritis* 5 per cent., *Bronchitis* and *Bright's Disease*, and *Nephritis* 3 per cent. each, *Enteric Fever*, *Influenza*, *Diarrhoea*, *Dysentery*, *Anchylostomiasis*, and *Malaria* and *Malarial Cachexia* 2 per cent. each, and *Plague* and *Puerperal Septicæmia* 1 per cent. each.

12. Seven deaths from *Plague* were registered (in Colombo), as against 2 in the preceding month and 4 in the corresponding month of last year. One death from *Measles* (in Moratuwa) was also registered.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Chickenpox*, of which 116 cases were reported (56 in Colombo, 18 in Nuwara Eliya, 12 in Kandy, 6 in Badulla, 6 in Lunugala, 5 in Galle), *Phthisis* followed with 114 cases (104 in Colombo), *Enteric Fever* 36 (31 in Colombo), *Measles* 29 (23 in Colombo), *Continued Fever* 11 (7 in Colombo), *Plague* 6 (in Colombo), *Mumps* 3 (2 in Colombo and 1 in Tangalle), *Dysentery* 3 (2 in Panadure and 1 in Puttalam), and *Smallpox* 1 (in Colombo).

Meteorology.

14. Colombo recorded the highest rainfall (22·66 in.), followed by Kalutara (22·19 in.). In the other towns it ranged from 19·61 in Nawalapitiya to 0·75 of an in. in Anuradhapura.

15. The mean temperature varied from 62·0° in Nuwara Eliya to 85·6° in Trincomalee, and was 82·2° in Colombo.

16. For detailed statistics see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo, in the Appendix.

Table I.—Number of Marriages, Births, and Deaths registered during May, 1922, the Proportion of Births and Deaths per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.		Total Marriages.		Total Births.		Total Deaths.		Deaths of Non-residents registered in Towns and Jails.		Deaths of Residents registered in Towns and Jails.		Birth-rate.		Death-rate excluding Non-residents.		Standardized, a		Average Death-rate for 1912-1911.		Its proportion to 1000 births registered during the year ended the last day of May, 1922.		Mean Temperature One Year.			
Population exclusive of the Military and Shipping (at the Census of March, 1931).		Population estimated to the middle of 1922 by Intercensal Increase.		Estimated Number of Marriages.		Estimated Number of Births.		Estimated Number of Deaths.		Estimated Number of Deaths.		Estimated Birth-rate.		Estimated Death-rate.		Estimated Standardized Death-rate.		Estimated Average Death-rate for 1912-1911.		Estimated Its proportion to 1000 births registered during the year ended the last day of May, 1922.		Estimated Mean Temperature One Year.			
Provinces and Towns.		Western.		112		113		251		559		260		593		24		50		80		513		26·58	
Colombo		247,642		22		44		59		103		37		33		70		4		2		6		190	
Negombo		27,899		31		—		70		61		131		39		54		93		4		1		155	
Moratuwa		42,386		—		8		—		8		22		23		45		21		19		5		24·88	
Kakulera		13,556		13,674		4		—		4		—		40		1		1		6		34·21		42	
Panadure		10,747		10,813		4		—		11		12		23		6		11		17		3		18·87	
<i>Central.</i>		32,581		32,916		10		1		11		61		39		100		55		43		7		3	
Kandy		6,292		6,295		4		—		4		6		9		15		11		8		1		29·14	
Gampola		3,287		—		—		—		1		5		3		8		10		20		—		38·12	
Nawala Eliya		2,939		1		—		1		5		5		10		7		8		15		1		46·72	
Hatton-Dikoya		7,865		7,919		2		15		14		29		17		13		30		1		12		27·96	
Matale		7,029		7,173		—		—		15		7		22		9		10		19		2		138	
Nuwara Eliya		—		—		—		—		—		—		—		—		—		—		1		148	
<i>Southern.</i>		39,186		17		17		63		62		125		50		49		99		5		16		83	
Galle		39,073		14		14		15		10		6		12		6		12		3		3		12	
Ambalangoda		3,468		4		—		16		16		30		24		54		23		36		8		37·74	
Matara		16,779		16,846		—		—		6		6		15		25		2		7		9		32·28	
Wellawaya		9,066		9,118		6		—		6		—		3		3		7		9		1		11·62	
Hambantota		2,849		2,879		—		—		3		4		7		7		1		1		2		28·63	
Tangalle		4,896		4,896		—		10		6		16		11		7		18		—		5		36·48	
<i>Northern.</i>		42,436		42,699		40		49		112		67		120		1		4		5		7		112	
Jaffna		3,705		3,714		3		1		1		6		10		5		15		1		1		37·11	
Mannar		1,663		1,686		1		—		—		3		2		5		3		8		1		20·22	
Mullaitivu		936		954		—		—		—		—		3		3		6		5		8		24·06	
Vavuniya		10,563		10,615		4		11		18		29		22		24		46		2		6		40	
Batticaloa		2,586		2,592		—		4		2		6		1		4		4		6		6		32·17	
Kalmunai		9,442		9,623		—		—		13		9		22		18		21		1		6		27·25	
Trincomalee		—		—		—		—		—		—		—		—		—		—		2		37·27	
<i>North-Western.</i>		10,187		10,420		8		11		18		29		43		28		71		3		41		32·77	
Kurunegala		6,905		7,032		1		9		10		19		14		21		35		1		1		155	
Puttalam		1,821		1,853		1		4		11		2		2		3		2		5		12·71		20·58	
Kalpitiya		6,633		6,799		4		—		4		11		2		13		23		11		10		24·22	
Chilaw		7,781		8,163		3		7		4		11		26		1		3		11		29·43		41·56	
<i>North-Central.</i>		10,633		10,615		4		11		2		6													

⁴ The factor applied for standardizing the crude death-rates is the same as that for the past decade as the age- and sex-distribution of the population at the Census of 1921 is not yet available.

Table II.—Causes of Deaths by Sex registered during May, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Western Province.		Central Province.		Southern Province.	
All 33 Towns.					
Causes of Deaths.					
M.	F.	Total.	M.	F.	M.
All Causes	923	778	1,701	388	260
I.—Infantile Mortality.	200	168	368	77	62
A.—One Week and under.					
1. Prematurity	14	11	25	3	1
2. Debility	24	19	43	7	3
3. Convulsions	14	9	23	5	2
4. Diarrhoea	—	—	—	—	—
4a. Enteritis	—	—	—	—	—
5. Tetanus	2	1	3	—	—
6. Bronchitis	—	—	—	—	—
7. Pneumonia	—	—	—	2	—
8. Other Causes	3*	1†	4	—	—
B.—Over 1 Week and under 1 Year.					
1. Prematurity	6	5	11	—	2
2. Debility	34	34	68	12	1
3. Convulsions	41	29	70	12	2
4. Diarrhoea	—	11	3	14	1
4a. Enteritis	—	11	8	14	4
5. Tetanus	—	—	2	2	3
6. Bronchitis	5	8	13	7	3
7. Pneumonia	21	11	32	10	1
8. Other Causes	14‡	27§	41	6	2

* Two from Intra-cranial Haemorrhage (in Colombo); and 1 from Thrush (in Moratuwa).

† One from *Asphyxia Neonatorum* (in Tangalla).

One from *Asphyxia Neonatorum* [from Stomatitis (in Moratuwa) : 1 from Ascesso (in Nasomph) : 1 each in Nagombo and Morentawa] ; 2 deaths from Worms (in Augathura), 1 in a female.

This includes besides 6 cases mentioned in Table I V, footnote 2 deaths from Worms (each in Negombo and Mora nuwa); 1 from Abscess (in Negombo); 1 from Stomatitis (in Negombo); 1 from Worms (each in Negombo and Mora nuwa); 1 from A.

Ptyalism (in Matiale); 1 from Nephritis (in Nuware Eliya); and 1 from Influenza (in Galle).

each in Moratuwa, Weligama, and Puttalam; 2 from Worms (each in Moratuwa, Weligama, and Puttalam); 3 deaths from Whooping Cough, and 1 from Nephritis (all in Colombo).

Measles' (in Monatuwā); 2 from Influenza (1 each in Panacure and Nawalaptiwy); 3 deaths, one each from Constipation, Kickers, and drowning (in Gane); 2 from Neptunus (1 each in Cramé).

Table II.—Causes of Deaths by Sex registered during May, 1922, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. I of 1895—continued.

Causes of Deaths.		Northern Province.		North-Western Province.		Provinces of Uva.		Province of Sabaragamuwa.		Deaths among all Races.		
		M	F	M	F	M	F	M	F	M	F	
All Causes.	..	67	53	10	5	3	5	3	22	24	2	2
I.—Infantile Mortality.	..	17	12	3	1	1	1	6	10	1	6	1
<i>A.—One Week and under.</i>												
1. Prematurity	..	2	—	1	1	—	—	1	—	—	—	—
2. Debility	..	1	1	—	—	—	—	—	—	—	—	—
3. Convulsions	..	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	2	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>												
1. Prematurity	..	—	1	—	—	—	—	—	—	—	—	—
2. Debility	..	6	3	—	—	—	—	—	—	—	—	—
3. Convulsions	..	1	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	1	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	1	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	1	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	3	4	1	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—

(4)

B.—Over 1 Week and under 1 Year.

1. Prematurity
2. Debility
3. Convulsions
4. Diarrhoea
- 4a. Enteritis
5. Tetanus
6. Bronchitis
7. Pneumonia
8. Other Causes

Table II.—Causes of Deaths by Sex registered during May, 1922, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths	All 33 Towns.						Western Province.						Central Province.						Southern Province.																					
	M	F	Total	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	Tangalle.	Hambantota.	Wellgama.	Matara.	Ambalangoda.	Galle.	Nuwara Eliya.	Hatton-Dikoya.	Kandy.	Gampola.	Nawalapitiya.	Matale.	Nuwara Eliya.	Galle.	Ambalangoda.	Matara.	Wellgama.
II.—General Mortality (1 Year and over).																																								
1. Plague	4	3	610	1,333	256	198	28	20	31	18	18	3	8	40	37	9	7	7	15	11	7	9	43	42	5	3	16	14	1	6	5	1	11	5						
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
5. Influenza	19	17	36	—	8	—	4	2	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
6. Pyrexia or Fever	5	5	10	—	1	—	2	2	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
7. Enteric Fever	20	10	30	—	9	5	2	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
8. Malaria	27	18	45	—	5	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
9. Malarial Cachexia	6	10	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
11. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
11a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
12. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
13. Anchylostomiasis or Dochmiasis Duodenalis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
14. Cancer	7	7	14	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
15. Phthisis	47	35	82	21	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1								
16. Other Tubercular Diseases	5	6	11	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
17. Anaemia	4	4	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
18. Diabetes Mellitus	5	2	7	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
19. Convulsions	13	15	28	7	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
20. Tetanus	5	6	11	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
21. Bronchitis	8	11	19	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
22. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
23. Other Diseases of the Respiratory System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
24. Bright's Disease and Nephritis	16	4	23	5	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
25. Puerperal Eclampsia	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
26. Puerperal Septicæmia	—	—	—	32	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
27. Miscarriage	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
28. Other undefined Accidents of Childbirth	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
29. Starvation	1	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
30. Accidents or Negligence	20	10	30	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
31. Homicide	6	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
32. Suicide	2	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1							
33. Execution	2	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							
34. All Other Causes	205*	163†	368	89	63	5	6	8	11	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2							

* Here are included 45 deaths from Old Age, 13 from Debility, 26 from Intestinal Parasites, and 13 from Paralysis.

† Here are included 46 deaths from Old Age, 23 from Debility, 23 from Intestinal Parasites, and 11 from Paralysis.

$$(-6^{\frac{1}{2}})^4$$

Table II.—Causes of Deaths by Sex registered during May, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued*.

Table III.—Number of Births and Deaths registered during the Month of May, 1922, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for May, 1912 to 1921, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March, 1921.	Population estimated to the middle of 1922 by Intercensal Increase.	Total Births.	Stillbirths.				Deaths of Non- residents.	Deaths of Resi- dents.	Total Deaths including Deaths in Hospitals and Jails.				Mortality of Children under one Year.
				Males.	Females.	Males.	Females.			Males.	Females.	Males.	Females.	
				Birth-rate.	Death-rate.	Birth-rate.	Death-rate.	May, 1922.	May, 1922.	May, 1912 to 1921.	May, 1922.	May, 1912 to 1921.	May, 1922.	
Fort and Galle Face	2,690	2,729	—	—	—	—	—	—	—	—	—	—	—	—
Pettah	7,801	7,710	1	—	1	—	—	4	1	6	—	5	1·53	3·25
St. Paul's	23,395	23,731	15	12	27	2	1	3	25	19	44	44	13·39	16·17
San Sebastian	11,492	11,667	9	7	16	1	—	1	13	8	21	21	16·16	17·33
Kotahena North	18,683	18,951	21	19	40	1	—	1	24	16	40	40	24·85	21·57
Kotahena South	27,483	27,877	31	27	58	1	3	4	21	25	46	46	24·50	19·43
New Bazaar	23,341	23,676	24	18	42	1	1	2	26	22	48	48	20·89	23·87
Maradana Hospitals	—	—	74	63	137	12	14	26	104	82	186	71	115	—
Maradana North	30,398	30,834	40	31	71	2	3	5	35	21	56	56	27·11	—
Maradana East	8,503	8,716	6	6	12	—	—	2	7	9	—	9	16·21	16·68
Maradana South (ex- clusive of Hospitals)	18,535	18,801	27	9	36	1	—	1	19	18	37	35	22·55	21·92
Silva Island	21,564	21,873	28	19	47	2	1	3	19	21	40	40	25·30	21·41
Kollupitiya	23,739	24,079	15	12	27	—	—	—	16	9	25	6	19	13·20
Wellawatta North	15,813	16,040	11	13	24	1	1	2	15	7	22	1	21	17·62
Wellawatta South	10,813	10,968	6	15	21	—	2	2	10	4	14	—	14	22·54

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† For explanation of the "Standardized death-rates," see note (a). Table I. The population of the several wards of the city not being available by age-and sex constitution, their standardized death-rates cannot be calculated.

Its proportion per annum to 1000 births registered during the year ended last day of May, 1922.

34·6

39·2

20·5

19·3

22·4

43·2

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

</

Table IV.—Causes of Deaths by Sex registered during the Month of May, 1922, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.						Wards.									
				Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.		
	M.	F.	P.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.
All Causes	333	260	593	—	—	4	1	25	19	13	8	24	16	21	25	
I.—Infantile Mortality	77	62	139	—	—	1	—	7	8	2	2	5	3	7	6	
A.—One Week and under.																
1. Prematurity	3	2	5	—	—	—	—	1	1	1	1	—	—	—	—	1
2. Debility	8	7	15	—	—	—	—	1	1	1	1	—	—	—	—	1
3. Convulsions	5	2	7	—	—	—	—	1	1	1	1	—	—	—	—	1
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	2*	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																
1. Prematurity	12	15	27	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	21	14	35	—	—	—	—	3	6	1	1	1	1	1	1	1
3. Convulsions	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	4
4. Diarrhoea	7	6	13	—	—	—	—	—	—	—	—	—	—	—	—	1
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	2
7. Pneumonia	10	4	14	—	—	—	—	2	—	—	—	3	—	—	—	1
8. Other Causes	6†	10‡	16	—	—	—	—	—	—	—	—	—	—	—	—	1
II.—General Mortality (1 Year and Over).	256	198	454	—	—	8	1	18	11	11	6	19	13	14	19	
1. Plague	4	3	7	—	—	—	—	1	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	8	4	12	—	—	—	—	1	3	—	—	—	—	—	—	—
6. Pyrexia or Fever	1	2	3	—	—	—	—	2	—	—	—	—	—	—	—	—
7. Enteric Fever	9	5	14	—	—	—	—	—	—	—	—	—	—	—	—	1
8. Malaria	5	3	8	—	—	—	—	—	—	—	—	—	—	—	—	1
9. Malarial Cachexia	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	5	6	11	—	—	—	—	1	1	1	—	—	—	—	—	1
11a. Enteritis	10	6	16	—	—	—	—	1	1	1	—	—	—	—	—	4
12. Dysentery	6	7	13	—	—	—	—	1	1	1	—	—	—	—	—	1
13. Ankylostomiasis or Dochmias Duo-denalis	4	6	10	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	3	2	5	—	—	—	—	1	3	—	—	—	—	—	—	—
15. Phthisis	21	16	37	—	—	—	—	3	—	—	—	—	—	—	—	1
16. Other Tuberculous Diseases	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	1
17. Anaemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	2	—	2	—	—	—	—	1	3	2	—	—	—	—	—	1
19. Convulsions	7	8	15	—	—	—	—	1	3	2	—	—	—	—	—	1
20. Tetanus	2	3	5	—	—	—	—	2	2	—	—	—	—	—	—	3
21. Bronchitis	7	5	12	—	—	—	—	—	—	—	—	—	—	—	—	2
22. Pneumonia	48	33	81	—	—	—	—	—	—	—	—	—	—	—	—	2
23. Other Diseases of the Respiratory System	6	2	8	—	—	—	—	—	—	—	—	—	—	—	—	1
24. Bright's Disease and Nephritis	7	8	15	—	—	—	—	—	—	—	—	—	—	—	—	1
25. Puerperal Eclampsia	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
26. Puerperal Septicæmia	—	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	89§	63	152	—	—	2	—	1	5	5	1	7	6	5	7	

* Two deaths from Intracranial Haemorrhage.

† One death each from Septic Sores, Meningitis, Peritonitis, Nephritis, Syphilis, and Influenza.

‡ Three deaths from Syphilis, 2 from Fyelitis, and 1 each from Worms, Stomatitis, Influenza, Erysipelas, and Heart Disease.

§ Here are included 18 deaths from Old Age, 8 from Paralysis, 6 from Cerebral Haemorrhage, 5 from Marasmus, and 4 from Debility.

|| Here are included 18 deaths from Old Age, 7 each from Heart Disease and Worms, and 5 from Debility.

Table IV.—Causes of Deaths by Sex registered during the Month of May, 1922, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.																									
	New Bazaar.				Maradana Hos-pitals.				Maradana North.				Maradana East.				Maradana South (exclusive of Hospitals).				Slave Island.		Kollupitiya.		Wellawatta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Causes	26	22	104	82	35	21	2	7	19	18	19	21	16	9	15	7										
I.—Infantile Mortality	13	7	9	12	17	7	1	1	4	6	5	7	2	1	1	1	1	1	1	1	2	2	3	1		
A.—One Week and under.			3	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1. Prematurity																										
2. Debility																										
3. Convulsions																										
4. Diarrhoea																										
4a. Enteritis																										
5. Tetanus																										
6. Bronchitis																										
7. Pneumonia																										
8. Other Causes																										
B.—Over 1 Week and under 1 Year.																										
1. Prematurity			1	3	1	3	1	3	5	2	2	2	1	1	1	1	1	1	2	2	1	1	1	1		
2. Debility			7	1	1	2	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Convulsions																										
4. Diarrhoea																										
4a. Enteritis																										
5. Tetanus																										
6. Bronchitis																										
7. Pneumonia																										
8. Other Causes																										
II.—General Mortality (1 Year and Over).	13	15	95	70	18	14	1	6	15	12	14	14	14	14	14	14	14	14	7	12	6					
1. Plague																						2	2			
2. Smallpox																										
3. Chickenpox																										
4. Measles																										
5. Influenza																										
6. Pyrexia or Fever																										
7. Enteric Fever																										
8. Malaria																										
9. Malarial Cachexia																										
10. Cholera																										
11. Diarrhoea																										
11a. Enteritis																										
12. Dysentery																										
13. Anchylostomiasis or Dochmiasis Duodenalis																										
14. Cancer																										
15. Phthisis																										
16. Other Tuberculous Diseases																										
17. Anaemia																										
18. Diabetes Mellitus																										
19. Convulsions																										
20. Tetanus																										
21. Bronchitis																										
22. Pneumonia																										
23. Other Diseases of the Respiratory System																										
24. Bright's Disease and Nephritis																										
25. Puerperal Eclampsia																										
26. Puerperal Septicæmia																										
27. Miscarriage																										
28. Other undefined Accidents of Childbirth																										
29. Starvation																										
30. Accidents or Negligence																										
31. Homicide																										
32. Suicide																										
33. Execution																										
34. All Other Causes	3	4	26	17	11	6	1	4	5	5	5	4	3	4	8	1	6	2								

Table IV.—Causes of Deaths by Sex registered during the Month of May, 1922, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.		Deaths among all Races.												Others.					
	Wellawatta South.		Europeans.				Burghers.				Sinhalese.		Tamils.		Moors.		Malays.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	10	4	2	—	13	8	172	135	65	56	52	49	13	8	16	4	—	—		
All Causes	10	4	2	—	13	8	172	135	65	56	52	49	13	8	16	4	—	—	—	
I.—Infantile Mortality	1	—	—	—	2	2	40	28	12	13	17	16	4	3	2	1	—	—	—	
A.—One Week and under.																				
1. Prematurity	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	
2. Debility	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																				
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and Over).	9	4	2	—	11	6	132	107	58	43	35	33	9	5	14	4	—	—	—	
1. Plague	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	
2. Smallpox	—	—	—	—	—	—	—	—	6	7	1	3	3	4	1	1	1	1	—	
3. Chickenpox	—	—	—	—	—	—	—	—	11	4	6	2	3	6	—	—	—	—	—	
4. Measles	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—	—	
5. Influenza	—	—	—	—	—	—	—	—	5	5	1	1	1	1	—	—	—	—	—	
6. Pyrexia or Fever	—	—	—	—	—	—	—	—	8	1	1	1	1	1	—	—	—	—	—	
7. Enteric Fever	—	—	—	—	—	—	—	—	4	6	—	2	2	2	—	—	—	—	—	
8. Malaria	—	—	—	—	—	—	—	—	1	3	1	1	1	1	—	—	—	—	—	
9. Malarial Cachexia	—	—	—	—	—	—	—	—	3	1	1	1	1	1	—	—	—	—	—	
10. Cholera	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—	—	
11. Diarrhoea	—	—	—	—	—	—	—	—	2	2	1	1	1	1	—	—	—	—	—	
11a. Enteritis	—	—	—	—	—	—	—	—	5	3	3	2	2	2	—	—	—	—	—	
12. Dysentery	—	—	—	—	—	—	—	—	3	4	1	2	2	1	—	—	—	—	—	
13. Anchylostomiasis or Dochmias Duo-denalis	—	—	—	—	—	—	—	—	3	4	1	2	2	—	—	—	—	—	—	
14. Cancer	—	—	—	—	—	—	—	—	2	2	1	1	1	1	—	—	—	—	—	
15. Phthisis	—	—	—	—	—	—	—	—	14	10	2	3	3	3	2	1	1	1	—	
16. Other Tuberculous Diseases	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—	—	
17. Anaemia	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—	—	
18. Diabetes Mellitus	—	—	—	—	—	—	—	—	5	3	1	2	1	2	—	—	—	—	—	
19. Convulsions	—	—	—	—	—	—	—	—	2	1	1	1	1	1	—	—	—	—	—	
20. Tetanus	—	—	—	—	—	—	—	—	1	5	1	1	1	1	2	—	—	—	—	
21. Bronchitis	—	—	—	—	—	—	—	—	1	5	1	1	1	1	2	1	1	1	—	
22. Pneumonia	—	—	—	—	—	—	—	—	1	15	11	10	10	7	—	—	—	—	—	
23. Other Diseases of the Respiratory System	—	—	—	—	—	—	—	—	2	28	15	11	10	2	—	—	—	—	—	
24. Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	1	5	4	1	2	1	1	1	1	1	—	
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	—	—	—	—	
26. Puerperal Septicæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	
28. Other undefined Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Accidents or Negligence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34. All Other Causes	—	—	—	—	—	—	—	—	4	1	47	38	13	10	18	11	3	1	4	2